

THIS INSTRUMENT PREPARED BY
ENGINEERING DESIGN TECHNOLOGIES INC.
215 19TH STREET NORTH
BIRMINGHAM, AL 35203

STATE OF ALABAMA
COUNTY OF SHELBY

PROJECT NO. CMAQ-9802(930)
CPMS PROJ. NO. 100072376
TRACT NO. 1

**FEE SIMPLE
WARRANTY DEED**

KNOW ALL MEN BY THESE PRESENTS, that for and in consideration of the sum of _____ dollar(s), cash in hand paid to the undersigned by the City of Alabaster, the receipt of which is hereby acknowledged, I (we), the undersigned grantor(s), _____ have this day bargained and sold, and by these presents do hereby grant, bargain, sell and convey unto the City of Alabaster the following described property:

A part of the SW ¼ OF SW ¼, Section 11, Township 21-S, Range 3-W, identified as Tract No. 2 on Project No. CMAQ-9802(930) in Shelby County, Alabama and being more fully described as follows:

Parcel 1 of 1:

As a part of the SW ¼ OF SW ¼, Section 11, Township 21-S, Range 3-W, in Shelby County, Alabama,

Commencing at a POINT located on the NW side of the YMCA parking lot, Northing 1171521.335, Easting 2173936.524, also known as the beginning of the proposed trail centerline,

Thence N01°42'27.9"E a distance of 9.000' to a point 9.000' right of centerline of Buck Creek Trail at STA 8+38.11, which is the POINT OF BEGINNING,

Thence S88°13'24.5"E a distance of 6.822' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 8+44.92,

Thence following the curvature there of an arc distance of 44.169' along the acquired right-of-way line (said arc having a chord bearing of N74°22'57.1"W, clockwise direction, a chord distance of 43.737' and a radius of 91.000') to a point 9.000' right of centerline of Buck Creek Trail at STA 8+93.46,

Thence S60°28'57.2"E a distance of 64.832' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 9+58.29,

Thence following the curvature there of an arc distance of 41.167' along the acquired right-of-way line (said arc having a chord bearing of N84°41'09.8"W, counterclockwise direction, a chord distance of 40.144' and a radius of 53.130') to a point 9.000' right of centerline of Buck Creek Trail at STA 9+92.39,

Thence following the curvature there of an arc distance of 20.404' along the acquired right-of-way line (said arc having a chord bearing of S88°55'30.9"W, clockwise direction, a chord distance of 20.121' and a radius of 35.318') to a point 9.000' right of centerline of Buck Creek Trail at STA 10+18.30,

Thence S72°12'32.8"E a distance of 15.090' to a point 9.000' right of centerline of Buck Creek Trail at STA 10+33.39,

Thence following the curvature there of an arc distance of 132.017' along the acquired right-of-way line (said arc having a chord bearing of N30°38'38.3"W, clockwise direction, a chord distance of 120.705' and a radius of 91.004') to a point 9.000' right of centerline of Buck Creek Trail at STA 11+78.47,

Thence S10°54'47.5"W a distance of 272.461' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 14+50.93,

Thence following the curvature there of an arc distance of 19.030' along the acquired right-of-way line (said arc having a chord bearing of N44°59'13.4"E, clockwise direction, a chord distance of 17.928' and a radius of 16.000') to a point 9.000' right of centerline of Buck Creek Trail at STA 14+80.66,

Thence S79°03'39.3"W a distance of 67.978' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 15+48.64,

Thence following the curvature there of an arc distance of 33.881' along the acquired right-of-way line (said arc having a chord bearing of N38°37'16.7"E, counterclockwise direction, a chord distance of 31.135' and a radius of 24.000') to a point 9.000' right of centerline of Buck Creek Trail at STA 14+69.82,

Thence N01°49'27.9"W a distance of 68.029' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 16+37.85,

Thence following the curvature there of an arc distance of 77.906' along the acquired right-of-way line (said arc having a chord bearing of N43°09'17.4"W, counterclockwise direction, a chord distance of 71.323' and a radius of 54.000') to a point 9.000' right of centerline of Buck Creek Trail at STA 17+02.73,

Thence N84°26'24.2"W a distance of 63.818' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 17+66.55,

Thence following the curvature there of an arc distance of 67.917' along the acquired right-of-way line (said arc having a chord bearing of N58°50'20.4"W, clockwise direction, a chord distance of 65.680' and a radius of 76.000') to a point 9.000' right of centerline of Buck Creek Trail at STA 18+42.51,

Thence N33°14'26.7"W a distance of 50.145' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 18+92.65,

Thence following the curvature there of an arc distance of 19.070' along the acquired right-of-way line (said arc having a chord bearing of N42°29'02.5"W, counterclockwise direction, a chord distance of 18.985' and a radius of 58.868') to a point 9.000' right of centerline of Buck Creek Trail at STA 19+08.80,

Thence N51°44'59.6"W a distance of 46.301' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 19+55.11,

Thence following the curvature there of an arc distance of 17.152' along the acquired right-of-way line (said arc having a chord bearing of N46°20'59.1"W, clockwise direction, a chord distance of 17.127' and a radius of 90.924') to a point 9.000' right of centerline of Buck Creek Trail at STA 19+73.96,

Thence N40°57'08.8"W a distance of 112.590' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 20+85.89,

Thence following the curvature there of an arc distance of 90.210' along the acquired right-of-way line (said arc having a chord bearing of N27°25'10.4"W, clockwise direction, a chord distance of 89.374' and a radius of 191.000') to a point 9.000' right of centerline of Buck Creek Trail at STA 21+80.35,

Thence N13°53'20.8"W a distance of 112.590' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 22+55.98,

Thence following the curvature there of an arc distance of 24.842' along the acquired right-of-way line (said arc having a chord bearing of N11°26'36.5"W, clockwise direction, a chord distance of 24.835' and a radius of 291.000') to a point 9.000' right of centerline of Buck Creek Trail at STA 22+81.59,

Thence S08°59'52.2"E a distance of 270.802' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 25+52.39,

Thence following the curvature there of an arc distance of 60.555' along the acquired right-of-way line (said arc having a chord bearing of N19°26'28.4"E, clockwise direction, a chord distance of 58.099' and a radius of 61.000') to a point 9.000' right of centerline of Buck Creek Trail at STA 26+21.88, which ties to the present property line,

Thence N89°59'46"E a distance of 23.849' along the present property line to a point 9.000' left of centerline of Buck Creek Trail at STA 26+06.07,

Thence following the curvature there of an arc distance of 60.582' along the acquired right-of-way line (said arc having a chord bearing of S12°58'16.2"W, counterclockwise direction, a chord distance of 59.109' and a radius of 79.000') to a point 9.000' left of centerline of Buck Creek Trail at STA 25+52.39,

Thence S08°59'52.2"E a distance of 270.802' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 22+81.59,

Thence following the curvature there of an arc distance of 26.379' along the acquired right-of-way line (said arc having a chord bearing of S11°26'36.5"E, counterclockwise direction, a chord distance of 26.371' and a radius of 309.000') to a point 9.000' left of centerline of Buck Creek Trail at STA 22+55.98,

Thence N13°53'20.8"W a distance of 75.633' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 21+80.35,

Thence following the curvature there of an arc distance of 98.711' along the acquired right-of-way line (said arc having a chord bearing of S27°25'10.4"E, counterclockwise direction, a chord distance of 97.796' and a radius of 209.000') to a point 9.000' left of centerline of Buck Creek Trail at STA 20+85.89,

Thence N40°57'00.1"W a distance of 111.933' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 19+73.96,

Thence following the curvature there of an arc distance of 20.547' along the acquired right-of-way line (said arc having a chord bearing of S46°20'59.2"E, counterclockwise direction, a chord distance of 20.516' and a radius of 108.924') to a point 9.000' left of centerline of Buck Creek Trail at STA 19+55.11,

Thence N51°44'59.6"W a distance of 46.301' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 19+08.80,

Thence following the curvature there of an arc distance of 13.239' along the acquired right-of-way line (said arc having a chord bearing of S42°28'52.7"E, clockwise direction, a chord distance of 13.187' and a radius of 40.868') to a point 9.000' left of centerline of Buck Creek Trail at STA 18+92.65,

Thence N33°14'26.7"W a distance of 50.145' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 18+42.51,

Thence following the curvature there of an arc distance of 84.003' along the acquired right-of-way line (said arc having a chord bearing of S58°50'20.4"E, counterclockwise direction, a chord distance of 81.235' and a radius of 94.000') to a point 9.000' left of centerline of Buck Creek Trail at STA 18+92.65,

Thence N84°26'24.2"W a distance of 63.818' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 17+02.73,

Thence following the curvature there of an arc distance of 51.909' along the acquired right-of-way line (said arc having a chord bearing of S43°07'56"E, clockwise direction, a chord distance of 47.528' and a radius of 36.000') to a point 9.000' left of centerline of Buck Creek Trail at STA 16+37.85,

Thence S01°49'27.9"E a distance of 63.818' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 15+69.82,

Thence following the curvature there of an arc distance of 8.470' along the acquired right-of-way line (said arc having a chord bearing of S38°24'42.3"W, clockwise direction, a chord distance of 7.770' and a radius of 6.000') to a point 9.000' left of centerline of Buck Creek Trail at STA 15+48.64,

Thence S79°03'39.3"W a distance of 67.978' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 14+80.66,

Thence following the curvature there of an arc distance of 40.440' along the acquired right-of-way line (said arc having a chord bearing of S44°59'13.4"W, counterclockwise direction, a chord distance of 38.098' and a radius of 34.000') to a point 9.000' left of centerline of Buck Creek Trail at STA 14+50.93,

Thence S10°54'47.5"W a distance of 272.461' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 11+78.47,

Thence following the curvature there of an arc distance of 158.136' along the acquired right-of-way line (said arc having a chord bearing of S30°38'53.3"E, counterclockwise direction, a chord distance of 144.628' and a radius of 109.004') to a point 9.000' left of centerline of Buck Creek Trail at STA 10+33.39,

Thence S72°12'32.8"E a distance of 15.090' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 10+18.30,

Thence following the curvature there of an arc distance of 31.523' along the acquired right-of-way line (said arc having a chord bearing of N89°18'57.5"E, counterclockwise direction, a chord distance of 31.066' and a radius of 53.306') to a point 9.000' left of centerline of Buck Creek Trail at STA 9+58.29,

Thence following the curvature there of an arc distance of 26.368' along the acquired right-of-way line (said arc having a chord bearing of S85°00'47.6"E, clockwise direction, a chord distance of 25.754' and a radius of 35.145') to a point 9.000' left of centerline of Buck Creek Trail at STA 9+58.29,

Thence S60°28'57.2"E a distance of 64.832' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 8+93.46,

Thence following the curvature there of an arc distance of 52.905' along the acquired right-of-way line (said arc having a chord bearing of S74°23'14.6"E, counterclockwise direction, a chord distance of 52.388' and a radius of 109.000') to a point 9.000' left of centerline of Buck Creek Trail at STA 8+44.92,

Thence S88°17'31.4"E a distance of 6.801' along the acquired right-of-way line to a point 9.000' left of centerline of Buck Creek Trail at STA 8+38.11,

Thence N01°46'35.5"E a distance of 18.000' along the acquired right-of-way line to a point 9.000' right of centerline of Buck Creek Trail at STA 8+38.11, and POINT OF BEGINNING

The above-described parcel contains ± 0.733 acres (31,929.48 sq ft).

TO HAVE AND TO HOLD, unto the City of Alabaster, its successors and assigns in fee simple forever.

AND FOR THE CONSIDERATION AFORESAID, I (we) do for myself (ourselves), for my (our) heirs, executors administrators, successors, and assigns covenant to and with the City of Alabaster that I (we) am (are) lawfully seized and possessed in fee simple of said tract or parcel of land hereinabove described; that I (we) have a good and lawful right to sell and convey the same as aforesaid; that the same is free of all encumbrances, liens, and claims, except the lien for advalorem taxes which attached on October 1, last past, and which is to be paid by the grantor; and that I (we) will forever warrant and defend the title thereto against the lawful claims of all persons whomsoever.

THE GRANTOR(S) HEREIN FURTHER COVENANT(S) AND AGREE(S), that the purchase price above-stated is in full compensation to him-her (them) for this conveyance, and hereby release the City of Alabaster and all or its employees and officers from any and all damages to his/her (their) remaining property contiguous to the property hereby conveyed arising out of the location, construction, improvement, landscaping, maintenance or repair of any public road or highway that may be so located on the property herein conveyed.

IN WITNESS WHEREOF, I (we) have hereunto set my (our) hand(s) and seal this the _____ day of _____, 20____.

