
DRAWINGS & SPECIFICATIONS, AS INSTRUMENTS OF PROFESSIONAL SERVICE ARE AND SHALL REMAIN PROPERTY OF DESIGN INTELLIGENCE, LLC. THESE DOCUMENTS ARE NOT TO BE USED IN WHOLE OR IN PART FOR ANY OTHER PROJECT OR PURPOSE WHATSOEVER, WITHOUT THE PRIOR SPECIFIC WRITTEN AUTHORIZATION OF DESIGN INTELLIGENCE, LLC.

OF WALL AT TOP OF ALL OPENINGS OF WALL SEE 2021 IRC R608.8.1 LESS THAN 2'-O" IN WIDTH COYER

TYPICAL FOUNDATION WALL YENT OPENING REINFORCING



BLOCKOUTS

CONTRACTOR SHALL YERIFY ALL WINDOW AND DOOR ROUGH OPENING SIZES BEFORE FORMING BLOCKOUTS, SEE ARCHITECTURAL DRAWINGS FOR ALL WINDOW AND DOOR SIZES AND LOCATIONS.

SEE SHEET S5 FOR SHEAR WALLS, HOLD DOWNS AND KING STUD SCHEDULE

BOTTOM OF FOOTINGS & TOP OF STEM WALL HEIGHT MAY VARY SEE ARCHITECTURAL DRAWINGS

UP TO (3) 2x6 GANGSTUD POSTS EMBEDDED IN WALLS DO NOT REQUIRE POST BASES.

POST SCHEDULE

P1-P4 = DF #1 6x6 P5-P6 = (3) DF #2 2x6

5, 24"x30" PERSONNEL ACCESS.

FOUNDATION NOTES

FROST LINE.

FI = 28×10 CONT, FTG WITH (3) #4 CONT.

1, SEE SHEET SO, I FOR ADDITIONAL GENERAL NOTES,

VENTILATION, MIN. I SQ FT VENTILATION FOR EACH

1500 SQ FT OF CRAWL SPACE AREA, YENTS SHALL BE

2. BOTTOM OF FOOTING SHALL BE BELOW LOCAL

3, CONTRACTOR SHALL PROVIDE CRAWL SPACE

LOCATED TO PROVIDE CROSS VENTILATION.

4. PROVIDE CRAWL SPACE ACCESS 24"x30".

FOOTING SCHEDULE

 $F2 = 24 \times 10$ CONT. FTG WITH (3) #4 CONT. F3 = 16×10 CONT. FTG WITH (2) #4 CONT. F4 = 12×10 CONT, FTG WITH (2) #4 CONT, F5 = 48×48×10 FTG WITH (5) #4 EACH WAY

FOUNDATION PLAN

1/4" = 1'-0"

LEGEND

CONTRACTOR'S RESPONSIBILITY

IT IS THE CONTRACTOR'S RESPONSIBILITY TO REVIEW ALL ASPECTS OF THESE DRAWINGS, ARCHITECTURAL AND STRUCTURAL, PRIOR TO CONSTRUCTION. ANY CONFLICTS SHALL BE REPORTED TO THE ENGINEER FOR CORRECTION, CHANGES MAY BE PROPOSED BY THE CONTRACTOR IF HE FEELS THE CHANGE IS IN THE BEST INTEREST OF THE OWNER. CHANGES SHALL BE FORWARDED TO THE ENGINEER IN WRITING FOR APPROVAL PRIOR TO CONSTRUCTION.