



Project # 260169

Alpine, WY



EXISTING DISPLAY HEIGHT



PRICE:
 Watchfire LED Display: \$40,897.00
 Installation: \$3997.00
 -includes removing old display, cutting pipe, installing new display, connecting to existing power
 *Does not include additional electrical work if needed.



PRODUCT SPECIFICATIONS

SIGN ID: 2131584 W10-S

Pixel Pitch:	W10mm LED RGB
Pixel Matrix:	90H X 300W
Ventilation Style:	Front Ventilation
Cabinet Size:	41in H x 10ft 3in L x 5in D
Viewing Area:	36in H x 10ft L
Cabinet Style:	Double Face (Slim) Front Service
Character Size:	11 lines / 60.0 Characters at a 3" type
Approx. Weight:	786.00 Lbs.
Warranty:	Standard 5 Year Watchfire warranty applies.
Mfg. Lead Time:	3-5 weeks (Based on signed quote, receipt of deposit, and artwork approval - if applicable)

Electrical Service: 120 VOLT 36.0 amps (18.00 per face) Single Phase Service. Refer to the Installation manual for details on wiring. Based on 18 hours of operation a day, plus or minus 10% depending on how the sign is programmed.
 Example: 22.4 KWHrs x \$0.12 = \$2.69/Day

STANDARD FEATURES

Brightness	Daytime 7500 NITs Maximum;Nighttime 700 NITs Maximum
Color	LED RGB
Color Capability	Min. 1.2 Quintillion
Includes	Ignite Graphics Software
Video	Plays prerecorded clips, Animated Text & graphics
Viewing Angles	150 Horizontal/95 Vertical

OPTIONS

Software	Ignite OPx (cloud-based)
Software Training	Web Based Software Training
Communications	OPx - 4G Wireless with Watchfire Cellular Data Plan
Wireless Data Plan	Life-of-sign Data Plan
Cabinet Separation	Standard Up To 15 Feet
Power Requirements	US 120 Volts
Temperature Sensor	w/100-Step Photocell w/15 ft Cable
Sign Mounting Kit	Not Ordered / Not Required
Technician On-Site	Not Ordered
Warranty	Standard 5-Year Parts



PRICE:
 Watchfire LED Display: \$41,239.00
 Installation: \$3997.00
 -includes removing old display, cutting pipe, installing new display,
 connecting to existing power
**Does not include additional electrical work if needed.*



PRODUCT SPECIFICATIONS

SIGN ID: 2131585 W10-S

Pixel Pitch:	W10mm LED RGB
Pixel Matrix:	120H X 240W
Ventilation Style:	Front Ventilation
Cabinet Size:	4ft 5in H x 8ft 3in L x 5in D
Viewing Area:	4ft H x 8ft L
Cabinet Style:	Double Face (Slim) Front Service
Character Size:	15 lines / 48.0 Characters at a 3" type
Approx. Weight:	814.00 Lbs.
Warranty:	Standard 5 Year Watchfire warranty applies.
Mfg. Lead Time:	3-5 weeks (Based on signed quote, receipt of deposit, and artwork approval - if applicable)
Electrical Service:	120 VOLT 40.0 amps (20.00 per face) Single Phase Service. Refer to the Installation manual for details on wiring. Based on 18 hours of operation a day, plus or minus 10% depending on how the sign is programmed. <i>Example: 24.9 KWHrs x \$0.12 = \$2.99/Day</i>

STANDARD FEATURES

Brightness	Daytime 7500 NITs Maximum; Nighttime 700 NITs Maximum
Color	LED RGB
Color Capability	Min. 1.2 Quintillion
Includes	Ignite Graphics Software
Video	Plays prerecorded clips, Animated Text & graphics
Viewing Angles	150 Horizontal/95 Vertical

OPTIONS

Software	Ignite OPx (cloud-based)
Software Training	Web Based Software Training
Communications	OPx - 4G Wireless with Watchfire Cellular Data Plan
Wireless Data Plan	Life-of-sign Data Plan
Cabinet Separation	Standard Up To 15 Feet
Power Requirements	US 120 Volts
Temperature Sensor	w/100-Step Photocell w/15 ft Cable
Sign Mounting Kit	Not Ordered / Not Required
Technician On-Site	Not Ordered
Warranty	Standard 5-Year Parts

