



AGENDA ITEM SUMMARY FORM

MEETING DATE: 4/17/2023

PREPARED BY: Megan Mainer, Director of Parks & Recreation

AGENDA CONTENT: Discussion and possible action on funding ADA accessible parking spaces and sidewalk at Bates Park.

AGENDA ITEM SECTION: Regular Agenda

BUDGETED AMOUNT: \$0 **FUNDS REQUESTED:** \$26,700

FUND: 40-506-520

EXECUTIVE SUMMARY:

Staff were directed to collect pricing for ADA accessible parking spaces and connecting sidewalk at Bates Park. The scope of work includes:

- **Handicap 6" Parking Area-** excavate 12" of spoils for new parking area. Install/grade/compact 6-inches of 5% stabilized sand. Install forms, #4 rebar @18" CC, redwood expansions, smooth dowls, pour a 3500- psi ready mix with smooth brush finish. Install two curb stops for parking spots along with all necessary paint & signs for handicap parking. Clean up all disturbed areas due to construction. (40'x30'of 6" parking area)
- **5' Sidewalk 4" Thick-** Excavate 4" spoils for new sidewalk. Install/grade/compact bank sand. Install forms, #3 rebar @ 18"CC, redwood expansions, smooth dowls, pour 3500 PSI ready mix w/smooth brush finish. Total sidewalk installation is approx. 650 SF for this project 3-sections (60'x5') (40'x5') (30'x5') Break forms & clean up all disturb areas due to construction
- One inlet box for drainage

Each Handicap Bay after the proposed two will be \$10,000.00 added to total. (Includes 30'x20' of 6" concrete parking spot, striping paint, curb stop & handicap sign). Each inlet box needed for drainage will be \$4,500.00 added to total. (Inlet box will be poured in place with frame/grate.)

Estimate does not include permits, material testing, drawings, surety bonds, dewatering system/well points, sod/hydromulch, traffic control or relocation of any existing utility lines.

RECOMMENDATION:

Staff recommends ABLC discuss the benefits of completing the ADA accessible parking spaces and sidewalk at Bates Park and consider, or act on, funding the project.