

0 50 100 200 300 SCALE: 1" = 100'	ASHLAND STREET DEDICATION SEC 2 SH 523 E HENDERSC
	VICINITY MAP
5	N.T.S.
C.C.F DE	"Building Line" "County Clerk's File" "Drainage Easement" "Easement" "Film Code" "Official County Clerk, Brazoria County, Texas" "Number" "Right—of—Way" "Sanitary Sewer Easement" "Square Feet" "Storm Sewer Easement" "Storm Sewer Easement" "Utility Easement" "Utility Easement" "Volume and Page" "Waterline Easement" "Block Number" "Set 3/4—inch Iron Rod With Cap Stamped "Quiddity" as Per Certification"

1. A one-foot reserve (1' reserve) has been dedicated to the public in fee as a buffer separation between the side or end of streets in subdivision plats where such streets abut adjacent acreage tracts, the condition of such dedicated being that when the adjacent property is subdivided in a recorded plat, the one—foot reserve shall thereupon become vested in the public for street right—of—way purposes and the title fee thereto shall revert to and revest in the dedicator, his heirs, assigns or successors.

E HENDERSON RD

- 2. All building lines along street rights—of—way are as shown on the plat. 3. The Coordinates shown hereon are Texas Coordinate System of 1983, South Central Zone NAD 83, and may be brought to surface by applying the following combined scale factor of 1.0001144934. 4. Absent written authorization by the affected utilities, all utility and aerial easements must be kept unobstructed from any
- non—utility improvements or obstructions by the property owner. Any unauthorized improvements or obstructions may be removed by any public utility at the property owner's expense. While wooden posts and paneled wooden fences along the perimeter and back to back easements and alongside rear lots lines are permitted, they too may be removed by public utilities at the property owner's expense should they be an obstruction. Public Utilities may put said wooden posts and paneled wooden fences back up, but generally will not replace with new fencing. 5. HORIZONTAL DATUM: All bearings are referenced to the Texas Coordinate system, North American datum of 1983 (nad83), South Central
- 6. VERTICAL DATUM: All elevations are referenced to the North American Vertical Datum of 1988 (nav88), Geoid 12b, based on Allterra's RTK Network, Stations HAGS_1012 and HCOG_14012.
- 7. These tracts lie within Zone "X" and Zone "X-Shaded" of the Flood Insurance Rate Map, Community Panel No. 485458, Map Number 48039C0430K, Panel 430, Suffix "K", dated December 30, 2020, for Brazoria County, Texas and unincorporated areas. 8. All drainage easements shown hereon shall be dedicated to the public and shall be maintained by the MUD.
- 9. Sidewalks shall be constructed in accordance with the Development Agreement between the City of Angleton, Texas and Developer. 10. Notice: Selling a portion of this addition by metes and bounds is a violation of the Unified Development Code of the City of Angleton
- and State platting statutes and is subject to fines and withholding of utilities and building permits. 11. Notice: Plat approval shall not be deemed to or presumed to give authority to violate, nullify, void, or cancel any provisions of local,
- state, or federal laws, ordinances, or codes. 12. Notice: The applicant is responsible for securing any Federal permits that may be necessary as the result of proposed development activity. The City of Angleton is not responsible for determining the need for, or ensuring compliance with any Federal permit.
- 13. Notice: Approval of this plat does not constitute a verification of all data, information and calculations supplied by the applicant. The Engineer of Record or Registered Public Land Surveyor is solely responsible for the Completeness, accuracy and adequacy of his/her submittal where or not the application is reviewed for code compliance by the City Engineer. 14. Notice: All responsibility for the adequacy of this plat remains with the engineer or surveyor who prepared them. In approving these
- plans, the City of Angleton must rely on the adequacy of the work of the Engineer and/or surveyor of record. 15. Reserves A shall be owned and maintained by the Brazoria County MUD No. 82

FINAL PLAT OF
ASHLAND
STREET DEDICATION
SEC 2

A SUBDIVISION OF 31.51 ACRES OF LAND OUT OF THE SHUBAEL MARSH SURVEY, A-82 **BRAZORIA COUNTY, TEXAS** 1 RESERVE 1 BLOCK

JULY 2023

ANCHOR HOLDINGS MP LLC 101 PARKLANE BOULEVARD SUITE 102 SUGAR LAND, TEXAS 77478 281-912-3364

<u>PLANNER</u> META PLANNING AND DESIGN 24275 KATY FREEWAY SUITE 200 KATY, TEXAS 77494 281-810-1422

ENGINEER/SURVEYOR: Registration Nos. F-23290 & 10046100 SHEET 1 OF 3

 $K: \ 16759 \ 16759 - 0010 - 13 \ Ashland - Phase \ 1A - Offsite \ Paving \ 2 \ Design \ Phase \ Planning \ Sec \ 2 \ ASHLAND \ STREET \ DEDICATION \ SEC \ 2 - PLAT.dwg \ Aug \ 17,2023 - 12:36pm \ CKJ \ Ashland \ Ashland \ Aug \ 17,2023 - 12:36pm \ CKJ \ Ashland \ Aug \ 17,2023 - 12:36pm \ CKJ \ Ashland \ Aug \ 17,2023 - 12:36pm \ CKJ \ Ashland \ Aug \ 17,2023 - 12:36pm \ CKJ \ Ashland \ Ashland \ Aug \ 17,2023 - 12:36pm \ CKJ \ Ashland \ Ashland \ Aug \ 17,2023 - 12:36pm \ CKJ \ Ashland \ Aug \ 17,2023 - 12:36pm \ Ashland \ Aug \ Aug \ Ashland \ Aug \ Aug$

1834.82' 7'48'46"

750.00' 20°22'41"

125.00' 3"11'37"

1940.00' | 23°33'28"

500.00' 17°32'37"

715.00' 17°23'49"

1465.00' 23°53'41"

815.00' 38'48'23"

92°15'04"

37°04'06"

87°16'51"

1°38'32"

30.00'

C10 745.00'

C13 5868.77

25.00'

C12 630.00' 2*19'43"

C14 | 780.00' | 38°48'23"

C15 600.00' 6'47'10"

C16 | 1500.00' | 23°53'41"

C17 750.00' 34°56'26"

C18 800.00' 33°56'05"

C19 | 1535.00' | 24°54'02"

C20 25.00' 96°47'10"

LINE TABLE

LINE | BEARING | DISTANCE L1 N87°09'33"E 110.00'

L2 N87°12'27"E 119.98'

L3 S88°38'15"E 118.17'

L4 S81°51'46"E 118.17'

L5 S75°07'34"E 118.39'

L6 S40°55'40"W 62.26'

L7 S05°18'13"E 92.21'

L8 S04°50'23"E 160.40'

L9 | S01°38'07"E | 153.48'

L10 S04°22'43"E 90.63'

L11 N53°27'23"W 90.00

L12 N36°32'41"E 142.60'

L13 S73°29'03"E 70.00'

L14 | S15°30'16"E | 60.00'

L15 | S54°48'09"E | 47.26'

L16 N22°17'26"W 302.10'

L17 S67°42'34"W 9.43'

L18 S36*32'41"W 77.79'

L19 N74°29'44"E 13.92'

CURVE TABLE

| CURVE | RADIUS | DELTA ANGLE | ARC LENGTH | CHORD BEARING | CHORD LENGTH | TANGENT

266.75

797.65

48.30'

153.10'

217.10'

610.97

552.00'

625.56

457.37

473.82

42.23

S17°32'13"W

N82°39'07"W

S05*58'32"E

S67°29'07"E

S09°34'51"E

N27°46'22"E

N10°18'10"E

N10°20'36"W

S02°53'15"E

S02°01'06"E

S64°11'34"E

S73°19'52"W

S19°02'10"E

S02°53'15"E

S71°06'09"W

N10°20'36"W

N19°04'28"E

N19°34'38"E

N09°50'25"W

S26°06'09"W

250.00

265.34

6.97

792.04

43.25

152.50'

216.27

606.55

541.51

473.62

34.51

25.60

168.21

518.25

71.02

621.04

450.32

466.92

661.87

37.39

125.29

134.80'

3.48'

404.54

31.20'

77.15

109.39

309.99

287.06

249.77

23.84

12.80'

84.11

274.73

35.57'


317.40


236.05

244.09

338.90'

28.15





FINAL PLAT OF ASHLAND DEDICATION SEC 2

OF 31.51 ACRES OF LAND OUT OF THE . MARSH SURVEY, A-82 RIA COUNTY, TEXAS 1 RESERVE 1 BLOCK

JULY 2023

OWNER
ANCHOR HOLDINGS MP LLC <u>PLANNER</u> **META PLANNING AND DESIGN** 24275 KATY FREEWAY SUITE 200 KATY, TEXAS 77494 281-810-1422

Texas Board of Professional Engineers and Land Surveyors Registration Nos. F-23290 & 10046100 6330 West Loop South, Suite 150 ● Bellaire, TX 77401 ● 713.777.5337

	CURVE TABLE								
			CHORD BEARING	ARC LENGTH			CURVE		
	125.29' 134.80'	250.00' 265.34'	S17°32'13"W N82°39'07"W	250.19' 266.75'			C1 C2		
	3.48'	6.97'	S05*58'32"E	6.97'	3 "11'37"		C3		
$^{\prime}$	404.54	792.04'	S67*29'07"E	797.65'	23*33'28"	1940.00'	C4		
	31.20'	43.25	S09°34'51"E	48.30'	92°15'04"	30.00'	C5		
	77.15'	152.50'	N27*46'22"E	153.10'	17*32'37"	500.00'	C6		
A SUE	109.39'	216.27	N1018'10"E	217.10'	17°23'49"	715.00'	C7		
	309.99'	606.55'	N10°20'36"W	610.97	23°53'41"	1465.00'	C8		
	287.06'	541.51	S02°53'15"E	552.00'	38°48'23"	815.00'	C9		
$\overline{\mathcal{L}}$	249.77	473.62'	S02*01'06"E	481.99'	37°04'06"	745.00'	C10		
	23.84'	34.51'	S64°11'34"E	38.08'	87°16'51"	25.00'	C11		
	12.80'	25.60'	S73"19'52"W	25.61'	2°19'43"	630.00'	C12		
			1	1 .	1				

101 PARKLANE BOULEVARD SUITE 102 SUGAR LAND, TEXAS 77478 281-912-3364

96°47'10"

C14 780.00' 38'48'23"

C16 | 1500.00' | 23°53'41"

C17 750.00' 34°56'26"

C18 800.00' 33°56'05"

C19 | 1535.00' | 24°54'02"

C20 | 25.00'

C15 600.00' 6'47'10"

168.21'

625.56

457.37

473.82

42.23

S19°02'10"E 168.21'

518.25

621.04

450.32

466.92

S02°53'15"E

S71°06'09"W

N10°20'36"W

N19*04'28"E

N19°34'38"E

N09°50'25"W

S26°06'09"W

84.11

274.73

35.57

317.40'

236.05

244.09

338.90

28.15'

LINE TABLE

L1 N87°09'33"E 110.00' L2 N87°12'27"E 119.98' L3 | S88*38'15"E | 118.17'

L5 | S75°07'34"E | 118.39' L6 S40°55'40"W 62.26' L7 S05"18'13"E 92.21'

L9 | S01°38'07"E | 153.48'

L10 S04°22'43"E 90.63' L11 N53°27'23"W 90.00

L12 N36°32'41"E 142.60'

L13 | S73°29'03"E | 70.00'

L14 S15°30'16"E 60.00'

L15 S54°48'09"E 47.26'

L16 N22°17'26"W 302.10

L17 | S67°42'34"W | 9.43'

L18 S36°32'41"W 77.79'

L19 N74°29'44"E | 13.92'

DISTANCE

LINE BEARING

L4 S81°51'46"E

L8 S04°50'23"E

STATE OF TEXAS §

COUNTY OF BRAZORIA §

A METES & BOUNDS description of a certain 31.51—acre tract of land situated in the Shubael Marsh Survey, Abstract No. 82, in Brazoria County, Texas, being out of a called 469.08 acre tract of land conveyed to Anchor Holdings MP, LLC by Special Warranty Deed recorded in Clerk's File No. 2021085145 of the Official Public Records of Brazoria County; said 31.51—acre tract being more particularly described as follows with all bearings being based on the Texas Coordinate System of 1983, South Central Zone;

COMMENCING at a found concrete monument at the northwest corner of said 469.08—acre tract, the southwest corner of a called 2.97—acre tract of land conveyed to James W. Northrup and Deborah Northrup in Clerk's File No. 01—008056 in Brazoria County Official Public Records, and along the east line of F.M. Highway 521 recorded in Volume P, Page 201 of the Commissioner Court Records, from which a 5/8 inch found iron rod bears North 87°03'34" East, 3,809.04 feet;

THENCE, South 14°02'37" West, along the west line of said 469.08—acre tract, common with the east line of said F.M. Highway 521, 1,798.64 feet to a point for corner;

THENCE, South 75°57'23" East, 681.31 feet to the POINT OF BEGINNING;

THENCE, South 73°29'03" East, 70.00 feet to a point at the beginning of a non-tangent curve to the left; THENCE, along the arc of said non-tangent curve to the left having a radius of 745.00 feet, a central angle of 37°04'06", an arc length of 481.99 feet, and a long chord bearing South 02°01'06" East, 473.62 feet to a point at the beginning of a compound curve to the left;

THENCE, along the arc of said compound curve to the left having a radius of 25.00 feet, a central angle of 87°16'51", an arc length of 38.08 feet, and a long chord bearing South 64°11'34" East, 34.51 feet to a point at the beginning of a reverse curve to the right;

THENCE, along the arc of said reverse curve to the right having a radius of 630.00 feet, a central angle of 0219'43", an arc length of 25.61 feet, and a long chord bearing North 7319'52" East, 25.60 feet to a point for corner:

THENCE, South 15°30′16" East, 60.00 feet to a point for corner;

THENCE, North 74°29'44" East, 375.95 feet to a point at the beginning of a non-tangent curve to the

THENCE, along the arc of said non-tangent curve to the left having a radius of 5868.77 feet, a central angle of 01°38'32", an arc length of 168.21 feet, and a long chord bearing South 19°02'10" East, 168.21 feet to a point for corner:

THENCE over and across the aforementioned 469.08—acre tract the following nine (9) courses and

- 1. South 16°09'42" East, 249.50 feet to a point for corner;
- 2. South 16°45'51" East, 290.01 feet to a point for corner;
- 3. South 54°48'09" East, 47.26 feet to a point for corner;
- 4. North 87°09'33" East, 776.39 feet to a point for corner;
- 5. North 87°12'27" East, 119.98 feet to a point for corner;
- 0 0 11 00270'45" 5 1 440 47 (1 1 1 1 1 1 1
- 6. South 88°38'15" East, 118.17 feet to a point for corner;
- 7. South 81°51'46" East, 118.17 feet to a point for corner;
- 8. South 75°07'34" East, 118.39 feet to a point for corner;
- 9. South 72°27'47" East, 324.50 feet to a point at the beginning of a non-tangent curve to the left;

THENCE, along the arc of said non—tangent curve to the left having a radius of 1834.82 feet, a central angle of 07°48'46", an arc length of 250.19 feet, and a long chord bearing South 17°32'13" West, 250.00

THENCE, North 72°27'47" West, 338.02 feet to a point at the beginning of a curve to the left;

THENCE, along the arc of said curve to the left having a radius of 750.00 feet, a central angle of 20°22'41", an arc length of 266.75 feet, and a long chord bearing North 82°39'07" West, 265.34 feet to a

THENCE over and across the aforementioned 469.08—acre tract the following (7) courses and distances;

- 1. South 87°09'33" West, 811.17 feet to a point for corner;
- 2. South 40°55'40" West, 62.26 feet to a point for corner;
- 3. South 05°18'13" East, 92.21 feet to a point for corner;
- 4. South 04°42'28" East, 322.55 feet to a point for corner;
- 5. South 04°50'23" East, 160.40 feet to a point for corner;
- 6. South 01°38'07" East, 153.48 feet to a point for corner;
- 7. South 04°22'43" East, 90.63 feet to a point at the beginning of a curve to the left;

THENCE, along the arc of said curve to the left having a radius of 125.00 feet, a central angle of 03*11'37", an arc length of 6.97 feet, and a long chord bearing South 05*58'32" East, 6.97 feet to a point at the beginning of a reverse curve to the right;

THENCE, along the arc of said reverse curve to the right having a radius of 1940.00 feet, a central angle of 23°33'28", an arc length of 797.65 feet, and a long chord bearing North 67°29'07" West, 792.04 feet to a point at the beginning of a compound curve to the right;

THENCE, along the arc of said compound curve to the right having a radius of 30.00 feet, a central angle of 92°15'04", an arc length of 48.30 feet, and a long chord bearing North 09°34'51" West, 43.25 feet to a point for corner;

THENCE, North 53°27'23" West, 90.00 feet to a point for corner;

THENCE, North 36°32'41" East, 142.60 feet to a point at the beginning of a curve to the left;

THENCE, along the arc of said curve to the left having a radius of 500.00 feet, a central angle of 17°32'37", an arc length of 153.10 feet, and a long chord bearing North 27°46'22" East, 152.50 feet to a point for corner;

THENCE, along the arc of said compound curve to the left having a radius of 715.00 feet, a central angle of 17°23'49", an arc length of 217.10 feet, and a long chord bearing North 10°18'10" East, 216.27 feet to

THENCE, along the arc of said compound curve to the left having a radius of 1465.00 feet, a central angle of 23°53'41", an arc length of 610.97 feet, and a long chord bearing North 10°20'36" West, 606.55 feet to a point for corner:

THENCE, North 22°17'26" West, 302.10 feet to a point at the beginning of a curve to the right;

THENCE, along the arc of said curve to the right having a radius of 815.00 feet, a central angle of

38°48'23", an arc length of 552.00 feet, and a long chord bearing North 02°53'15" West, 541.51 feet to a point for corner; to the POINT OF BEGINNING, CONTAINING 31.51—acres of land in Brazoria County, Texas.

STATE OF TEXAS §

COUNTY OF BRAZORIA §

NOW, THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

THAT ______ acting herein by and through its duly authorized officers, does hereby adopt this plat designating the hereinabove described property as Final Plat of Ashland Street Dedication Sec 2, a subdivision in the jurisdiction of the City of Angleton, Texas, and does hereby dedicate, in fee simple, to the public use forever, the streets, alleys, and public parkland shown thereon. The streets, alleys and parkland are dedicated for street purposes. The easements and public use areas, as shown, are dedicated for the public use forever, for the purposes indicated on this plat. No buildings, fences, trees, shrubs, or other improvements or growths shall be constructed or placed upon, over, or across the easements as shown, except that landscape improvements may be placed in landscape easements, if approved by the City of Angleton. In addition, utility easements may also be used for the mutual use and accommodation of all public utilities desiring to use or using the same unless the easement limits the use to particular utilities, said use by public utilities being subordinate to the public's and City of Angleton's use thereof. The City of Angleton and public utility entities which may in any way endanger or interfere with the construction, maintenance, or efficiency of their respective systems in said easements. The City of Angleton and public utility entities shall at all times have the full right of ingress and egress to or from their respective easements for the purpose of constructing, reconstructing, inspecting, patrolling, maintaining, reading meters, and adding to or removing all or parts of their respective systems without the necessity at any time of procuring permission from anyone.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11'6") for ten feet (10'0") perimeter ground easements or seven feet, six inches (7'6") for fourteen feet (14'0") perimeter ground easements or five feet, six inches (5'6") for sixteen feet (16'0") perimeter ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21'6") in width.

This plat is hereby adopted by the owners (called "Owners") and approved by the City of Angleton, ("City") subject to the following conditions which shall be binding upon the Owners, their heirs, grantees, successors, and assigns:

"Drainage Easements" shown on the plat are reserved for drainage purposes forever, and the maintenance of the drainage easements shall be provided by all of the owners of lots in the subdivision. All Owner documents shall specify, confirm and bind the Owner(s) to continuously maintain all Drainage Easements and shall relieve the City of Angleton of the responsibility to maintain any Drainage Easement. The fee simple title to the Drainage and Floodway Easement shall always remain in the Owner(s).

The City and Angleton Drainage District will not be responsible for the maintenance and operation of easement or for any damage or injury to private property or person that results from the flow of water along said easement or for the control of erosion. but reserves the right to use enforcement powers to ensure that drainage easements are properly functioning in the manner in which they were designed and approved

The Owners shall keep all Drainage Easements clean and free of debris, silt, and any substance which would result in unsanitary conditions or obstruct the flow of water, and the City of Angleton or Angleton Drainage District shall have the right of ingress and egress for the purpose of inspection and supervision of maintenance work by the Owners to alleviate any public health or safety issues.

The Association hereby agrees to indemnify and hold harmless the City from any such damages and injuries.

IN TESTIMONY WHEREOF, the Anchor Holdings MP, LLC, has caused these presents to be signed by

______, Authorized Signer, thereunto , this __ day of _____, 20__.

STATE OF TEXAS

COUNTY OF BRAZORIA

STATE OF TEXAS

ST

The owner of land shown on this plat, in person or through a duly authorized agent, dedicates to the use of the public forever all streets, alleys, parks, watercourses, drains, easements and public places thereon shown for the purpose and consideration therein expressed.

Owner

Duly Authorized Agent

STATE OF TEXAS §
COUNTY OF BRAZORIA §

BEFORE ME, the undersigned authority, on this day personally appeared ______, Authorized Signer, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that they executed the same for the purposes and considerations therein expressed.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this _____ day of _____, 20___.

Notary Public in and for the State of Texas

_____ Print Name

My commission expires:

STATE OF TEXAS §
COUNTY OF BRAZORIA §

KNOW ALL MEN BY THESE PRESENTS:

That I, _____, do hereby certify that I prepared this plat from an actual and accurate survey of the land and that the corner monuments shown thereon were properly placed under my supervision.

STATE OF TEXAS §
COUNTY OF BRAZORIA §

That I, William A.C. McAshan, do hereby certify that proper engineering consideration has been provided in this plat. To the best of my knowledge, this plat conforms to all requirements of the Angleton LDC, except for any variances that were expressly granted by the City Council.

William A.C. McAshan, P.E. Professional Engineer ASHLAND STREET

DEDICATION SEC 2

APPROVED this _____ day of _____, 20_____, by the Planning and Zoning Commission, City of Angleton, Texas.

Chairman, Planning and Zoning Commission

City Secretary

APPROVED this _____ day of _____, 20____, by the City Council, City of Angleton,

ayor

City Secretary

STATE OF TEXAS §
COUNTY OF BRAZORIA §

This instrument was acknowledged before me on the ____ day of _____, 20___, by

City Secretary, City of Angleton

On behalf of the Notary Public, State of Texas



A SUBDIVISION OF 31.51 ACRES OF LAND
OUT OF THE
SHUBAEL MARSH SURVEY, A-82
BRAZORIA COUNTY, TEXAS
1 RESERVE 1 BLOCK

JULY 2023

OWNER
ANCHOR HOLDINGS MP LLC

101 PARKLANE BOULEVARD
SUITE 102
SUGAR LAND, TEXAS 77478
281-912-3364

PLANNER
META PLANNING AND DESIGN
SUITE 200
SUITE 200
KATY, TEXAS 77494
281-810-1422

ENGINEER/SURVEYOR:

Quiddity Engineering, LLC

Texas Board of Professional Engineers and Land Surveyors
Registration Nos. F-23290 & 10046100
6330 West Loop South, Suite 150 • Bellaire, TX 77401 • 713.777.5337

SHEET 3 OF 3

K: \16759\16759-0010-13 Ashland - Phase 1A - Offsite Paving\2 Design Phase\Planning\Sec 2\ASHLAND STREET DEDICATION SEC 2 - PLAT.dwg Aug 17,2023 - 12:36pm CKJ

VICINITY MAP
N.T.S.