

TOWN OF APEX, NORTH CAROLINA

Municipality No. 333

After recording, please return to: Town Clerk Town of Apex P.O. Box 250 Apex, NC 27502

ORDINANCE NO. 2022-0322-08
ANNEXATION PETITION NO. #726
William Stephen Mills , Reginald Horton Mills, Jr., and Peggy G Gray Trustee

AN ORDINANCE TO EXTEND THE CORPORATE LIMITS OF THE TOWN OF APEX, NORTH CAROLINA

P.O. Box 250, Apex, North Carolina 27502

WHEREAS, the Apex Town Council has been petitioned under G.S.§160A-31, as amended, to annex the area described herein; and

WHEREAS, the Apex Town Council has by Resolution directed the Town Clerk to investigate the sufficiency of said petition; and

WHEREAS, the Town Clerk has certified the sufficiency of said petition and a public hearing on the question of this annexation was held at Apex Town Hall at 6:00 p.m. on March 22, 2022, after due notice by posting to the Town of Apex website, http://www.apexnc.org/news/public-notices-legal-ads; and

WHEREAS, the Apex Town Council does hereby find as a fact that said petition meets the requirements of G.S.§160A-31, as amended.

NOW, THEREFORE, BE IT ORDAINED by the Town Council of Apex, North Carolina
--

Section 1. By virtue of the authority granted below identified survey plat is hereby annexed a Carolina, as of the date of adoption of this Ordina describes the annexed territory is that certain survey the Town of Apex, dated 02/24-2022" and recornumber , Chatham County Register	and also shown as "Annexation Area" on the and made part of the Town of Apex, North nce on March 22, 2022. The survey plat that by plat entitled "Satellite Annexation Map for ded in Plat Book number and page
Section 2. Upon and after the adoption of this citizens and property shall be subject to all debin the Town of Apex, North Carolina, and shall be as other parts of the Town of Apex. Said territory sto G.S.§160A-58.10, as amended.	ts, laws, ordinances and regulations in force entitled to the same privileges and benefits
<u>Section 3</u> . The Clerk of the Town of Apex, North Carolina shall cause to be recorded in the Office of the Register of Deeds of Chatham County and in the Office of the Secretary of State at Raleigh, North Carolina and in the Office of the Chatham County Board of Elections an accurate map of the annexed territory, described in Section 1 hereof, together with a duly certified copy of this Ordinance.	
Adopted this the 22nd day of March 2022.	
ATTEST:	Jacques K. Gilbert Mayor
Julie A. Reid Interim Town Clerk	
APPROVED AS TO FORM:	
Laurie L. Hohe Town Attorney	

Legal Description:

William Stephen Mills, Reginald Horton Mills, Jr., and Peggy G Gray Trustee Chatham County PIN 071200551776, 071200566821 and 071200551996, Plat Book 95, page 467 and Plat Book 95, page 462 and Plat Book 97, page 471

SITUATED AND LYING INTHESTATE OF NORTH CAROLINA, CHATHAM COUNTY, TOWNSHIP OF NEW HOPE, AND BEING BOUNDED ON THE NORTH BY US GOVERNMENT LAND, ON THE SOUTH BY THE ROADS NC 751 AND US 64, ON THE WEST BY BARBOUR KATHLEEN B PARCEL (BM 92 PG 43L LONG JOHN WAND LONG FAYE C PARCEL (BM 92 PG 43L ALUCINO WILLIAM J AND ALUCINO BARBARA J PARCEL (BM 11 PG 9L DROEGE BRENT MICHAEL PARCEL (BM 2014 PG 0320) AND DROGE INVESTMENTS LLC PARCEL (DB 1949 PG 612), AND ON THE EAST BY TRAN HUNG AND NGUYEN LIEN PARCEL (BM 1993 PG 603L ABBOT O WAYNE PARCEL (BM 2009 PG 216L DIACUMSKI JASON PARCEL (BM 2009 PG 216L BISHOP HELEN A AND BISHOP WILLIAM H PARCEL (BM 2009 PG 216L ABBOTT O WAYNE PARCEL (BM 2009 PG 216) AND US GOVERNMENT LAND (ALL REFERENCES TO DEED BOOKS AND PLAT BOOKS IN THIS DESCRIPTION REFER TO THE RECORDS OF THE CHATHAM COUNTY REGISTER OF DEEDS OFFICE, NORTH CAROLINAL BEING MORE PARTICULARLY BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT A 1/2 INCH IRON PIPE (SAID PIPE BEING INSIDE OF A 13/4 INCH IRON PIPEL SAID 1/2 INCH IRON PIPE BEING SOUTH O DEGREES 24 MINUTES 11 SECONDS EAST A DISTANCE OF 141.41 FEET FROM AN EXISTING 1/2 INCH IRON PIPE, THE POINT OF COMMENCING (HAVING NORTH CAROLINA STATE PLANE COORDINATES OF NORTHING: 727970.55' EASTING: 2014637.34'), SAID POINTOF COMMENCING BEING THE NORTHEAST CORNER OF THAT PARCEL CONVEYED TO PHILIP MICHAEL MCLAIN AND WIFE BY DEED 1395 PAGE 247, DESCRIBED AS TRACT D, SAID 1/2 IRON PIPE BEING THE TRUE POINT OF BEGINNING (HAVING NORTH CAROLINA STATE PLANE COORDINATES OF NORTHING: 727829.13' EASTING: 2014636.46'L SAID POINT OF BEGINNING BEING NORTH 3 DEGREES 22 MINUTES 52 SECONDS A DISTANCE OF 2,685.98 FEET FROM AN EXISTING NGS MONUMENT STAMPED "FIN" (PID AB2852).

THENCE RUNNING IN A CLOCKWISE DIRECTION SOUTH 71 DEGREES 07 MINUTES 23 SECONDS EAST A DISTANCE OF 169.65 FEET TO AN EXISTING 1/2 INCH IRON PIPE; THENCE NORTH 10 DEGREES 18 MINUTES 21 SECONDS EAST A DISTANCE OF 749.23 FEET TO AN EXISTING 1/2 INCH IRON PIPE; THENCE NORTH 33 DEGREES 58 MINUTES 49 SECONDS WEST A DISTANCE OF 289.54 FEET TO A 4 INCH CONCRETE MONUMENTWITH DISK (STAMPED CORPS OF ENGINEERS US ARMY, DATE: 1967, ID#5554); THENCE NORTH 86 DEGREES 14 MINUTES 51 SECONDS EAST ADISTANCE OF 357.10 FEET TO A 4 INCH BY 4 INCH CONCRETE MONUMENT WITH DISK (STAMPED CORPS OF ENGINEERS US ARMY, DATE: 1967, ID# 5555); THENCE SOUTH 49 DEGREES 31 MINUTES 1 SECOND EAST A DISTANCE OF 901.76 FEET TO A CALCULATED POINT; THENCE NORTH 83 DEGREES 19 MINUTES 1 SECOND EAST A DISTANCE OF 405.10 TO AN EXISTING 1/2 INCH IRON PIPE; SOUTH 53 DEGREES 24 MINUTES 19 SECONDS EAST A DISTANCE OF 530.32 FEET TO A CALCULATED POINT ON THE CHATHAM-WAKE COUNTY LINE; THENCE LEAVING CHATHAM-WAKE

COUNTY LINE, SOUTH 20 DEGREES 29 MINUTES 52 SECONDS WEST A DISTANCE OF 733.29 FEET TO A CALCULATED POINT ON THE TRACT 1 NORTHERN LINE; THENCE LEAVING PEGGY G TRUSTEE SOUTHERN LINE SOUTH 71 DEGREES 27 MINUTES 2 SECONDS EAST A DISTANCE OF 59.40 FEET TO AN EXISTING 1 INCH IRON PIPE WITH WHITE CAP AND TACK; THENCE WITH THE COUNTY LINE BETWEEN CHATHAM COUNTY AND WAKE COUNTY, DESCRIBED AS LINE "F" IN BOOK OF MAPS 61 PAGE 68 THE FOLLOWING BEARINGS AND DISTANCES, SOUTH 15 DEGREES 53 MINUTES 52 SECONDS WEST A DISTANCE OF 823.61FEET TO AN EXISTING 1 INCH IRON PIPE WITH WHITE CAP AND TACK; THENCE SOUTH 15 DEGREES 56 MINUTES 17 SECONDS WEST A DISTANCE OF 66.32 FEET TO AN EXISTING 1/2 INCH IRON PIPE WITH WHITE CAP AND TACK; THENCE SOUTH 15 DEGREES 50 MINUTES 58 SECONDS WEST A DISTANCE OF 241.91 FEET TO AN EXISTING 1/2 INCH IRON PIPE WITH WHITE CAP AND TACK; THENCE SOUTH 15 DEGREES 52 MINUTES 53 SECONDS WEST A DISTANCE OF 911.62 FEET TO AN EXISTING 1 INCH IRON PIPE; THENCE SOUTH 15 DEGREES 46 MINUTES 19 SECONDS WEST A DISTANCE OF 343.72 FEET TO A CALCULATED POINT IN THE NORTHERN LINE OF US 64 HIGHWAY 200 FOOT RIGHT OF WAY; THENCE WITH THE NORTHERN LINE OF US 64 HIGHWAY AND LEAVING CHATHAM-WAKE COUNTY LINE SOUTH 82 DEGREES 51 MINUTES 36 SECONDS WEST A DISTANCE OF 837.66 FEET TO A CALCULATED POINT; THENCE NORTH 71 DEGREES 52 MINUTES 46 SECONDS WEST A DISTANCE OF 161.00 FEET TO AN EXISTING 5/8" IRON ROD ON THE EASTERN LINE OF NC HIGHWAY 751 60 FOOT RIGHT OF WAY; THENCE WITH THE EASTERN LINE OF NC HIGHWAY 751 60 FOOT RIGHT OF WAY NORTH 38 DEGREES 43 MINUTES 21 SECONDS WEST A DISTANCE OF 157.84 FEET TO A CALCULATED; THENCE A CURVE HAVING A RADIUS OF 6,670 FEET, A LONG CHORD BEARING OF NORTH 38 DEGREES 34 MINUTES 29 SECONDS WEST A DISTANCE OF 245.92 FEET TO A CALCULATED POINT; THENCE A CURVE HAVING A RADIUS OF 6,270 FEET, A LONG CHORD BEARING OF NORTH 35 DEGREES 35 MINUTES 11 SECONDS WEST A DISTANCE OF 249.29 FEET TO A CALCULATED POINT; THENCE NORTH 34 DEGREES 15 MINUTES 32 SECONDS WEST A DISTANCE OF 374.51 FEET TO A CALCULATED POINT; THENCE LEAVING THE EASTERN LINE OF NC HIGHWAY 751 60 FOOT RIGHT OF WAY AND WITH THE SOUTHERN LINE OF BARBOUR TRACT (BB 92 PAGE 43) NORTH 55 DEGREES 38 MINUTES 45 SECONDS EAST A DISTANCE OF 2.24 FEET TO AN EXISTING 1 3/4 INCH IRON ROD WITH SQUARE METAL TOP; THENCE CONTINUING WITH THE SOUTHERN LINE OF BARBOUR TRACT NORTH 55 DEGREES 38 MINUTES 45 SECONDS EAST A DISTANCE OF 505.51FEET TO AN EXISTING 1 3/4 INCH IRON ROD WITH SQUARE METAL TOP; THENCE WITH THE EASTERN LINE OF BARBOUR TRACT NORTH O DEGREES 25 MINUTES 8 SECONDS EAST A DISTANCE OF 99.99 FEET TO AN EXISTING 1 INCH IRON PIPE; THENCE WITH THE EASTERN LINE OF LONG TRACT (BM 92 PG 43) AND TRACT B-1 (BM 11 PG 9) NORTH O DEGREES 41 MINUTES 44 SECONDS EAST A DISTANCE OF 1298.14 FEET TO AN EXISTING 1/2 INCH IRON PIPE; THENCE WITH THE EASTERN LINE OF LOT 1 (BM 2014 PG 0320) NORTH O DEGREES 42 MINUTES 32 SECONDS EAST A DISTANCE OF 280.64 FEET TO AN EXISTING 1/2 INCH IRON PIPE WITH WHITE CAP AND TACK; THENCE WITH TRACT C EASTERN LINE (DB 1949 PG 612) NORTH 1 DEGREE 3 MINUTES 8 SECONDS EAST A DISTANCE OF 171.91 FEET TO THE POINT OF BEGINNING. CONTAINING 5,754,539 SQUARE FEET OR 132.11 ACRES, MORE OR LESS.

PAGE 5

AND BEING A PORTION OF THE LAND CONVEYED TO JEAN CARROL MILLS GOODWING, MARGARET KING MILLS, REGINALD HORTON MILLS, JR. AND WILLIAM STEPHEN MILLS BY DEED BOOK 657 PAGE 863, DESCRIBED AS TRACT 1 AND TRACT 2 IN DEED BOOK LQ PAGE 235, AND BEING ALL OF THE LAND CONVEYED TO WILLIAM STEPHEN MILLS BY PLAT RECORDED IN BOOK OF MAPS 95 PAGE 462, DESCRIBED AS LOT 1. AND BEING ALL OF THE LAND CONVEYED TO WILLIAM STEPHEN MILLS BY PLAT RECORDED IN BOOK OF MAPS 97 AT PAGE 471, DESCRIBED AS LOT 2, AND BEING ALL OF THE LAND CONVEYED TO GRAY PEGGY G TRUSTEE BY DEED BOOK 1919 PAGE 1134.