



Vince Salmond

Account Manager

VINCE@REDEQUIPMENTCO.COM (816) 800-1265



Specialized Quote For: The City of Arkansas City, KS

RE
E
Q
U
I
P
M
E
N
T

Date: 1-22-2026

Attention: Kyle Blubaugh

Red Equipment, LLC is pleased to offer

The City of Arkansas City, KS

the following quote on a

2026 Vac-Con Titan Combination Sewer Cleaner Demonstration Unit

mounted on a

Freightliner chassis.

Thank you for your consideration. If you have any questions regarding this quote, I can be reached at (816) 800-1265 or by email at vince@redequipmentco.com.

Best Regards,

Vince Salmond, Kansas Territory Manager

1150 South Sterling Ave Independence, MO 64054

vince@redequipmentco.com

Cell: 816.800.1265 Office: 816.231.2005

www.redequipmentco.com

Driven By Service. Powered By Trust.



RAVO
FAYAT GROUP

dominicam
EGHOLM

CrewPlex
enz® usa inc.

agria

1150 S Sterling Ave, Independence, MO 64054

www.redequipmentco.com



Vince Salmond

Account Manager

VINCE@REDEQUIPMENTCO.COM (816) 800-1265



About Red Equipment, LLC:

Located in Independence, MO, Red Equipment LLC is a veteran-owned dealership dedicated to providing exceptional sewer cleaning, inspection, and hydro-excavation equipment. We also offer a wide range of street sweepers, from full-sized to compact models, and advanced remote controlled slope mowers. Our team boasts nearly 100 years of combined experience, representing the finest brands in the industry and maintaining a comprehensive stock of parts and accessories to meet all your operational needs. Our commitment to service excellence extends beyond sales, with highly skilled mobile technicians ready to maintain and repair all makes and models of the sewer and street maintenance equipment essential to your projects. Trust Red Equipment LLC to equip you with the tools and support necessary for unparalleled success.

Sincerely,

W.W. Akins



Driven By Service. Powered By Trust.



VAC-CON
MORE POWER TO YOU



RAVO
FAYAT GROUP



enz[®] usa inc.





Vince Salmond

Account Manager

VINCE@REDEQUIPMENTCO.COM (816) 800-1265



Vac-Con, Inc., has been a leading manufacturer of industrial vacuum, combination water and vacuum, and hydro excavator units for nearly 40 years. In 1986, 12 employees used applied vacuum technology to develop a truck-mounted combination sewer cleaner to fulfill market demand. Four decades, just under 400 employees, and over 10,000 machines later, Vac-Con is a world-recognized manufacturer of equipment for municipal, private, and federal environmental markets.

**RE
E
Q
U
I
P
M
E
N
T
C
O**



Driven By Service. Powered By Trust.



RAVO
FAYAT GROUP

 **dominicam**
EGHOLM

 **CrewPlex**
enz[®] usa inc.

agria

1150 S Sterling Ave, Independence, MO 64054

www.redequipmentco.com



Vince Salmond

Account Manager

VINCE@REDEQUIPMENTCO.COM (816) 800-1265



Specifications For 2026 Vac-Con Combination Sewer Cleaner

Standard Equipment Includes:

Vacuum System – 3 Stage Fan

Cyclone Separator - Fan

Hydrostatic Blower Drive via Transfer Case for PRO Reel - 98% Operating Efficiency

1/4" Corten Steel Debris Tank

Flat Style Rear Door with hydraulic door locks - Including open/close

6" Butterfly valve and 10' of lay flat hose

Debris tank Dumping: minimum 50 deg., hydraulic telescopic lift Cylinder - power up/power down

60" Dump Height

Front Tow Hooks

Rear Bumper

Hinge type / Body Prop Permanently mount debris body prop

Debris Body Flush-out - 8 Jet

Automatic Vacuum Breaker with Float Arm Assembly/Level Indicator and overfill protection

Behind Cab Boom Support and Docking Station at Front Bumper

8" vacuum intake hose

4 Way Hydraulic Boom with 270 Degree Rotation with Joystick Controls

PRO Reel with 1000' $\frac{3}{4}$ Hose Capacity

1000' high pressure jet rodger hose

Two (2) Emergency Stop Button Locations: Operator Station and Mid-Body

50 GPM/3000 PSI water pump system

RE
E
D

E
Q
U
I
P
M
E
N
T
F
O
R
C

Driven By Service. Powered By Trust.



RAVO
FAYAT GROUP

ominicam
EGHOLM

CrewPlex[®]
enz[®] usa inc.

agria



Vince Salmond

Account Manager

VINCE@REDEQUIPMENTCO.COM (816) 800-1265



Specifications For 2026 Vac-Con Combination Sewer Cleaner

R
E
D

E
Q
U

E
N
T

F
F
C

Water Pump Remote Oil Drain - Quick disconnects

Water pump drive: Aux Engine GM 6.0L Gasoline, 172HP

5 year Water Pump Drive Warranty

Auxiliary Engine Remote Oil Drain - Quick Disconnects

Cross-Linked Polyethylene Water Tanks

Full Length Steps on Lower Water Tanks for Maintenance Access

Water Tank Drain - 1/4 Ball Valve

Heavy Duty Manual Hose Rewind Guide with Dual Aluminum Rollers

Hose guide (Tiger Tail)

10' Leader Hose

20 GPM at 750 PSI wash down hand gun with 25' of hose and nozzle - 50' Capacity Hand-Gun Hose will replace this standard options if selected.

Storage Box Behind Cab 16" x42" x 96"

1) each Sanitary and Penetrator Nozzles

Cooling Package - Air to Oil Heat Exchanger for Hydraulics and Transfer Cases, if applicable

Remote Lube Bank for Boom Rotator and Boom Lift Cylinders - Ground Level

20.5' aluminum intake pipe (1-3', 1-5', 1-6', and 1-6.5' nozzle)

LED/ICC lighting

Sherwin Williams Fast Clad High Solids Zinc Rich Primed, Sealed with Sherwin Williams Duraspar Epoxy Primer. Sherwin Williams Duraspar Polyurethane Single Stage Gloss and Textured Paint

5# Fire Extinguisher - In Cab

Set of Triangles

12 month standard warranty

Driven By Service. Powered By Trust.





Vince Salmond

Account Manager

VINCE@REDEQUIPMENTCO.COM (816) 800-1265



Specifications For 2026 Vac-Con Combination Sewer Cleaner

RE
E
D
E
Q
U
E
P
I
P
M
E
N
T
E
R
C

- 5 year debris tank warranty
- 10 year water tank warranty
- 1000 gallons of fresh water
- 10' Aluminum Telescoping Boom with Pendant Control Station
- PRO – 12V Hydraulic Back-up Pump
- PRO – Advanced 2 Joystick Control System
- PRO – Digital Footage Counter
- PRO – Digital Water Counter
- PRO – Manhole Guidance System with Dash Monitor
- PRO – One Button Engagement at Operation Station
- PRO – 7 Inch Digital Monitor at Operation Station
- PRO – Digital Debris Gauge
- PRO – Winter Recirculation for Rodder Hose
- Winter Recirculation connection for high pressure circuit
- Air Purge System
- Power Guide "Power Reel" level guide wind
- Lazy Susan Pipe Rack (Holds 5 Pipes)
- Folding Pipe Rack (3), Tank Mounted Mid Body, Curbside
- (2) Side Mounted Tool-Boxes 35 x 14 x 24
- Low Water Alarm with Lights
- 50' Capacity Retractable Hand-Gun Hose Reel

Driven By Service. Powered By Trust.





Vince Salmond

Account Manager

VINCE@REDEQUIPMENTCO.COM (816) 800-1265



Specifications For 2026 Vac-Con Combination Sewer Cleaner

RE
E
D
E
Q
U
I
P
E
M
E
N
T
E
R
C

- (1) 5' x 8' Aluminum Pipe Extension
- (3) 8' x 8' Aluminum Pipe Extension
- Rear Mounted Tow Hooks
- Remote Boom Grease Zerk Assembly (GROUND LEVEL)
- Remote Debris Tank Grease Assembly (GROUND LEVEL)
- LED Boom Mounted Flood Lights with Limb Guard - Whelen
- LED Rear Mounted Flood Lights with Limb Guard - Whelen
- LED Flood Light – Level Wind Guide – Whelen
- LED Mid Body Strobes – Frame Mounted
- LED Mid Body Flood Lights with Limb Guard
- LED 4 Strobes – (2) front bumper / (2) rear bumper - Whelen
- Cone Storage Rack
- Hydro excavation package
- Auxiliary Engine Hydraulics Package
- Centrifugal Compressor Quiet Silencer, Class 4, 304 Stainless Steel Construction
- 10' Hand-Gun Hose Extension

Driven By Service. Powered By Trust.



RAVO
FAYAT GROUP

 **dominicam**
EGHOLM

 **CrewPlex**
enz[®] usa inc.

agria



Vince Salmond

Account Manager

VINCE@REDEQUIPMENTCO.COM (816) 800-1265



RE
E
Q
U
I
P
M
E
N
T
F
C

Pricing Details

New 2026 Vac-Con Combination Machine:	\$559,000.00
7 Ea 8" Aluminum Tubes Male/Female/Clamps/Gaskets:	\$2,470.00
Total Price If Options Selected:	\$561,470.00

This Quote Includes Delivery & Training of Equipment

Price is good for 30 days

Used and Demo Equipment is Subject to Prior Sale

All Applicable sales tax and fees are not included in the quote

Purchase Order Number: _____

Customer Representative (Print): _____

Customer Representative Signature: _____

Red Equipment LLC Representative (Print): _____

Red Equipment LLC Representative Signature: _____

Driven By Service. Powered By Trust.



VAC-CON
MORE POWER TO YOU



RAVO
FAYAT GROUP



enz® usa inc.



PRO

PRECISION REEL OPERATION



The PRO Reel is the most versatile, operator-conscious hose reel on the market

Patent-pending range of motion with 16-ft. of traversing motion across the front of the unit.

Most hose reel work area coverage on the market.

Most visible manhole placement system on the market reduces setup time by 50%.

Swivel control panel allows operator to safely operate the machine away from traffic.

Weight reduction of 500-lbs. off of the front of the truck.

Increased operator ergonomics and ease-of-use at the controls with various rotational positions and vertical adjustment.

FEATURES

- 16-ft. of traversing hose reel
- Increased work area to 69.6 sq ft.
- Arm rest at joysticks
- Allison engagement panel
- Footage counter display
- 90-degree rotation
- Unlimited locking positions
- Camera system with full driver visibility of hose reel location with a 180-degree field of vision
- 850-ft. x 1-in. capacity hose reel
- Bolt-on connection to chassis
- Retrofit kit for legacy OPP units
- No outrigger leg
- No welding to the truck
- New ergonomic controls with adjustable motions
- 4 rotational positions
- 8-in. vertical adjustment
- Reduces job setup time by 50%



Vince Salmond
Account Manager

816.800.1265
VINCE@REDEQUIPMENTCO.COM
WWW.REDEQUIPMENTCO.COM
1150 S STERLING AVE, INDEPENDENCE, MO 64054



RED
EQUIPMENT



VAC-CON
MORE POWER TO YOU



RAVO
FAYAT GROUP



minicam
EGHOLM



agria
crewPlex

PRO

PRECISION REEL OPERATION



You Get More Than a PRO Reel, You Get PRO Options:

Bolt-on all-aluminum construction reduces unit weight by 500 lbs

7" digital operator interface with real-time system feedback

Planetary gear drive for controlled hose payout/retrieval

Rotary actuator enables smooth reel articulation

One-touch jet hose activation

Dual camera system (front/rear) for enhanced visibility

Digital sensors for hose footage, water level, and debris tank monitoring

Emergency auxiliary hydraulic pump for backup operation

FEATURES

- 16-ft. of traversing hose reel
- Increased work area to 69.6 sq ft.
- Arm rest at joysticks
- Allison engagement panel
- Footage counter display
- 90-degree rotation
- Unlimited locking positions
- Camera system with full driver visibility of hose reel location with a 180-degree field of vision
- 850-ft. x 1-in. capacity hose reel
- Bolt-on connection to chassis
- Retrofit kit for legacy OPP units
- No outrigger leg
- No welding to the truck
- New ergonomic controls with adjustable motions
- 4 rotational positions
- 8-in. vertical adjustment
- Reduces job setup time by 50%



RED
EQUIPMENT



Vince Salmond
Account Manager

816.800.1265
VINCE@REDEQUIPMENTCO.COM
WWW.REDEQUIPMENTCO.COM
1150 S STERLING AVE, INDEPENDENCE, MO 64054









RED
EQUIPMENT, LLC

Fuel Savings For Vac-Con Dual Engine Combination Machine:

Single Engine GPH	Vac-Con Pony Motor GPH	Fuel Saving for Jetting GPH	Gas Price	Fuel Savings Per Hour	Fuel Savings Per 8 hr Day	Work Days Per Year	Fuel Savings Per Year
20	5	15	\$3	\$45	\$360	261	\$93,960
19	5	14	\$3	\$42	\$336	261	\$87,696
18	5	13	\$3	\$39	\$312	261	\$81,432
17	5	12	\$3	\$36	\$288	261	\$75,168
16	5	11	\$3	\$33	\$264	261	\$68,904
15	5	10	\$3	\$30	\$240	261	\$62,640
14	5	9	\$3	\$27	\$216	261	\$56,376
13	5	8	\$3	\$24	\$192	261	\$50,112
12	5	7	\$3	\$21	\$168	261	\$43,848

*This chart is estimated based on current fuel prices when created.

* This chart is based off of 261 work days per year with 8 hours per work day.

RED EQUIPMENT



Vince Salmond
Account Manager

816.800.1265
VINCE@REDEQUIPMENTCO.COM
WWW.REDEQUIPMENTCO.COM
1150 S STERLING AVE, INDEPENDENCE, MO 64054

VAC-CON
MORE POWER TO YOU

RAVO
FAYAT GROUP

Dominicam
EQHOLM

agria

enZ CrewPlex



RED
EQUIPMENT, LLC



Special Warranty & Training Extension For the City of Arkansas City, KS:

Red Equipment, LLC is proud to extend an added measure of long-term value and confidence to the City by offering a complimentary upgrade from the standard 10-year warranty to a lifetime warranty on the fresh water tanks when purchasing a new Vac-Con combination machine. This commitment is paired with free lifetime training for City team members, ensuring operators and supervisors always have access to the knowledge, best practices, and hands-on support needed to operate safely and effectively—today and for years to come. This offering reflects Red Equipment's dedication to standing behind both the equipment we represent and the public servants who rely on it, reinforcing our role as a trusted, service-first partner invested in uptime, stewardship of public funds, and the long-term success of the community.

RED EQUIPMENT



Vince Salmond
Account Manager

816.800.1265
VINCE@REDEQUIPMENTCO.COM
WWW.REDEQUIPMENTCO.COM
1150 S STERLING AVE, INDEPENDENCE, MO 64054

 VAC-CON
MORE POWER TO YOU

 RAVO
FAYAT GROUP

 Dominicam
EGHOLM

 agria

 CrewPlex

Freightliner SD Vocational Coverage



<i>SD Vocational Coverage is not available for vehicles in these vocations:</i>	<i>Logging, Mining, Oil field</i>
Category Determinants	
Road Surface- most severe in-transit between sites	<30% off-highway Rough, maintained concrete/asphalt; maintained gravel/crushed rock; maintained dirt or soft soil (Class C or D Roads)
GCW	92,000 lb/41 730 kg or less
Engines	Cummins ISB, ISC, or ISL engines only
Axles and Their Manufacturer's GVW Rating	
2-axle unit	46,000 lb/20 865kg or less
3-axle unit	66,000 lb/29 937kg or less
4-axle unit	N/A
5-axle unit	N/A

FTL SD Vocational Coverages		
Description	Time ^a	Distance ^a
Basic Vehicle	2 Years	Unlimited
Battery	1 Year	100,000 mi/161 000 km
Brightwork	6 Months	Unlimited
Cab Corrosion/Perforation	5 Years	Unlimited
Cab Structure	5 Years	Unlimited
Corrosion	6 Months	Unlimited
Crossmembers	5 Years	Unlimited
Diesel Emission 2010 ^b	5 Years	100,000 mi/161 000 km
Drivetrain	2 Years	Unlimited
Frame Rails	5 Years	Unlimited
Paint	1 Year	100,000 mi/161 000 km
Paint, Chassis	6 Months	Unlimited

a. Time or distance, whichever comes first

b. Applies to vehicles equipped with EPA 2010 compliant diesel engines



General Warranty

Specific written warranty statement provided with each new truck shall take precedence over this or any other warranty statement.

COVERAGE:

VAC-CON, as seller, warrants Combination Sewer Cleaning, Xcavators, and Hot Shot equipment manufactured by it, bearing its name shall be free from defects in material, and workmanship, under normal use and service as determined by us, for a period of (12) twelve months from the date of delivery to the first retail purchaser.

VAC-CON, as seller, warrants all Industrial Vacuum Machine equipment manufactured by it, shall be free from defects in material and workmanship, under normal use and service as determined by us, for a period of (6) six months from the date of delivery to the first retail purchaser.

Should any equipment or part of such equipment sold hereunder prove to be defective in material or workmanship within said period, and be returned to Seller's factory no later than 15 days after the expiration date of the warranty, transportation charges prepaid by the Buyer, and upon examination be found to be defective, such part will be replaced at the factory by the Seller free of charge, but the Seller shall be under no further liability in respect to such warranty. It is expressly understood that the Seller's liability is limited to furnishing of such replacement parts within a reasonable length of time and that the Seller will not be liable for any damages, losses or expenses arising in connection with the use of or inability to use the unit(s), including but not limited to, injuries to persons or damage to property, loss of profits or anticipated profits, or loss of vehicle use. Buyer shall be responsible for the payment of duties or taxes on warranty parts, if applicable. The Seller shall be under no liability because of normal wear and tear of operation or maintenance contrary to the manufacturer's official Operator's Manual. The Buyer accepts any liability for damage or injury resulting from the removal or alteration of safety guards and safety precautions provided on the unit at the time of delivery. This warranty shall not apply and VAC-CON shall have no liability under it or otherwise if accident, careless handling, or improper applications shall have injured the unit or if any repairs have been made to the unit by other than VAC-CON, its agents or employees.

Warranties covering major components not of VAC-CON manufacture (power plants, hydraulics, trucks, vacuum compressors, transmissions, electrical components, batteries, tires, etc.) are warranted by their respective manufacturers.

We give no warranty express or implied, as to description, quality, productiveness or any other matter and the Buyer hereby waives the right of refusal and return of the goods which is usually connected with non-warranty.

It is the sole responsibility of the purchaser to use this equipment in an appropriate application and a safe manner. VAC-CON assumes no responsibility or liability for its misuse.

FIVE (5) YEAR WARRANTY:

VAC-CON warrants that the fan blades, auxiliary engine water pump drive components (excluding engine and pump) and debris tank shall be free from defects in material and workmanship, under normal use and service as determined by the manufacturer, for a period of sixty (60) months (not pro-rated) from the date the unit is first placed into service.

Lifetime WARRANTY:

VAC-CON warrants that the fresh water tanks two hundred and eighty five (285) gallon capacity and less shall be free from defects in material and workmanship, under normal use and service as determined by the manufacturer, for a Lifetime period (not pro-rated) from the date the unit is first placed into service.

HOT SHOT WATER TANKS:

One (1) YEAR WARRANTY: VAC-CON warrants that the fresh water tank shall be free from defects in material and workmanship, under normal use and service as determined by the manufacturer, for a period of twelve (12) months (not pro-rated) from the date the unit is first placed into service

This warranty is not transferable.

WARRANTY REGISTRATION:

Warranty must be registered with Vac Con upon delivery to the first retail purchaser in order to be in effect. Failure to do so will result in the original invoice date becoming the inception date of warranty coverage. Vac Con is not responsible or liable for loss of warranty coverage due to failure to register the warranty in a timely manner.

SPECIFIC EXCLUSIONS:

Normal and routine maintenance as specified in the specific manuals as indicated by the manufacturer's official Operator's Manual. Travel time, meals, lodging, transportation expenses, rental units, and work unrelated to a covered event. Certain parts are deemed consumable or expendable items. These parts are consumed with routine usage of the equipment and are not covered by equipment warranty. Excluded items include, but are not limited to: Nozzles, Nozzle skids, Sewer Cleaning Hoses, Ball Valves, Gate Valves, Knife Valves, Needle Valves, Hose Guides, Rotary Unions, Hand Guns, Unloader Valves, Water System Relief Valves, Hydrant Fill Hoses, Water Pump Packings, Water Pump Check Valves, all Belts, Vacuum Hoses, Boom Suction Elbows, Telescoping Boom Tubes, Suction Tubes, Catch Basin Tubes, Tube Clamps, Rear Door Wear Plate, Lay Flat drain hoses, All Bearings, All Seals and Gaskets, All Fluids, All Filters, Fuses, Electrical Switches, Electric bulbs and lenses.

LIMITATIONS:

Warranty claims must be filed within thirty (30) calendar days from date of repair. Claims submitted more than forty-five (45) days after date of repair, labor will not be considered. Claims submitted more than ninety (90) days after date of repair will not be considered.

City of Arkansas City - Environmental Services Division
Combination Jet Vacuum Truck, 2026

INVITATION TO BID

Sealed bids for furnishing equipment, and delivering a new unused Combination Jet/Vacuum Truck, FOB, City of Arkansas City, Kansas or a 2025 Demonstrator Model, will be received at the office of the City Clerk , Arkansas City, Kansas or via online submission, until 3:00 p.m. on January 23, 2026 at which time the bids will be opened publicly, at the office of the City Clerk, 118 W. Central, and read aloud. Bids received after said time will be returned unopened.

Copies of the purchase specifications are on file and available for public inspection at the following office:

Kyle Blubaugh, Environmental Superintendent
City of Arkansas City
2929 N. 2nd Street
Arkansas City, KS 67005
(620) 441-4484

A bidder may withdraw any bid they have submitted at any time prior to the hour set for the closing of the bids provided the request for withdrawal is signed in a manner identical with the bid being withdrawn. No withdrawal or modification will be permitted after the hour designated for closing of bids.

The City of Arkansas City reserves the right to reject any or all bids and to waive any irregularities therein.

Please address outside of envelope as:

Kyle Blubaugh
(attn. city clerk)
City of Arkansas City
P.O. Box 778
Arkansas City, KS 67005

Combination Jet/Vacuum Truck Bid (Dealer Name) – Environmental Services

Or

Submit the bid document to the attached link

https://arkansascityks-my.sharepoint.com/:f/g/personal/kblubaugh_arkansascityks_gov/IgAGZCdff29HTrrEHfkGUplOAcQ-YaZF85xqzYPJqX54TbA

Please address file as:

Combination Jet/Vacuum Truck Bid (Dealer Name) – Environmental Services

City of Arkansas City - Environmental Services Division
Combination Jet Vacuum Truck, 2026

GENERAL REQUIREMENTS

GENERAL

These specifications have been written to describe minimum equipment and performance requirements to be supplied by the equipment manufacturer's representative bidding.

It will be necessary for all successful bidders to furnish all necessary and desirable information and instructions for the proper operation of the equipment by the employees of the City. The City reserves the right to accept and/or reject any and all bids, to waive any defects, irregularities, or specification discrepancies and to award the contract as Council deems to be in the best interest of the City.

DISCREPANCIES LISTED

Should any bidder have deviations from these specifications in their bid and cannot meet every requirement of these specifications, they shall submit a letter and attach it to the bid, explaining the deviation. Failure to do so will cause the bid to be rejected as being non-responsive.

MODEL

The bid submitted shall be for a new and unused current year model. All equipment included with the vehicle shall be new. If a 2025 demonstrator model is bid, all equipment shall be included as demonstrator was equipped.

FEDERAL AND STATE TAXES

The City of Arkansas City's Wastewater Utility is exempt from Federal and State Taxes. Tax-Exempt Entity Exemption Certificate available.

GUARANTEE

The bidder shall guarantee the vehicle against failure due to defective material and workmanship. The vehicle must be repaired at the bidder's expense within this period when such action is necessary for the reasons stated above.

NOTE: Standard Manufacturer's Warranty??? Please Describe.

City of Arkansas City - Environmental Services Division
Combination Jet Vacuum Truck, 2026

BID FORM

To the Mayor and City Commissioners
Arkansas City, Kansas

1. The undersigned, in compliance with your invitation to bid for furnishing, equipping and delivering a new current year Combination Jet/Vacuum Truck or a 2025 Model Demonstrator, FOB, City of Arkansas City, Kansas, having examined the purchase specifications and being familiar with all of the conditions surrounding the furnishing of this equipment and accessories in accordance with the purchase specifications at the price stated below. This price shall cover all expenses incurred in performing the work required under the documents and of which this proposal is a part:

BID PRICE OF:

New Equipment Price \$ 559,000.00
2025 Demonstrator \$ N/A
Total Cost to City \$ 559,000.00

Manufacturer of Equipment Bid:

Vac-Con Inc

Model of Equipment Bid:

2. The undersigned finally proposes to deliver the equipment, complete with all accessories, FOB, City of Arkansas City, Kansas, no later than

July 31, 2026.

3. Standard Manufacturer's Warranty. Please describe, briefly.

Please see attached document

4. The bidder agrees that this bid shall be good and may not be withdrawn for a period of 30 calendar days after the scheduled closing time for receiving bids.

Signed this 23rd day of January, 20 26.

Bidder Red Equipment LLC

Address 1150 S Sterling ave

Independence, MO 64054

By (print) Sarah Linn

(signature) Sarah Linn

Title Sales Manager

City of Arkansas City - Environmental Services Division
Combination Jet Vacuum Truck, 2026

AIR/VAC SYSTEM

Yes No

Positive Displacement Blower (PD) / Centrifugal Fan System

Vacuum Pump Roots Type rotary lobe positive displacement.....() (X) *NA - 3 Stage Fan

Vacuum Pump capable of vacuums from 0" to 15" Hg.....() (X) *NA - 3 Stage Fan

Three stage fan centrifugal compressor.....(X) ()

Vacuum capable from 0 to 3,500 CFM(X) () *Exceeds 7500 CFM

Corrosion-resistant construction.....(X) ()

General Requirements

Vacuum Pump or Compressor driven by chassis engine.....(X) ()

Vacuum Pump or Compressor driven by auxiliary engine.....() (X)

Vacuum Pump or Compressor protected by a separator w/cleanout box(X) ()

Vacuum Relief Valves capable of handling the full air flow.....(X) ()

Exhaust Silencer.....(X) ()

DEBRIS TANK

Cylindrical Design.....(X) ()

Min. 8 Cubic yds. / Max. 10 Cubic yds.....(X) ()

Dumping minimum 45°(X) () *Exceeds 55 degrees

Hydraulic Power up/down cylinder.....(X) ()

Self-aligning replaceable closure seal(X) ()

Top hinged full opening rear door(X) ()

Debris deflector plate(X) ()

Strainer for rear door drain(X) ()

Mechanical rear door locks.....() (X)

Hydraulic rear door locks(X) ()

Rear door open/close hydraulic cylinder with positive locking system.....(X) ()

6" rear drain valve with knife valve.....(X) ()

6" X 10' lay flat drain hose(X) ()

*Debris body washout.....(X) () * 8 High Pressure Cleaning Jets

City of Arkansas City - Environmental Services Division
Combination Jet Vacuum Truck, 2026

BOOM

	Yes	No
Top Mounted	(X)	()
Minimum 210 degree hydraulic rotation	(X)	()
Portable pendant	(X)	()
Extends a minimum of 10' to a minimum 25' total.....	(X)	()
Powers up and down.....	(X)	()
Quick open cleanout.....	(X)	()
8" heavy duty rubber intake hose	(X)	()

WATER SYSTEM

High pressure water pump delivering continuous pressure and flow	(X)	()
Minimum 50 gpm @ 2500 psi.....	(X)	()
Pressure relief valve	(X)	()
Water flow control valve	(X)	()
Wash-down gun connection	(X)	()
Wash-down gun w/ 35' of hose	(X)	()
800 psi relief valve	(X)	()
Suction strainer.....	(X)	()
* Winter Recirculation	(X)	()
* Air purge system	(X)	()

WATER TANKS

Minimum 1000 gallons capacity	(X)	()
Saddle tanks independent of debris tank	(X)	()
Water tanks constructed of non-corrosive non-metallic material.....	(X)	()
Anti-syphon air gap protected	(X)	()
Curb side fill.....	(X)	()
Removable inspection covers.....	(X)	()

City of Arkansas City - Environmental Services Division
Combination Jet Vacuum Truck, 2026

Minimum one water level indicator.....(X) () * **Digital**

HOSE REEL

	Yes	No
Front or rear mounted hose reel, frame mounted.....	(X)	() * Front
Min. 180° articulation	(X)	() * Exceeds covers 70 sqft in front of
Minimum capacity 1000' of 2500 psi 3/4" hose	(X)	() truck from cab
1000' of 2500 psi 3/4" hose provided	(X)	()
Positioning lock.....	(X)	() * Exceeds infinite locking positions
Water pressure gauge	(X)	() * Digital
Tachometer.....	(X)	() * Digital
Hose level wind with counter	(X)	() * Digital Counter
Level wind mechanically or hydraulically synchronized to reel rotation.....	(X)	() * Hydraulically capability to move independently for maintenance
Hydraulically driven hose reel with smooth variable speed control for smooth payout and retrieval under load	(X)	()
Primary controls positioned to be operable from either side of the reel	(X)	()
Engine throttle	(X)	()

ACCESSORIES

7 - 8" diameter aluminum tubes with male/female fittings, clamps & gaskets.....	(X)	() * Optioned
Three (3) 8' in length.....	(X)	()
One (1) 7' in length.....	(X)	()
Two (2) 5' in length.....	(X)	()
One (1) 3' in length.....	(X)	()
One (1) 6' intake tube	(X)	()
Folding curb side vacuum tube pipe rack	(X)	()
Rotating vacuum tube pipe rack	(X)	()
15° nozzle	(X)	()
35° nozzle.....	(X)	()
Manhole hose guide.....	(X)	()
Tool box	(X)	() * Long Handle Storage - Pass through Box

City of Arkansas City - Environmental Services Division
Combination Jet Vacuum Truck, 2026

Mud flaps.....	(X) ()
Two Operation, Parts & Service Manuals (Unit & Truck).....	(X) ()
Hydro-excavation Kit	(X) ()
*Cone Racks.....	(X) ()

TRUCK

	Yes	No
2025 model or newer conventional chassis	(X) ()	*2026
4x2 single rear axle, conventional cab.....	(X) ()	
Min. 33,000 lbs. / Max. 40,000 lbs. GVWR.....	(X) ()	*Exceeds 43,000 GVWR
Diesel engine minimum 300 HP.....	(X) ()	*Exceeds 370 HP
Allison automatic transmission	(X) ()	
Engine after treatment device (DEF).....	(X) ()	
Diesel Exhaust Fluid tank minimum 6 gallons.....	(X) ()	
Fuel tank minimum 60 gallons.....	(X) ()	*Exceeds 100 gallons
Auxiliary engine to allow independent operation of water system.....	(X) ()	
* Chest level remote grease cert station	(X) ()	
Heater, defroster & air conditioner.....	(X) ()	
Fuel gauge	(X) ()	
Coolant temperature gauge.....	(X) ()	
Transmission temperature gauge	(X) ()	
Engine & trip hour meters	(X) ()	
Oil pressure gauge.....	(X) ()	
Odometer/trip/hour/diagnostic/voltage display	(X) ()	
Sun visors	(X) ()	
Delay windshield wipers	(X) ()	
AM/FM radio	(X) ()	
*Rear backup camera	(X) ()	

City of Arkansas City - Environmental Services Division
Combination Jet Vacuum Truck, 2026

*Safety Lighting

- LED boom lights w/ guard.....(X) ()
- LED rear mounted lights w/ guard.....(X) ()
- LED bumper strobes(X) ()
- LED hose reel lights.....(X) ()
- LED midbody lights w/ guard.....(X) ()
- LED midbody strobes(X) ()

POTENTIAL BIDDERS LIST

Kevin Hilgendorf
Elliott Equipment Company
14001 Botts Road
Grandview, MO 64030

Nate Miller
Key Equipment
6716 Berger Ave
Kansas City, KS 66111

Vince Salmond
Red Municipal & Industrial Equipment Co.
1150 S. Sterling Ave
Independence, MO 64054

Justin Hanson
Armor Equipment
450 N. Lindenwood Dr
Olathe, KS 66062

City of Arkansas City - Environmental Services Division
Combination Jet Vacuum Truck, 2026

James Patchen/Brian Fleck
Holt Truck Centers
1735 W. Reno Ave.
Oklahoma City, OK 73106