

REVISIONS				
REV.	DESCRIPTION	BY	DATE	
Α	ADDED BASEPLATE COVERS, REMOVED ORN FROM MID BAYS	CL	2/22/2021	

WILSON PARK-KS PROJECT:

LOCATION: ARKANSAS CITY, KS

BUILDING TYPE: CHE 28.5' X 122'


ROOF TYPE: MULTI-RIB

BUILDING NUMBER: P12524

69503 **ORDER NUMBER:**

DRAWING LIST:

SHEET NUMBER	DRAWING DESCRIPTION
CS	COVER SHEET
1	ARCHITECTURAL ELEVATIONS
2	STRUCTURAL FRAMING PLAN
3	COLUMN LAYOUT



FABRICATOR APPROVALS: CITY OF PHOENIX, AZ APPROVED FABRICATOR #C08-2010 CITY OF LOS ANGELES. CA APPROVED FABRICATOR #1596 CITY OF RIVERSIDE, CA APPROVED FABRICATOR #SP06-0033 CITY OF HOUSTON, TX APPROVED FABRICATOR #470 CLARK COUNTY, NV APPROVED FABRICATOR #264 STATE OF UTAH APPROVED FABRICATOR 02008-14

CERTIFICATES:
MIAMI-DADE COUNTY CERTIFICATE OF COMPETENCY NO. 19-0806.05
PCI (POWDER COATING INSTITUTE) 4000 CERTIFIED

MATERIALS:

DESCRIPTION TUBE STEEL SCHEDULE PIPE LIGHT GAGE COLD FORMED STRUCTURAL STEEL PLATE ROOF PANELS (STEEL)

ASTM DESIGNATION A500 (GRADE B) A53 (GRADE B) A1003 (GRADE 50) A36

GENERAL NOTES:
UNLESS NOTED OTHERWISE, THIS STRUCTURE WAS DESIGNED TO ONLY SUPPORT WHAT IS SHOWN ON THESE DRAWINGS. THE MANUFACTURER MUST BE CONTACTED IF ANYTHING ELSE IS TO BE ATTACHED TO THIS STRUCTURE (WALLS, COLUMN WRAPS, RAILINGS, ETC.) SO THE DESIGN OF THIS STRUCTURE CAN BE REVIEWED AND POSSIBLY REVISED.

UNLESS NOTED OTHERWISE, THIS STRUCTURE WAS DESIGNED ASSUMING A 20' SEPARATION BETWEEN ANY ADJACENT STRUCTURE WITH AN EAVE HEIGHT EQUAL TO OR GREATER THAN THE EAVE HEIGHT OF THIS STRUCTURE. IF THAT SEPARATION DOES NOT EXIST, THE MANUFACTURER MUST BE CONTACTED SO THE DESIGN OF THIS STRUCTURE CAN BE REVIEWED AND POSSIBLY REVISED.

STRUCTURAL STEEL SHALL BE DETAILED, FABRICATED, AND ERECTED IN ACCORDANCE WITH THE LATEST EDITION OF THE AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC) SPECIFICATION MANUAL.

ALL WELDING IS PERFORMED BY AMERICAN WELDING SOCIETY (AWS) CERTIFIED WELDERS AND CONFORMS TO THE LATEST EDITION ÒF AWS D1.1 OR D1.3 AS REQUIRED.

PARTS SHOWN MAY BE UPGRADED DUE TO STANDARDIZED FABRICATION. REFER TO THE SHIPPING BILL OF MATERIALS FOR POSSIBLE SUBSTITUTIONS.

FOR PROPER FIELD INSTALLATION OF THE BUILDING IT IS RECOMMENDED THAT THE PRIMARY FRAME INSTALLER AND THE ROOF INSTALLER HAVE A MINIMUM FIVE (5) YEARS DOCUMENTED EXPERIENCE INSTALLING THIS TYPE OF PRODUCT.

FOR PROPER FIELD INSTALLATION OF THE BUILDING IT IS RECOMMENDED THAT ELECTRIC WIRING, IF REQUIRED, BE RUN THROUGH THE STRUCTURAL MEMBERS BEFORE THE BUILDING IS WILSON PARK-KS
WILSON PARK-KS
PROJECT LOCATION:
ARKANSAS CITY, KS
DRAWING:
COVER SHEET


(616)399-1963 www.poligon.com


chris.lisac

by **PORTER**CORP

STOP!! NOT FOR CONSTRUCTION


USE FOR PRELIMINARY PLANNING AND ESTIMATING ONLY





ANCHOR BOLT LAYOUT NOTES:

- 1. ENGINEERING WILL DETERMINE REQUIRED ANCHOR BOLT LAYOUT AFTER ENGINEERING PACKAGE IS ORDERED.
- 2. CUSTOMER MAY SUGGEST PREFERRED ANCHOR BOLT LAYOUT.



STOP!!


NOT FOR CONSTRUCTION

USE FOR PRELIMINARY PLANNING AND ESTIMATING ONLY DRAWN BY: Chris.lisac PROJECT:
WILSON PARK-KS
PROJECT LOCATION:
ARKANSAS CITY, KS
DRAWING:
COLUMN LAYOUT

(616)399-1963 www.poligon.com byPORTERCORP







FRAME COLOR: ALMOND ROOF COLOR: EVERGREEN COLORS MAY VARY SLIGHTLY FROM RENDERED IMAGE

ARKANSAS CITY, KS CHE 28.5' X 122'