



Procurement Department

C
sent to Fleet
for
6-11-26

Andy Penick, CPSM, GCPM, GCPA, MBA
Procurement Director

LETTER OF INTENT TO PURCHASE VEHICLE FROM RING POWER CORPORATION

This letter of intent dated, **June 10, 2026**, is to inform you that the Central Services Department – Fleet Management Division has concluded that we intend to purchase vehicles for the below listed Departments, utilizing:

2026 International HV615

The specific specifications and pricing information for this purchase is attached.

- 1. **Buyer:** Augusta, Georgia – Central Services Department: Fleet Management Division
- 2. **Seller:** Rush Truck Center
2560 Moreland Avenue, Atlanta, GA 30315
- 3. **Total Vehicles Total Purchase Price:** \$184,871.00
- 4. **Source:** GA SWC 9999-SPD-SPD0000155-01

The following replacement vehicles to be purchased for the Utilities Department – Facilities Maintenance Division.

A purchase order will be provided upon the approval of the Augusta, Georgia Commission.

Sincerely,

Andy Penick, CPSM, GCPM, GCPA, MBA
Director of Procurement

Attachments: Vehicle Purchase Price /Specifications/Quotes



Central Services Department

Horace Green, Director
LaQuona Porter, Fleet Manager

Fleet Management
1568-C Broad Street
Augusta GA 30904
Phone: (706) 821-2892

MEMORANDUM

TO: Andy Penick, Director, Procurement Director
FROM: Horace Green, Director, Central Services Director
DATE: June 1, 2026
SUBJECT: Request LOI to purchase a Dump Truck for the Utilities Department – Facilities Maintenance Division

Central Services-Fleet Management requests LOI to purchase a dump truck for the Utilities-Facilities Maintenance division. The state contract holder, Rush Truck Center, has a tandem dump truck that meets the departmental needs currently in their inventory. The statewide contract number is 9999-SPD-SPD0000155-01.

- 2026 International HV615 - \$184,871.00

Utilities Facilities Maintenance division needs a class eight dump truck with the ability to hold over 5 tons of material. Due to Hurricane Helene, the additional work requires multiple rock, and sand clay runs. Currently the division only has one class 6 dump truck that will be reallocated to the raw water pumping station to store debris for the number one, four and nine turban pumps.

Rush Truck Center will hold the dump truck until the Augusta Commission has approved the order. Once approved, Fleet Management will acquire the purchase order and submit it to the vendor for delivery of the asset purchases. Funding is available in Utilities- Facilities Maintenance account 506-04-3580/54.22510.



Rush Truck Center Atlanta

2560 Moreland Avenue
SE Atlanta, GA 30315
(678) 420-7501

Customer Proposal

Augusta - Richmond County
Central Services Department
1568 Broad St. Bldg. C1
Augusta, GA 30901

John, thank you for the opportunity to earn your business. Please review the proposal below, if you approve, sign and return to us at your convenience. We look forward to working with you and will continue to provide excellence for all future business.

VEHICLE INFORMATION

Make: International Model: HV615 Year: 2026 Stock Number: To Be Determined Serial#: To Be Determined
ON THE GROUND

New 2026 International Truck with Godwin Dump Body mounted and delivered.
State of Georgia Contract # 99999-SPD-SPD0000155-0001

Quantity	1	Total
*Truck price per Unit F.E.T. (Factory & Dealer Paid)	\$ 184,871.00	
Net Sale Price		\$ 184,871.00
Optional Extended Warranty(ies)		
State Sales Tax		
Total Sales Price (Including Rebate(s))		\$ 184,871.00
Trade Allowance (see DISCLAIMER Below)		

Sales Representative

Kurt Hohlstein

Purchaser

signature

printed name

signature

printed name

Accepted by Sales Manager or
General Manager

title

date

signature

printed name

W Kurt Hohlstein
5/29/2025

Quote good until

Note: The above Customer Proposal is a quotation only. Sale terms subject to approval of Sales Manager

DISCLAIMER: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, re license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment. Any F.E.T. variance will be responsibility of Dealer. Manufacturer has reserved the right to price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. If Quoted Vehicle(s) not currently in Dealer's stock, Dealer reserves right to change Quotation Total to reflect increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor any specific inventory level. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whole or in part, to any cause beyond the reasonable control of Dealer or is without negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.





CONTRACT AMENDMENT #9

EXTENSION # 4

This amendment by and between the Contractor and State Entity defined below shall be effective as of the date this Amendment is fully executed.

STATE OF GEORGIA CONTRACT	
State Entity's Name:	Department of Administrative Services
Contractor's Full Legal Name:	Rush Truck Centers of Georgia Inc. dba Rush Truck Center Atlanta
Contract Number:	99999-SPD-SPD0000155-0001
Contract Description:	Truck Chassis and Truck Bodies
Contract Start Date:	8/8/2018
Current Contract Term:	9/1/2025 – 8/31/2026

BACKGROUND AND PURPOSE. The Contract is in effect through the Current Term provided above. The parties hereto now desire to amend the contract to extend it for an additional term of twelve months.

For good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the parties do hereby agree as follows:

- CONTRACT EXTENSION.** The parties hereby agree that the contract will be extended for an additional period of time as follows:

NEW CONTRACT TERM	
Beginning Date of New Contract Term:	9/1/2026
End Date of New Contract Term:	2/28/2027

RUSH TRUCK CENTERS OF GA
 DBA RUSH TRUCK CENTER, ATLANTA
 2560 MORELAND AVENUE
 ATLANTA, GA 30315

CONTRACT NUMBER: 99999-SPD-SPD0000155-0001


The parties agree that the contract will expire at midnight on the date designated as the "End Date of the New Contract Term," unless the parties agree to extend the contract for an additional period.

- 2. **SUCCESSORS AND ASSIGNS.** This Amendment shall be binding upon and inure to the benefit of the successors and permitted assigns of the parties hereto.
- 3. **ENTIRE AGREEMENT.** Except as expressly modified by this Amendment, the contract shall be and remain in full force and effect in accordance with its terms and shall constitute the legal, valid, binding, and enforceable obligations of the parties. This Amendment and the contract (including any written amendments thereto), collectively, are the complete agreement of the parties and supersede any prior agreements or representations, whether oral or written, with respect thereto. Should the State of Georgia (DOAS) enter into a new contract for these products and/or services during the term of this Extension, the new contract shall supersede this Extension.

IN WITNESS WHEREOF, the parties have caused this Amendment to be duly executed by their authorized representatives.


CONTRACTOR

RUSH TRUCK CENTERS OF GA
DBA RUSH TRUCK CENTER, ATLANTA

Contractor's Full Legal Name: (PLEASE TYPE OR PRINT)	2560 MORELAND AVENUE ATLANTA, GA 30315
Authorized Signature: <input checked="" type="checkbox"/>	
Printed Name and Title of Person Signing: <input checked="" type="checkbox"/>	Boston Cummings
Date: <input checked="" type="checkbox"/>	05/08/2026
Company Address:	RUSH TRUCK CENTERS OF GA DBA RUSH TRUCK CENTER, ATLANTA

2560 MORELAND AVENUE
ATLANTA, GA 30315

STATE ENTITY

Authorized Signature:	
Printed Name and Title of Person Signing:	Carrie Steele Deputy Commissioner State Purchasing Division
Date:	5/27/2026
Company Address:	200 Piedmont Avenue, S.E., Suite 1804, West Tower Atlanta, Georgia 30334-9010



International

Vehicle Information

Home Publications Service Reference Write Up
 Dealer Warranty Support

Chassis / VIN Number

[View](#)

Select tab(s) to print

Alerts Summary Connection GUIDE Diagnostics Managed Repairs Details Components
 Serial Numbers Warranty Coverage SRT Warranty History Intelligent Search Case History iApprove
 iRequest

Components

VIN : 3HAPVST4TL504270

296 components found. [Export](#)

S.No	Class Description	Parts Catalog Component	Component Line Drawing	Description
1	AXLE CONFIGURATION	0001AND	0001AND	AXLE CONFIGURATION 6x4
2	FRAMES	0001CAW	0001CAW	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 480.0" (12192mm) Maximum OAL
3	FRAMES	0001LEH	0001LEH	LICENSE PLATE HOLDER Single Plate, Swing Type, Mounted Below Front Bumper
4	FRAMES	0001LZD	0001LZD	BUMPER, FRONT Swept Back, Aluminum, Stainless Steel Clad, Heavy Duty
5	FRAMES	0001WHP	0001WHP	WHEELBASE RANGE 183" (465cm) Through and Including 248" (630cm)
6	FRAMES	0001WMA	0001WMA	CROSSMEMBER, INTERMEDIATE (1) 5-Piece in lieu of Each Single Dogbone with 4x2 & 4x4 Chassis; Each Double Dogbone with 6x4, 6x6 & 8x6 Tridem Chassis
7	FRONT AXLES	0002ARY	0002ARY	AXLE, FRONT NON-DRIVING (Meritor MFS-20-133A) Wide Track, I-Beam Type, 20,000-lb Capacity
8	FRONT SUSPENSIONS	0003AGA	0003AGA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers
9	BRAKES	0004AZV	0004AZV	AIR BRAKE ABS (Bendix AntiLock Brake System) 6-Channel (6 Sensor/6 Modulator) Full Vehicle Wheel Control System, with Automatic Traction Control
10	BRAKES	0004EDL	0004EDL	AIR DRYER (Bendix AD-HF) with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 120 psi Cut-In/140 psi Cut-Out, Integrated PuraGuard Coalescing Filtration
11	BRAKES	0004EXV	0004EXV	BRAKE CHAMBERS, FRONT AXLE (Bendix) 24 Sqn
12	BRAKES	0004EXW	0004EXW	BRAKE CHAMBERS, REAR AXLE (Bendix EnduraSure Pro) 30/30 Sqn Spring Brake

13	BRAKES	0004GBM	0004GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake
14	BRAKES	0004LAA	0004LAA	SLACK ADJUSTERS, FRONT (Haldex) Automatic
15	BRAKES	0004LGA	0004LGA	SLACK ADJUSTERS, REAR (Haldex) Automatic
16	BRAKES	0004SPT	0004SPT	AIR COMPRESSOR (Bendix ESS 380) 16.8 CFM, Head Unload
17	BRAKES	0004VGA	0004VGA	AIR DRYER LOCATION Mounted Outside Right Rail, Forward of Front Wheel
18	BRAKES	0004VGM	0004VGM	AIR TANK Polished Aluminum, with Straight Thread O-Ring Ports
19	BRAKES	0004VMR	0004VMR	AIR TANK LOCATION (3) : Two Tanks Vertically Stacked, Outside Right Rail, Under Cab In Front of Aftertreatment Box, Perpendicular to Rail, One Mounted Below Left Rail, Front of Rear Suspension, Parallel to Rail
20	BRAKES	0004WDA	0004WDA	DRAIN VALVE (3) Petcocks, for Air Tanks
21	BRAKES	0004WDW	0004WDW	BRAKE CHAMBERS, POSITION on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements)
22	BRAKES	0004WRJ	0004WRJ	AIR COMPRESSOR DISCHARGE LINE 1/2" ID to 5/8" ID Teflon Hose, with Stainless Steel Braid; to Air Dryer
23	BRAKES	0004XDR	0004XDR	BRAKES, REAR (Meritor 16.5X7 Q-PLUS CAST) Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle
24	BRAKES	0004XDT	0004XDT	BRAKES, FRONT (Meritor 16.5X6 Q-PLUS CAST) Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity
25	BRAKES	0004XEE	0004XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type
26	BRAKES	0004091	0004091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
27	STEERING	0005CBE	0005CBE	STEERING WHEEL 4-Spoke; 18" Dia., Black Leather Wrapped
28	STEERING	0005PSE	0005PSE	STEERING GEAR (2) (TRW THP60/RCH60) Dual Power
29	STEERING	0005WB1	0005WB1	POWER STEERING HOSE Stainless Steel Steering Lines
30	STEERING	0005710	0005710	STEERING COLUMN Tilting and Telescoping
31	DRIVELINES	0006DGX	0006DGX	DRIVELINE SYSTEM (Dana Spicer) Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4
32	EXHAUST SYSTEMS	0007BES	0007BES	AFTERTREATMENT COVER Polished Aluminum
33	EXHAUST SYSTEMS	0007BLY	0007BLY	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side
34	EXHAUST SYSTEMS	0007SDZ	0007SDZ	ENGINE COMPRESSION BRAKE {International} for S13 Engines, with Selector Switch and On/Off Switch
35	EXHAUST SYSTEMS	0007WBA	0007WBA	TAIL PIPE (1) Tumbback Type, Bright
36	EXHAUST SYSTEMS	0007WBS	0007WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel
37	EXHAUST SYSTEMS	0007WCR	0007WCR	EXHAUST HEIGHT 10' 11"

38	ELECTRICAL SYSTEMS	0008GGG	0008GGG	ALTERNATOR (Delco Remy 36SI) Brushless, 12 Volt, 165 Amp Capacity, Pad Mount, with Remote Sense
39	ELECTRICAL SYSTEMS	0008MSG	0008MSG	BATTERY SYSTEM (Fleetrite) Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud
40	ELECTRICAL SYSTEMS	0008RMZ	0008RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars
41	ELECTRICAL SYSTEMS	0008RNC	0008RNC	CB RADIO Accommodation Package, Header Mounted, Feeds from Accessory Side of Ignition Switch, Includes Power Source, Two Antennas and Antenna Bases with Wiring on Both Side Mirrors
42	ELECTRICAL SYSTEMS	0008RPB	0008RPB	RADIO, STEERING WHEEL CONTROLS Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect
43	ELECTRICAL SYSTEMS	0008RPP	0008RPP	ANTENNA Shark Fin, Roof Mounted
44	ELECTRICAL SYSTEMS	0008RPS	0008RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input
45	ELECTRICAL SYSTEMS	0008THB	0008THB	BACK-UP ALARM Electric, 102 dBA
46	ELECTRICAL SYSTEMS	0008TKB	0008TKB	STOP, TURN, TAIL & B/U LIGHTS (Truck Lite) Super 44, with LED Lights for Stop, Turn & Tail Lights, Truck Lite Super 40 for Backup Lights, with Power Module, "International" Termination and Less Junction Box, Includes Incandescent License Plate Light
47	ELECTRICAL SYSTEMS	0008VBE	0008VBE	HORN, ELECTRIC (1) Trumpet Style
48	ELECTRICAL SYSTEMS	0008VTV	0008VTV	STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated
49	ELECTRICAL SYSTEMS	0008VUL	0008VUL	BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab
50	ELECTRICAL SYSTEMS	0008WBW	0008WBW	JUMP START STUD 12V, Remote Mounted
51	ELECTRICAL SYSTEMS	0008WGL	0008WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time
52	ELECTRICAL SYSTEMS	0008WPH	0008WPH	CLEARANCE/MARKER LIGHTS (5) (Truck Lite) Amber LED Lights, Flush Mounted on Cab or Sunshade
53	ELECTRICAL SYSTEMS	0008WPZ	0008WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
54	ELECTRICAL SYSTEMS	0008WRB	0008WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On
55	ELECTRICAL SYSTEMS	0008WWD	0008WWD	BATTERY BOX COVER Stainless Steel, Bright Finish
56	ELECTRICAL SYSTEMS	0008WXB	0008WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position
57	ELECTRICAL SYSTEMS	0008WYU	0008WYU	BATTERY BOX MODIFICATION Rubber Pad Added Inside Bottom of Battery Box
58	ELECTRICAL SYSTEMS	0008WZP	0008WZP	INDICATOR, BATTERY WARNING Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch

59	ELECTRICAL SYSTEMS	0008XAH	0008XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
60	ELECTRICAL SYSTEMS	0008XGT	0008XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
61	ELECTRICAL SYSTEMS	0008XHN	0008XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord
62	ELECTRICAL SYSTEMS	0008XHX	0008XHX	SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel
63	ELECTRICAL SYSTEMS	0008XKG	0008XKG	DOME LIGHT, CAB with Red Reading Lights
64	ELECTRICAL SYSTEMS	0008XMB	0008XMB	CONNECTOR, DASH, CENTER PANEL Cab Wiring for TMC RP1226 Vehicle Accessory Connector; Includes 14-pin Connector with Switched Power, Battery Power, Ignition Power, Ground & Body 250K Datalink, Connector Located Behind Instrument Panel Center Console
65	ELECTRICAL SYSTEMS	0008XNG	0008XNG	STARTING MOTOR (Mitsubishi Electric Automotive America DP60) 12-Volt
66	ELECTRICAL SYSTEMS	0008XPA	0008XPA	HEADLIGHTS LED, with Daytime Running Lights, Automatic Twilight Controlled
67	ELECTRICAL SYSTEMS	0008XPK	0008XPK	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB-A Port and USB-C Port, Located in the Instrument Panel
68	ELECTRICAL SYSTEMS	0008XPN	0008XPN	USB PORT One USB-A Port and One USB-C Port, Located in Instrument Panel
69	ELECTRICAL SYSTEMS	0008XRB	0008XRB	BATTERY DISCONNECT SWITCH for Cab Power Disconnect, Disconnects Power Distribution Module (PDM) and Body Builder Through Solenoid, Does Not Disconnect Charging Circuits, In-Cab Mounted Switch
70	ELECTRICAL SYSTEMS	0008000	0008000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
71	ELECTRICAL SYSTEMS	0008718	0008718	POWER SOURCE Cigar Type Receptacle without Plug and Cord
72	FRONT END	0009AAB	0009AAB	LOGOS EXTERIOR Model Badges
73	FRONT END	0009AAE	0009AAE	LOGOS EXTERIOR, ENGINE Badges
74	FRONT END	0009HDD	0009HDD	GRILLE Stationary, Chrome Vertical Accent Bars, Chrome Surround
75	FRONT END	0009WAC	0009WAC	BUG SCREEN Mounted Behind Grille
76	FRONT END	0009WBM	0009WBM	FRONT END Tilting, Fiberglass, with Three Piece Construction, Sloped Front
77	SPEEDOMETER, TOOLS, MISC	0010AGB	0010AGB	CONNECTED PLATFORM Includes Connectivity Module and Five Year Data Plan
78	ENGINE	0010UAV	0010UAV	VEHICLE REGISTRATION IDENTITY ID for Non-CARB Omnibus and/or Non-ACT Adopting State or Exempt Vehicle. Not for use on vehicles registering in CA. Contains non-mitigated legacy engine & cannot be registered in CA unless exempt. You may be held liable under state law for failure to properly register vehicle.
79	SPEEDOMETER, TOOLS, MISC	0010WBS	0010WBS	KEYS - ALL ALIKE, ADDITIONAL 2 Keys
80	SPEEDOMETER, TOOLS, MISC	0010WCY	0010WCY	SAFETY TRIANGLES
81	SPEEDOMETER, TOOLS, MISC	0010WKJ	0010WKJ	KEYS - ALL ALIKE, ID I-1003 Compatible with Z-001
82	SPEEDOMETER, TOOLS, MISC	0010XAN	0010XAN	FIRE EXTINGUISHER 5 lb Class A B C

83	SPEEDOMETER, TOOLS, MISC	0010XAP	0010XAP	FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat
84	SPEEDOMETER, TOOLS, MISC	0010021	0010021	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails
85	SPEEDOMETER, TOOLS, MISC	0010060	0010060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
86	SPEEDOMETER, TOOLS, MISC	0010210	0010210	LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
87	SPEEDOMETER, TOOLS, MISC	0010661	0010661	PAINT, NON-REFLECTING Non-Reflecting Paint
88	SPEEDOMETER, TOOLS, MISC	0010761	0010761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
89	CLUTCH	0011001	0011001	CLUTCH Omit Item (Clutch & Control)
90	ENGINE	0012BGV	0012BGV	ENGINE, DIESEL {International S13} EPA 2024, 450HP @ 1800 RPM, 1750 lb-ft Torque @ 900 RPM, 2000 RPM Governed Speed, 450 Peak HP (Max)
91	ENGINE	0012TAB	0012TAB	POWERTRAIN INTERFACE MODULE
92	ENGINE	0012THT	0012THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed
93	ENGINE	0012VBY	0012VBY	AIR CLEANER Single Element, Engine Mounted
94	ENGINE	0012VJY	0012VJY	EMISSION, CALENDAR YEAR {International S13} EPA, OBD and GHG Certified for Calendar Year 2025
95	ENGINE	0012WGA	0012WGA	HOSE CLAMPS, RADIATOR HOSES , Mechanical Type; with Constant-Tension Functionality
96	ENGINE	0012WGK	0012WGK	ENGINE RE-RATE IDENTITY Engine Re-rate Capable. Additional Charge for Re-Rate May Be Applicable at Time of Re-Rate. Re-rate HP and Torque Dependent on Chassis Components.
97	ENGINE	0012WTA	0012WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
98	ENGINE	0012WVG	0012WVG	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
99	ENGINE	0012WYX	0012WYX	BLOCK HEATER, ENGINE (Phillips) 120V/1500W, with "W" Cord for Fuel Heater and 120V/300W Oil Pan Heater
100	ENGINE	0012WZJ	0012WZJ	CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
101	ENGINE	0012XCY	0012XCY	RADIATOR Aluminum, Cross Flow, 1144 SqIn, with 1007 SqIn Charge Air Cooler
102	ENGINE	0012XZT	0012XZT	CARB EMISSION WARR COMPLIANCE for International S13 Engines
103	ENGINE	0012703	0012703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
104	TRANSMISSION	0013BEG	0013BEG	TRANSMISSION, AUTOMATIC {Allison 4500 RDS} 6th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
105	TRANSMISSION	0013WAW	0013WAW	OIL COOLER, TRANSMISSION (Modine) Water to Oil Type
106	TRANSMISSION	0013WEH	0013WEH	AUTOMATIC NEUTRAL Allison Transmission Shifts to Neutral When Parking Brake is

				Engaged and Remains in Neutral When Parking Brake is Disengaged, without On/Off Switch
107	TRANSMISSION	<u>0013WET</u>	<u>0013WET</u>	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission
108	TRANSMISSION	<u>0013WLM</u>	<u>0013WLM</u>	TRANSMISSION OIL Synthetic; 63 thru 76 Pints
109	TRANSMISSION	<u>0013WUS</u>	<u>0013WUS</u>	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Package Number 223, Modified for Single Input Auto Neutral
110	TRANSMISSION	<u>0013WVV</u>	<u>0013WVV</u>	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released
111	TRANSMISSION	<u>0013WYH</u>	<u>0013WYH</u>	TRANSMISSION TCM LOCATION Located Inside Cab
112	TRANSMISSION	<u>0013XAA</u>	<u>0013XAA</u>	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring
113	TRANSMISSION	<u>0013XAL</u>	<u>0013XAL</u>	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission
114	TRANSMISSION	<u>0013XBD</u>	<u>0013XBD</u>	SHIFT CONTROL PARAMETERS (Allison) 3000 or 4000 Series Transmissions, with DynActive, Dynamic Shift Sensing (FuelSense 2.0 Basic)
115	REAR AXLES, SUSPENSIONS	<u>0014HRC</u>	<u>0014HRC</u>	AXLE, REAR, TANDEM (Meritor RT-46-164EH) Single Reduction, Standard Width, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends
116	REAR AXLES, SUSPENSIONS	<u>0014UHK</u>	<u>0014UHK</u>	SUSPENSION, REAR, TANDEM (Hendrickson RT-463) Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Bronze Center Bushings
117	REAR AXLES, SUSPENSIONS	<u>0014WBN</u>	<u>0014WBN</u>	DIFF. SWITCH CONTROLS Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash
118	REAR AXLES, SUSPENSIONS	<u>0014WMK</u>	<u>0014WMK</u>	AXLE, REAR, LUBE (EmGard FE-75W-90) Synthetic Oil; 65 thru 89.99 Pints
119	REAR AXLES, SUSPENSIONS	<u>0014862</u>	<u>0014862</u>	PDL WARNING BUZZER Power Divider Lock
120	FUEL TANKS	<u>0015BAA</u>	<u>0015BAA</u>	DEF TANK COVER Stainless Steel
121	FUEL TANKS	<u>0015LNZ</u>	<u>0015LNZ</u>	FUEL HEATER PLUMBING Plumbing for Blender Valve Integrated in Fuel Water Separator, Thermostatically Controlled, for S13 Engine
122	FUEL TANKS	<u>0015LRA</u>	<u>0015LRA</u>	FUEL/WATER SEPARATOR (Davco 388) 120 VAC Plug-In Electric Pre-Heater, 12 VDC Electric Heater, with ESOC Fittings, Includes Water-in-Fuel Sensor
123	FUEL TANKS	<u>0015LRE</u>	<u>0015LRE</u>	LOCATION FUEL/WATER SEPARATOR Mounted Under Hood, Left Side, Above Front Axle
124	FUEL TANKS	<u>0015SWD</u>	<u>0015SWD</u>	FUEL TANK Top Draw, Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab
125	FUEL TANKS	<u>0015WEY</u>	<u>0015WEY</u>	DEF TANK 10.8 US Gal (41L) Capacity, Frame Mounted Outside Left Rail, Under Cab
126	FUEL TANKS	<u>0015924</u>	<u>0015924</u>	FUEL TANK STRAPS Bright Finish Stainless Steel

127	CABS, COWLS, BODIES	0016BAM	0016BAM	AIR CONDITIONER with Integral Heater and Defroster
128	CABS, COWLS, BODIES	0016GEG	0016GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer
129	CABS, COWLS, BODIES	0016GHU	0016GHU	GRAB HANDLE, CAB INTERIOR (2) Safety Yellow
130	CABS, COWLS, BODIES	0016HCH	0016HCH	SEATBELT WARNING LIGHT IND. Mounted in Dash, Will Flash when Park Brake is Disengaged and Driver Seatbelt Unfastened, Audible Alarm to Remind Driver to Fasten Seatbelt
131	CABS, COWLS, BODIES	0016HGN	0016HGN	GAUGE, AIR APPLICATION
132	CABS, COWLS, BODIES	0016HKN	0016HKN	PRE-TRIP INSPECTION Displayed in Cluster, Fluid Level Checks for Coolant, Engine Oil, Transmission Oil, DEF, Diesel
133	CABS, COWLS, BODIES	0016HKT	0016HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
134	CABS, COWLS, BODIES	0016LJS	0016LJS	SEAT, DRIVER (National 2000) Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjust, Dual Shocks
135	CABS, COWLS, BODIES	0016SGH	0016SGH	GRAB HANDLE, EXTERIOR (2) Chrome, for Cab Entry, (1) Towel Bar Type, with Anti-Slip Rubber Inserts Mounted Left Side at B-Pillar, (1) Towel Bar Type Mounted Right Side on Vertical Exhaust
136	CABS, COWLS, BODIES	0016SMN	0016SMN	SEAT, PASSENGER (National) Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl
137	CABS, COWLS, BODIES	0016SNV	0016SNV	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Turn Signals, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width
138	CABS, COWLS, BODIES	0016SNX	0016SNX	MIRROR, CONVEX, LOOK DOWN Right Side, Bright, 6" x 10.5"
139	CABS, COWLS, BODIES	0016VCC	0016VCC	SEAT BELT All Orange; 1 to 3
140	CABS, COWLS, BODIES	0016VKK	0016VKK	CAB INTERIOR TRIM Diamond, for Day Cab
141	CABS, COWLS, BODIES	0016VLU	0016VLU	CAB REAR SUSPENSION Air Suspension, for High Cab Height
142	CABS, COWLS, BODIES	0016VLV	0016VLV	MONITOR, TIRE PRESSURE Omit
143	CABS, COWLS, BODIES	0016WBY	0016WBY	ARM REST, RIGHT, DRIVER SEAT
144	CABS, COWLS, BODIES	0016WHJ	0016WHJ	HOSE CLAMPS, HEATER HOSE (Breeze) Belleville Washer Type
145	CABS, COWLS, BODIES	0016WJU	0016WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature
146	CABS, COWLS, BODIES	0016XJN	0016XJN	INSTRUMENT PANEL Flat Panel
147	CABS, COWLS, BODIES	0016XRX	0016XRX	MODESTY PANEL Painted
148	CABS, COWLS, BODIES	0016XWE	0016XWE	SUNSHADE, EXTERIOR Bright Finish, with Integral Clearance/Marker Lights
149	CABS, COWLS, BODIES	0016ZBT	0016ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab
150	CABS, COWLS, BODIES	0016000	0016000	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
151	CABS, COWLS, BODIES	0016030	0016030	CAB Conventional, Day Cab

152	WHEELS, TIRES - FRONT	0027DUS	0027DUS	WHEELS, FRONT {Accuride 41730} DISC; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
153	WHEELS, TIRES - REAR	0028DWM	0028DWM	WHEELS, REAR {Accuride 42362} DUAL DISC; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
154	WARRANTY	0040NSE	0040NSE	CARB COMPANION PLAN for CARB A26, S13 and X15 Engines
155	WARRANTY	0040NSW	0040NSW	CARB PLAN S13
156	WARRANTY	0040127	0040127	WARRANTY Standard for HV513/HV515, HV613/HV615 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A
157		0217FYB	0217FYB	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
158		0425FTA	0425FTA	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
159		0425FTH	0425FTH	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
160	BRAKES	0504061	0504061	SPRING BRAKE MODULATOR VALVE with Relay function
161	MISC	0504062	0504062	AIR TANK VOLUME IDENTITY Nominal 5880 CuIn System Capacity
162	BRAKES	0504090	0504090	AIR TANK MOUNTING , Bracket Spacing of 376mm for Front of Suspension Air Tanks
163	BRAKES	0504513	0504513	BRAKE LININGS, REAR {Meritor MA2301} for S-Cam Brake
164	BRAKES	0504545	0504545	BRAKE LININGS, FRONT {Meritor MA2301} for Air S-Cam Brakes
165	BRAKES	0504546	0504546	SLACK ADJUSTERS LENGTH, FRONT 5.5"
166	BRAKES	0504547	0504547	SLACK ADJUSTERS LENGTH, REAR 5.5"
167	DRIVELINES	0506001	0506001	YOKE, TRANSMISSION OUTPUT
168	DRIVELINES	0506007	0506007	YOKE, FORWARD REAR AXLE INPUT
169	DRIVELINES	0506008	0506008	YOKE, FWD-RR AXLE, REAR OUTPUT
170	DRIVELINES	0506010	0506010	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
171	DRIVELINES	0506100	0506100	DRIVELINE LABOR IDENTITY for Driveline Labor
172	DRIVELINES	0506102	0506102	CENTER BEARING, SECOND XMBR Mounted to Rear of Bracket
173	DRIVELINES	0506110	0506110	CENTER BEARING MTG. PARTS
174	ELECTRICAL SYSTEMS	0508010	0508010	SOLENOID, AIR ACCESSORY 4-Pak, Electric Operated, Does Not Include an ECU or J1939 Communications
175	MISC	0508097	0508097	ELECTRICAL SYSTEM MUX for Electrical Common Architecture System
176	MISC	0508099	0508099	SWITCH, ROCKER MUX in Lighting Control Module C1
177	MISC	0508100	0508100	SWITCH, ROCKER MUX in Lighting Control Module C2
178	MISC	0508105	0508105	ELECTRICAL ARCHITECTURE Modular Cab Interconnect Architecture
179	SPEEDOMETER, TOOLS, MISC	0510AAB	0510AAB	LANGUAGE IDENTITY For English
180	SPEEDOMETER, TOOLS, MISC	0510000	0510000	BULK MATERIAL
181	MISC	0510002	0510002	SERVICE PARTS ASSEMBLIES

ServiceContracts

VIN : 3HAPVSZT4TE584270


Standard Warranty Coverage

Search Standard Warranty Coverage **Note: Date, Odometer, and Hours below were retrieved from Health Report Scan ID [279317407](#)**

Date 5/11/2026  Odometer 1,893 Miles Hours 69

Standard Coverage Component	Coverage Duration	Coverage Distance	Hours	Status
Basic Vehicle Warranty	1/1/0001 - 1/1/0002	Unlimited	Unlimited	Not in Service
Frame Side Rails	1/1/0001 - 1/1/0006	Unlimited	Unlimited	Not in Service
Cab/Cowl Structure	1/1/0001 - 1/1/0006	Unlimited	Unlimited	Not in Service
Brightwork, Chassis Paint and Corrosion (Other than Cab)	1/1/0001 - 7/1/0001	Unlimited	Unlimited	Not in Service
Hood/Cab Paint	1/1/0001 - 1/1/0002	Unlimited	Unlimited	Not in Service
Cab/Cowl Perforation Corrosion	1/1/0001 - 1/1/0006	Unlimited	Unlimited	Not in Service
First 90 Days from Delivery to User (DTU) + Towing (Vehicle Down Warrantable Situations Only)	1/1/0001 - 4/1/0001	Unlimited	Unlimited	Not in Service
Front Axle Assembly (Rear Axle Weight Ratings of 52,000 lb and Less)	1/1/0001 - 1/1/0004	0 - 300,000 Miles	Unlimited	Not in Service
Rear Axle and Differential (Rear Axle Weight Ratings of 52,000 lb and Less)	1/1/0001 - 1/1/0004	0 - 300,000 Miles	Unlimited	Not in Service
Federal Emissions Coverage (Medium/Heavy, Heavy Duty Diesel Engine)	1/1/0001 - 1/1/0006	0 - 100,000 Miles	Unlimited	Not in Service
Greenhouse Gas Emissions Coverage	1/1/0001 - 1/1/0006	0 - 100,000 Miles	Unlimited	Not in Service
Towing (Vehicles with International A26/S13 Engine Failures Only)	1/1/0001 - 1/1/0003	Unlimited	Unlimited	Not in Service
International A26/S13 Engine	1/1/0001 - 1/1/0003	Unlimited	Unlimited	Not in Service
International A26/S13 Engine Major Components	1/1/0001 - 1/1/0006	0 - 500,000 Miles	Unlimited	Not in Service

Extended Service Contract

 There is no Extended Service Contract Information to display for this vehicle.

ESTIMATE

Womack Truck Body Inc.
4893 Cartersville Hwy
Dallas, GA 30132

Bryce.womack@att.net
+1 (770) 445-7032
womacktruckbody.com



Rush Truck Center: Kurt Hohlstein

Bill to
Kurt Hohlstein
Rush Truck Center
2560 Moreland Ave
Atlanta, Ga 30315 USA

Estimate details

VIN: TL584270

Estimate no.: 4241
Estimate date: 05/29/2026
Expiration date: 06/29/2026

Product or service	Description	Qty	Rate	Amount
50 Ton Pintle Hitch on Tandem Dump	50 Ton Swivel Pintle Hitch Glad Hand mounts Trailer Plug Mount HD Mounting plate w/ reinforcements New LED lighting Paint hitch mounting plate black Electric Brake Control mounted in cab 7 pin "RV" style trailer plug Picked up from RTC Doraville Delivered back to RTC Moreland			
			Expiry date	06/29/2026

Accepted date

Accepted by

INVOICE



Date	Invoice #
2/11/2026	45665

Bill To

Rush Truck Center
 PO Box 34510
 San Antonio, TX 78265

Ship To

P.O. Number	Terms	Rep	Ship	Via	Job Number	Project
Benjie Tyre	Net 10 Days	DPD	2/11/2026	TEC Delivery	E9-0825	

Quantity	Item Code	Description	Price Each	Amount
1	Shop-Dealer-Dump B...	Godwin 550T Dump Body 16' Long x 42" High 10" I-Beam Long Sills Crossmemberless Understructure 42" Tall 10 GA High Tensile Steel w/Pressed V-Braces 8" Side Board Gussets AR450 3/16" One Piece 50,000 PSI Hi-tensile Steel 10 GA High Tensile Steel 24" Cab Protector w/Built In Wind Deflector Sloped Single Panel 10 GA Hi-tensile Steel. Air Release Heavy Duty Off Set Cast Steel Hinge, Banjo Eyes w/ Chains Black Powder Coated LED Marker Light Kit - Light to Federal Specs #108 - Use Factory Stop/Tail/Turn Stop/Tail/Turn in Rear Corner Post HD Direct Drive Electric Tarp Assy with HD Aluminum Arms & Cross Bars HD Black Asphalt Tarp On Tailgate Front Telescopic G74135 HYVA : Console Controls Anti-Sail 8" Pressure Treated Side Boards Sides of Body Insulated with Polished Stainless Steel Panels Bolt-On Spreader Apron Stop/Tail/Turn in Rear Corner Post 12 VDC Audible Backup Alarm		

Thank you for your business.	Remit To: Transport Equipment 3416 Sylvester Rd. Albany, GA 31705 Phone: (229) 435-0254 Email: info@transportequipmentco.com Website: https://transportequipmentco.com	TOTAL
------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------



INVOICE

Date	Invoice #
2/11/2026	45665

Bill To
Rush Truck Center PO Box 34510 San Antonio, TX 78265

Ship To

P.O. Number	Terms	Rep	Ship	Via	Job Number	Project
Benjie Tyre	Net 10 Days	DPD	2/11/2026	TEC Delivery	E9-0825	
Quantity	Item Code	Description			Price Each	Amount
1	Freight	In Cab Console 3" - FEATHERING Style Valve PTO Switch. Air Gate Latch, Tarp Switch all in Dash to Factory Switches FOB Macon, GA VIN: TL584270 Body #: GM81707-B PTO: 25441851 Pump: 240400213 Cylinder: F10Y63644				
Thank you for your business.		Remit To: Transport Equipment 3416 Sylvester Rd, Albany, GA 31705 Phone: (229) 435-0254 Email: info@transportequipmentco.com Website: https://transportequipmentco.com				

Katie Cornelius

From: Stephen Orton
Sent: Tuesday, May 19, 2026 12:19 PM
To: Kaycee Gordy
Subject: RE: [EXTERNAL] New Class eight Dump Truck Justification 54,000 pound.

Follow Up Flag: Follow up
Flag Status: Flagged

I sure will

Stephen H. Orton MSc, PE , CAP, CCST, Master Electrician
Facility Engineering & Maintenance Divison
Augusta Utilities Department
Maintenance Superintendent
Cell - (706) 836-7283
sorton@augustaga.gov

Surround yourself with the best people you can find, delegate authority, and don't interfere as long as the policy you've decided upon is being carried out.

Ronald Reagan



www.ISA.Org

From: Kaycee Gordy <KGordy@augustaga.gov>
Sent: Tuesday, May 19, 2026 12:18 PM
To: Stephen Orton <SOorton@augustaga.gov>
Cc: Kurt Hohlstein <HohlsteinK@RushEnterprises.com>
Subject: RE: [EXTERNAL] New Class eight Dump Truck Justification 54,000 pound.

Stephen,

Can you contact Kurt Hohlstein about the dump truck you are requesting? Tell him what you need and let him quote you from the state contract to move forward before we submit for bid.

Kurt Hohlstein
Rush Truck Center Atlanta
2560 Moreland Ave
Atlanta, GA 30315
Cell: (404) 281-5376

Direct: (678) 420-7530

Kaycee Gordy | Fleet Operations Specialist
Augusta – Richmond County | Central Services Department
1568 Broad St Bldg. C | Augusta, Georgia 30901
(p) 706-821-2894 | (c) 762-622-0744
kgordy@augustaga.gov | www.augustaga.gov



From: Stephen Orton <Sorton@augustaga.gov>
Sent: Thursday, April 16, 2026 12:19 PM
To: Kaycee Gordy <KGordy@augustaga.gov>
Subject: FW: [EXTERNAL] New Class eight Dump Truck Justification 54,000 pound.

Kaycee, please use this one below for the justification on dump truck

Stephen H. Orton MSc, PE , CAP, CCST, Master Electrician
Facility Engineering & Maintenance Divison
Augusta Utilities Department
Maintenance Superintendent
Cell - (706) 836-7283
sorton@augustaga.gov

Surround yourself with the best people you can find, delegate authority, and don't interfere as long as the policy you've decided upon is being carried out.

Ronald Reagan



www.ISA.Org

From: John Goodenough <john.goodenough@bellsouth.net>
Sent: Thursday, April 16, 2026 11:57 AM
To: Stephen Orton <Sorton@augustaga.gov>
Subject: [EXTERNAL] New Class eight Dump Truck Justification 54,000 pound.

New Class eight Dump Truck Justification 54,000 pound.

Currently, our fleet lacks Class eight dump trucks, limiting our capacity for transporting rock and performing towing operations. Our existing Class Six truck can only carry 5 tons of material. Due to the additional work required after Hurricane Helene, we're engaged in rocks runs and canal repairs, particularly at Sand Clay. Therefore, we'll use the Class eight truck to transport all quarry loads and for other construction jobs throughout the city. We'll also keep our old dump truck at Raw Water to store debris from the number one, four, and nine turban pumps.

Thank you,

John Goodenough

Get [Outlook for iOS](#)

[NOTICE: This message originated outside of the City of Augusta's mail system -- DO NOT CLICK on links, open attachments or respond to requests for information unless you are sure the content is safe.]

This e-mail contains confidential information and is intended only for the individual named. If you are not the named addressee, you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. The City of Augusta accepts no liability for the content of this e-mail or for the consequences of any actions taken on the basis of the information provided, unless that information is subsequently confirmed in writing. Any views or opinions presented in this e-mail are solely those of the author and do not necessarily represent those of the City of Augusta. E-mail transmissions cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the content of this message which arise as a result of the e-mail transmission. If verification is required, please request a hard copy version.

AED:104.1