



## Engineering Services Committee

Meeting Date: 3/25/2025

Approval to increase purchase order 24AUA124 by \$95,000 to vendor HDR Engineering, Inc

---

<b>Department:</b>	Utilities
<b>Presenter:</b>	Wes Byne, Director
<b>Caption:</b>	To approve proposal from HDR, Inc to provide additional engineering services to fulfill the requirements of the EPA Lead and Copper Rule Revision Water Service Line Inventory (PO 24AUA124)
<b>Background:</b>	The lead service line inventory conducted per the Lead and Copper Rule Revision (LCRR) was completed on time last fall. The EPA's subsequent Lead Copper Rule Improvements (LCRI) released a month following the inventory due date requires AUD to field verify these results. This change order will allow HDR Engineering, Inc. to complete the follow-up work of surveying approximately 400 additional water line services.
<b>Analysis:</b>	HDR's proposal is for an additional \$95,000 which the Department finds to be fair and reasonable.
<b>Financial Impact:</b>	HDR Engineering, Inc. submitted a proposal fee in the amount of \$95,000. Funds are available from the following account: G/L: 514043410-5212115   J/L: 82400010-5212115
<b>Alternatives:</b>	None
<b>Recommendation:</b>	Approve to increase purchase order 24AUA124 by \$95,000 to \$378,207.00 to vendor HDR Engineering, Inc.
<b>Funds are available in the following accounts:</b>	G/L: 514043410-5212115   J/L: 82400010-5212115
<b><u>REVIEWED AND APPROVED BY:</u></b>	N/A