

Quotation



Ring Power Corporation
 500 World Commerce Parkway
 St. Augustine, FL 32092

Preston Wallin
 Cell – (770) 771-7300

04/25/2025

Quote Number: 86700397

City of Augusta

Bid # 25-151 2025/2026 Service Truck, Enclosed Utility Style

Ford F550 4x2 Crew Cab 84CA (Diesel)

DESCRIPTION

F550 4X2 CREW CHAS CAB DRW/203
 203 INCH WHEELBASE
 OXFORD WHITE
 VINYL 40/20/40 SEATS
 MEDIUM DARK SLATE
 PREFERRED EQUIPMENT PKG.660A
 .XL TRIM
 .AIR CONDITIONING -- CFC FREE
 .AM/FM STEREO MP3/CLK
 6.7L POWER STROKE V8 DIESEL
 10-SPEED AUTO TORQSHIFT
 225/70R19.5G BSW ALL POSITION
 4.30 RATIO LIMITED SLIP AXLE
 FORD FLEET SPECIAL ADJUSTMENT
 FLEET ADVERTISING CREDIT
 FRONT LICENSE PLATE BRACKET
 PLATFORM RUNNING BOARDS

DESCRIPTION

120V/400W OUTLET
 TRAILER BRAKE CONTROLLER
 HIGH CAPACITY TRAILER TOW
 PKG
 40 GAL AFT OF AXLE FUEL
 TNK
 350 AMP ALTERNATOR
 EXTRA HEAVY DUTY FRONT
 END SUS
 PAYLOAD PLUS PACKAGE
 REMARKS TRAILER
 DUAL BATTERY
 REAR VIEW CAMERA & PREP
 KIT
 19500# GVWR PACKAGE
 50 STATE EMISSIONS

Dakota Bodies LLC.

134 Inches Long x 40 Inches High x ,94 Inches Wide

Chassis Cab to Axle (CA) of 84 Inches

Body Dimensions:

134	Inches - Body Length
94	Inches - Body Width
84	Inches - Chassis C/A
40	Inches - Compartment Height
22.25	Inches - Compartment Depth
49.5	Inches - Load Space Width
24	Inches - Top of Body to Top of Floor Dimension
18	Inches - Horizontal Compartment Height
None	Inches - Wheel Box Height

Body Materials:

16 ga Galvanneal	- Main Body Material
14 ga Galvanneal	- Compartment Tops Material
14 ga Galvanneal	- Wheel Panels Material - Dual fill cutouts
14 ga Galvanneal NON-sliding front window in bulkhead	- Front Bulkhead Material
18 ga Galvanized Adjustable on Single Unistrut	- Shelving Material - Shelving Mounting Style

Door Materials:

Standard, Double Panel	- Door Type
18 ga Galvanneal	- Inner Door Material
18 ga Galvanneal	- Outer Door Material
Stainless Steel Rod & Socket	- Door Hinge Style
5/16" Stainless Steel	- Door Rod Material
Gas Cylinder	- Vertical Door Holder Option
Chain	- Horizontal Door Holder Option
Single Point Whaletail (#31405) door latches	- Latch Type Keyed Alike - Lock Type

Floor and Understructure:

12 ga (.109) 4-Way Treadplate	- Bed Area Floor Material
Standard	- Body Frame Style
Formed	- Body Frame Material
6 Inch	- Body Frame Height

Accessories:

- Polished Cast Aluminum fenderettes (PN# 31346) (Installed with Cut-outs)
- Automotive bulb type weatherstripping mechanically fastened to door frame with rounded corners (Installed)
- Aluminum fuel cup for Gas or Diesel (PN# 31164)
- Masterlock - One (1) padlockable handle at the rear of side packs on each side. Hook and loop system for each door.

D-Ring Tie Down - Set of six (6)

- Galvanized D-Rings, surface mounted, bolted through floor.

Paint:

- Powdercoat Complete; Interior and Exterior, DB White
- Bumper and riser to be Powder Coated with "Black Lava" powder.

- Raptor liner applied to cargo area floor, bed area walls, interior of bulkhead, inside and top of tailgate
- LED rope lights installed on canopy interior
- Rubberized protective Undercoat

Streetside Compartmentation:**1st Vertical Compartment:**

28" Wide x 40" High x 22.25" Deep Compartment

- Two (2) Adjustable Shelves
 - Divider Slots on 2" Centers, with Two (2) Adjustable Dividers

2nd Vertical Compartment:

28" Wide x 40" High x 22.25" Deep Compartment

- Two (2) Adjustable Shelves
 - Divider Slots on 2" Centers, with Two (2) Adjustable Dividers

Horizontal Compartment:

50" Wide x 18" High x 22.25" Deep Compartment

- Vacant/Open Compartment

Rear Vertical Compartment:

28" Wide x 40" High x 22.25" Deep Compartment

- One (1) Adjustable Shelf
 - Divider Slots on 2" Centers, with Two (2) Adjustable Dividers

Curbside Compartmentation:**1st Vertical Compartment:**

28" Wide x 40" High x 22.25" Deep Compartment

- Three (3) 3" high, full width materials drawers
- One (1) 4" high, full width materials drawer
- One (1) 5" high, full width materials drawer
- One (1) 6" high, full width materials drawer
- Aluminum drawer shell
- 250 Lbs capacity roller bearing slides

2nd Vertical Compartment:

28" Wide x 40" High x 22.25" Deep Compartment

- Two (2) Adjustable Shelves
 - Divider Slots on 2" Centers, with Two (2) Adjustable Dividers

Horizontal Compartment:

50" Wide x 18" High x 22.25" Deep Compartment

- Vacant/Open Compartment

Rear Vertical Compartment:

28" Wide x 40" High x 22.25" Deep Compartment

- One (1) Adjustable Shelf
 - Divider Slots on 2" Centers, with Two (2) Adjustable Dividers

Superstructure:

- Interior minimum clear height is 72 Inches
- 14 gauge galvaneal sides
- Bottom sill of door opening to be 12 gauge galvaneal
- There shall be Five (5) welded on hat stiffeners installed on roof of

superstructure

- Two (2) no powered roof vents - installed

Streetside:

- One (1) Fixed Shelf above the Streetside compartment top evenly spaced with 2" lips
- 2" Lip full length on Body Compartment Top - To be used as shelf
- One (1) Drop Down Double Panel Rear Access Door to SS Shelf
- Single Point Chrome Whale Tail Latch
- Stud mounted latches have hidden fasteners inside the door
- Rubber Bumper below Door on Body

Curbside:

- One (1) Fixed Shelf above the Curbside compartment top evenly spaced with 2" lips
- 2" Lip full length on Body Compartment Top - To be used as shelf
- One (1) Drop Down Double Panel Rear Access Door to CS Shelf
- Single Point Chrome Whale Tail Latch
- Stud mounted latches have hidden fasteners inside the door
- Rubber Bumper below Door on Body

- Rear Access Door for Superstructure.

- Aluminum Roll-up rear access door
 - Manual Security Lock
 - Sill Plate with Dam
 - Pull Strap
 - Brushed Texture Finish

Service Body Lighting: Surface mounted at rear of side packs (Installed)

- PN 31328 Rear Brake Light installed on top of superstructure
- Light Guards in Rear Compartments
- Two (2) Red surface mounted LED S/T/T and Reverse combination lights (PN# 31410) - One each side
- Two (2) Front marker lamps, Amber LED 3/4" button lights (PN#31403)
 - Wired to Rear Clearance Light Circuit
- Two (2) Side marker lamps, Red LED 3/4" button lights (PN# 31402)
- Two (2) Rear marker lamps, Red LED 3/4" button lights (PN# 31402)
- Three (3) center light cluster, Red LED 3/4" button lights (PN# 31402)
- Two (2) side Red reflectors (PN# 31212).
- Wiring harness (PN#30999) . Optional adapter will need to be selected for chassis "Plug and Play".

Bumper:

- "Crash Zone" Style recessed rear bumper.
- Two (2) License plate lights installed in bumper - (PN# 31149)
- 2" receiver for vise mount on curbside.

Hook Railing - ship loose:

134 inches long 1" schedule 40 pipe with stand off brackets on each end and six (6) sliding material hooks

Mounting Kit:

- Universal Mounting Kit
- Front Mounts Built Into Body Frame
- Rear Mounts Paint Black DTM (Ship Loose)

Grab Handles:

- One (1) Bolt-On Chrome grabhandle for the side access of the body (Ship Loose)

Access Steps:

- Two (2) Cable type access steps for installation under the tail shelf, one (1) each side (Ship loose)

Install Components

- 1 - 5lb (ABC) Fire Extinguisher
- 1 - Sho-Me Model 14.0553 Outlet
- 2 - Unity 325 Spotlights mounted on chassis A-Pillars (Driver and Passenger)
- 1 - 7 Pin Trailer Plug
- 1 – Window Tint to include 6” strip on front windshield
- 2 – Blind Spot Mirrors
- 1 – Backup Alarm
- 1 – Whelen MC16M Mounted to center of cab roof with switch in cab
- 2 – Whelen TAD8 mounted front and rear of body
- 1 – Install of Service Body and Components per customer specifications
- 1 – DOT Inspection

Ford F550 4x2 Crew Cab 84CA DIESEL Price (Bid Section 5)	\$86,998.00
Service Body and Installation Price (Bid Section 6, 7, 8)	\$51,110.00
Sale Price: \$138,108.00	

Notes:

1. Quotation valid for 30 days.
2. Price includes delivery to Augusta Fleet Management
3. Prices exclude any applicable taxes or license fees.
4. If Federal Excise Tax has not been included, you could still responsible unless a current exemption/resale certificate must be on file or provided with purchase order for tax exempt sale. Federal Excise Tax will be added if certificate is not supplied with order.
5. Terms: Net due upon delivery.
6. Chassis pricing is based upon current model year production availability. Any Federal mandated costs, such as 2010 emission requirements, will be passed on at cost.
7. Chassis requires clean frame rails, side and top. Relocation of chassis components, to facilitate equipment installation, will be in addition to above quoted price.
8. Quoted price does not include any applicable tariff surcharges.

Accepted By:

PO Number: _____

Date: _____

Account Manager – Preston Wallin



Ring Power[®]
UTILITY | TRUCK | CRANE

Dear Valued Customer,

We want to make you aware of recent developments that may affect pricing on your current and future equipment orders. The Truck Equipment industry is being impacted by new executive orders imposing tariffs on certain materials and components critical to our products. These tariffs are creating volatility in material costs and supplier pricing, which remain subject to change.

As a result, the quoted prices provided to you does not currently include any potential tariff surcharges. While we work diligently to minimize the impact of these changes, please understand that final pricing may be adjusted to reflect any applicable tariff costs assessed prior to delivery and invoicing.

Here's what you can expect from us:

- We are actively working with our suppliers to mitigate additional costs and secure pricing wherever possible.
- We will communicate any tariff-related adjustments as soon as they are confirmed—our goal is to provide advance notice before final invoicing.
- While we cannot predict the exact effect tariffs may have, we will maintain transparency throughout the process.

We understand that price certainty is important, and we are committed to keeping any increases fair, justified, and directly tied to external factors such as tariffs or material surcharges.

If you have any questions or concerns, please reach out to your Account Manager. We greatly appreciate your understanding as we navigate these evolving conditions and remain committed to delivering the quality and value you expect from Ring Power.

Thank you for your continued trust and support.

Best regards,

Ring Power Utility | Truck | Crane

Ring Power Corporation | 8040 Philips Hwy, Jacksonville, FL 32256 | 904-448-5438