

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
400 Block St George St	1,370.00	14.00	2,131.11		Milling	-	-	
400 Block St George St	1,370.00	17.00	2,587.78		1.5" Overlay	213.49	246.00	

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	246.00	\$ 33,333.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	-	\$ -
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	-	\$ -
02500 K	Milling	2,131.00	SY	\$ 8.00	2,132.00	\$ 17,056.00
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
					Total	\$ 52,389.00

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
400 Block State St	-	-	-		Leveling	45.00		
400 Block State St	1,250.00	12.00	1,666.67		1.5" Overlay	93.33	108.00	

-

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	108.00	\$ 14,634.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	45.00	\$ 6,097.50
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	-	\$ -
02500 K	Milling	2,131.00	SY	\$ 8.00	-	\$ -
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
Total						\$ 22,731.50

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
Reserve St	1,500.00	19.00	3,166.67		1.5" Overlay	261.25	301.00	
	48.00	13.00		69.33	Base Repair	22.88		27.00
	61.00	15.00		101.67	Base Repair	33.55		39.00
	47.00	18.00		94.00	Base Repair	31.02		36.00
	72.00	18.00		144.00	Base Repair	47.52		55.00
	36.00	9.00		36.00	Base Repair	11.88		14.00
	17.00	18.00		34.00	Base Repair	11.22		13.00
	13.00	9.00		13.00	Base Repair	4.29		5.00
	62.00	18.00		124.00	Base Repair	40.92		48.00

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	301.00	\$ 40,785.50
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	-	\$ -
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	237.00	\$ 48,585.00
02500 K	Milling	2,131.00	SY	\$ 8.00	616.00	\$ 4,928.00
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
					Total	\$ 96,298.50

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
Third St at main drain by Church	300.00	18.00	600.00		1" leveling	33.00		
Third St at main drain by Church	300.00	18.00	600.00		1.5" Overlay	49.50	57.00	
Third St Ramoneda to Bay Oaks	1,500.00	18.50	3,083.33		1" leveling	195.02		
Third St Ramoneda to Bay Oaks	1,500.00	18.50	3,083.33		1.5" Overlay	254.38	293.00	

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	350.00	\$ 47,425.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	195.00	\$ 26,422.50
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	-	\$ -
02500 K	Milling	2,131.00	SY	\$ 8.00	-	\$ -
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	2.00	\$ 2,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	2.00	\$ 2,000.00
Total						\$ 77,847.50

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
Washington (Chapman to Bridge)	1,650.00	18.50	3,391.67		1.5" Overlay	279.81	322.00	

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	322.00	\$ 43,631.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	-	\$ -
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	-	\$ -
02500 K	Milling	2,131.00	SY	\$ 8.00	-	\$ -
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
					Total	\$ 45,631.00

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
Central Ave (Hwy 603 to Nile St)	185.00	21.50	441.94		1.5" Overlay	36.46	42.00	

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	42.00	\$ 5,691.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	-	\$ -
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	-	\$ -
02500 K	Milling	2,131.00	SY	\$ 8.00	-	\$ -
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
					Total	\$ 7,691.00

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
Dunbar Ave at Felicity St	320.00	26.00	924.44		1.5" Overlay	76.27	88.00	

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	88.00	\$ 11,924.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	-	\$ -
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	-	\$ -
02500 K	Milling	2,131.00	SY	\$ 8.00	-	\$ -
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
					Total	\$ 13,924.00

Location	L	W	SY	Base Repair SY	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
Minnesota St	600.00	16.00	1,066.67		2" overlay	119.47	138.00	
	33.00	20.00		73.33	Base Repair	24.20		28.00
	2.00	15.00		3.33	Base Repair	1.10		2.00
	12.00	25.00		33.33	Base Repair	11.00		13.00
	59.00	16.00		104.89	Base Repair	34.61		40.00
	10.00	6.00		6.67	Base Repair	2.20		3.00
	30.00	12.00		40.00	Base Repair	13.20		16.00
	78.00	17.00		147.33	Base Repair	48.62		56.00
	127.00	17.00		239.89	Base Repair	79.16		92.00
	25.00	17.00		47.22	Base Repair	15.58		18.00

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	138.00	\$ 18,699.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	-	\$ -
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	268.00	\$ 54,940.00
02500 K	Milling	2,131.00	SY	\$ 8.00	696.00	\$ 5,568.00
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
					Total	\$ 81,207.00

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
Montana St	610.00	16.00	1,084.44		2" overlay	119.29	138.00	
	155.00	17.00		292.78	Base Repair	96.62		112.00
	61.00	17.00		115.22	Base Repair	38.02		44.00
	64.00	17.00		120.89	Base Repair	39.89		46.00
	8.00	12.00		10.67	Base Repair	3.52		5.00
	18.00	13.00		26.00	Base Repair	8.58		10.00

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	138.00	\$ 18,699.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	-	\$ -
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	217.00	\$ 44,485.00
02500 K	Milling	2,131.00	SY	\$ 8.00	566.00	\$ 4,528.00
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
					Total	\$ 69,712.00

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
Idaho	160.00	16.00	284.44		3" Overlay	46.93	54.00	

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	54.00	\$ 7,317.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	-	\$ -
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	-	\$ -
02500 K	Milling	2,131.00	SY	\$ 8.00	-	\$ -
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
					Total	\$ 9,317.00

Location	L	W	SY	Base Repair	Paving	Tons	9.5mm Plus 15%	19mm Plus 15%
11th St west of Bayou View Dr W	320.00	16.00	568.89		2" overlay	63.72	74.00	
	320.00	16.00		568.89	Base Repair	187.73		216.00

Base Repairs Option with (Milling @ 6", 19mm 6")

Pay Item	Description	Plan Qty	Unit	Unit Bid	QTY	Total
02500 G	Demolition of Pavement, all types and thickness	2,446.44	S.Y.	\$ 40.00	-	\$ -
02500 E	Base Repair (per plans @ 6")	2,446.44	S.Y.	\$ 31.00	-	\$ -
02500 B	ST, 9.5-mm mixture, Asphalt	1,704.00	TON	\$ 135.50	74.00	\$ 10,027.00
02500 C	ST, 9.5-mm mixture, Asphalt Pavement, Leveling	248.00	TON	\$ 135.50	-	\$ -
02500 A	ST, 19-mm mixture, Asphalt Pavement	938.00	TON	\$ 205.00	216.00	\$ 44,280.00
02500 K	Milling	2,131.00	SY	\$ 8.00	569.00	\$ 4,552.00
01510 A	Maintenance of Traffic	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
01500 A	Mobilization	1.00	L.S.	\$ 1,000.00	1.00	\$ 1,000.00
Total						\$ 60,859.00