	Certificate of Appropriateness/Conceptual Review Application Form
	Property Address: 204 Cayvoll Ave, Bay St. Lows, WB, 39520
	Applicant Name: Nancy Hoelzel Owner Name: Nancy Hoelzel
	Mailing Address: Sem Mailing Address: Sem
	Phone: (228) 671-9343 Phone: Same
	Project Classification: Criteria for issuance of certificates of appropriateness can be found in Section VIII of the BSL Historical Preservation Ordinance, No. 509. Please check appropriate box(es)
	[] Conceptual Review: Discuss with the commission preliminary design ideas for a project. The commission will address the appropriateness of the proposal and provide helpful advice. Items needed include, but are not limited to, site plan (plat) indicating where the proposed project is to be built. Photos and/or sketches of the proposed improvements. No architectural drawings are required. A COA will be not be issued for a C.R.
	Addition / Renovation: Exterior alterations and or additions should be compatible with the building itself; its original design & style. Items needed: photos of existing improvements. Site plan accurately depicting the placement of current & proposed improvements. Plans & exterior elevations drawn to scale that clearly show the design and architectural character of the proposed addition or alteration as it relates to the existing improvements. List of materials describing the size, textures and other characteristics about their appearance.
Application	[] New Construction: New Construction should be visually compatible with the buildings and environment to which it is related, their effect upon the immediate surroundings and the district as a whole while maintaining the rhythm created by building masses, relationships between windows, doors, materials, textures, the patterns, the trims, and the design of the roof. Items needed: Architectural drawings to scale. Site plan, to scale (plat) indicating where the proposed project is to be built. Specific description of materials, types & sizes. Photographs of proposed site. Incomplete application for new construction may be considered under conceptual review.
	[] Demolition: Consideration is given to the individual architectural, cultural, and/or historical significance of the resource; the importance or contribution of the resource to the architectural character of the district; and to neighboring property values. Items needed; Photographs of existing building, Site Plan to scale. Condition reports; Foundation plan of replacement and/or documentation of justification.
	I hereby certify that I understand this application will not be accepted and processed until all requested information has been supplied. I also understand this application may require a site visit/additional research.
	Applicant's any Hoefil Date: 11 6/24
	Owner' Signature Required: Date: 11/4/24
. [Please refer to the checklist of materials required with your application A Meeting with the Bay St Louis HPC to discuss the specific details of your project is strongly encouraged. Historic Preservation Commission / City Council Use Only
riew	Historic Preservation Commission 7 City Connect Ose Only Gase Number: Review Date: Review Date:
HPC Review /City Council Review	Recommendation: L. Approval. Approval. with Conditions L. Disapprove Comments:
/City	Requires Proparty/Owner/Applicant/Signature
Revien	COA Action Approval: VES NO. Date COA Action: Date
EPC1	Comments:
<u>ا</u> س	BRATTERA APPENDERE BEGERE BEREITERE BEREITER BESTERE BETERE BETERE BEREITER BETERE BETERE BETERE BETERE BETERE

(BSI) Historic Preservation Commissioner / 1/3 City Council President Signature)
Once Completed & Signed - Original copy - HPC, Copy-Building Department



Bay St. Louis



Historic Preservation Commission

SUBMITTAL CHECKLIST

Property Owners Information:
Name: Nancy Hoelzel
Name: Nancy Hoe 2e Address: 204 Courd II Ave (No P.O. Boxes) Telephone Number 228, 671-9343 Cell Number 228, 671-9030
(No P.O. Boxes)
Telephone Number 228, 671-934 Cell Number 228, 671-9030
ADDRESS OF PROPERTY IN QUESTION IF DIFFERENT FROM ADDRESS STATED ABOVE:
Give written scope of work to be performed: New Axwindows
,

NANCY HOELZEL - ULTIMATE HOELZEL - ULTIMATE WINDOWS

Quote #: CLMB6EG

A Proposal for Window and Door Products prepared for: **Shipping Address:**BEACH LUMBER LLC
5104 A AVE
LONG BEACH, MS 39560

Featuring products from:

MARVIN®

TREY MOORE BEACH LUMBER LLC 3160 KUTAK RD FORT MYERS, FL 33916 Phone: (228) 679-1240

Email: trey@suncoastsupply.net

This report was generated on 11/4/2024 8:27:16 AM using the Marvin Order Management System, version 0004.12.00 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

NANCY HOELZEL - ULTIMATE HOELZEL - ULTIMATE WINDOWS Quote Number: CLMB6EG

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.


Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMB	BER OF LINES: 3		TOTAL UNIT QTY: 13	EXT NET PRICE	: USD	21,357.89
LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET
1	KITCHEN	Ultimate	Double Hung G2 RO 34" X 74 1/2" Entered as FS 33" X 74"	1,684.13	1	PRICE 1,684.13
2	Dining/Living/Al Ex/EMMA	Ultimate	Double Hung G2 RO 34" X 74 1/2" Entered as FS 33" X 74"	1,684.13	9	15,157.17
3	ЕММА	Ultimate	Double Hung G2 RO 27" X 74 1/2" Entered as FS 26" X 74"	1,505.53	3	4,516.59

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: KITCHEN	Net Price:		1,684.13
Qty: 1		Ext. Net Price:	USD	1,684.13



As Viewed From The Exterior

Entered As: FS FS 33" X 74" RO 34" X 74 1/2" Egress Information

Width: 29 13/32" Height: 31 15/16" Net Clear Opening: 6.52 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.27 Visible Light Transmittance: 0.46 Condensation Resistance: 55

CPD Number: MAR-N-425-23552-00001

Performance Grade Licensee #1127

AAMA/WDMA/CSA/101/ I.S.2/A440-08 LC-PG50 1149X2223 mm (45.3X87.5 in)

LC-PG50 DP +50/-50

FL17635


Stone White Clad Exterior Frame Size 33" X 74" Rough Opening 34" X 74 1/2" Top Sash Stone White Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior Low E2 w/Argon Black Perimeter and Spacer Bar Rectangular - Special Cut 2W1H Stone White Clad Ext - Painted Interior Finish - White - Pine Int Ogee Interior Glazing Profile **Bottom Sash** Stone White Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior Low E2 w/Argon Black Perimeter and Spacer Bar Rectangular - Special Cut 2W1H Stone White Clad Ext - Painted Interior Finish - White - Pine Int Ogee Interior Glazing Profile White Interior Weather Strip Package White Exterior Weather Strip Package White Sash Lock White Top Sash Strike Plate Assembly Color Extruded Aluminum Screen Stone White Surround **Bright View Mesh** ***Screen/Combo Ship Loose 4 9/16" Jambs Nailing Fin

	Mark Unit: DINING/LIVING/ALEX/EMMA	Net Price:		1,684.13
Qty: 9		Ext. Net Price:	USD	15,157.17

***Note: Unit Availability and Price is Subject to Change

M	A	R١	VI	N	0
1 100 100	-				10000

Stone White Clad Exterior Painted Interior Finish - White - Pine Interior
IG Low E2 w/Argon Black Perimeter and Spacer Bar 7/8" SDL - With Spacer Bar - Black Rectangular - Special Cut 2W1H Stone White Clad Ext - Painted Interior Finish - White - Pine Int



As Viewed From The Exterior

Entered As: FS FS 33" X 74" RO 34" X 74 1/2" **Egress Information**

Width: 29 13/32" Height: 31 15/16" Net Clear Opening: 6.52 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.27 Visible Light Transmittance: 0.46 Condensation Resistance: 55

CPD Number: MAR-N-425-23552-00001 Performance Grade

Licensee #1127 AAMA/WDMA/CSA/101/ I.S.2/A440-08 LC-PG50 1149X2223 mm (45.3X87.5 in)


LC-PG50 DP +50/-50

FL17635

Ogee Interior Glazing Profile
Bottom Sash
Stone White Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG
Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 75.08
Rectangular - Special Cut 2W1H
Stone White Clad Ext - Painted Interior Finish - White - Pine Int
Ogee Interior Glazing Profile
White Interior Weather Strip Package
White Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Screen
Stone White Surround
Bright View Mesh
***Screen/Combo Ship Loose
4 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change
-

Line #3	Mark Unit: EMMA	Net Price:		1,505.53
Qty: 3		Ext. Net Price:	11	4,516.59





As Viewed From The Exterior

Entered As: FS FS 26" X 74" RO 27" X 74 1/2" **Egress Information** Width: 22 13/32" Height: 31 15/16" Net Clear Opening: 4.97 SqFt **Performance Information**

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.27 OMS Ver. 0004.12.00 (Current) Stone White Clad Exterior

Stone White Glad Exterior
Painted Interior Finish - White - Pine Interior
Back Prime 45.84 Ultimate Double Hung G2 1,157.00
Frame Size 26" X 74"
Rough Opening 27" X 74 1/2"
Top Sash
Stone White Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG
Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black 75.08
Rectangular - Special Cut 2W1H
Stone White Clad Ext - Painted Interior Finish - White - Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Stone White Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
1G
Low E2 w/Argon
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Stone White Clad Ext - Painted Interior Finish - White - Pine Int
Ogee Interior Glazing Profile
White Interior Weather Strip Package
White Exterior Weather Strip Package
White Sash Lock

OMS Ver. 0004.12.00 (Current)
Product availability and pricing subject to change.

NANCY HOELZEL - ULTIMATE HOELZEL - ULTIMATE WINDOWS Quote Number: CLMB6EG

Visible Light Transmittance: 0.46 Condensation Resistance: 55 CPD Number: MAR-N-425-23552-00001 Performance Grade Licensee #1127 AAMA/WDMA/CSA/101/ I.S.2/A440-08 LC-PG50 1149X2223 mm (45.3X87.5 in) LC-PG50 DP +50/-50 FL17635 White Top Sash Strike Plate Assembly Color
Extruded Aluminum Screen
Stone White Surround
Bright View Mesh
***Screen/Combo Ship Loose
4 9/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Project Subtotal Net Price: USD 21,357.89 7.000% Sales Tax: USD 1,495.05

Project Total Net Price: USD 22,852.94

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:


NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.

Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.

2021 IECC Climate Zone Map:



ENERGY STAR Version 7 Climate Zone Map:

