City of Bel Aire, Kansas

STAFF REPORT

DATE:4/10/2024

TO: City Manager

FROM: Marty McGee

RE: 550 Crane Truck



BACKGROUND:

Public Works needs to replace our 550-crane truck. The current truck was purchased as a used vehicle in 2006, for the sum of \$65,000. The truck has had repairs in the past years. The last time it was in for repair we were informed that the rear main seal was leaking and would need to be replaced, it was also recommended to have the front-end suspension replaced along with new shocks and leaf springs on the rear end of the vehicle. This vehicle is used daily for water services, sewer repairs, and lift station pump removal. The vehicle is our main service truck and is always loaded with tools for our daily tasks. The current truck has become unsafe to operate as a daily driver. The crane truck is rated for a maximum of 3,300 pounds of lifting and has been maxed out for years, as each of our pumps weigh 3,000 pounds each. This has put a stress on the Crain's ability to perform safely. The hydraulic seals and lines need to be replaced for safe usage.

DISCUSSION:

As our city continues to grow the demand for services becomes higher each year. We would request the Council approve the purchase of a new 550 crane truck that meets or exceeds the below specifications to keep up with current and future demands. The total cost being requested to spend is no more than \$187,857.00.

Company	Purchasing	Wait Times
	Price	
Master Tech	\$187,857.00	Available Now
Pritchard Commercial	\$196,281.00	6-8 Months build time
Rush Truck Center	\$178,890.00	9-11 month build time



202403291505.pdf





FINANCIAL CONSIDERATIONS:

Funding for the 550-crane truck is available from the Equipment Reserve Fund. This Equipment Reserve Fund is used to purchase large equipment. The Equipment Reserve Fund is supported by transfers from our General, Water and Sewer Funds.

<u>POLICY DECISION:</u> Staff is adhering to the purchasing policy in gathering a minimum of three bids. Due to the specialty of such a vehicle, there are limited manufactures and suppliers available in our region. We have reached out to three such suppliers with the specifications we are looking for.

<u>RECOMMENDATION:</u> This type of vehicle is in high demand for many municipalities; staff recommends the City Council authorizes Public Works to purchase a new vehicle with the listed specifications for a price not to exceed \$187,857.00, so that when a properly outfitted vehicle becomes available it can be acquired before another interested party purchases it.





43-11 SPEC.pdf

Vehicle- 2024 5500 CREW CAB CHASSIE 4X4

Customer Preferred Package 2YA

6.7L 16 Cummins Turbo Diesel Engine 6-Spd Auto Aisln: AS69RC HD Trans Bright

White Clear Coat

Monotone Pa1nt

HD Vinyl 40/20140 Split Bench Se<!t Black/Diesel Gray

Manual DPF Regeneration Trailer Brake Control

Rear Backup Alarm

ParkView Rear Back-up Camera

19.5x6.0 Aluminum Wheels (Set of 6) Uconnect 5 W 8.4" Display (USA) 225/70R19.SG

All Traction Tires Chrome Tubular Side Steps

Power Take Off Prep

115V Auxiliary Power Outlet

Elec Shift-On-The-Fly Transfer Case. 40/20/40 Split Bench Seat Tradesman Level 1

Equipment Group Chrome Appearance Group

Max Tow Package

Heavy duty Snowplow Prep Group Electrical Accessory Group

Cold Weather Group







QUOTE

April 2, 2024 24-0133

April 17, 2024

UPDATE

Master Tech Truck & Equipment

5115 N. Broadway Wichita, KS 67219 Sales (620) 340-7953 Service (316) 978-0192

To: **CITY OF BELAIRE**

County

Address 4103 N WOODLAWN

BEL AIRE, KS 67220

Contact: MARTY MC GEE

Phone #: **316-744-2888**

Date:

Quote #:

Invoice No:

Email: MMCGEE@BELAIREKS.GOV

Deliver On or Before Date:

Salesman: John Rich

County				Jaiesilian.	John Kich			
YEAR	MAKE	MODEL	SERIAL NUMBER	COLOR	STOCK NO.	1	MILEA	GE
NEW	RAM /CREWCAB	5500	TBD	WHITE	MK0153		TBD	
Qty	<u> </u>		Description		Unit Price	Sublet	ئے	Line Total
~-,								
	RAM 5500 Crew cab	/ 4x4/Diesel/84" CA-DRV	W/as per attached build specifications					
1	PALFINGER EQUIP	MENT FOLLOWS:			\$187,857.00		\$	187,857.00
			ped/60" sides on driver side/60"raised o					
			tment/Headache rack/21" workbench b					
	01		ulic outriggers/power out and power of					
			rea/ compartment tops/workbench are					
			lrawer units in driver side #1 and #2 wi standard shelving in balance of compa					
			it package/Boom-tip light package	tillelits				
			ctions/Welder mounting plate on drive	r side				
			Powder coated standard WHITE					
		·	al lift capacity/29' reach capacity/wirele	ss				
			hydraulic shut down system/end layeri					
			ntion system/400-degree rotation/load					
		ree boom elevation/crane						
	0		FM@100PSI/Max 150 PSI/50' x 1/2" hos	2				
	reel mounted in curb							
		ll standard safety features to be provided/unit will be "Work-ready" at time						
	or pickup/ mis comp	of pickup/This complete unit is built and on the ground						
	200 gallon skid with	Honda gas nowewred e	ngine, 100' high-pressure hose with		\$6,431.00			
		ount, mounted in loadb	~ .		ψ0,451.00			
			on of mos or man.					
т	(1 1		A 11 34			Total Labor		
ı ap	prove the above work	scope and pricing.	Accepted by Manage:			hop Supplies		
						EPA Charges		
X			X			Carlot of 1	¢.	197.057.00
					Subtotal	Þ	187,857.00	
	Purchaser's Signature Dealer or Authorized Representative		esentative	Sales	Tax: Exempt	\$	-	
						Total	\$	187,857.00





PAL Pro 43-11

PO Number:	Your PO # Here
Distributor: Account No:	
Contact: Address:	
Market: Date:	
Ship VIA: Requested Delivery Date: Special Instructions:	

TOTAL PRICE	\$0.00			All Prices Quoted in US Dollars
Distributor Net Sub-Totals		QTY	WEIGHT (LBS) 7,624	
PSC8029	Palfinger Model PSC 8029 telescopic mechanic field service crane; 43,000 ft./lbs. rating, 400 degree rotation, 29' hydraulic reach capability, 8,000 Lb. vertical lift capacity, -10 to +80 degree boom elevation, double acting cylinders with integrated load holding valves on all cylinders, four-spool remote control valve, overload shutdown system, hydraulic planetary drive winch with spring loaded roller, end layering limit switch and integral two-block damage prevention system, wireless radio remote controller pistol grip and toggle controller with 36' pendant, decals, crane hook, load line block, white and black finish paint and crane mounting bolt kit. Available for use on vehicles above 19,000 GVW. Consult factory for other applications.			
PSC8029	Model PSC 8029 telescopic mechanic field service crane PSC 8029 CRANE ACCESSORIES	1	2,312.00	
PALF4K	Push button P4 wireless radio remote controller (in place of pistol grip style remote control system)	1	-	
(MG10006A	Boom tip light for 29ft boom length ALL CRANE ACCESSORIES	1	20.00	
(MG05359AS	Emergency lowering valve kit REQUIRED FOR PERSONNEL BASKET APPLICATION	1	-	
MG04788AS	Radio remote controller storage kit	1	1.00	
Z5086	Silicone cover for radio remote control	1	-	
DS5030022	BOOM SUPPORT OPTION Boom support - Adjustable Position 16.5" High to 25.5" High - Mounting brackets Available (Installation Accessories Section) - Refer to 'Boom Rest Application Guide' Tab for Selection Assistance	1	35.00	
11' BODY OPTION	PCB 43 Series 11' heavy duty galvannealed steel crane body with standard right rear crane mounting compartment, all aluminum doors and hinges, gas door shocks, eight (8) recessed cargo tie downs (6,000 lb. capacity), two (2) grab handles, 44" high side compartments (optional compartments may be raised to 60" high), a fully integrated and sealed automotive style harness kit and electrical system with easy access power distribution panel, FMVSS 108 LED light and reflector kit, mud flap brackets, entire body electro coat (E-Coat) primer, interior of compartments lined with Zolatone AIM White interior coating, understructure and bottom of compartments undercoated. Body installation kit - (for class 5 conventional chassis). Designed to accept up to 43,000 ft./lbs. rated crane for 84" CA, 19,500 Lb. GVWR chassis.	٠		
PCB43-11SS60CS	11' SS60CS Raised - Curb side 1st and 2nd compartments 60"H and Street side all raised to 60"H (contact factory for chassis application and payload analysis) TAILSHELF-BUMPER	1	3,125.00	
OSCB8905	21" Workbench TOP OPEN Tailshelf with Outrigger Cross Tube, Through Compartment, 1/4" Top Plate Work Surface and Integrated 16,000 lb. Rated 2" Hitch Receiver Tube - Installed OUTRIGGER OPTION	1	529.00	
DS5016904	Rear Power Out (Crane Side) Power Down Stabilizers CRANE MOUNTING PATTERN	1	500.00	
DSCB9001	PSC Crane Mounting (14.75" x 14.75") MASTERLOCK, CRANE BODY	1	-	
SCB0403 4311	Master Locking System Installed - 11' PCB 43 Body (all models) TAILGATE OPTIONS	1	18.00	
OSSB2301	PALFINGER Stamped Tailgate	1	50.00	
DSCB9101	HEADACHE RACK 52" Rack Height (measured top of headache rack to top of frame rail) - Installed only, Not compatible w/ LSR INSTALLATION ACCESSORIES	1	45.00	
SSB0703	Rear fuel fill cutout - includes (1) aluminum fuel fill cup 3450331	1		
0S5040582	Boom support mounting bracket - (weld on threaded plate in lieu of thru-bolts in compartment)	1	13.00	
0\$5030216	Compressor Mounting Bracket for - PRC45V, PRC60V (weld on bars and mounting adapter plate) left front sidepack top	1	15.00	
DS5030212	Welder mounting bracket (weld on bars) left rear side pack top - Miller adapter plate included	1	20.00	
	INTERIOR COMPARTMENT OPTIONS			

Effective Date: July 14, 2023





PAL Pro 43-11

PO Number:	Your PO # Here		
LEFT FRONT	PCB43-11FT BODY - Streetside front vertical compartment (LV1)		
OS5020191	Aluminum Drawer Unit 5-3", 2-5", 1-7" x 25" wide (8 drawers)	1	118.00
LEFT SECOND	PCB43-11 FT BODY - Streetside second vertical compartment (LV2)		





PAL Pro 43-11

PO Number:	Your PO # Here			
OS5020179	Aluminum Drawer Unit 5-3", 2-5", 1-7" x 20" wide (8 drawers)	1	108.00	
LH HOR I ZONTAL	PCB43-11FT BODY - Streetside horizontal compartment (LH)		100.00	
			20.00	
OS5030332	Slide out tray for horizontal compartment, 44.5" x 17.5"	2	28.00	
OS5040681	Additional dividers for divider tray	11	0.50	
OS5040679	Adjustable Aluminum divider tray - 18" x 26" x 3" LR compartment (includes 4 adjustable dividers)	3	21.00	
	(MAX QTY OF 4)			
OS5040681	Additional dividers for divider tray	1	0.50	
RIGHT FRONT	PCB43-11FT BODY - Curbside front vertical compartment (RV1)			
OS5041261	Adjustable Aluminum divider tray - 18" x 11" x 3" requires interior partition kit (includes 4 adjustable dividers) (MAX QTY OF 4)	3	9.00	
OS5040681	Additional dividers for adjustable divider tray	1	0.50	
OS5030045	Tank bracket - Oxy / Acet for 2 tanks - Front wall mounted in vented compartment	1	6.00	
OS5030460	Interior partition kit - 60"H (bolt in) - Includes 1 swivel hook	1	15.00	
		- '	13.00	
RIGHT SECOND	PCB43-11FT BODY - Curbside second vertical compartment (RV2)	•		
OS5041264	Adjustable Aluminum divider tray - 18" x 21" x 3" LV2 / RV2 compartment (includes 4 adjustable dividers) (MAX QTY OF 4)	3	21.00	
OS5040681	Additional dividers for divider tray	1	0.50	
RH HOR I ZONTAL	PCB43-11FT BODY - Curbside horizontal compartment (RH)			
OS5030332	Slide out tray for horizontal compartment, 44.5" x 17.5"	2	28.00	
DS5040681	Additional dividers for divider tray	1	0.50	
		1	0.30	
RIGHT REAR	PCB43-11FT BODY - Crane Compartment			
	No Options - Hose reel mounting shelf is included (installed at factory)	1	13.00	
	TAILSHELF WORKBENCH ACCESSORIES			
DS5040304	Weld-on vise mounting plate 9" x 9"	1	11.00	
333040304	Type Your Location Here - Left Side / Right Side		11.00	
		right		
	LIGHT KIT OPTIONS			
DS5030112	Install tail lights and harness	1	-	
SCB8306	Body Control System (BCS) Installed	1	_	
	(Front and Rear Power Distribution Boxes and Control Panel)	-		
DSCB8308 11		1	3.00	
	Body Interior LED Strip Lighting Installed			
DSCB8316	LED Flood Light Kit - Six (6) Lights Installed; Includes harness	1	11.00	
	HYDRAULIC SYSTEM OPTIONS			
DS5030060	Oil reservoir - 30 gallon (top deck mount in cargo area) Approx. 9.5 " deep x 22" tall x 36" wide	1	117.00	
OSCB8518	Hydraulic installation kit - 8.0 GPM PRIORITY FLOW Includes High Pressure Filter, Hoses, diverter valve and Fittings. Intended for single pump, single operation. (Used with PSC8029)	1	58.00	
OSCB8525	1" (-16) suction hose kit. For use on pumps with 1" (-16) suction ports. (Not required with OSCB8522 or OSCB8524)	1	10.00	
EA2169	Replacement Filter Element, High Pressure Filter	1	-	
	AIR COMPRESSOR OPTION			
OS701BA	Palfinger PRC 45V rotary compressed air system; oil flooded rotary screw, 45 CFM @ 100 PSI, maximum 150 PSI system pressure, weight 150 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler. NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK. COMPRESSOR ACCESSORIES	1	162.00	
OS5030524		- 1	E 00	
	Compressor Hydraulic Installation Kit (PRC45V & PRC60V) for PAL Pro Package	1	5.00	
DSCA700290	PRC SERVICE KIT 500 HOURS, PALFINGER	1	-	
	AIR SYSTEM ACCESSORIES			
DS5052026	Hose reel, Reelcraft 1/2" x 50' with guide (to be used when passing through body)	1	55.00	
DS5052027	3/4" Air Filter, Regulator, Lubricator (FRL) - Includes Air Hose and Fittings	1	8.00	
(PN00015A	(6) Gallon Air Reservoir - Mounted Under Deck, Includes Fittings and Tank Air Drain	1	35.00	
	Valve (8" x 34") CHASSIS RELATED OPTIONS			
DS3287053	Ram chassis cab tail light adapter	1	1.00	
DS3287058	Ford Super Duty chassis cab tail light adapter	1	1.00	
DS5030546	DEF fill bracket for front of body chassis mounted, 2017+ Ford	11	5.00	
(MG10727A	Ford Mudflap Offset Kit	1	6.00	
	PAINT OPTIONS			
DS5050020	Standard coating - outside primed with Zolatone AIM White coating inside compartments	1	-	
OS5050023_4311	Body finish topcoat - PCB 43 (Single Stage Common Whites: codes only include Ford Z1, Ford YZ, or Dodge PW7)	1	-	
	Specify chassis make and paint code here - (e.g. Ford - Z1)	ford z1		
DS5050043_4311	Add Ultimate Bedliner load space, tops, front panels, rear panels behind the outriggers and bumper to a top coated body	1	83.00	
	p			



QUOTE

April 26, 2024

Pritchard Commercial

1 Teamquest Way Clear Lake, IA 50428

 Date:
 April 11, 2024

 Quote #:
 24-000013

 Invoice No:
 UPDATE

Deliver On or Before Date:

To: CITY OF BELAIRE Contact: MARTY MC GEE

Address **4103 N WOODLAWN**BEL AIRE, KS 67220

Phone #: **316-744-2888**Email: MMCGEE@BELAIREKS.GOV

County Salesman: Kevin Harmon

County				Salesilian.	Keviii Haiiiioi			
YEAR	MAKE	MODEL	SERIAL NUMBER	COLOR	STOCK NO.	Ī	MILEA	GE
NEW	RAM /CREWCAB	5500	TBD	WHITE	MK0153		TBD	
Qty	ru min y erte vy er ib	0000	Description	WILLE	Unit Price	Sublet		Line Total
Qty			Description		Offit I fice	Subjet		Line Total
	RAM 5500 Crew cab/	4x4/Diesel/84" CA-DR	RW/as per attached build specifications					
	Tu iivi 5500 Ciew cub,	IXI/Diesei/of Chi Di	critas per attachea bana specimentoris					
1	PALFINGER EQUIPM	MENT FOLLOWS:			\$196,281.00		\$	196,281.00
-			bed/60" sides on driver side/60"raised of	on	ψ190 <u>/2</u> 01.00		4	170,201.00
			ertment/Headache rack/21" workbench l					
			aulic outriggers/power out and power					
	Black line-x covering	on complete load bed	area/ compartment tops/workbench are	a and				
	full height on front pa	anels of body/Pull out	drawer units in driver side #1 and #2 w	ith				
	5-3:/2-5"/1-7" pull out	drawers with dividers	s/standard shelving in balance of compa	rtments				
	Interior LED rope ligh	nting/exterior work lig	ht package/Boom-tip light package					
	Rear compartment m	aster control for all fur	nctions/Welder mounting plate on drive	r side				
	compartment top/adj	ustable boom support,	Powder coated standard WHITE					
	Palfinger 8029 Hydra	ulic crane/8000lb verti	cal lift capacity/29' reach capacity/wirel	ess				
	radio hand-held remo	ote controller/overload	hydraulic shut down system/end layer	ing limit				
	switch and integral tv	vo-block damage prev	ention system/400-degree rotation/load	holding				
		ee boom elevation/crai						
			CFM@100PSI/Max 150 PSI/50' x 1/2" hos	e				
		side rear and pull out						
		•	ided/unit will be "Work-ready" at t	ime				
	of pickup/This compl	ete unit is built and or	the ground					
						Total Labor		
I ar	pprove the above work scope and pricing.		Accepted by Manage	Accepted by Manager	S	hop Supplies		
·	•	1 1 0	1 , 0			EPA Charges		
.,			•			3		
X			X			Subtotal	\$	196,281.00
			0.1		•			
	Purchaser's Signature Dealer or Authorized Representative			Sales	Tax: Exempt		#N/A	
						Total	\$	196,281.00

INTERNATIONAL®

9 MONTH BUND TIME.

March 29, 2024

Prepared For: CITY OF BEL AIRE Tim Aelmore 4551 NORTH AUBURN BEL AIRE, KS 67220-(316)744 - 2888 Reference ID: N/A

Presented By: RUSH TRK CTR OF KS Dennis DeLong 5549 N CHUZY DR. PARK CITY KS 672192317 316-262-8413

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile 2023 CV515 SFA (CV515)

AXLE CONFIG:

4X4

APPLICATION:

Service Body

MISSION:

Requested GVWR: 19500. Calc. GVWR: 19500. Calc. GCWR: 26000

Calc. Start / Grade Ability: 42.61% / 2.82% @ 55 MPH

Calc. Geared Speed: 103.2 MPH

DIMENSION:

Wheelbase: 199.00, CA: 83.80, Axle to Frame: 49.00

ENGINE, DIESEL:

(International 6.6) EPA 2021, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM

Governed Speed, 350 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

(Allison 1700 RDS) 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with

PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 26,000-lb GCW Max,

On/Off Highway

AXLE, FRONT DRIVING:

{Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting (Dana Spicer S14-110) Single Reduction, 13,500-lb Capacity, 190 Wheel Ends Gear Ratio: 4.30

AXLE, REAR, SINGLE:

Conventional 6-Man Crew Cab

CAB:

(2) 225/70R19.5 Load Range H HDR+ (CONTINENTAL), 643 rev/mile, 87 MPH, Drive

TIRE, FRONT:

(5) 225/70R19.5 Load Range H HDR+ (CONTINENTAL), 643 rev/mile, 87 MPH, Drive

TIRE, REAR: SUSPENSION, REAR, SINGLE:

15,500-lb Capacity, Vari-Rate Springs

PAINT:

Location 1: 9219, Winter White (Std) Location 2: 0011, Blk Non Ref (Nrf)

Chassis schematic N/A

Cab schematic 208CX