

August 31, 2022

City of Bel Aire Swimming Pool

RenoSy

RenoSys PVC Membrane Installation

Proposal

Install the liner in the existing pool employing the RenoSys PVC membrane system, including the following components and services:

INSTALLATION OF THE RENOSYS PVC MEMBRANE

- Broom clean pool surface and void it of all loose debris.
- Coat interior of the pool with sanitizing agent. Apply RenoFelt adhesive required.
- Apply RenoFelt 11 (150 mil) to isolate membrane from the pool as required.
- Install the 60 mil RenoSys PVC membrane through hot air welding throughout.
- Termination to be at top of pool wall (below coping/covering tile).
- All penetrations will be terminated with compression flanges.
- Complete additional perimeter caulking, detail work, finish work to make a complete watertight installation.
- Clean site suitable for pool filling and perform final inspection.
- Membrane and all welds shall carry a **10 year limited warranty**.
- Other installation items shall carry a **1 year limited warranty.** (e.g. caulk, fasteners at compression fittings etc...)

Furnish and Install PVC Membrane \$52,305.00

Price is valid for 30 days. Includes minimal surface preparation (8 man hours). Proposal is based on dimensions and pictures submitted. **Payment terms for the contracted work will be paid as follow: Progress. Dumpster is to be furnished by others at no charge to RenoSys Corporation.** Should RenoSys be required to remobilize our crew due to non-readiness of the swimming pool or concealed conditions requiring additional work, then a \$2,500 change order for remobilization will be assessed. All designs and data included and implied within the contents of these documents are proprietary to ARS. ARS will not be held liable based upon inaccurate, unknown or limited information or conditions provided by the purchaser/owner to create enclosed contents. All submitted drawings, details and data are subject to verification, accuracy and approval by the purchaser/owner. No taxes (sales, use, local, county, state, B&O, privilege and/or other applicable taxes), bonds, permits, prevailing or Davis-Bacon wages, or additional fees are included in this estimate.

I have read and understand the information contained on the reverse side of this contract, conditions, installation, and quotation and agree to the terms within.

For Aquatic Renovation Systems, Inc.

Date

For City of Bel Aire, KS

Steve Comstock/President

Page 1 of 3

Visit us on the web at... "www.renosys.com" RenoSys Corporation

2825 East 55th Place • Indianapolis, IN 46220 Phone: 800.783.7005 • 317.251.0207 Fax: 317.251.0360 • e-mail: "renosys@aol.com" Date____



Agreement for Installation of a RenoSys PVC Membrane System

RenoS

This contract, entered into between Aquatic Renovation Systems, Inc., and "Purchaser" is for the purpose of having ARS furnish and install the RenoSys PVC Membrane System and for additional services or options, if any, as outlined on page #1 of the attached proposal. Pricing is to include the installation of the RenoSys PVC Membrane System in accordance with the standard specifications and technical directives for a RenoSys PVC Membrane System.

This contract is subject to the following terms and conditions:

- The contract sum listed on page #1 covers only the products and services specifically mentioned therein. No modifications, additions, or deletions will be accepted except by written request via re-submission of modifications to the contract scope and/or approved amount authorized by written change order signed by both parties.
- Every effort has been made to be as accurate and complete in the submittal documents and the related scope of work as possible. Verification shall be the
 responsibility of the purchaser during the submittal approval process. No work will proceed without the written approval "sign-off" of the submittal package by the
 purchaser.
- 3) Payment terms for the contracted work will be paid as follows: See page 1.
- 4) All amounts past due shall be subject to a 1.5% service charge per month as to work or services that have been completed to date. Utilization of the pool constitutes substantial completion

R

- and acceptance of the PVC Membrane System. Aquatic Renovation Systems will invoice for stored material, when applicable.
- 5) Although every effort will be made to meet the delivery and installation requirements, ARS will not be held liable for any delays caused by transportation, strikes, fires, Government entities, acts of God or under any circumstances such as force majeure. Please be advised that vagaries in weather can and will affect the installation schedule. Any and all Liquidated or Consequential damages are not part of this contract and ARS shall not be financially penalized for any reason by
- any or all delays.Labor will be performed and invoiced by Aquatic Renovation Systems, Inc.
- Material will be furnished, shipped and invoiced by Poolequip LLC.
- 8) Pricing is provided in US Dollars.
- 9) Should the need for change orders arise from either party, no work will be performed prior to the execution of the change order by both parties. Further, the payment terms of any change order will be fifty percent (50%) upon execution of the change order with the balance due upon completion of said change order; unless other arrangements are agreed upon in writing by both parties.
- 10) No sales, use, local, county, state, B&O, privilege and/or other applicable taxes are included in this proposal, and purchaser agrees to pay all taxes imposed upon seller by state and/or federal regulation as it pertains to this contract. Taxes will be added and paid by purchaser unless a valid Sales Tax Exemption Form is provided. Use tax may still be required to be paid by the purchaser, even if the entity is tax exempt.
- 11) If either party does not comply with the terms and conditions set forth herein, then in addition to all other remedies available to the other party at law or in equity, the non-complying party shall be liable to the other party for its reasonable attorney fees, costs, and expenses incurred in enforcing the terms and conditions of this agreement.
- 12) This agreement and any amendments thereto shall be binding upon and inure to the benefit of the parties, their respective heirs, assigns, personal representatives and/or successors in interest.
- 13) The State Laws of the State of Indiana shall govern this Contract. Purchaser hereby agrees that the State of Indiana and Marion County possesses exclusive jurisdiction to resolve disputes arising under this Contract.
- 14) ARS is not responsible for any consequential or liquidated damages. In addition, damages resulting from any hydrostatic "ground water" conditions or from a leaking recirculation system causing the pool membrane to fail from such damage is not a warranted item. When applicable; existing pool piping, perimeter gutters and hydrostatic ground water testing will be the complete responsibility and cost to the owner.
- 15) ARS agrees to furnish a standard Insurance Certificate listing Purchaser as an additional insured, indicating proof of workmen's compensation coverage, and listing general liability protection limits of at least one million dollars (\$1,000,000.00).
- RenoSys Corporation is not responsible for filling or draining of the swimming pool water; nor will RenoSys Corporation absorb such cost for any reason.
 Please be advised that in the event that the project is cancelled by the owner or owners' representative, 25% of the total contract amount will be assessed to the purchaser.

Specifications and Contract Conditions for a RenoSys PVC Membrane System Installed

Primary pool lining membrane shall be a flexible 60 mil double ply PVC material UV stabilized, and reinforced with internal polyester webbing. The material shall be formulated using anti-fungal agents and manufactured specifically for use in the commercial pool environments. Clients purchasing RenoSys materials are solely responsible for determining the suitability and compatibility of the RenoSys products for their application. RenoSys will not be responsible for materials reaction to water, substrate, soil or pool chemicals.

Geo-textile fabric underlayment of 100% polyester approximately 150 mils thick to isolate and separate the RenoSys PVC Membrane from the pool wall and floor. Depending on field conditions the use of a factory applied of equivalent quality Felt-back membrane product will be utilized. Geo-textile is an "if required" product and may not be applicable on every project. RenoSys shall be the sole agent to determine if Geo-Textile is necessary for your project.

Provide as required PVC coated RenoSys Metal to make for a satisfactory installation. Sanitizing agents to be applied as required onto the pool substrate to discourage microbial growth under the membrane system. Adhesives as required to attach the Geotextile fabric or membrane to the pool, or the membrane to the Geotextile. Flanges of 1/4" Hard White PVC, custom fabricated for use at all membrane penetrations where required.

The PVC membrane liner and liner installation shall be warranted against leakage for a period of (10) years. Deck caulking, concrete work, and any other work shall be warranted for a period of not less than one (1) year or the manufacturers' warranty period, whichever is greater. Pool equipment shall carry the manufacturer's warranty. We propose to provide and install the above system including: sanitizing, adhesives, RenoFelt, RenoSys 60 mil reinforced membrane, all compression flanges, hardware installation, and incidental equipment to make for a satisfactory installation. This quote also includes: general site clean-up and training of the owner's representative in operation and maintenance of the PVC membrane.

ARS shall maintain the right to salvage any fittings, PVC membrane or equipment replaced in the course of executing this installation contract. Standard material overages are supplied for the efficient execution of the project. Any excess material shall remain the property of ARS.

This proposal is based upon an assumption that the pool is of sound substrate suitable for mechanically fastening standard 1/4" to 3/16" sleeve anchors and other drive type fasteners to secure the membrane system at the perimeter and around pool penetrations. Hidden or unforeseen site conditions are to be repaired, if possible, at additional cost to the owner. ARS will execute the change orders prior to commencing work.

Page 2 of 3

Visit us on the web at... "www.renosys.com" RenoSys Corporation

2825 East 55th Place • Indianapolis, IN 46220 Phone: 800.783.7005 • 317.251.0207 Fax: 317.251.0360 • e-mail: "renosys@aol.com"



By entering into this contract, ARS assumes no responsibility for the correctness of the swimming pools depth in any area of the existing pool. The existing depth of the pool, diving hopper and any modifications required due to any misinformation in their regard are the responsibility of the purchaser. It shall remain the owner's responsibility to assure that all depths, safety features, and markings in the pool comply with applicable local and state pool codes.

Warranties for the completed scope of work will go into effect when the project is paid in full. There will be no warranties, or guarantees given, expressed or implied, by ARS, RenoSys Corporation or its agents except those provided in the official issued Warranty, as stated herein. The warranty offered covers only the pool shell membrane (and/or deck surface membrane if included in the contract) and excludes any contracted work associated with an existing perimeter overflow gutter system. In no event will ARS, RenoSys Corporation or its agents be held liable for any consequential or other damages whatsoever unless agreed upon in writing.

Unless other arrangements are made in advance and stipulated as part of this contract; others are responsible for removing, storing and re-installation of all obstructions that would hinder our work. These items include, but are not limited to: bulkheads, ladders, handrails, climbing walls, water features, equipment, furnishings, pool covers, etc...

The use of the pool by the owner, or those authorized to use the pool by the owner, shall constitute final completion and acceptance of the project by the owner. Issues that may arise with the pool subsequent to final completion shall be addressed in accordance with the terms and conditions of the warranty set forth herein. The parties specifically agree that any warranty issue, or a possible controlled leak, such as through a weep hole, shall not be reason for delayed payment of the amounts due under the terms and conditions of the contract.

RenoSys Installation Requirements:

This agreement must be executed and returned with the required "start-up" payment. This is to ascertain your understanding of the scope of work, our quote, and your responsibilities in the successful execution of your project. It is our intention to have your project go smoothly and be completed on schedule and within the budgeted amount. Your informing us of any potential complications before construction begins can save time and money. We sincerely want your project to be a model of success on which we all will look back with pride. Your assistance in accommodating our following needs will help us to better serve you.

Unless otherwise specifically noted in our quotation, ARS is expecting the following services and amenities to be freely available to our crews:

- 1.) Restroom facilities
- 2.) Water with at least 40 lbs. of pressure within 50 feet of pools.
- 3.) 110 electric service & 230V, 60-amp service (when applicable for metal welding) within 50 feet of pools.
- 4.) Clear and reasonable access to the pool.
- 5.) Pools & pool decks are to be drained and/or generally clean upon arrival of our crew.
- 6.) It is expected that our crews will have complete access to the facility to work unrestricted hours at no additional cost to ARS.
- 7.) Provide parking for our vehicles at no charge to Aquatic Renovation Systems, Inc.

Photos and/or videos may be taken of your project for our own quality internal communication, advertising and marketing purposes. It is to be understood that ARS will be using such photos and videos for general marketing purposes.

Crews are under instructions to accept no direction from anyone onsite unless it is agreed upon in writing prior to work commencing. Please direct all communication regarding scope of work or request modifications to your assigned ARS project manager. Owner shall appoint one individual who will act as the "OWNERS REPRESENTATIVE" to answer questions that may arise.

The RenoSys PVC membrane is a reflective material, and any existing depressions, pits, cracks, or voids may remain visible upon completion.

Unless otherwise noted this quotation does not cover: special conditions, state, local or use taxes, Union affiliates, Davis-Bacon Wages, or differing site conditions from those detailed.



Initial_____

Visit us on the web at... "www.renosys.com" RenoSys Corporation

2825 East 55th Place • Indianapolis, IN 46220 Phone: 800.783.7005 • 317.251.0207 Fax: 317.251.0360 • e-mail: "renosys@aol.com"