Beginning at a point on the South 89°04'59" West, 725.00 feet boundary line of the town of Bladensburg, as described in "Section 102. Corporate Limits" in Article I. of the Charter for Bladensburg", distant, 116.05 feet from the beginning thereof, and running thence, reversely with and binding on said 725.00 feet boundary line, the following course and distance,

- South 89°28'05" East, 116.05 feet to a point at the end of the North 34°49'00" West, 967 feet boundary line, as described in said "Section 102. Corporate Limits", and running thence, reversely with and binding on said 967 feet boundary line, the following course and distance
- South 33°22"04" East, 967.00 feet to a point at the end of the South 77°00'39" West, 413.52 feet boundary line as described in said "Section 102. Corporate Limits", and running thence, reversely with and binding on said 413.52 feet boundary line, the following course and distance
- 3. North 78°27'35" East, 395.94 feet to a point at the northerly end of the westerly or 94.97 feet arc right of way line of 49th Avenue (50' R/W), as shown on a subdivision record plat entitled "Blocks A,B,C&D, Newton Village" and recorded among the Prince George's County Land Records in Plat Book BB 7 as Plat Number 73, and running thence with and binding on the westerly right of way lines of said 49th Avenue, as shown on said plat, the following three (3) courses and distances
- 94.97 feet along the arc of a non-tangent curve, deflecting to the right, having a radius of 250.00 feet and a chord bearing and distance of South 31°10"18" West, 94.39 feet to a point, thence with a tangent line
- 5. South 42°03'10" West, 120.00 feet to a point., thence
- 6. 114.76 feet along the arc of a tangent curve, deflecting to the left, having a radius of 220.62 feet and a chord bearing and distance of South 27°09'03" West, 113.47 feet to a point on the easterly right of way line of Kenilworth Avenue Maryland Rte. 201, (a variable width right

Page 2 of 10

of way), said point being 104 feet easterly of, and perpendicular to, the base line at Station 96+86, as shown on a State Roads Commission of Maryland plat entitled "Relocation of River Road", being State Roads Commission Plat Number 11612, and running thence with and binding on said easterly right of way lines of Kenilworth Avenue, as shown on said State Roads Commission Plat No. 11612, the following nine (9) courses and distances

- 7. South 59°38'31" East, 58.68 feet to a point, thence
- 4.14 feet along the arc of a non-tangent curve, deflecting to the left, having a radius of 170.62 feet and a chord bearing and distance of South 05°59'10" West, 4.14 feet to a point, thence with a tangent line
- 9. South 05°17'30" West, 35.15 feet to a point, thence
- 10. 34.25 feet along the arc of a tangent curve, deflecting to the left, having a radius of 20.00 feet and a chord bearing and distance of South 43°46'01" East, 30.22 feet to a point, thence running in, through over and across Monroe Street, with a non-tangent line, the following course and distance
- 11. South 13°44'33" East, 50.82 feet to a point, thence
- 12. South 77°06'11" West, 10.77 feet to a point, thence
- 13. South 17°39'15" West, 44.20 feet to a point, thence
- 14. South 34°41'54" East, 73.00 feet to a point, thence
- 15. South 78°34'05" East, 32.84 feet to a point, thence running in, through, over and across the Service Road, as shown on said State Roads Commission Plat No. 11612, the following course and distance
- South 18°17'48' East, 80.60 feet to a point on the easterly right of way line of said Kenilworth Avenue – Maryland Rte. 201, said point being 45 feet easterly of, and

Page 3 of 10

perpendicular to, the base line at Station 93+28, as shown on a State Roads Commission of Maryland plat entitled "Relocation of River Road", being State Roads Commission Plat Number 14277, and running thence with and binding on said easterly right of way line of Kenilworth Avenue – Maryland Rte. 201, as shown on said Plat Number 14277, the following course and distance

- South 34°41'54" East, 78.00 feet to a point, thence running in, through, over and across Lawrence Place (50' R/W), as shown on said State Road Commission Plat No. 14277, the following course and distance
- 18. South 34°41'54" East, 70.08 feet to a point on the easterly right of way line of said Kenilworth Avenue – Maryland Rte. 201, said point being 45 feet easterly of, and perpendicular to, the base line at station 91+79.92, as shown on said State Roads Commission Plat Number 14277, and running thence with and binding on said easterly right of way lines of Kenilworth Avenue – Maryland Rte. 201, as shown on said Plat Number 14277, the following three (3) courses and distances
- 19. South 34°41'54" East, 33.40 feet to a point, thence
- 20. 107.18 feet along the arc of a tangent curve, deflecting to the right, having a radius of 2909.79 feet and a chord bearing and distance of South 33°38'35" East, 107.17 feet to a point, thence
- 21. South 51°24'00" East, 11.15 feet to a point, thence running in through, over and across Lawrence Street (50' R/W), as shown on said State Roads Commission Plat No. 14277, the following course and distance
- 22. South 38°17'55" East, 94.77 feet to a point at the northerly end of the easterly or 206.51 feet arc line of Parcel F-4 as shown on a subdivision record plat entitled "Edmonds Subdivision" and recorded among the aforesaid Land Records in Plat Book CEC 91 as Plat Number 29, said line being the easterly right of way line of Kenilworth Avenue Maryland Rte. 201, and

Page 4 of 10

running thence, reversely with and binding on said Parcel and right of way lines, the following three (3) courses and distances

- 23. 206.51 feet along the arc of a non-tangent curve, deflecting to the right, having a radius of 2924.79 feet and a chord bearing and distance of South 28°28'58" East, 206.47 feet to a point, thence with a non-tangent line
- 24. South 34°37'47" East, 18.78 feet to a point, thence
- 25. 35.28 feet along the arc of a tangent curve, deflecting to the left, having a radius of 30.02 feet and a chord bearing and distance of South 68°19'04" East, 33.28 feet to a point, thence running in, through, over and across Kilmer Place, with a non-tangent line
- 26. South 63°56'07" East, 29.04 feet to a point at the northerly end of easterly or 25' right of way line of said Kenilworth Avenue Maryland Rte. 201, said point being 25 feet northerly of, and perpendicular to, the base line for Kilmer Place, at Station 1+00, as shown on a State Roads Commission of Maryland plat entitled "Relocation of River Road", being State Roads Commission Plat Number 11136, and running thence with and biding on the easterly right of way lines of said Kenilworth Avenue Maryland Rte. 201, the following eleven (11) courses and distances
- 27. South 12°01'59" East, 25.00 feet to a point, thence
- 28. South 26°32'17" West, 61.17 feet to a point, thence
- 29. South 23°58'54" East, 10.69 feet to a point, thence
- 30. South 66°01'06" West, 5.00 feet to a point, thence
- 31. South 23°58'54" East, 220.53 feet to a point, thence

Page 5 of 10

- 32. 102.42 feet along the arc of a tangent curve, deflecting to the left, having a radius of 2246.83 feet and a chord bearing and distance of South 25°17'15" East, 102.41 feet to a point, thence with a non-tangent line
- 33. South 65°29'17" East, 33.69 feet to a point, thence
- 34. South 27°36'21" East, 26.22 feet to a point, thence
- 35. South 84°51'49" West, 22.76 feet to a point, thence
- 36. 176.47 feet along the arc of a non-tangent curve, deflecting to the left, having a radius of 2246.83 feet and a chord bearing and distance of South 29°58'06" East, 176.42 feet to a point, thence with a non-tangent line
- 37. North 77°49'32" East, 88.20 feet to a point, thence running in, through, over and across 52nd Avenue (formerly River Road, a 50' R/W), as shown on said State Roads Commission Plat Number 11136, the following course and distance
- 38. North 61°05'47" East, 55.04 feet to a point at the northerly end of the easterly right of way line of Kenilworth Avenue Maryland Rte. 201, said point being 25 feet easterly of and perpendicular to station 2+88 of the baseline for 52nd Avenue as shown on said Plat Number 11136, and running thence with and binding on the easterly right of way lines for Kenilworth Avenue Maryland Rte. 201, as shown on said Plat Number 11136, the following four (4) courses and distances
- 39. South 48°06'00" East, 71.86 feet to a point, thence
- 40. North 85°46'19" East, 57.79 feet to a point, thence
- 41. South 04°10'41" East, 139.86 feet to a point at the northerly end of the easterly right of way line of Kenilworth Avenue – Maryland Rte. 201, as shown on a State Roads Commission of Maryland plat entitled "Relocation of River Road", and being State Roads Commission Plat Number 12085, said point being 35 feet easterly of and radial to the baseline at the point of

Page 6 of 10

curvature at Station 1+39.86, as shown thereon, and running thence with and binding on the easterly right of way lines of Kenilworth Avenue – Maryland Rte. 201, the following two (2) courses and distances

- 42. 191.38 feet along the arc of a tangent curve, deflecting to the left, having a radius of 283.31 feet and a chord bearing and distance of South 23'31'47" East, 187.76 feet to a point, thence with a tangent line
- 43. South 42°52'54" East, 170.21 feet to a point, thence running in through, over and across Inwood Street, as shown on said State Roads Commission Plat Number 12085, the following course and distance
- 44. South 73°14'08" West, 77.96 feet to a point at the northerly end of the easterly right of way line for Kenilworth Avenue Maryland Rte. 201, as shown on said Plat Number 12085, said point being 45 feet easterly of and perpendicular to the baseline at Station 74+51, running thence in, through, over and across said Kenilworth Avenue Maryland Rte. 201 the following course and distance
- 45. South 47°07'06" West, 97.28 feet to a point on the westerly right of way line of Kenilworth Avenue – Maryland Rte. 201, said point being 52.28 feet westerly of said baseline at Station 74+51, and running thence with and binding on said westerly right of way line, the following course and distance
- 46. North 37°28'24" West, 84.37 feet to a point, thence running in, through, over and across 52nd Avenue, the following course and distance
- 47. North 49°11'54" West, 210.42 feet to a point at the southerly end of the easterly or South 19°41'30" East, 30.85 feet line of Parcel A as shown on a subdivision record plat entitled "People's Supply Co. Inc." and recorded among the aforesaid Land Records in Plat Book WWW 83 as Plat No. 42 and running thence reversely with and binding on the outline of said Parcel A, and the westerly right of way lines of said Kenilworth Avenue Maryland Rte. 201, the following two (2) courses and distances

Page 7 of 10

- 48. North 19°34'24" West, 30.85 feet to a point, thence
- 49. 105.46 feet along the arc of a non-tangent curve, deflecting to the right, having a radius of 2351.83 feet and a chord bearing and distance of North 37°57'40" West, 105.45 feet to a point on the southerly or South 79°54'30" West, 426.58 feet line of Parcel 2 as shown on a subdivision record plat entitled "J. W. Watson Property" and recorded among the aforesaid Land Records in Plat Book WWW 51 as Plat No. 3, distant, 16.80 feet westerly from the easterly end thereof, and running thence, reversely with and binding on the outline of said Parcel 2, the following two (2) courses and distances
- 50. North 80°01'36" East, 16.80 feet to a point on the westerly right of way line of Kenilworth Avenue – Maryland Rte. 201, as shown on said State Roads Commission Plat No. 11136 and running thence with and binding on said westerly right of way line, the following course and distance
- 51. 403.79 feet along the arc of a non-tangent curve, deflecting to the right, having a radius of 2336.83 feet and a chord bearing and distance of North 31°54'53" West, 403.29 feet to a point at the easterly end of the southerly or South 82°54'05" West, 464.83 feet line of Lot 4, Block C, as shown on a subdivision record plat entitled " Lots 3 and 4, Block C, Edmonds Subdivision" and recorded among the aforesaid Land Records in Plat Book NLP 137 as Plat No. 44, and running thence with and binding on the outline of said Lot 4, Block C, the following six (6) courses and distances, commencing with a non-tangent line
- 52. South 82°59'53" West, 464.32 feet to a point, thence
- 53. North 36°30'53" West, 16.40 feet to a point, thence
- 54. North 16°43'24" West, 41.00 feet to a point, thence
- 55. North 07°49'37" West, 73.64 feet to a point, thence
- 56. North 02°36'29" West, 128.00 feet to a point, thence

Page 8 of 10

- 57. North 77°53'31" East, 380.29 feet to a point on the westerly right of way line of Kenilworth Avenue – Maryland Rte. 201 as shown on said State Roads Commission Plat No. 11136, and running thence with and binding on said westerly right of way lines, the following six (6) courses and distances
- 58. North 23°58'54" West, 48.86 feet to a point, thence
- 59. 10.15 feet along the arc of a tangent curve, deflecting to the left, having a radius of 2819.79 feet and a chord bearing and distance of North 24°05'05" West, 10.15 feet to a point, thence with a non-tangent line
- 60. South 65°48'44" West, 5.00 feet to a point, thence
- 61. 9.83 feet along the arc of a non-tangent curve, deflecting to the left, having a radius of 2814.79 feet and a chord bearing and distance of North 24°17'16" West, 9.83 feet to a point, thence with a non-tangent line
- 62. North 65°36'44" East, 5.00 feet to a point, thence continuing with the westerly right of way line shown on said State Roads Commission Plat No. 11136 and as shown on said State Roads Commission Plat No. 11612 the following course and distance
- 63. 330.49 feet along the arc of a non-tangent curve, deflecting to the left, having a radius of 2819.79 feet and a chord bearing and distance of North 27°44'43" West, 330.29 feet to a point, thence running in, through, over and across Lawrence Street, with a non-tangent line, the following course and distance
- 64. North 34°34'52" West, 138.05 feet to a point on the westerly right of way line of Kenilworth Avenue – Maryland Rte. 201, said point being 50 feet westerly and radial to the baseline at Station 91+07, as shown on said State Roads commission Plat No. 11612, and continuing thence with and binding on the westerly right of way lines of Kenilworth Avenue – Maryland Rte. 201, the following three (3) courses and distances

Page 9 of 10

- 65. 38.77 feet along the arc of a non-tangent curve, deflecting to the left, having a radius of 2814.79 feet and a chord bearing and distance of North 34°18'13" West, 38.77 feet to a point, thence with a tangent line
- 66. North 34°41'54" West, 263.16 feet to a point on the southerly right of way line of Lloyd Street, as shown on a subdivision record plat entitled "Edmonds Subdivision" and recorded among the aforesaid Land Records in Plat Book PM 226 as Plat No. 43, and running thence reversely with and binding on said southerly right of way lines of Lloyd Street, the following three (3) courses and distances
- 67. South 77°21'31" West, 282.57 feet to a point, thence
- 68. South 12°39'14" East, 15.00 feet to a point, thence
- 69. South 77°20'46" West, 279.10 feet to a point on the easterly side of the CSX Transportation Inc. right of way, and running thence with and binding on said easterly right of way lines of CSX Transportation Inc., the following course and distance
- 70. 959.38 feet along the arc of a non-tangent curve, deflecting to the right, having a radius of 3786.83 feet and a chord bearing and distance of North 29°50'22" West, 956.82 feet to a point, at the westerly end of the southerly or South 60°23'10" West, 452.00 feet line of Parcel 1 as shown on a subdivision record plat entitled "Mindle Tract, Bladensburg" and recorded among the aforesaid Land Records in Plat Book WWW 49 as Plat No. 26, and running thence with and binding on the outline of said Parcel 1, the following three (3) courses and distances, commencing with a non-tangent line,
- 71. North 60°26'52" East, 452.00 feet to a point, on the westerly right of way of Kenilworth Avenue – Maryland Rte. 201, and running thence with and binding on said westerly right of way lines of Kenilworth Avenue – Maryland Rte. 201, the following two courses and distances

Page 10 of 10

- 72. North 34°41'54" West, 261.19 feet to a point, thence
- 73. 214.68 feet along the arc of a curve, deflecting to the right, having a radius of 1477.40 feet and a chord bearing and distance of North 30°32'08" West, 214.49 feet to the point of beginning, containing 26 acres of land, more or less.