

Quote Only



YKK AP America Inc.

100 YKK AP Way
Macon, Ga 31216

Toll Free : 1-866-348-9091 Fax : 1-478-744-6221

Email : ResidentialOrders@ykkap.com

BILL TO:

Howard Lumber & Hardware, Inc.
P.O. Box 726

Statesboro GA 30459
Phone: 912-764-5621 Fax: 912-764-4667

SHIP TO:

Howard Lumber & Hardware, Inc.
600 Gentilly Road

Statesboro GA 30459
Phone: 912-764-5621 Fax: 912-764-4667

Quote ID: 569842

Created Date: 10/21/2025

Quote Name: 28 WHARF HOUSE

Project Name: Unassigned Project

Order Date: Quote Not Ordered


PO #:

Payment Terms:

Item: 1-01

Room/Location: A

QTY: 10




StyleView +/- 50psf Single Hung Equal White
Rough Opening Size: 36 x 60
Frame Size: 35.5 x 59.5
Glass: Dual Glazed Low-E 366 Annealed
7/8" Thick Simulated Divided Lite w/ Shadow Bar Colonial 2W 1H
One Lock 3/8" Balance
Hardware Finish = White
Screens: Half Screen
Primed 4 9/16" Jambs
Florida Approval ID = 8114.3
CPD = YKK-A-3-02058-00002
U-Factor = 0.34 SHGC = 0.2 NAMI Code = VT = 0.44

Item: 2-01

Room/Location: B - TEMPERED

QTY: 2



StyleView +/- 50psf Single Hung Equal White
Rough Opening Size: 36 x 60
Frame Size: 35.5 x 59.5
Glass: Dual Glazed Low-E 366 Tempered
7/8" Thick Simulated Divided Lite w/ Shadow Bar Colonial 2W 1H
One Lock 3/8" Balance
Hardware Finish = White
Screens: Half Screen
Primed 4 9/16" Jambs
Florida Approval ID = 8114.3
CPD = YKK-A-3-02060-00002
U-Factor = 0.34 SHGC = 0.2 NAMI Code = VT = 0.44



Quality
inspires®

Quote ID: 569842
Quote Name: 28 WHARF HOUSE
Project Name: Unassigned Project
PO #:

Created Date: 10/21/2025


Order Date: Quote Not Ordered

Payment Terms:

Item: 3-01

Room/Location: C

QTY: 1




StyleView +/- 50psf Single Hung Equal White
Rough Opening Size: 36 x 36
Frame Size: 35.5 x 35.5
Glass: Dual Glazed Low-E 366 Annealed
7/8" Thick Simulated Divided Lite w/ Shadow Bar Colonial 2W 1H
One Lock 1/2" Balance
Hardware Finish = White
Screens: Half Screen
Primed 4 9/16" Jambs
Florida Approval ID = 8114.3
CPD = YKK-A-3-02058-00002
U-Factor = 0.34 SHGC = 0.2 NAMI Code = VT = 0.44

Item: 4-01

Room/Location: D - TEMPERED

QTY: 1



Tempered

StyleView +/- 50psf Transom White
Rough Opening Size: 36 x 16
Frame Size: 35.5 x 15.5
Glass: Dual Glazed Low-E 366 Tempered
7/8" Thick Simulated Divided Lite w/ Shadow Bar Colonial 2W 1H
Primed 4 9/16" Jambs
Florida Approval ID = 7829.4
CPD = YKK-A-1-00536-00002
U-Factor = 0.3 SHGC = 0.21 VT = 0.47
NAMI Code =

Signature : _____ Date : _____

Price/Payment Terms :

; subject to credit approval and standard terms and conditions.
FOB factory. Price based on Furnishing Materials only.
Proposal shall remain valid for thirty (30) days from date shown above.

Additional Information :

This Quote is valid for 30 days. This is an estimate only and does not include delivery charges.
I understand that this order will be placed according to these specifications and is non-refundable.

Quote Only



YKK AP America Inc.

100 YKK AP Way
Macon, Ga 31216

Toll Free : 1-866-348-9091 Fax : 1-478-744-6221

Email : ResidentialOrders@ykkap.com

BILL TO:

Howard Lumber & Hardware, Inc.
P.O. Box 726

Statesboro GA 30459
Phone: 912-764-5621 Fax: 912-764-4667

SHIP TO:

Howard Lumber & Hardware, Inc.
600 Gentilly Road

Statesboro GA 30459
Phone: 912-764-5621 Fax: 912-764-4667

Quote ID: 569844

Created Date: 10/21/2025

Quote Name: 28 WHARF CARRIAGE HOUSE

Project Name: Unassigned Project

Order Date: Quote Not Ordered


PO #:

Payment Terms:

Item: 1-01

Room/Location: A

QTY: 6




StyleView +/- 50psf Single Hung Equal White
Rough Opening Size: 36 x 60
Frame Size: 35.5 x 59.5
Glass: Dual Glazed Low-E 366 Annealed
7/8" Thick Simulated Divided Lite w/ Shadow Bar Colonial 2W 1H
One Lock 3/8" Balance
Hardware Finish = White
Screens: Half Screen
Primed 4 9/16" Jambs
Florida Approval ID = 8114.3
CPD = YKK-A-3-02058-00002
U-Factor = 0.34 SHGC = 0.2 NAMI Code = VT = 0.44

Item: 2-01

Room/Location: C

QTY: 1



StyleView +/- 50psf Single Hung Equal White
Rough Opening Size: 28 x 48
Frame Size: 27.5 x 47.5
Glass: Dual Glazed Low-E 366 Tempered
7/8" Thick Simulated Divided Lite w/ Shadow Bar Colonial 2W 1H
One Lock 1/2" Balance
Hardware Finish = White
Screens: Half Screen
Primed 4 9/16" Jambs
Florida Approval ID = 8114.3
CPD = YKK-A-3-01724-00002
U-Factor = 0.33 SHGC = 0.2 NAMI Code = VT = 0.44

Signature : _____ Date : _____

Price/Payment Terms :

; subject to credit approval and standard terms and conditions.
FOB factory. Price based on Furnishing Materials only.
Proposal shall remain valid for thirty (30) days from date shown above.



Quality
inspires®

Quote ID: 569844

Created Date: 10/21/2025

Quote Name: 28 WHARF CARRIAGE HOUSE

Project Name: Unassigned Project

Order Date: Quote Not Ordered

PO #:

Payment Terms:

Additional Information :

This Quote is valid for 30 days. This is an estimate only and does not include delivery charges.

I understand that this order will be placed according to these specifications and is non-refundable.



Phone: (912)536-7387

Quote Number: 98

Date: 10/21/2025

Sales Person: Jim Kopotic

Customer Information

Name: 28 WHARF CARRIAGE HOUSE

Address:

Phone 1:

Phone 2:


Fax:

Contact:

Job Name:

Specifications

U.D. = 37-1/2" x 81-13/16"; R.O. = 38-1/4" x 82-5/16"

*Image is viewed from Exterior!*

Lead Time: Stock (Call to verify)

Item Description	Qty
3' 0" x 6' 8" - 1-3/4" 7044 36x80 HEMLOCK 2-PNL 1-7/16 DOUBLE HIP RAISED PANEL HALF LITE LOW-E OVOLO ULTRABLOCK French and Sash Hemlock UltraBlock Ovolo Sticking Wood Door w/Low E Glass - Right Hand Inswing **IMAGE COULD VARY FROM ACTUAL PRODUCT: NOT SET TO SCALE!	2
2-3/8" Backset - Double Bore (2-1/8" Dia. Bore w/Standard 5-1/2" Spacing) w/Recessed Latch Preps	2
Set of Ball Bearing - Oil Rubbed Bronze Hinges	2
Primed Dura-Frame - 4-9/16" Jamb w/No Exterior Trim w/(1)Oil Rubbed Bronze Adjustable Security Strike Plate (for Lockset only)	2
Bronze Compression Weatherstrip	2
Composite Adjustable - Bronze w/Dark Cap Sill	2
Sill Cover	2

Distributed by:

Boise Cascade
Building Materials Distribution

Version #: 3.36-O

Version Date: 6/2/2025



Phone: (912)536-7387

Quote Number: 98

Date: 10/21/2025

Sales Person: Jim Kopotic

Customer Information

Name: 28 WHARF CARRIAGE HOUSE

Address:

Phone 1:

Phone 2:


Fax:

Contact:

Job Name:

Specifications

U.D. = 74-3/16" x 81-13/16"; R.O. = 74-15/16" x 82-5/16"

*Image is viewed from Exterior!*

Lead Time: Stock (Call to verify)

Item Description	Qty
6' 0" x 6' 8" - 1-3/4" 7501 36x80 HEMLOCK 1-PNL 1-7/16 DOUBLE HIP RAISED PANEL 3/4 LITE LOW-E OVOLO ULTRABLOCK French and Sash Hemlock UltraBlock Ovolo Sticking Wood Double Door w/Wood w/Colonial Bronze Flush Bolts Astragal w/Low E Glass - Right Hand Inswing **IMAGE COULD VARY FROM ACTUAL PRODUCT: NOT SET TO SCALE!	1
2-3/8" Backset - Double Bore (2-1/8" Dia. Bore w/Standard 5-1/2" Spacing) w/Recessed Latch Preps	1
Set of Ball Bearing - Oil Rubbed Bronze Hinges	1
Primed Dura-Frame - 4-9/16" Jamb w/No Exterior Trim w/(1)Oil Rubbed Bronze Adjustable Mullion Strike Plate (for Lockset only)	1
Bronze Compression Weatherstrip	1
Composite Adjustable - Bronze w/Dark Cap Sill	1

Distributed by:

Boise Cascade
Building Materials Distribution

Version #: 3.36-O

Version Date: 6/2/2025



Phone: (912)536-7387

Quote Number: 97

Date: 10/21/2025

Sales Person: Jim Kopotic

Customer Information

Name: 28 WHARF HOUSE

Address:

Phone 1:

Phone 2:


Fax:

Contact:

Job Name:

Specifications

U.D. = 37-1/2" x 81-13/16"; R.O. = 38-1/4" x 82-5/16"

*Image is viewed from Exterior!*

Lead Time: Stock (Call to verify)

Item Description	Qty
3' 0" x 6' 8" - 1-3/4" 7501 36x80 HEMLOCK 1-PNL 1-7/16 DOUBLE HIP RAISED PANEL 3/4 LITE LOW-E OVOLO ULTRABLOCK French and Sash Hemlock UltraBlock Ovolo Sticking Wood Door w/Low E Glass (w/7/8" Wide SDL - 2Wx2H Pattern) - Right Hand Inswing **IMAGE COULD VARY FROM ACTUAL PRODUCT: NOT SET TO SCALE!	1
2-3/8" Backset - Double Bore (2-1/8" Dia. Bore w/Standard 5-1/2" Spacing) w/Recessed Latch Preps	1
Set of Ball Bearing - Oil Rubbed Bronze Hinges	1
Primed Dura-Frame - 4-9/16" Jamb w/No Exterior Trim w/(1)Oil Rubbed Bronze Adjustable Security Strike Plate (for Lockset only)	1
Bronze Compression Weatherstrip	1
Composite Adjustable - Bronze w/Dark Cap Sill	1
Sill Cover	1

Distributed by:

Boise Cascade
Building Materials Distribution

Version #: 3.36-O

Version Date: 6/2/2025



Phone: (912)536-7387

Quote Number: 97

Date: 10/21/2025

Sales Person: Jim Kopotic

Customer Information

Name: 28 WHARF HOUSE

Address:

Phone 1:

Phone 2:


Fax:

Contact:

Job Name:

Specifications

U.D. = 37-1/2" x 81-13/16"; R.O. = 38-1/4" x 82-5/16"

*Image is viewed from Exterior!*

Lead Time: Stock (Call to verify)

Item Description	Qty
3' 0" x 6' 8" - 1-3/4" 7044 36x80 HEMLOCK 2-PNL 1-7/16 DOUBLE HIP RAISED PANEL HALF LITE LOW-E OVOLO ULTRABLOCK French and Sash Hemlock UltraBlock Ovolo Sticking Wood Door w/Low E Glass - Left Hand Inswing **IMAGE COULD VARY FROM ACTUAL PRODUCT: NOT SET TO SCALE!	1
2-3/8" Backset - Double Bore (2-1/8" Dia. Bore w/Standard 5-1/2" Spacing) w/Recessed Latch Preps	1
Set of Ball Bearing - Oil Rubbed Bronze Hinges	1
Primed Dura-Frame - 4-9/16" Jamb w/No Exterior Trim w/(1)Oil Rubbed Bronze Adjustable Security Strike Plate (for Lockset only)	1
Bronze Compression Weatherstrip	1
Composite Adjustable - Bronze w/Dark Cap Sill	1
Sill Cover	1

Distributed by:

Boise Cascade
Building Materials Distribution

Version #: 3.36-O

Version Date: 6/2/2025