


ATTACHMENT 4

Front Elevation



Existing Post =




Existing Rail =



ATTACHMENT 4

Right Elevation




Existing Post & Framing =




Left Elevation

Architectural drawing of the left elevation of a building facade. The drawing is on a grid background. It shows a central entrance with a door and side lites, flanked by windows. The windows are labeled "Double hung" and "Casement". There are also "Picture" windows. The drawing is titled "Left Elevation".

[illegible]

ATTACHMENT 4

Back Elevation





Front Elevation

Right Elevation



Left Elevation

Front Elevation



Back Elevation

Left Elevation



NO PRICE COPY
QUOTATION #1816071

Date Entered: 12/15/2021
Date Printed: 12/15/2021
Printed By: Pernell Smith

SOLD TO:

SHIP TO:

Phone:
Fax:

Phone:
Fax:

PO NUMBER

Dunaway


QUOTE NAME

135 Bridge St

PROJECT NAME


Dunaway, Brenda

LineItem #	Qty.	Description
100-1	1	5500 Reflections Double Hung 46" X 58.5"
RO:		Operation = Operating, Frame = Replacement, Ext.
46.25 x 58.75		Color = Driftwood, Int. Color = Driftwood, Glass
Room ID:		Package = Standard Glass Options, ProSolar Shade
N/A		Low E, Argon, Super Spacer, 1"IGU, Glass
		Thickness = 1/8 in - 1/8 out DS, Upper = Annealed,
		Lower = Annealed, Locks = 2, Driftwood, Cam, Air
		Latches = 2, Sill Extender, Balance Track Covers,
		Foam Wrap, Screen Coverage = Half, Fiberglass,
		Extruded, Grille Pattern = Colonial, Grille App =
		3/4" Contour, Driftwood, 3W2H, U-Factor = 0.29,
		SHGC = 0.18, VT = 0.41, STC = 29, Meets Energy
		Star Zones = North Central, South Central, Southern,
		DP = 35, AAMA, TDI = WIN-1308, Florida
		Approval Code = 5167



Initials: _____

LineItem #	Qty.	Description
200-1	1	5500 Reflections Picture 44.5" X 20" Operation =
RO:		Fixed, Frame = Replacement, Ext. Color =
44.75 x 20.25		Driftwood, Int. Color = Driftwood, Glass Package =
Room ID:		Standard Glass Options, ProSolar Shade Low E,
N/A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill
		Extender, Balance Track Covers, Foam Wrap, Screen
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,
		VT = 0.51, STC = 0, Meets Energy Star Zones =
		Northern, North Central, South Central, Southern,
		DP = 65, AAMA, TDI = WIN-1270, Florida
		Approval Code = 5177



Initials: _____

PO NUMBER

Dunaway


QUOTE NAME

ATTACHMENT 4
135 Bridge St

PROJECT NAME


Dunaway, Brenda

LineItem #	Qty.	Description	
300-1	1	5500 Reflections Double Hung 46" X 58.5"	
RO:		Operation = Operating, Frame = Replacement, Ext.	
46.25 x 58.75		Color = Driftwood, Int. Color = Driftwood, Glass	
Room ID:		Package = Standard Glass Options, ProSolar Shade	
N\A		Low E, Argon, Super Spacer, 1"IGU, Glass	
		Thickness = 1/8 in - 1/8 out DS, Upper = Annealed,	
		Lower = Annealed, Locks = 2, Driftwood, Cam, Air	
		Latches = 2, Sill Extender, Balance Track Covers,	
		Foam Wrap, Screen Coverage = Half, Fiberglass,	
		Extruded, Grille Pattern = Colonial, Grille App =	
		3/4" Contour, Driftwood, 3W2H, U-Factor = 0.29,	
		SHGC = 0.18, VT = 0.41, STC = 29, Meets Energy	
		Star Zones = North Central, South Central, Southern,	
		DP = 35, AAMA, TDI = WIN-1308, Florida	
		Approval Code = 5167	



Initials: _____

LineItem #	Qty.	Description	
400-1	1	5500 Reflections Picture 44.5" X 20" Operation =	
RO:		Fixed, Frame = Replacement, Ext. Color =	
44.75 x 20.25		Driftwood, Int. Color = Driftwood, Glass Package =	
Room ID:		Standard Glass Options, ProSolar Shade Low E,	
N\A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =	
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill	
		Extender, Balance Track Covers, Foam Wrap, Screen	
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,	
		VT = 0.51, STC = 0, Meets Energy Star Zones =	
		Northern, North Central, South Central, Southern,	
		DP = 65, AAMA, TDI = WIN-1270, Florida	
		Approval Code = 5177	



Initials: _____

PO NUMBER



Dunaway

QUOTE NAME
ATTACHMENT 4

135 Bridge St

PROJECT NAME

Dunaway, Brenda

LineItem #	Qty.	Description	
500-1	1	5500 Reflections Picture 24.25" X 58.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 



RO:

24.5 x 58.75

Room ID:

N\A

Initials: _____

LineItem #	Qty.	Description	
600-1	1	5500 Reflections Picture 24.25" X 20" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 

RO:

24.5 x 20.25

Room ID:

N\A

Initials: _____

PO NUMBER


Dunaway

QUOTE NAME
ATTACHMENT 4

135 Bridge St

PROJECT NAME

Dunaway, Brenda

LineItem #	Qty.	Description	
700-1	1	5500 Reflections Picture 24.5" X 58.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	


RO:

24.75 x 58.75

Room ID:

N/A

Initials: _____

LineItem #	Qty.	Description	
800-1	1	5500 Reflections Picture 24.5" X 20" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	

RO:


24.75 x 20.25

Room ID:

N/A


Initials: _____

LineItem #	Qty.	Description	
900-1	1	5500 Reflections Double Hung 45.5" X 58.5"	
RO:		Operation = Operating, Frame = Replacement, Ext.	
45.75 x 58.75		Color = Driftwood, Int. Color = Driftwood, Glass	
Room ID:		Package = Standard Glass Options, ProSolar Shade	
N\A		Low E, Argon, Super Spacer, 1"IGU, Glass	
		Thickness = 1/8 in - 1/8 out DS, Upper = Annealed,	
		Lower = Annealed, Locks = 2, Driftwood, Cam, Air	
		Latches = 2, Sill Extender, Balance Track Covers,	
		Foam Wrap, Screen Coverage = Half, Fiberglass,	
		Extruded, U-Factor = 0.29, SHGC = 0.2, VT = 0.46,	
		STC = 29, Meets Energy Star Zones = North	
		Central, South Central, Southern, DP = 35, AAMA,	
		TDI = WIN-1308, Florida Approval Code = 5167	




Initials: _____

LineItem #	Qty.	Description	
1000-1	1	5500 Reflections Picture 43.5" X 20" Operation =	
RO:		Fixed, Frame = Replacement, Ext. Color =	
43.75 x 20.25		Driftwood, Int. Color = Driftwood, Glass Package =	
Room ID:		Standard Glass Options, ProSolar Shade Low E,	
N\A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =	
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill	
		Extender, Balance Track Covers, Foam Wrap, Screen	
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,	
		VT = 0.51, STC = 0, Meets Energy Star Zones =	
		Northern, North Central, South Central, Southern,	
		DP = 65, AAMA, TDI = WIN-1270, Florida	
		Approval Code = 5177	




Initials: _____

LineItem #	Qty.	Description	
1100-1	1	5500 Reflections Double Hung 45.5" X 58.5"	
RO:		Operation = Operating, Frame = Replacement, Ext.	
45.75 x 58.75		Color = Driftwood, Int. Color = Driftwood, Glass	
Room ID:		Package = Standard Glass Options, ProSolar Shade	
N/A		Low E, Argon, Super Spacer, 1"IGU, Glass	
		Thickness = 1/8 in - 1/8 out DS, Upper = Annealed,	
		Lower = Annealed, Locks = 2, Driftwood, Cam, Air	
		Latches = 2, Sill Extender, Balance Track Covers,	
		Foam Wrap, Screen Coverage = Half, Fiberglass,	
		Extruded, U-Factor = 0.29, SHGC = 0.2, VT = 0.46,	
		STC = 29, Meets Energy Star Zones = North	
		Central, South Central, Southern, DP = 35, AAMA,	
		TDI = WIN-1308, Florida Approval Code = 5167	




Initials: _____

LineItem #	Qty.	Description	
1200-1	1	5500 Reflections Picture 43.5" X 20" Operation =	
RO:		Fixed, Frame = Replacement, Ext. Color =	
43.75 x 20.25		Driftwood, Int. Color = Driftwood, Glass Package =	
Room ID:		Standard Glass Options, ProSolar Shade Low E,	
N/A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =	
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill	
		Extender, Balance Track Covers, Foam Wrap, Screen	
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,	
		VT = 0.51, STC = 0, Meets Energy Star Zones =	
		Northern, North Central, South Central, Southern,	
		DP = 65, AAMA, TDI = WIN-1270, Florida	
		Approval Code = 5177	



Initials: _____

LineItem #	Qty.	Description	
1300-1	1	5500 Reflections Double Hung 45" X 58.5"	
RO:		Operation = Operating, Frame = Replacement, Ext.	
45.25 x 58.75		Color = Driftwood, Int. Color = Driftwood, Glass	
Room ID:		Package = Standard Glass Options, ProSolar Shade	
N\A		Low E, Argon, Super Spacer, 1"IGU, Glass	
		Thickness = 1/8 in - 1/8 out DS, Upper = Annealed,	
		Lower = Annealed, Locks = 2, Driftwood, Cam, Air	
		Latches = 2, Sill Extender, Balance Track Covers,	
		Foam Wrap, Screen Coverage = Half, Fiberglass,	
		Extruded, U-Factor = 0.29, SHGC = 0.2, VT = 0.46,	
		STC = 29, Meets Energy Star Zones = North	
		Central, South Central, Southern, DP = 35, AAMA,	
		TDI = WIN-1308, Florida Approval Code = 5167	



Initials: _____

LineItem #	Qty.	Description	
1400-1	1	5500 Reflections Picture 43" X 20" Operation =	
RO:		Fixed, Frame = Replacement, Ext. Color =	
43.25 x 20.25		Driftwood, Int. Color = Driftwood, Glass Package =	
Room ID:		Standard Glass Options, ProSolar Shade Low E,	
N\A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =	
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill	
		Extender, Balance Track Covers, Foam Wrap, Screen	
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,	
		VT = 0.51, STC = 0, Meets Energy Star Zones =	
		Northern, North Central, South Central, Southern,	
		DP = 65, AAMA, TDI = WIN-1270, Florida	
		Approval Code = 5177	



Initials: _____

PO NUMBER

Dunaway


QUOTE NAME
ATTACHMENT 4

135 Bridge St

PROJECT NAME

Dunaway, Brenda


LineItem #	Qty.	Description	
1500-1	1	5500 Reflections Double Hung 45" X 58.5"	
RO:		Operation = Operating, Frame = Replacement, Ext.	
45.25 x 58.75		Color = Driftwood, Int. Color = Driftwood, Glass	
Room ID:		Package = Standard Glass Options, ProSolar Shade	
N\A		Low E, Argon, Super Spacer, 1"IGU, Glass	
		Thickness = 1/8 in - 1/8 out DS, Upper = Annealed,	
		Lower = Annealed, Locks = 2, Driftwood, Cam, Air	
		Latches = 2, Sill Extender, Balance Track Covers,	
		Foam Wrap, Screen Coverage = Half, Fiberglass,	
		Extruded, U-Factor = 0.29, SHGC = 0.2, VT = 0.46,	
		STC = 29, Meets Energy Star Zones = North	
		Central, South Central, Southern, DP = 35, AAMA,	
		TDI = WIN-1308, Florida Approval Code = 5167	


Initials: _____

LineItem #	Qty.	Description	
1600-1	1	5500 Reflections Picture 43" X 20" Operation =	
RO:		Fixed, Frame = Replacement, Ext. Color =	
43.25 x 20.25		Driftwood, Int. Color = Driftwood, Glass Package =	
Room ID:		Standard Glass Options, ProSolar Shade Low E,	
N\A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =	
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill	
		Extender, Balance Track Covers, Foam Wrap, Screen	
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,	
		VT = 0.51, STC = 0, Meets Energy Star Zones =	
		Northern, North Central, South Central, Southern,	
		DP = 65, AAMA, TDI = WIN-1270, Florida	
		Approval Code = 5177	



Initials: _____

LineItem #	Qty.	Description
1700-1	1	5500 Reflections Casement 26" X 58.5" Operation = Left, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 1"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Annealed, Driftwood, Flush Mount Crank, Coastal Hardware, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = Full, Fiberglass, Extruded, U-Factor = 0.25, SHGC = 0.17, VT = 0.41, STC = 29, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1309, Florida Approval Code = 107
RO: 26.25 x 58.75 Room ID: N\A		



Initials: _____

LineItem #	Qty.	Description
1800-1	1	5500 Reflections Picture 48" X 58.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1270, Florida Approval Code = 5177
RO: 48.25 x 58.75 Room ID: N\A		



Initials: _____

PO NUMBER


Dunaway

QUOTE NAME
ATTACHMENT 4


135 Bridge St

PROJECT NAME

Dunaway, Brenda

LineItem #	Qty.	Description	
1900-1	1	5500 Reflections Casement 26" X 58.5" Operation = Right, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 1"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Annealed, Driftwood, Flush Mount Crank, Coastal Hardware, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = Full, Fiberglass, Extruded, U-Factor = 0.25, SHGC = 0.17, VT = 0.41, STC = 29, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1309, Florida Approval Code = 107	

Initials: _____

LineItem #	Qty.	Description	
2000-1	1	5500 Reflections Picture 26" X 20" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	

Initials: _____

PO NUMBER



Dunaway

QUOTE NAME
ATTACHMENT 4



135 Bridge St

PROJECT NAME

Dunaway, Brenda

LineItem #	Qty.	Description	
2100-1	1	5500 Reflections Picture 48" X 20" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 

Initials: _____

LineItem #	Qty.	Description	
2200-1	1	5500 Reflections Picture 26" X 20" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 

Initials: _____

PO NUMBER

Dunaway


QUOTE NAME
ATTACHMENT 4

135 Bridge St


PROJECT NAME

Dunaway, Brenda

LineItem #	Qty.	Description
2300-1	1	5500 Reflections Casement 29" X 58.25" Operation = Left, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 1"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Annealed, Driftwood, Flush Mount Crank, Coastal Hardware, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = Full, Fiberglass, Extruded, U-Factor = 0.25, SHGC = 0.17, VT = 0.41, STC = 29, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1309, Florida Approval Code = 107
RO: 29.25 x 58.5 Room ID: N\A		


Initials: _____

LineItem #	Qty.	Description
2400-1	1	5500 Reflections Picture 52" X 58.25" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1270, Florida Approval Code = 5177
RO: 52.25 x 58.5 Room ID: N\A		


Initials: _____

PO NUMBER

Dunaway


QUOTE NAME
ATTACHMENT 4

135 Bridge St


PROJECT NAME

Dunaway, Brenda

LineItem #	Qty.	Description
2500-1	1	5500 Reflections Casement 29" X 58.25" Operation = Right, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 1"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Annealed, Driftwood, Flush Mount Crank, Coastal Hardware, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = Full, Fiberglass, Extruded, U-Factor = 0.25, SHGC = 0.17, VT = 0.41, STC = 29, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1309, Florida Approval Code = 107
RO: 29.25 x 58.5 Room ID: N\A		


Initials: _____

LineItem #	Qty.	Description
2600-1	1	5500 Reflections Picture 29" X 19.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177
RO: 29.25 x 19.75 Room ID: N\A		


Initials: _____

PO NUMBER



Dunaway

QUOTE NAME
ATTACHMENT 4



135 Bridge St

PROJECT NAME

Dunaway, Brenda


LineItem #	Qty.	Description	
2700-1	1	5500 Reflections Picture 52" X 19.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 

Initials: _____

LineItem #	Qty.	Description	
2800-1	1	5500 Reflections Picture 29" X 19.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 


Initials: _____

LineItem #	Qty.	Description	
2900-1	1	5500 Reflections Casement 30.25" X 58.25"	
RO:		Operation = Left, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 1"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Annealed, Driftwood, Flush Mount Crank, Coastal Hardware, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = Full, Fiberglass, Extruded, U-Factor = 0.25, SHGC = 0.17, VT = 0.41, STC = 29, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1309, Florida Approval Code = 107	
30.5 x 58.5			
Room ID:			
N\A			




Initials: _____

LineItem #	Qty.	Description	
3000-1	1	5500 Reflections Picture 56" X 58.25" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	
56.25 x 58.5			
Room ID:			
N\A			



Initials: _____

LineItem #	Qty.	Description	
3100-1	1	5500 Reflections Casement 30.25" X 58.25"	
RO:		Operation = Right, Frame = Replacement, Ext.	
30.5 x 58.5		Color = Driftwood, Int. Color = Driftwood, Glass	
Room ID:		Package = Standard Glass Options, ProSolar Shade	
N\A		Low E, Argon, Super Spacer, 1"IGU, Glass	
		Thickness = 1/8 in - 1/8 out DS, Annealed,	
		Driftwood, Flush Mount Crank, Coastal Hardware,	
		Sill Extender, Balance Track Covers, Foam Wrap,	
		Screen Coverage = Full, Fiberglass, Extruded, U-	
		Factor = 0.25, SHGC = 0.17, VT = 0.41, STC = 29,	
		Meets Energy Star Zones = Northern, North Central,	
		South Central, Southern, DP = 55, AAMA, TDI =	
		WIN-1309, Florida Approval Code = 107	



Initials: _____

LineItem #	Qty.	Description	
3200-1	1	5500 Reflections Picture 30.25" X 19.5" Operation	
RO:		= Fixed, Frame = Replacement, Ext. Color =	
30.5 x 19.75		Driftwood, Int. Color = Driftwood, Glass Package =	
Room ID:		Standard Glass Options, ProSolar Shade Low E,	
N\A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =	
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill	
		Extender, Balance Track Covers, Foam Wrap, Screen	
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,	
		VT = 0.51, STC = 0, Meets Energy Star Zones =	
		Northern, North Central, South Central, Southern,	
		DP = 65, AAMA, TDI = WIN-1270, Florida	
		Approval Code = 5177	



Initials: _____

PO NUMBER



Dunaway

QUOTE NAME
ATTACHMENT 4



135 Bridge St

PROJECT NAME

Dunaway, Brenda

LineItem #	Qty.	Description	
3300-1	1	5500 Reflections Picture 56" X 19.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 

Initials: _____

LineItem #	Qty.	Description	
3400-1	1	5500 Reflections Picture 30.25" X 19.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 

Initials: _____

PO NUMBER

Dunaway


QUOTE NAME

135 Bridge St

PROJECT NAME


Dunaway, Brenda

LineItem #	Qty.	Description	
3500-1	1	5500 Reflections Casement 30.625" X 58.25"	
RO:		Operation = Left, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 1"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Annealed, Driftwood, Flush Mount Crank, Coastal Hardware, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = Full, Fiberglass, Extruded, U-Factor = 0.25, SHGC = 0.17, VT = 0.41, STC = 29, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1309, Florida Approval Code = 107	
30.875 x 58.5			
Room ID:			
N\A			



Initials: _____

LineItem #	Qty.	Description	
3600-1	1	5500 Reflections Picture 58" X 58.25" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 55, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	
58.25 x 58.5			
Room ID:			
N\A			



Initials: _____

PO NUMBER

Dunaway


QUOTE NAME
ATTACHMENT 4

135 Bridge St

PROJECT NAME

Dunaway, Brenda

LineItem #	Qty.	Description	
3700-1	1	5500 Reflections Casement 30.625" X 58.25"	
RO:		Operation = Right, Frame = Replacement, Ext.	
30.875 x 58.5		Color = Driftwood, Int. Color = Driftwood, Glass	
Room ID:		Package = Standard Glass Options, ProSolar Shade	
N/A		Low E, Argon, Super Spacer, 1"IGU, Glass	
		Thickness = 1/8 in - 1/8 out DS, Annealed,	
		Driftwood, Flush Mount Crank, Coastal Hardware,	
		Sill Extender, Balance Track Covers, Foam Wrap,	
		Screen Coverage = Full, Fiberglass, Extruded, U-	
		Factor = 0.25, SHGC = 0.17, VT = 0.41, STC = 29,	
		Meets Energy Star Zones = Northern, North Central,	
		South Central, Southern, DP = 55, AAMA, TDI =	
		WIN-1309, Florida Approval Code = 107	



Initials: _____

LineItem #	Qty.	Description	
3800-1	1	5500 Reflections Picture 30.625" X 19.5" Operation	
RO:		= Fixed, Frame = Replacement, Ext. Color =	
30.875 x 19.75		Driftwood, Int. Color = Driftwood, Glass Package =	
Room ID:		Standard Glass Options, ProSolar Shade Low E,	
N/A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =	
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill	
		Extender, Balance Track Covers, Foam Wrap, Screen	
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,	
		VT = 0.51, STC = 0, Meets Energy Star Zones =	
		Northern, North Central, South Central, Southern,	
		DP = 65, AAMA, TDI = WIN-1270, Florida	
		Approval Code = 5177	



Initials: _____

PO NUMBER



Dunaway

QUOTE NAME
ATTACHMENT 4



135 Bridge St

PROJECT NAME

Dunaway, Brenda


LineItem #	Qty.	Description	
3900-1	1	5500 Reflections Picture 58" X 19.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 

Initials: _____

LineItem #	Qty.	Description	
4000-1	1	5500 Reflections Picture 30.625" X 19.5" Operation = Fixed, Frame = Replacement, Ext. Color = Driftwood, Int. Color = Driftwood, Glass Package = Standard Glass Options, ProSolar Shade Low E, Argon, Super Spacer, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Tempered Inside Only, Sill Extender, Balance Track Covers, Foam Wrap, Screen Coverage = None, U-Factor = 0.26, SHGC = 0.22, VT = 0.51, STC = 0, Meets Energy Star Zones = Northern, North Central, South Central, Southern, DP = 65, AAMA, TDI = WIN-1270, Florida Approval Code = 5177	 


Initials: _____

LineItem #	Qty.	Description	
4100-1	1	5500 Reflections Double Hung 44" X 58.125"	
RO:		Operation = Operating, Frame = Replacement, Ext.	
44.25 x 58.375		Color = Driftwood, Int. Color = Driftwood, Glass	
Room ID:		Package = Standard Glass Options, ProSolar Shade	
N/A		Low E, Argon, Super Spacer, 1"IGU, Glass	
		Thickness = 1/8 in - 1/8 out DS, Upper = Annealed,	
		Lower = Annealed, Locks = 2, Driftwood, Cam, Air	
		Latches = 2, Sill Extender, Balance Track Covers,	
		Foam Wrap, Screen Coverage = Half, Fiberglass,	
		Extruded, U-Factor = 0.28, SHGC = 0.2, VT = 0.46,	
		STC = 29, Meets Energy Star Zones = North	
		Central, South Central, Southern, DP = 25, AAMA,	
		TDI = WIN-1308, Florida Approval Code = 5167	




Initials: _____

LineItem #	Qty.	Description	
4200-1	1	5500 Reflections Picture 42" X 19.5" Operation =	
RO:		Fixed, Frame = Replacement, Ext. Color =	
42.25 x 19.75		Driftwood, Int. Color = Driftwood, Glass Package =	
Room ID:		Standard Glass Options, ProSolar Shade Low E,	
N/A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =	
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill	
		Extender, Balance Track Covers, Foam Wrap, Screen	
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,	
		VT = 0.51, STC = 0, Meets Energy Star Zones =	
		Northern, North Central, South Central, Southern,	
		DP = 65, AAMA, TDI = WIN-1270, Florida	
		Approval Code = 5177	




Initials: _____

LineItem #	Qty.	Description	
4300-1	1	5500 Reflections Double Hung 44" X 58.125"	
RO:		Operation = Operating, Frame = Replacement, Ext.	
44.25 x 58.375		Color = Driftwood, Int. Color = Driftwood, Glass	
Room ID:		Package = Standard Glass Options, ProSolar Shade	
N\A		Low E, Argon, Super Spacer, 1"IGU, Glass	
		Thickness = 1/8 in - 1/8 out DS, Upper = Annealed,	
		Lower = Annealed, Locks = 2, Driftwood, Cam, Air	
		Latches = 2, Sill Extender, Balance Track Covers,	
		Foam Wrap, Screen Coverage = Half, Fiberglass,	
		Extruded, U-Factor = 0.28, SHGC = 0.2, VT = 0.46,	
		STC = 29, Meets Energy Star Zones = North	
		Central, South Central, Southern, DP = 25, AAMA,	
		TDI = WIN-1308, Florida Approval Code = 5167	



Initials: _____

LineItem #	Qty.	Description	
4400-1	1	5500 Reflections Picture 42" X 19.5" Operation =	
RO:		Fixed, Frame = Replacement, Ext. Color =	
42.25 x 19.75		Driftwood, Int. Color = Driftwood, Glass Package =	
Room ID:		Standard Glass Options, ProSolar Shade Low E,	
N\A		Argon, Super Spacer, 3/4"IGU, Glass Thickness =	
		1/8 in - 1/8 out DS, Tempered Inside Only, Sill	
		Extender, Balance Track Covers, Foam Wrap, Screen	
		Coverage = None, U-Factor = 0.26, SHGC = 0.22,	
		VT = 0.51, STC = 0, Meets Energy Star Zones =	
		Northern, North Central, South Central, Southern,	
		DP = 65, AAMA, TDI = WIN-1270, Florida	
		Approval Code = 5177	



Initials: _____

PO NUMBER

Dunaway

QUOTE NAMEATTACHMENT 4
135 Bridge St**PROJECT NAME**

Dunaway, Brenda

LineItem #	Qty.	Description	
4500-1	5	SM57LD Reinf Semi-mull Lg Mull/5000;DW Length: 4.875 FOOT	



Initials: _____

LineItem #	Qty.	Description	
4600-1	1	SM57LD Reinf Semi-mull Lg Mull/5000;DW Length: 4.843 FOOT	



Initials: _____

PO NUMBER

Dunaway

QUOTE NAME
ATTACHMENT 4

135 Bridge St

PROJECT NAME

Dunaway, Brenda

LineItem #**Qty.****Description**

4700-1

6

SM57LD
Reinf Semi-mull Lg Mull/5000;DW
Length: 4.854 FOOT

Initials: _____

44 Total Qty Units**Comment:**

Submitted by: _____ Accepted by: _____ Date _____