



Presents a Proposal Summary

of the

VACTOR
Subsidiary of Federal Signal Corporation



iMPACT

Combination Single Engine Sewer Cleaner with Positive Displacement Vacuum System Mounted on a Heavy-Duty Freightliner M2 106 Truck Chassis

For



BASIC

MODEL

Vacuum System	Roots 616-15 Blower	Debris Body Capacity	3 Cubic Yards
Model Type	40 GPM	Water Capacity	500 Gallons
Water Flow	Vactor	Water Pressure	2500 PSI
Chassis Source		Water Tank Material	Aluminum

CHASSIS

Chassis Single Axle 2023 Freightliner M2 106 300 HP Auto 26000
GVWR Air Brakes GHG

STANDARD FEATURES

Curbside Toolbox w/ Nozzle
Storage Rack

Aluminum Fenders

Mud Flaps

Electric / Hydraulic Proportional
Boom Control

Color Coded Sealed Electrical
System

Intuitouch Electronic Package

Double Acting Hoist Cylinder

Handgun Assembly

Ex-Ten Steel Cylindrical Debris
Tank

Flexible Hose Guide

(2) Nozzles w/ Carbide Inserts

Suction Tube Storage

3/4" Nozzle Pipe

10' Leader Hose

Stainless Steel Float Shut Off
System

Horizontal Microstrainer Prior to
Blower

Debris Body Vacuum Relief
System

Debris Body-Up Light and Alarm

Low Water Alarm with Water
Pump Flow Indicator

Water Tank Sight Gauge

Liquid Float Body Level Indicator

Front Controlled Blower Drive

Digital Water Pressure Gauge

180 deg. 5ft Extendable Boom

Joystick Boom Control

Quote No. 2023-69927

Dan Federico
Tel: 813-713-1455

Boom Hose Storage

Boom Out of Position Light and Alarm

40 GPM/2500 PSI Jet Rodder pump

Rodder System Accumulator - Jack Hammer on/off Control w/ manual valve

3" Y-Strainer at Water Pump

Multi-Flow Water System

1" Water Relief Valve

Midship High Pressure Coupling

500' x 3/4" Sewer Hose 2500 PSI Piranha

Digital Hose Footage Counter

Hydraulic Tank Shutoff Valves

Rotating Hose Reel 3/4" x 500' Capacity 180 Deg. Rotation

Tachometer / Chassis Engine w/ Hour Meter

Water Pump Hour Meter

PTO Hour Meter

Hydraulic Oil Temp Alarm

Tachometer / Blower w/ Hour Meter

Circuit Breakers

LED Lights Clearance Backup Stop Tail & Turn

Tow Hooks Rear

Electronic Back-Up Alarm

Camera System Rear Only

6" Vacuum Pipe Package

Emergency Flare Kit

Fire Extinguisher 5 Lbs.

DEBRIS BODY

Body Washout

Additional Water Water and Debris Tanks Joined

Centrifugal Separators (Cyclones)

Rear Door Splash Shield

Lube Manifold

Lube Chart - Included

Digital Debris Body Level
Indicator Tied to Vacuum Relief

REAR DOOR

6" Rear Door Knife Valve
w/Camloc 6:00 position

HOSE REEL

Pinch Roller
High Pressure Hose Reel
Rodder Pump Drain Valves

WATER TANKS

Air Purge
Digital Water Level Indicator
Hydro Excavation Kit - Includes
Lances w/ Shield Nozzles
Storage Tray and Vacuum Tube
Final Filter and Silencer Ball
Valve Drains

MISCELLANEOUS

Amber Lights for Flashing Light
Package

LIGHTING

Rear Directional Control LED
Arrowstick
Rear Mounted LED Beacon Light
w/ Limb Guard
Front Mounted LED Beacon Light
w/ Limb Guard
6 Light Package 6 Federal Signal
Strobe Lights LED
Work lights (2) Boom
Work lights (2) Driver &
Passenger Side LED
Work light Manhole

TOOLBOX

Toolbox Behind Cab - 14w 36h x
88d - with Lighting

LIMITED WARRANTY

Limited Warranty. Each machine manufactured by VACTOR MANUFACTURING (or, "the Company") is warranted against defects in material and workmanship for a period of 12 months, provided the machine is used in a normal and reasonable manner and in accordance with all operating, maintenance and safety instructions. In addition, certain machines and components of certain machines have extended warranties as set forth below. If sold to an end user, the applicable warranty period commences from the date of delivery to the end user. If used for rental purposes, the applicable warranty period commences from the date the machine is first made available for rental by the Company or its representative. This limited warranty may be enforced by any subsequent transferee during the warranty period. This limited warranty is the sole and exclusive warranty given by the Company.

STANDARD EXTENDED WARRANTIES (Total Warranty Duration)

2100 Series, HXX Series and Jetters

10 years against water tank leakage due to corrosion. Nonmetallic water tanks are covered for 5 yrs. against any factory defect in material or workmanship.

2100 Series, HXX Series and Guzzler only

5 years against leakage of debris tank, centrifugal compressor or housing due to rust-through.

2100 Series and Jetters

2 years - Vactor Rodder Pump

Exclusive Remedy. Should any warranted product fail during the warranty period, the Company will cause to be repaired or replaced, as the Company may elect, any part or parts of such machine that the Company's examination discloses to be defective in material or factory workmanship. Repairs or replacements are to be made at the selling Company's authorized dealer's or distributor's location or at other locations approved by the Company. In lieu of repair or replacement, the Company may elect, at its sole discretion, to refund the purchase price of any product deemed defective. The foregoing remedies shall be the sole and exclusive remedies of any party making a valid warranty claim.

This Limited Warranty shall not apply to (and the Company shall not be responsible for):

1. Major components or trade accessories that have a separate warranty from their original manufacturer, such as, but not limited to, trucks and truck chassis, engines, hydraulic pumps and motors, tires and batteries.
2. Normal adjustments and maintenance services.
3. Normal wear parts such as, but not limited to, oils, fluids, vacuum hose, light bulbs, fuses and gaskets.
4. Failures resulting from the machine being operated in a manner or for a purpose not recommended or not in accordance with operating, maintenance or safety instructions provided by the Company.
5. Repairs, modifications or alterations without the express written consent of the Company, which in the Company's sole judgment, have adversely affected the machine's stability, operation or reliability as originally designed and manufactured.
6. Items subject to misuse, negligence, accident or improper maintenance.

NOTE The use in the product of any part other than parts approved by the Company may invalidate this warranty. The Company reserves the right to determine, in its sole discretion, if the use of non-approved parts operates to invalidate the warranty. Nothing contained in this warranty shall make the Company liable for loss, injury, or damage of any kind to any person or entity resulting from any defect or failure in the machine.

THIS WARRANTY SHALL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND TO THE EXTENT PERMITTED, CONFERRED BY STATUTE, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY AGAINST FAILURE OF ITS ESSENTIAL PURPOSE, ALL OF WHICH ARE DISCLAIMED.

This warranty is in lieu of all other obligations or liabilities, contractual and otherwise, on the part of the Company. For the avoidance of doubt, the Company shall not be liable for any indirect, special, incidental or consequential damages, including, but not limited to, loss of use or lost profits. The Company makes no representation that the machine has the capacity to perform any functions other than as contained in the Company's written literature, catalogs or specifications accompanying delivery of the machine. No person or affiliated company representative is authorized to alter the terms of this warranty, to give any other warranties or to assume any other liability on behalf of the Company in connection with the sale, servicing or repair of any machine manufactured by the Company. Any legal action based hereon must be commenced within eighteen (18) months of the event or facts giving rise to such action.

The Company reserves the right to make design changes or improvements in its products without imposing any obligation upon itself to change or improve previously manufactured products.



VACTOR MANUFACTURING
1621 S. Illinois Street
Streator, IL 61364

