

EXHIBIT "A"

CITY OF BRECKSVILLE

Fire Department

TO: Mayor Daryl Kingston
RE: Purchase of 2025 Freightliner M2 Life Line Highliner Ambulance
DATE: June 27, 2024

Mayor,

I respectfully request that we seek approval from City Council at the July 16, 2024 meeting to expend fire department capital funds in the amount of \$387,822.75 for the purchase of a 2025 Freightliner Life Line Ambulance.

Over the past 22 years, our department has utilized a three-year rotation program for our ambulance fleet. Every three years, a new ambulance is purchased and the other two ambulances rotate down to a back-up and reserve status. Our department has three ambulances in our fleet to ensure we always have at least two in service to respond to medical calls. The average lifespan of an ambulance in our department is nine years.

This new ambulance would replace a 2013 Ford that is nearly 11 years old. This request is for a Freightliner ambulance and the same design as the Freightliner we purchased three years ago. The Freightliner model has a higher towing capacity and suspension rating. The average lifespan of a Freightliner ambulance for a suburban fire department like ours is 15 years, compared to a nine year lifespan of a smaller model, like the Ford we are replacing. The vendor has not offered a trade-in for our Ford and it would have to be placed on GovDeals as per our city rules.

The firefighters are very happy with the current Freightliner that we have, because of the smoother ride and also from a safety aspect. Our department responds to Interstate 77 and the Ohio Turnpike and the firefighters like sitting-up higher and feel safer in the larger vehicle.

This unit is on state contract pricing under the Ohio Department of Administrative Services (Vendor: Pfund Superior Sales Co., Inc.) The schedule number is 2024STS800884 and the state contract has an expiration of January 1, 2025.

The funds for this budgeted purchase in the amount of \$387,822.75 would be encumbered from fire department account #C450 260 3300.

Thank you for your consideration and please let me know if you have any questions.

Sincerely,



Mark Bender
Fire Chief, Brecksville Fire Department





221 Chester Drive
Lower Burrell, PA 15068
Phone: 724-339-1600
Fax: 724-339-7509

**PROPOSAL ESTIMATE – CITY OF BRECKSVILLE
2025 Freightliner M2 Life Line Highliner**

June 27, 2024

PROPOSED TO:
City of Brecksville
9069 Brecksville Rd.
Brecksville, OH 44141

SELLER
Pfund Superior Sales Co., Inc.
221 Chester Dr.
Lower Burrell, PA 15068

Seller Proposes to Purchaser (1) 2025 Freightliner M2 Life Line Type I Ambulance, Model "Highliner", VIN # T.B.D. as per the attached specifications and modifications, F.O.B. Delivered to City of Brecksville Fire Dept. Brecksville, OH. Delivery to be determined by Life Line after receipt of chassis. The ambulance module production does not commence until the chassis has arrived at Life Line Emergency Vehicles. The Seller shall not be liable for failure to deliver or for any delay in delivering the motor vehicle covered by this agreement where such failure or delay is due, in whole or in part, to any cause beyond the control or without the fault or negligence of the Seller. Delays from the chassis manufacturer will result in extended delivery time as will changes to this contract once the contract has been placed with Life Line Inc. Additions or deletions can only be made if the vehicle has not passed that point in production and the cost of the addition, deletion or change would be assessed at the time of request. Change order fees may apply.

PROPOSED/ESTIMATED PER STS 233 / VENDOR # 800884

- (1) New 2025 Freightliner M2 Life Line "Custom Highliner"
Type I Ambulance Including the Options As Listed On
The Attached Quote Writer Form Dated 1-16-24.**

BASE ESTIMATED PRICE PER STS 233.....\$ 306,673.75

STS CONTRACT OTIONS..... 73,948.00
(Includes Stryker Power Load Installed)

NON-CONTRACT OPTIONS..... 7,261.00

NET COST FOB BRECKSVILE, OH.....\$ 387,822.75



LIFE LINE

EMERGENCY VEHICLES

QUOTATION

City of Brecksville
 Nick Zamiski
 9069 Brecksville Road
 Brecksville, Ohio 44141
 nzamiska@brecksville.oh.us

Pfund Superior Sales Co., Inc.,
 Terry Pfund
 221 Chester Dr.
 Lower Burrell, PA 15068
 724-339-1600
 tpfund@pfundsupeior.com

Exp. Date: 05/12/2023
 Quote No: 10044-0003
 BODY: HIGH C HIGHLINER

06/27/2024

Page 1

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
== HIGHLINER - 2.000 04/03/23 ==					
MASTER PARTS REVISION DATE (Start 01-02-24 to 04-02-24)					
00-00-0500	<	LIFE LINE WARRANTY Warranties Include: Lifetime Modular Body Warranty Lifetime Electrical Harness Warranty Lifetime Limited Cabinet Warranty 5-Year/60,000 Mile Product Conversion Warranty 10-Year/100,000 Mile Electrical Warranty Elite System 6-Year Pro-Rated LL Paint Warranty Which is as follows: For 3 Years 100% 4th Year 50% 5th Year 25% 6th Year 10%	1	0.00	0.00
00-00-0700	<	>>>SHOP COPY DATE - FACTORY USE ONLY<<< Date Order Placed By Dealer: Draft Work Order Process Date: 1st Dealer Draft Date: Final Dealer Draft Date: Sign-Off Date: Parts/Drafting/Paint: Shop Release Date:	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
10-03-0000	< >	<p>Large Custom Floor Console</p> <p>Top Flat Portion:</p> <ul style="list-style-type: none"> * Suspension Light, Driver Side. * USB Port, Top Flat Area, Passenger Side. <p>Angled Portion:</p> <ul style="list-style-type: none"> * Elite Touch Screen. * Removable Black ABS Panel. * Mount The Siren To The Upper Left Corner Of Radio ABS Panel. <p>Need Room (At Least 6") For (2) Radios Stacked Below The Siren.</p> <p>Rearward Flat Portion:</p> <ul style="list-style-type: none"> * (2) Cup Holders. * (2) 4" Wide X 12" Long Slots For Map Book / Binders. 	1	600.00	600.00
10-03-8200	<	<p>Add Auto Dump Feature To Rear O.E.M. Lowering Suspension System w/"OS" Light</p> <p>Wire a circuit to automatically dump the rear suspension when the secondary rear module door is opened. There will be an ON-OFF style switch, with a stainless guard, installed on the inner door panel of the primary rear module entry door. This switch will prevent the dump feature if needed for maintenance under the vehicle. The switch will only be lit when it is activated.</p> <p>Whelen Red "OS" System Dumped Warning Light On Top Flat Area Of Front Console, Drivers Side.</p>	1	0.00	0.00
10-03-9010	<	<p>Add Third Battery-Matched CCA Of The Standard Batteries On Highliner</p> <p>Specify the mounting location: P-2 Compartment. see 25-10-7010</p>	1	575.00	575.00
10-04-3500		Owner's Manual (1 Included With Unit)	1	0.00	0.00
10-04-8600	<	<p>Whelen 2" Round 5mm LED Cab Warning Lights (Pair)</p> <p>This option includes:</p> <ul style="list-style-type: none"> - (1) Whelen T0R00FRR Red LED with red lens, flashing. This light will indicate open entry/compartments doors. - (1) T0A00FAR Amber LED with amber lens, flashing. This light will indicate that the park brake is applied and the vehicle is placed in a drive gear. - Both lights will be mounted in the cab headliner, between the OEM visors. Both lights are surface mounted and include the Whelen TFLANGEC chrome flange. - Includes stainless label for each light, "OPEN DOOR" and "EMERGENCY BRAKE APPLIED". 	1	250.00	250.00
10-DL-0100	S <	<p>Additional ABS Panel</p> <p>Ship Loose (1) Additional ABS Panel for the console.</p> <p style="text-align: center;">***MODULAR BODY TYPE I***</p>	1	25.00	25.00
15-01-1600	< >	<p>Federal K-Spec Package</p> <p>Includes:</p> <ul style="list-style-type: none"> - (2) 5# fire extinguishers, shipped loose. - Oxygen wrench, shipped loose. - Lock on cab-to-module door or window that is lockable from cab side. 	1	175.00	175.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
20-02-5500	<	Stainless Trim On Door Edge Position #3 (Ea) Specify Location: P-4 backboard / stairchair door.	1	75.00	75.00
20-02-6000	< >	Diamond Plate Side Entry Door Stepwell W/Sealed Seam Edges TYPE 1'S WILL HAVE DUAL SIDE ENTRY STEP STANDARD E & G Series with 3" Lower Skirt Specified will have Dual Side Entry Step ***EXTERIOR COMPARTMENTS***	1	0.00	0.00
25-00-0100	<	SPECIAL NOTE TO DEALER Custom Compartment Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1	0.00	0.00
25-00-0200	<	2 Red Reflectors On Each Full Height Compartment Door One Mounted At The Top And One Mounted At The Bottom. One Reflector Mounted On Each Standard Height Compartment Door.	1	0.00	0.00
25-00-0500	<	Combination Extruded/Pan Formed Compartment Doors With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates. Includes Gas Style Hold-Opens Unless Otherwise Noted. Special Note To Production: Position All Gas Hold-Opens For Maximum Allowable Door Opening. Does Not Include Doors That May Hit Other Compartment Doors.	1	0.00	0.00
25-00-0600		Polished Diamond Plate Exterior Compartment Door Panels	1	0.00	0.00
25-01-0000		Magnetic Compartment Door Switches	1	0.00	0.00
25-01-1000		Polyurethane Compartment Lining-Standard Gray	1	0.00	0.00
25-01-2500	< >	Standard TecNiq Model E41 LED Strip Lighting Surface Mounted Compartment Lights One Strip To Be Installed Vertically Inside Door Frame Against Wall #1 Or #3 As The Standard. The Standard Light Lengths Used Are: 18" 31.5" 54" 72"	1	0.00	0.00
25-01-3224	< >	31.5" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea) Specify Location: (1) D-2, Mounted On Opposite Vertical Side Of Standard LED Strip Light. (1) D-3, Mounted on ceiling of the D-3 drawer, front edge.	2	56.00	112.00
25-01-3225	< >	54" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea) Specify Locations: (1) D-4, Mounted On Opposite Vertical Side Of Standard LED Strip Light.	2	86.00	172.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
25-12-1000	<	Fixed .125" Vortex Covered Aluminum Vertical Divider (Ea) Specify Compartment: P-4. Mount Divider 3" From Wall #3 For Stairchair. Note: This is to get chair away from the door frame.	1	100.00	100.00
25-12-1100	<	Adj .125" Vortex Covered Aluminum Vertical Divider (Ea) Specify Compartment: (1) P-4 Compartment, Install 8.0" From Wall #1.	1	150.00	150.00
25-12-5010	<	Fixed Smooth Aluminum Shelf W/Ribbed Rubber Matting (Ea) Smooth Aluminum With Standard 2" Lip Specify Compartment: D-1, above O2 viewing window.	1	50.00	50.00
25-12-6000	<	Sweep Out Level Compartment Floor (Ea) Specify Compartment: P-4	1	50.00	50.00
25-12-8000	<	Add IS/OS Access To Exterior Compartment (Ea) Specify Compartment: D-3	1	300.00	300.00
25-DL-0100	S <	Compartment Notch (ea) Specify Compartment: D-2 for lower action area drawer and the cup holder.	1	150.00	150.00
REAR STEP AND BUMPER ASSEMBLY					
30-01-0100	<	STD Rear Bumper With Angled Style End Caps Includes Standard Reinforced Corner Angle Supports & Aluminum Sub-Frame Bumper. Center Section And End Caps To Be At The Same Height. Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame	1	0.00	0.00
30-01-1610	< >	Rear Bumper Fixed Narrow Center Section w/Wider End Caps Rear Bumper With Fixed Narrow Center Section & Wider End Caps Includes Standard Reinforced Corner Angle Supports & Aluminum Sub-Frame Bumper. Center Section And End Caps To Be At The Same Height. Tow Hooks Are Mounted Under The Bumper. Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate End Caps To The Sub-frame. The end caps are to be wider than STD and the center section is fixed, not hinged. Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame	1	310.00	310.00
30-01-3500	>	Full Width Diamond Plate Rear Kick Plate	1	0.00	0.00
30-01-5500	< >	Recessed Texture Black Tow Eyes In Rear Kick Plate (Highliner Body) Black Only	1	375.00	375.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
		Dome Lights On Low With Entry Door. (On High Is Not An Option)			
		The R.F.S. Switch May Turn On the Dome Lights On High or the Center Strip Lights. Specify:			
		Inverter Will Come On With Ignition If One Is Specified, Along With Button Provided On Switch Panel.			
40-01-2000	<	Reverse Activated Alarm With Momentary Auto Reset Switch ECCO #575 Alarm.	1	0.00	0.00
40-01-5000	< >	Super Auto Eject Shoreline - 20 Amp Specify Location: Above D2 compartment Painted Shoreline Access Plate #LL1603. Specify Inlet Cover Color: BLACK	1	284.00	284.00
40-01-6900	<	**FACTORY USE ONLY** Shoreline Inlet Adapter Plug Present.	1	0.00	0.00
40-01-7500	<	Shoreline On Indicator Light (Exterior) Mounted On The Shoreline Plate. (Red LED). Whelen "OS" Series Non-Flashing Is The Std. Light (1) Indicating Power At The Shoreline Inlet. (1) Indicating Power At The 125V Outlets.	2	75.00	150.00
40-02-0000	>	IOTA DLS-75 Battery Charger	1	400.00	400.00
40-03-0000	<	Action Area Dual 2.4 amp USB Charger And 20 amp 12v Outlet Full Time Hot Circuit.	1	0.00	0.00
40-03-2000	<	R.F.S. Cabinet Dual 2.4 amp USB Charger And 20 amp 12v Outlet Mounted In The Lower Section On Wall #1. Full Time Hot Circuit.	1	0.00	0.00
40-03-5500	<	Add 12 Volt Power Outlet (Ea) Full Time Hot Circuit. Specify Location: Inside the front cab floor console.	1	50.00	50.00
40-03-6000		Action Area 125 Volt Standard Style Hospital Grade Outlet	1	0.00	0.00
40-03-7000	<	R.F.S. Cabinet 125 Volt Standard Style Hospital Grade Outlet Mounted In The Lower Section On Wall #1.	1	0.00	0.00
40-03-8500	<	Add 125 Volt Standard Style Hospital Grade Outlet (Ea) Specify Locations: (1) In Action Area Rearward of the Cabinet. (1) On Bulkhead Wall - Cab Side - Low - Near Walk-Thru. (1) Inside Cab Floor Console. (1) Top RFS, wall #1. (1) Upper RFS, wall #1. All Cab Floor Requested Installs will Include Weatherproof Cover, Unless Otherwise Specified.	5	60.00	300.00
40-03-8610	<	Add Dual USB Charging Port Specify Locations:	2	75.00	150.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
		(1) E99-D002-1 Install Slide Dimmer Switch Action Area Wall Under Switch Panel Unless Otherwise Specified This Will Be The Only Switch That Controls These Lights.			
		EXTERIOR LIGHTING			
50-01-0000	<	Whelen 600 Series "LED" Stop/Tail Lights (Pr) Use Whelen #604BTT Lights (Meets SAE Requirements). Mounted Above The Rear Kick Plate.	1	0.00	0.00
50-01-6000	< >	Whelen 600 Series "LED" Populated Amber Turn Lights (Pr) Mounted Above The Rear 600 Series LED Stop/Tail Lights. Wire To Flash Sequentially In The Direction Of The Arrow. #60A00TAR.	1	0.00	0.00
50-02-6000	< >	Whelen 600 Series "LED" Populated Amber Turn Light IATS (Pr) Specify Location: Front Module Wall Below The Outboard 900 Flashing Lights. Wire To Flash Sequentially In The Direction Of The Arrow. #60A00TAR.	1	342.00	342.00
50-02-9000	>	C.P.I. License Plate Housing	1	0.00	0.00
50-02-9520	<	Whelen 600 Series "LED" Back-Up Lights (Pr) Mounted Above The Rear Turn Lights. Model # 60C00VCR.	1	0.00	0.00
50-03-2100	<	Two Reverse Activated Whelen 900 "LED" Rear Load Lights 24 Diode #9SC0ENZR Lights.	1	918.00	918.00
50-03-5600	<	Whelen 900 "LED" Side Scene Lights (Two Each Side) 24 Diode #9SC0ENZR Lights.	1	1836.00	1836.00
50-03-9000		Right Side Scene Lights On With Open Side Entry Door	1	0.00	0.00
50-04-2000		Rear Side Scene Lights On In Reverse IATS	1	0.00	0.00
50-04-5510	<	3" Round Super-LED Surface Mounted Compartment Door Flashing Light (Ea) Specify Location: Lower Door Panels of Both Rear Entry Doors and P-3 Side Entry Door. Part # 3SA00FAR - Amber with Amber Lens. NOTE TO ELECTRICAL: These Are To Only Flash When The Specified Door Is Open. Side Door Light Will Not Flash If Shut And Rear Entry Doors Open And Visa/Versa. (need plunger switch on secondary rear door only)	3	120.00	360.00
50-04-7500	< >	Federal Commander COM1 "LED" ICC Marker Lights (2) COM1MC-A=Amber (6) COM1MC-R=Red	1	0.00	0.00
50-04-8000	<	Innovative Lighting Slimline Rear DOT/Brake Light Mounted Above The Rear Doors. Mounted Above The Drip Rail Unless Otherwise Specified. Mid Sections To Be Wired Thru The Brake Light Circuit.	1	0.00	0.00
50-04-8100	<	Innovative Lighting Slimline Front DOT Light Mounted Above The Drip Rail Unless Otherwise Specified.	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
60-06-6000		< > 2 Whelen 700 Super "LED" Rear Wheel Well Lights Part#70R02FCR - Red with Clear Lens. Comet Flash Pattern:	1	464.00	464.00
60-08-0000	S	< > Whelen Cenator Front Lighbar Whelen Cenator Front Lighbar	1	2878.00	2878.00
60-09-4451		< > Whelen 500 Red Or Amber Or Blue Super "LED" Light (Ea) (5) #50A02ZCR - Amber with Clear Lens. (1) Each On Interior Liner Of Exterior Compartment Doors: Recessed In D1 / D2 / D4 / P1 / P4. To flash when compartment doors are open. Please Mount All Lights (5) with #E23189 Grommets. NOTE: All of these lights to be activated when any compartment door is opened. ***** (2) #50A03ZCR - Amber with Clear Lens. #5TSMAC Flange. (1) Each On Exterior Of Compartment Doors: D-2, Rearward Door. Primary On/Secondary Off. D-4, Rearward Door. Primary On/Secondary Off.	7	225.00	1575.00
60-10-0000		< Whelen 700 Red Or Amber Or Blue Super "LED" Light (Ea) #70R02FCR - Red with Clear Lens. (2) Mounted In Upper Grille. Comet Flash And Flash "X" Pattern With Lower Grille Lights	2	232.00	464.00
60-10-0130		< Rear Window Level Whelen 900 Red Or Amber Or Blue Or Clear Super "LED" Lights(2) (2) Each Side At Window Level. (2) Upper Window Level Lights Part #90RR5FCR And Flash "X Pattern With The Upper Outer Red 900 Lights. (2) Lower Window Level Lights Part #90AA5FCR. Pri/Sec. Comet Flash Pattern:	2	736.00	1472.00
60-DL-0100	S	< Lightbar Discount Specify Custom Option:	1	-287.00	-287.00
60-DL-0200	S	< D-3 Compartment Lights Install (1) "OS" light #0SA00FCR above the slide on the interior aft side of the D-3 drawer. NOTE: Will need a special switch or relay to come on with door open.	1	75.00	75.00
PATIENT COMPARTMENT					
65-00-0100		Standard Solid Surface Construction Interior Cabinets	1	0.00	0.00
65-00-9900		< SPECIAL NOTE TO DEALER Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1	0.00	0.00
65-01-2000		Standard Smooth Headliner	1	0.00	0.00
65-01-3000		< 1/4" Clear Polycarbonate Sliding Doors On Cabinets Includes Brushed Finish Interior Trim.	1	0.00	0.00
65-02-2230		< > "Complete Package" Stryker Power Load System Includes: Floor Structure - Tapping Blocks Pre-Wire with 10 Gauge Power and Ground with a 15 Amp	1	30721.00	30721.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
65-06-2000	< >	Rear Facing Electrical Cabinet And Door Vent Accordingly	1	0.00	0.00
65-07-0000	< >	Right Front Upper ALS Cabinet With Solid/Polycarbonate Doors Solid Surface Doors With Vented Polycarbonate Inserts. M1 Latch and RCI Lock on right door. Right door to hold left door closed. RCI Control Key Pad On RFS Wall.	1	75.00	75.00
65-07-5000	<	Delete Right Front Lower ALS Cabinet Doors Trim Open Edge With Stainless.	1	-50.00	-50.00
65-07-5300	<	Top R.F.S. Cabinet W/Top Hinged Solid Door ILOS Heat/AC Includes Gas Style Hold-Opens.	1	50.00	50.00
65-07-5300	<	Top R.F.S. Cabinet W/Top Hinged Solid Door ILOS Heat/AC Includes Gas Style Hold-Opens.	1	50.00	50.00
65-07-5410	<	Top R.F.S. Cabinet (Ducted Heat/AC In Ceiling Pkg Discount) Includes Gas Style Hold-Opens.	1	-50.00	-50.00
65-07-5410	<	Top R.F.S. Cabinet (Ducted Heat/AC In Ceiling Pkg Discount) Includes Gas Style Hold-Opens.	1	-50.00	-50.00
65-08-0500	<	CS Squad Bench w/Contoured ERGO Backrests w/1 Piece Lid & No Divider Includes 2 Sets Of Black IMMI 4-Point Seat Belts. Includes 3 Cot Restraints & Retractors. Backrest Color To Be: Cobalt MV104 (Dark Blue) Note: Squad Bench Taller Than Standard To Be Similar To Previous Unit.	1	0.00	0.00
65-08-3800	<	Custom Pfund Style Cabinet At Head Of The Right Side Bench Includes Wedge Style Cabinet With Opening Towards The Bench. Includes Corian Counter Top WITHOUT Lip. Includes (1) Drawer Facing The Bench Side. (1) Clear Lid For Waste. (1) Red Lid for Sharps.	1	1000.00	1000.00
65-08-8500		Squad Bench Headrest Cushion	1	0.00	0.00
65-09-1500	< >	Two Section Bandage Cabinet With Sliding Polycarbonate Doors Specify Cabinet Depth: 8 1/4"H X 8.0" D.	1	300.00	300.00
65-09-6110	<	Latching Triple Glove Box Holder w/Clear Lid In Cushion Area Above Doors(Ea) Recessed Storage Box With Top Hinged Polycarbonate Door. SPECIAL NOTE: Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10" Wide x 4" Deep Glove Box.	1	390.00	390.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
		(4) In cabinet above CPR seat.			
65-15-0017		> Interior Laminate: White Nebula 4621-01 High Gloss	1	200.00	200.00
65-17-0004		Seam Sealed Cushions Vinyl: Freeway Cobalt FW-102 (Dark Blue)	1	0.00	0.00
65-17-0504		< EVS Seamless/Medi-Vac Vinyl Color: Cobalt MV104 (Dark Blue) Matches Heidi Lapis Blue	1	0.00	0.00
65-18-0003		Welting Between Cabinets: Met Blue	1	0.00	0.00
65-19-0011		< > Counter Tops (Main): Platinum Standard with 1" Lip, Unless Specified. Action Area - Standard Lip. Curbside Head End Work Cabinet - No Lip.	1	0.00	0.00
65-20-0005		> Counter Tops (Accent Stripe): Glacier White	1	0.00	0.00
65-21-0034		< > Lonseal Floor Selection: Lonplate II #424TX Gunpowder Specify: Rolled Up 4" On Both Sides Unless Otherwise Specified.	1	0.00	0.00
65-CS-3000		< Total Available Seating Positions In this Unit Including Cab, Module And Cot	1	0.00	0.00
65-DL-0100	S	< RCI Electronic Cabinet Lock RCI - Rutherford Controls 9212I Interior 12V Stand Alone Keypad Lock Installed On Aisle Side Of The RFS Wall. 12V Hardwired. Parts: Need (2) #3513 Locks For Two Doors. This Lock Will Lock The Top RFS and The Upper Right Front Stack Cabinet Doors. The 9212I Keypad will open both of these locks when the code is put into the keypad. Set with 10 second timer for access into the doors.	1	400.00	400.00
65-DL-0200	S	< Auxiliary Electrical Storage Cabinets Lower Streetside Aisle Cabinet And Bulkhead Wall Cabinet For Overflow Electrical Equipment. These both will be solid right hinged doors with vents. M1 latched.	2	0.00	0.00
65-DL-0300	S	< Large Drink Holder In Action Area Install a Large drink holder in the forward part of the action area. Part #C01401. Will be recessed into the countertop. Ref. 4194	1	100.00	100.00
PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS					
70-01-0000		Static Module Fresh Air Intake Vent	1	0.00	0.00
70-01-1000		12 Volt Powered Exhaust Fan	1	0.00	0.00
70-01-2301		< > Ducted Hoseline Center Mounted Heat/AC Location ILOS Includes Center Evaporator/Heater Core Location. #1118 Includes #65-07-5300 Top Hinged Top R.F.S. Cabinet. NOTE: Use (2) Narrow Cold Air Returns Stacked Near The Corner Of The RFS.	1	1550.00	1550.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
80-01-8500	< >	Recessed Suction Unit Below Action Area Includes a 3/4 Height Solid Surface Left Hinged Door with Canister Mounted on Door. Vacuum Outlet mounted on wall #2.	1	150.00	150.00
PAINT					
85-00-0100	< >	Standard AkzoNobel Paint Process Includes 6 Year Pro-Rated LL Paint Warranty.	1	0.00	0.00
85-00-0500	<	O.E.M. White Chassis Color Specify Color: Red Axalta # 51078 EW, Includes Hood. Touch-Up Paint Is Included For Colored Chassis.	1	0.00	0.00
85-01-1500	<	Paint Module Body Other Color ILOS O.E.M. White Specify Color: Red Axalta # 51078 EW. Touch-Up Paint Is Included For Colored Module Body.	1	2400.00	2400.00
85-01-4500		Delete Standard Beltline Stripe	1	-550.00	-550.00
85-02-8100	<	Lower Cab And Module Painted Two-Tone (50/50 Design) Lower Cab And Module Painted One Color And The Upper Cab And Module Body Painted Another Color. This Paint Line Is Painted Up To The Door Gaskets Into The Jamb. Specify Upper Color: Sandstone Gray #890957 EW (Includes Cab Roof, "A/B" Posts). Specify Lower Color: Red Axalta # 51078 EW, Includes Hood. Note: No Gray On Rear Outer Walls Due To Chevrons.	1	2500.00	2500.00
85-02-9500		Do Not Paint The Nader Pins/Install After Paint Process	1	0.00	0.00
85-02-9585	<	Paint AC Condenser Cover Match Upper Body Color	1	550.00	550.00
85-02-9710		Shoreline Cover Plate To Be Painted To Match Module	1	0.00	0.00
85-02-9710		Shoreline Cover Plate To Be Painted To Match Module	1	0.00	0.00
85-03-0000	< >	Standard 1/4" Black Reflective Edge Pinstripe Bordering Yellow Reflective Stripe.	1	0.00	0.00
85-03-2100	<	1/2" Pinstripe Sign Gold Location: Bordering Gray And Red Paint.	1	225.00	225.00
85-03-5000	<	6" Scotchlite Striping (Per Foot) Specify Color And Location: 3M 680CR-81 Lemon Yellow. Above Impact Rail Of Lower Module. see pic. Note: 7" Wide Strip. 10" Above The Top Of The Front Impact Rail To Bottom Of Stripe.	1	8.00	8.00
EMBLEMS AND DECALS					
90-01-0600	<	Install Roof "SOL" Decal Only (Delete AMBULANCE Decals Only) Delete Only The "AMBULANCE" Decals. Ship The Remainder Of The Decals Loose.	1	-65.00	-65.00
90-01-1100	<	"NO SMOKING" - "FASTEN SEAT BELT" Decals 1-Installed In The Cab.	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
		<p>Life Line Emergency Vehicles reserves the right to request a surcharge on the price in the event of an increase in its costs resulting from any significant increases in cost of production, introduction of Government taxes on manufacturing, or any other circumstances beyond Life Line Emergency Vehicles' control and affecting the ambulance manufacturing industry in general. All adjustments shall become affective thirty (30) days following Life Line Emergency Vehicles' written notice of such surcharge. If Buyer is unwilling to accept any such surcharge, Buyer shall have the right to terminate this agreement within such thirty (30) day period.</p>			
		<p>THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT IS THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICLE MEETS THE CUSTOMER SPECIFICATIONS.</p>			
		<p>Date Of Order: SPECIFY</p>			
		<p>Franchised Distributor: SPECIFY</p>			
		<p>Quote Number: SPECIFY</p>			
		<p>Ordered By: _____</p>			
		<p>Total</p>			<p>387,822.00</p>