



pd. ck. 11016
\$ 60.00

23-036

BRISTOL HISTORIC DISTRICT COMMISSION

APPLICATION FOR REVIEW OF PROPOSED WORK

2023 MAR -9 AM 10:11

TOWN OF BRISTOL
COMMUNITY DEV.

1. Property Address (Street & No.) 1013 Hope St

2. Plat # 83 Lot # 35 Contributing _____ Non-Contributing _____

3. a. Applicant: 1013 HOPE, LLC

Mailing Address: 24 Hickory Hill Rd. Manchester, MA 01944

Phone: 617-461-5005 Email: chris.faris@boostpromo.com

b. Owner (if different from applicant written authorization of owner required): Chris Faris

Mailing Address: 24 Hickory Hill Rd Manchester MA 01944

Phone: 617 461 5005 Email: chris.faris@boostpromo.com

4. a. Architect/Draftsman: _____

Address: _____

Phone: _____ Email: _____

b. Contractor: TBD

Address: _____

Phone: _____ Email: _____

5. Work Category: ☒ Replacing in-kind* authorization required _____

_____ New Structure(s) _____ Partial Demolition of Structure(s)

_____ Addition to Structure(s) _____ Total Demolition of Structure(s)

_____ Remodeling of Structure _____ Sign(s) / Landscaping Features

6. Description of proposed work: Replace Windows, New Roof, New Clapboard
siding, Remove concrete walkway, Replace trim where needed,
general landscape,

*All changes must match the existing in materials, design and configuration.

(Continued): _____

☐ Check here if continued on additional sheets.

7. Included with the application (check those applicable):

PHOTOGRAPHS: Please label all photographs submitted.

_____ Overall view of property from street(s) _____ Overall views of building

_____ Existing details to be altered by work

_____ Other (Identify) _____

Drawings: Maximum size accepted: 11" x 17"

_____ Site Plan(s) (drawn to scale)

_____ Floor plan(s) (drawn to scale)

_____ Exterior Elevations

_____ Details

OTHER: _____ Renderings ☒ Catalogue Cuts _____ Specifications

_____ Other (Identify) _____

CHRISTOPHER J. FARIS

Applicant's Name - Printed

[Signature]

Applicant's Signature

Date: 3/8/23

Contact Person if other than Applicant:

Name (Printed): Stephen Martel (manager)

Phone: 401 523 6348 Email: smartel@21topsail.com

A Certificate of Appropriateness (Green Sheet) is valid for one year from the date of issuance.

Note: If work on a project has started within twelve months of its approval date, you have as long as is necessary to finish the job (in other words, longer than a year).

- Replace entire roof or just sections – be as specific as possible – if the roof needs an entire replacement, please specify that – if it's only certain sections, then specify where it will be replaced **Replace entire roof. Missing shingles in multiple places.**
- Are ALL the clapboards being replaced or just a percentage of the overall house? **ALL clap board on North side is being replaced. Clapboard on north/rear (where split units are located) needs replacing. Several boards on the front need assessing and may need replacing. South side and rear/ south do not need replacement.**
- The concrete walkway – will that be replaced with concrete or pavers or brick or some other material – will the walkway remain the footprint as what is existing? **Asphalt walkway in rear is being removed and replaced with grass. The current slope of this walkway is bringing water to the foundation, this needs to be addressed.**
- Trim – is this window trim or other trim that needs to be replaced? Again the commission will want to know specifically where/what elevation the trim will be replaced **All trim around windows will be replaced on the roof line. All fascia, soffit will be replaced, All corner trim will be replaced where needed front south, front north, rear south and rear south Trim around front door is rotting as well as threshold will need replacing.**
- Landscaping – you can mention what you intend to do with the landscaping in general **Add some bushes/flowers around side of the house (vantage point side south) and in back yard.**

Bristol, RI

[Home](#)
[Search](#)
[Print](#)
[Previous](#)
[Next](#)

Disclaimer: This information is for tax assessing purposes and is not warranted

Parcel Identification

Map/Lot 83 35
 Account 4998
 State Code 02 - 2-5 Family
 Card 1/1
 User Account

Assessment

Land \$196,600
 Building \$357,400
 Card Total \$554,000
 Parcel Total \$554,000

Prior Assessments

Fiscal Year	Land Value	Building Value	Outbuilding Value	Total Value
2021	\$196,800	\$198,900	\$1,100	\$396,800
2020	\$196,800	\$198,900	\$1,100	\$396,800
2019	\$196,800	\$193,900	\$1,100	\$391,800
2018	\$167,800	\$146,500	\$0	\$314,300

Location and Owner


Location 1013 HOPE ST
 Owner KEHAYA, ALEX
 Owner2
 Owner3
 Address 1013 HOPE ST
 Address2
 Address3 BRISTOL RI 02809

Building Information

Design Restored Historic
 Year Built 1750
 Heat BB Hot Water
 Fireplaces 3
 Rooms 11
 Bedrooms 4
 Bathrooms 2 Full Bath
 Above Grade Living Area 2,012.5 SF

Sale Information

Sale Date	Sale Price	Legal Reference	Instrument
09/28/2018	\$229,000	1957-277	Warranty
08/23/2018	\$0	1952-299	Quit Claim
02/22/2018	\$192,500	1930-77	Warranty
05/09/2008	\$0	1435-226	Quit Claim
08/21/2007	\$0	1390-53	Quit Claim




Building Sub Areas

Sub Area	Net Area
1st FLOOR	1,150 SF
3/4 STORY	862.5 SF
BASEMENT	1,150 SF
ENCLOSED PORCH	28 SF

Land Information

Land Area 0.36 AC
 Zoning R-10
 View -
 Neighborhood H




6 km
4 mi


[Click To Open AxisGIS Maps](#)


Yard Item(s)			
Description	Quantity	Size	Year
Shed	1	144	1995



















ANDERSEN™
WINDOWS & DOORS

400 SERIES



THE WINDOWS
CONTRACTORS
TRUST THE MOST.*

*2020 Andersen brand survey of U.S. contractors.

2021-22 PRODUCT GUIDE FOR PROFESSIONALS

CONTENTS

Performance & Replacement Solutions	2-3
Product Overview	5
Exterior & Interior Options	6
Exterior Trim System	7
Window Hardware	8-9
Patio Door Hardware	10-11
Glass Options	12-13
Grille Options	14
Insect Screen Options	15
Comparison Chart	17

400 SERIES WINDOWS

Casement & Awning Windows	19
Replacement Casement & Awning Windows	37
Complementary Casement Windows	41
Woodwright® Double-Hung Full-Frame Windows	47
Woodwright Double-Hung Insert Windows	67
Tilt-Wash Double-Hung Full-Frame Windows	75
Narrowline® Double-Hung Window Conversion Kit	87
Tilt-Wash Double-Hung Insert Windows	89
Bay & Bow Windows	97
Gliding Windows	111
Specialty Windows	117
Complementary Specialty Windows	137

400 SERIES PATIO DOORS

Frenchwood® Gliding Patio Doors	141
Frenchwood Hinged Inswing Patio Doors	149
Frenchwood Patio Door Sidelights & Transoms	159
Complementary Curved Top Patio Doors	163

Art Glass	173
Exterior Trim	175

Combination Designs	181
Product Performance	197
Installation Accessories & Information	210
Sustainability	212

For warranty information, visit andersenwindows.com/warranty.



Andersen Corporation, including its subsidiaries, has been named a 2021 ENERGY STAR Partner of the Year – Sustained Excellence Award winner, the highest honor given by ENERGY STAR, for continued leadership in protecting the environment through superior energy efficiency achievements.



*ENERGY STAR® is a registered trademark of the U.S. Environmental Protection Agency.



AMERICA'S MOST LOVED BRAND OF WINDOWS & DOORS.*

You want to give your customers a home they love, and we're here to make that easy for you. That's why we're proud to offer you products that rate #1 in quality and performance,** and to be the #1 trusted and recommended window and door brand† by pros.

400 SERIES PRODUCTS

Our most popular choice with homeowners and the windows contractors trust the most! Easy to install, low maintenance and with fewer callbacks, the 400 Series can be your go-to for pretty much any project.

*2020 Andersen brand surveys of U.S. contractors, builders and realtors.

**2020 Andersen brand surveys of U.S. contractors, builders and architects.

†2020 Andersen brand survey of U.S. contractors.

RELIABLE & ENERGY EFFICIENT

As our best-selling products, the 400 Series product line offers a distinct blend of design, reliability and trade confidence. Designed for easy installation for replacement, remodel or new construction projects, 400 Series products feature our Perma-Shield® exterior cladding that revolutionized the window industry. They're also backed by our renowned limited warranty and the largest service network in the industry.

ENERGY-SAVING GLASS FOR ANY CLIMATE

Andersen makes windows and patio doors with options that make them ENERGY STAR® v. 6.0 certified throughout the United States.

Visit andersenwindows.com/energystar for more information and to verify that the product with your glass option is certified in your area.




RIGOROUSLY TESTED

The exclusive Andersen Perma-Shield system gives our windows and doors a tough, protective shell that safeguards the wood inside. It repels water, resists dents* and stays beautiful for years.

LOW MAINTENANCE, NEVER NEEDS PAINTING

The Perma-Shield exteriors on Andersen 400 Series windows and doors offer superior weather resistance and are virtually maintenance free.



OPTIONS FOR THE HARSHTEST WEATHER

400 Series windows with Stormwatch® Protection meet building code requirements in coastal areas.** Products with Stormwatch Protection are energy efficient, resist the effects of salt water, and stand up to hurricane-force winds and wind-borne debris.** For details, visit andersenwindows.com/coastal.



QUALITY SO SOLID, THE WARRANTY IS TRANSFERABLE*

Many other window and door warranties end when a home is sold, but our coverage – 20 years on glass, 10 years on non-glass parts – transfers from each owner to the next. And because it's not prorated, the coverage offers full benefits year after year, owner after owner. So it can add real value when you decide to sell your home.

OWNER2OWNER[®] LIMITED WARRANTY

BUILT FOR YEARS TO COME*

Our products are built strong to last long. We use the right materials in the right places, including solid wood, fiberglass and our own Fibrex® composite material. These give our windows and doors superior strength, stability and long-term beauty.

KEEPS THE WEATHER OUT

Our weather-resistant construction and careful selection of weatherstrip by product type seals out drafts, wind and water whatever the weather.

*Visit andersenwindows.com/warranty for details.


**See your local code official for code requirements in your area.

"ENERGY STAR" is a registered trademark of the U.S. Environmental Protection Agency.

REPLACEMENT SOLUTIONS


Homeowners and realtors agree that Andersen products increase the value of a home by at least 10%*. So you're not just replacing their windows, you're upgrading their home.

INSERT WINDOWS



400 Series Woodwright® Double-Hung Insert Windows


The classic, traditional style of Woodwright full-frame windows in a time-saving insert.



400 Series Tilt-Wash Double-Hung Insert Windows

Our best-selling double-hung windows in an insert for easy replacement.

REPLACEMENT WINDOWS



400 Series Replacement Casement & Awning Windows



Available without an installation flange for easy window replacement from inside or outside. Feature predrilled, through-the-jamb installation holes for quick installation.

Our insert and replacement windows include flat self-hanging shims, backer rod, installation screws and complete instructions.



CUSTOM-SIZE FULL-FRAME WINDOWS

When the existing window frame is rotted or deteriorated, or you're modifying the size or shape of the existing window opening, our full-frame double-hung, casement, awning and specialty windows are available in custom sizes to fit your project.




CUSTOM-SIZE PATIO DOORS

Whether you need a hinged or gliding patio door for replacement, Andersen has a number of custom-size options to fit your project.




OVERALL BEST-IN-CLASS AMONG CONTRACTORS

FOR CLAD WOOD WINDOWS.*




*2020 Andersen brand survey of U.S. contractors.

PRODUCT OVERVIEW




Double-Hung Windows

Choose Woodwright® double-hung windows that replicate the look of traditional architecture or our best-selling tilt-wash double-hung windows that are extremely energy efficient. Both are available as full-frame or insert windows, and can be part of bay window combinations. Coordinating picture and transom windows are also available.



Specialty Windows

A collection of stylish shapes to help distinguish a home's style or create a delicate accent.




Woodwright full-frame windows come in a variety of shapes.



Our Narroline® double-hung window conversion kit can upgrade Andersen® Narroline double-hung windows to tilt-wash windows.




Complementary specialty windows offer 35 additional shapes and custom sizes.




Casement & Awning Windows

Casement and awning windows are energy efficient, and are built with our low-maintenance Perma-Shield® cladding. Available for new construction or replacement, as integral twin or triple units, or as part of bay or bow window combinations. Coordinating picture and transom windows are also available.




Complementary casement windows come in a variety of shapes and in French casement options.



Gliding Windows


Superior energy efficiency, reliable performance and uncommon beauty. Both sash on our gliding windows open for improved ventilation.



Frenchwood® Gliding & Hinged Inswing Patio Doors

Wide wood profiles provide the authentic craftsmanship of traditional French doors, and our Perma-Shield exterior cladding protects the unit and offers low maintenance. Add blinds-between-the-glass to conveniently control light and privacy. To learn more about other traditional- and contemporary-style Andersen door options, visit andersenwindows.com/doors.

Frame any Frenchwood patio door with Frenchwood patio door sidelights and transoms.




Complementary curved top patio doors, including Springline™ and arch hinged doors, are handcrafted and complement our 400 Series products.




EXTERIOR & INTERIOR OPTIONS

Our Perma-Shield® exterior cladding system, a time-tested Andersen innovation, offers low maintenance and durability while also providing an attractive appearance. The interiors of all 400 Series windows and patio doors are available in unfinished stain-grade pine or with a long-lasting, low-maintenance white finish. Select windows are also available with a dark bronze or black finish. 400 Series Woodwright® windows and Frenchwood® patio doors are also available with unfinished maple or oak interiors.

EXTERIOR COLORS**



INTERIOR OPTIONS**



Design your window at
andersenwindows.com/design-tool

*Visit andersenwindows.com/warranty for details.

**Some products are not available in all colors or wood species. See your Andersen supplier for details.

†Products with dark bronze and black interiors have matching exteriors; excludes complementary products.

Printing limitations prevent exact replication of colors and finishes. See your Andersen supplier for actual color and finish samples.

EXTERIOR TRIM SYSTEM


Add curb appeal with Andersen® exterior trim. Our trim is made with Fibrex® composite material, an environmentally smart composite that contains 40% pre-consumer reclaimed wood fiber by weight. For details, see page 175.

Time saving and cost effective



No nail holes, no visible fasteners, no painting

Innovative attachment strip




Independent of water management system for easy installation

Style that gets noticed

Our wide trim profiles overlap the window frame to create clean lines without visible sealant joints. Mitered brick mould corners and butt joints on flat casing profiles reflect traditional corner joints.

Sandtone window with cocoa bean trim



Visit andersenwindows.com/exteriortrim to learn more.


EXTERIOR COLORS



WINDOW HARDWARE

Window hardware* enhances the overall design of a window and harmonizes with a home's décor. That's why we offer a broad range of hardware styles and finishes.






HARDWARE FINISHES




*Hardware is sold separately, except: standard lock and keeper for double-hung windows.

Printing limitations prevent exact replication of finishes. See your Andersen supplier for actual finish samples.

Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use.




Casement & Awning Windows



CONTEMPORARY FOLDING

Black | Bright Brass | Gold Dust | Oil Rubbed Bronze
Satin Nickel | Stone | White



TRADITIONAL FOLDING

Antique Brass | Black | Bright Brass | **Distressed Bronze**
Distressed Nickel | Gold Dust | Oil Rubbed Bronze
Satin Nickel | Stone | White



CLASSIC SERIES™

Stone | White




ESTATE™

Antique Brass | Bright Brass | Brushed Chrome
Distressed Bronze | Distressed Nickel | Oil Rubbed Bronze
Polished Chrome | Satin Nickel

Folding handles avoid interference with window treatments.

Gliding Windows



Antique Brass | Black | Bright Brass
Brushed Chrome | Distressed Bronze
Distressed Nickel | Oil Rubbed Bronze
Polished Chrome | Satin Nickel
Stone | White

Bold name denotes finish shown.

Woodwright® Double-Hung Windows



Standard Lock & Keeper

Antique Brass | **Black** | Bright Brass | Brushed Chrome | Distressed Bronze
Distressed Nickel | Gold Dust | Oil Rubbed Bronze | Polished Chrome
Satin Nickel | Stone | White


Tilt-Wash Double-Hung Windows



Standard Lock & Keeper

Black | **Gold Dust** | Stone | White

Stone is standard with natural interior units.
White comes with prefinished white interiors.
Other finishes optional.



Optional Lock & Keeper

ESTATE™

Antique Brass | **Bright Brass**
Brushed Chrome | Distressed Bronze
Distressed Nickel | Oil Rubbed Bronze
Polished Chrome | Satin Nickel

Optional Estate lock and keeper is available only for 400 Series tilt-wash double-hung windows.
Estate lock and keeper reduces the clear opening height by 19/32" (15). Check with local building code officials to determine compliance with egress requirements.
Optional sash lifts shown on page 48 for Woodwright windows and page 76 for tilt-wash windows.

Hardware is sold separately, except standard lock and keeper for double-hung windows.


Dimensions in parentheses are in millimeters.

Printing limitations prevent exact replication of finishes. See your Andersen supplier for actual finish samples.

Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use.

PATIO DOOR HARDWARE

Patio door hardware* is available in a variety of designs to match virtually any style. Anvers®, Yuma®, Newbury®, Covington™, Encino® and Whitmore® hardware options feature solid drop-forged brass for added strength, while Albany and Tribeca® hardware options are made of diecast zinc with durable powder-coated finishes. Also, look for additional hardware options such as exterior keyed locks and matching hinge finishes in the detailed product sections for each individual patio door.



ANVERS®

Bright Brass | Oil Rubbed Bronze
Satin Nickel

YUMA®

Distressed Bronze
Distressed Nickel

NEWBURY®


Antique Brass | Bright Brass
Brushed Chrome | **Oil Rubbed Bronze**
Polished Chrome | **Satin Nickel**

ALBANY

Black | **Gold Dust**
Stone | **White**

Bold name denotes finish shown.

HARDWARE FINISHES



*Hardware sold separately.


Matching hinges available for inswing patio doors; excludes FS3® hardware.

Mix-and-match interior and exterior style and finish options are available.

Bright brass and satin nickel finishes feature a 10-year limited warranty.


Printing limitations prevent exact replication of finishes. See your Andersen supplier for actual finish samples.

Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use.



COVINGTON™

Antique Brass | Bright Brass
Oil Rubbed Bronze




ENCINO®

Distressed Bronze
Distressed Nickel



WHITMORE®

Antique Brass | Bright Brass
Oil Rubbed Bronze | Satin Nickel




TRIBECA®

Black | Stone | White

FSB® HINGED PATIO DOOR HARDWARE


Durable stainless steel FSB hinged door hardware* features clean lines and a sleek satin finish for a thoroughly modern look. Choose from four styles and two finishes.




Black
Anodized
Aluminum




Satin
Stainless
Steel




1035



1075



1076



1102**


*Hardware sold separately. **FSB style 1102 is not available in black anodized aluminum.

*FSB® is a registered trademark of Franz Schneider Brakel GmbH & Co.



BLINDS-BETWEEN-THE-GLASS


Conveniently located between the panes of insulated glass, and protected from dust and damage for long-lasting protection, blinds-between-the-glass is available on 400 Series Frenchwood® gliding or hinged inswing patio doors. Available in white, and can be ordered with any exterior door color with a pine or prefinished white interior.



GLASS SPACER OPTIONS

Black or white glass spacers are now available as a standard offering on select products, in addition to stainless steel glass spacers, to provide more ways to customize project designs and achieve a contemporary style. Colored glass spacers blend in with the color of the window or door for a sleek design, or serve as a shadow line.


Add full divided light grilles, and the grille spacer bar between the glass will match the selected glass spacer color.






GRILLE OPTIONS


Grille patterns are available in widths and configurations to fit any architectural style or the taste of any customer. We can match virtually any existing grille pattern, and we'll even work with you and your customers to create custom patterns.




Permanent exterior
Permanent interior
with spacer




Permanent exterior
Permanent interior



Permanent exterior
Removable interior



Removable interior



Finelight
grilles-
between-
the-glass*

FULL DIVIDED LIGHT

Permanently applied to the interior and exterior of the window, with a spacer between the glass.

SIMULATED DIVIDED LIGHT

Permanent grilles on the exterior and interior, with no spacer between the glass. We also offer permanent exterior grilles with removable interior grilles.

CONVENIENT CLEANING OPTIONS

Removable interior grilles come off for easy cleaning. Finelight™ grilles-between-the-glass are installed between the glass panes, and feature a contoured profile in 1" (25) and 3/4" (19) widths.

Grille Bar Widths & Patterns



3/4" (19)



7/8" (22)



1 1/8" (29)









2 1/4" (57)

Actual width shown.

Our 2 1/4" (57) width grille can be positioned horizontally across the center of a casement window to simulate the look of a double-hung window.


To see all of the standard patterns available for a specific window or door, refer to the detailed product sections in this product guide.



*7/8" (22), 1 1/8" (29) and 2 1/4" (57) are not available in Finelight grilles-between-the-glass. Dimensions in parentheses are in millimeters.


INSECT SCREEN OPTIONS

Andersen® TruScene® insect screens provide more than 50% greater clarity than conventional Andersen insect screens for a beautifully unobstructed view. They let in 25% more fresh air,* all while keeping out unwanted small insects.



TRUSCENE INSECT SCREENS

For casement and awning windows, TruScene insect screen frames are available in stone, white, dark bronze, black and natural pine veneer that can be stained to match the window. Insect screen frames for all other windows are installed on the exterior of the window and match the unit's exterior color.




CONVENTIONAL INSECT SCREENS

Conventional insect screen frames are available in white, stone, dark bronze and black for casement and awning windows. Insect screen frames for all other windows and doors are installed on the exterior of the window or door and match the unit's exterior color.


INSECT SCREEN CONFIGURATIONS

Windows




Full insect screens are available for Andersen venting windows. **Half insect screens** are also available for the lower sash of our Woodwright® and tilt-wash double-hung windows.

Gliding Patio Doors




Gliding insect screens are available for two- and four-panel doors.




Retractable insect screens are installed on the exterior and opens side to side across the width of the opening. When not in use, it neatly retracts into a small canister. Available for two-panel doors.


Hinged Inswing Patio Doors



Hinged insect screens are available for single-panel doors.




Double-hinged insect screens are available for two-panel active-passive doors.



Gliding insect screens are available for all two- and three-panel doors.

*TruScene insect screens let in over 25% more fresh air than standard Andersen fiberglass insect screens.



THE CLAD WOOD WINDOWS
**MORE CONTRACTORS
WOULD CHOOSE FOR
THEIR OWN HOME.***

*2020 Andersen brand survey of U.S. contractors


COMPARISON CHART

Use the quick reference chart below to decide which Andersen® 400 Series products best fit your project needs.

		WINDOWS								PATIO DOORS	
FEATURES		Woodwright® Double-Hung Full-Frame	Woodwright Double-Hung Insert	Tilt-Wash Double-Hung Full-Frame	Tilt-Wash Double-Hung Insert	Narroline® Double-Hung Conversion Kit	Casement	Awning	Gliding	Frenchwood® Gliding	Frenchwood Hinged Inswing
Low-Maintenance Exteriors											
	White	•	•	•	•	•	•	•	•	•	•
	Canvas	•	•	•	•		•	•	•		
	Sandtone	•	•	•	•	•	•	•	•	•	•
	Terratone	•	•	•	•	•	•	•	•	•	•
	Dark Bronze	•	•	•	•		•	•	•		
	Forest Green	•	•	•	•		•	•	•	•	•
	Black	•	•	•	•		•	•	•		
Interiors											
	Pine	•	•	•	•	•	•	•	•	•	•
	Maple	•	•							•	•
	Oak	•	•							•	•
	White	•	•	•	•	•	•	•	•	•	•
	Sandtone								•		
	Dark Bronze			•	•		•	•	•		
	Black			•	•		•	•	•		
Easy Cleaning											
Tilt-to-Clean Sash		•	•	•	•	•					
Grilles & Blinds											
Full Divided Light		•	•	•	•	•	•	•	•	•	•
Simulated Divided Light		•	•	•	•	•	•	•	•	•	•
Finelight™ Grilles-Between-the-Glass		•	•	•	•	•	•	•	•	•	•
Removable Interior Grilles		•	•	•	•	•	•	•	•	•	•
Blinds-Between-the-Glass										•	•
High-Performance Glass Additional glass options are available. See page 12 for details. For patio doors, all glass options are tempered.											
Low-E4®		•	•	•	•	•	•	•	•	•	•
Low-E4 SmartSun™		•	•	•	•	•	•	•	•	•	•
Low-E4 Sun		•	•	•	•	•	•	•	•	•	•
Low-E4 PassiveSun		•	•	•	•	•	•	•	•	•	•
Clear Dual-Pane							•	•			
HeatLock® Coating		•	•	•	•	•	•	•	•	•	•
Performance Option											
Stormwatch® Protection		PG upgrade		•			•	•			
Glass Spacers											
Stainless Steel		•	•	•	•	•	•	•	•	•	•
Black or White		•	•	•	•	•	•	•	•	•	•
Standard Sizes											
Minimum Width		1'-9 5/8"	1'-4 1/2"	1'-9 5/8"	1'-9 1/4"	Fits Narroline double-hung windows made after 1967	1'-5"	2'-0 1/8"	2'-11 1/4"	4'-11 1/4"	2'-6 1/8"
Maximum Width		3'-9 5/8"	3'-9 3/8"	3'-9 5/8"	3'-8 7/8"		2'-11 15/16"	5'-11 7/8"	5'-11 1/2"	15'-9"	8'-11 1/8"
Minimum Height		3'-0 7/8"	2'-3 3/4"	3'-0 7/8"	3'-0 3/8"		2'-0 1/8"	1'-5"	1'-10 1/2"	6'-7 1/2"	6'-7 1/2"
Maximum Height		6'-4 7/8"	6'-5"	7'-8 7/8"	7'-6 5/8"		5'-11 7/8"	4'-0"	4'-11 1/4"	7'-11 1/2"	7'-11 1/2"
Custom Sizes		•	•	•	•		•	•		•	•

200 SERIES
WINDOWS • DOORS

THE WARMTH OF WOOD AT AN
UNCOMMON VALUE.



CONTENTS

200 SERIES WINDOWS & PATIO DOORS


Performance & Product Overview	2-3
Exterior & Interior Options	4
Exterior Trim System	5
Window Hardware	6
Patio Door Hardware	7
Glass Options	8
Grille & Insect Screen Options	9
Comparison Chart	10

Tilt-Wash Double-Hung Windows	11
Gliding Windows	17
Narroline® Gliding Patio Doors	23
Perma-Shield® Gliding Patio Doors	31
Hinged Inswing Patio Doors	37

Exterior Trim	45
---------------------	----

Combination Designs	51
Product Performance	56
Installation	62
Sustainability	64

For warranty information, visit andersenwindows.com/warranty.



**The MOST RECOGNIZED, TRUSTED
and RECOMMENDED
brand of windows and patio doors.***



Hanley Wood Builder Brand Use Study
1998-2018
Windows – Wood & Clad-Wood Category



Hanley Wood Remodeling Brand Use Study
2006, 2010, 2013, 2015, 2017
Windows – Wood & Clad-Wood Category



Awarded Most Environmentally Friendly
Windows 7 years running
2011-2018



Andersen Corporation, including its subsidiaries, has been named a 2019 ENERGY STAR Partner of the Year – Sustained Excellence Award winner, the highest honor given by ENERGY STAR, for continued leadership in protecting the environment through superior energy efficiency achievements.

* 2018 U.S. Homeowner Brand Study of Andersen and Renewal by Andersen brands vs. competitive brands.
"ENERGY STAR" is a registered trademark of the U.S. Environmental Protection Agency.




When you choose Andersen, you not only get the quality, style and performance that we've built our reputation on, but also exceptional service and support. Our exclusive Owner-2-Owner® limited warranties offer homeowners peace of mind, plus real added value.

200 SERIES PRODUCTS

THE WARMTH OF WOOD AT AN UNCOMMON VALUE

This streamlined selection of windows and patio doors delivers Andersen quality at an uncommon value while still offering ample choices. The 200 Series product line concentrates on our most popular sizes and options for a value that's unmatched.





ENERGY-SAVING GLASS FOR ANY CLIMATE

Andersen makes windows and patio doors with options that make them ENERGY STAR® v. 6.0 certified throughout the United States.

Visit andersenwindows.com/energystar for more information and to verify that the product with your glass option is ENERGY STAR certified in your area.



LOW MAINTENANCE, NEVER NEEDS PAINTING

The Perma-Shield® exteriors on Andersen® 200 Series windows and patio doors offer superior weather resistance and are virtually maintenance free.

BUILT FOR YEARS TO COME*

Our products are built strong to last long.* We use the right materials in the right places, giving our windows and doors superior strength, stability and long-term beauty.


QUALITY SO SOLID, THE WARRANTY IS TRANSFERABLE*

Many other window and door warranties end when a home is sold, but our coverage — 20 years on glass, 10 years on non-glass parts — transfers from each owner to the next. And, because it is not prorated, the coverage offers full benefits, year after year, owner after owner. So it can add real value when you decide to sell your home.

**OWNER2OWNER®
LIMITED WARRANTY**


* Visit andersenwindows.com/warranty for details.

PRODUCT OVERVIEW



TILT-WASH DOUBLE-HUNG WINDOWS


200 Series tilt-wash double-hung windows are available in our most popular sizes and feature low-maintenance exteriors and real wood interiors. Their tilt-wash design makes them easy to clean from inside the home.





GLIDING WINDOWS

200 Series gliding windows feature low-maintenance exteriors and real wood interiors. They have a single sash that glides horizontally to allow for full top to bottom ventilation and are an excellent choice for rooms that face walkways, porches or decks because the sash do not open outward.

Half circle windows are available in sizes to match our tilt-wash double-hung windows.



To learn more about other Andersen® window options, visit andersenwindows.com/windows.



NARROLINE® & PERMA-SHIELD® GLIDING PATIO DOORS

200 Series Narroline gliding doors combine the beauty of natural wood with sleek contemporary profiles to maximize views. Available in two- and four-panel configurations to fit virtually any size requirement.

200 Series Perma-Shield gliding doors are protected inside and out with rigid vinyl cladding to give homes a contemporary look while keeping maintenance to a minimum. They are available with convenient blinds-between-the-glass on select sizes and are available in two-panel configurations.




CUSTOM SIZES

HINGED INSWING PATIO DOORS

200 Series hinged inswing patio doors are built with fiberglass panel construction, traditional styling and white interiors and are available in three exterior colors.

Their hook deadbolt lock provides extra strength, a more weathertight seal and added security compared to ordinary deadbolt locks. They are available in one- and two-panel configurations.






EXTERIOR & INTERIOR OPTIONS

Our Perma-Shield® exterior cladding system offers low maintenance and durability while providing an attractive appearance.

WINDOWS

EXTERIOR COLORS



White Sandtone


INTERIOR OPTIONS



Pine White

PATIO DOORS

EXTERIOR COLORS



White Canvas Sandtone Terratone Dark Bronze Black

Hinged inswing patio doors are only available with white, Sandtone or Terratone exteriors.

INTERIOR OPTIONS



Pine White

Hinged inswing patio doors are only available with white interiors.

Perma-Shield gliding patio door interiors match the exterior color selected.

Printing limitations prevent exact color duplication. See your Andersen supplier for actual color samples.

EXTERIOR TRIM SYSTEM

Add curb appeal with Andersen® exterior trim. Our trim is made with Fibrex® composite material, an environmentally smart composite that contains 40% pre-consumer reclaimed wood fiber by weight. For details, see page 45.

**Time-saving and
cost-effective**



**Innovative
attachment strip**

**No nail holes, no visible
fasteners, no painting**

**Independent of water
management system
for easy installation**


Style that gets noticed

Our wide trim profiles overlap the window frame to create clean lines without visible sealant joints. Mitered brick mould corners and butt joints on flat casing profiles reflect traditional corner joints.

Sandtone window with cocoa bean trim

Visit andersenwindows.com/exteriortrim to learn more.


TRIM COLORS




Printing limitations prevent exact color duplication. See your Andersen supplier for actual color samples.

PATIO DOOR HARDWARE*

200 Series patio door hardware is available in a variety of different designs to match any style.




HARDWARE FINISHES



FSB® HINGED PATIO DOOR HARDWARE

Durable, stainless steel FSB hinged door hardware features clean lines and a sleek satin finish for a thoroughly modern look. Choose from four handle styles.



* Hardware sold separately.

Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use.

Bright brass and satin nickel finishes on patio door hardware feature a 10-year limited warranty.

Matching hinges available in antique brass, bright brass, oil rubbed bronze, satin nickel and white for inswing patio doors.

Printing limitations prevent exact finish replication. See your Andersen supplier for actual finish samples.

"FSB" is a registered trademark of Franz Schneider Brakel GmbH & Co.


GLASS OPTIONS

Andersen has the glass you need to get the performance you want. From SmartSun™ glass with HeatLock® coating that is ENERGY STAR® certified in all climate zones* to Low-E glass with HeatLock coating that helps reflect heat back into the home and improves U-Factors. Check with your supplier for the selections that meet ENERGY STAR requirements in your area.

G L A S S	E N E R G Y		L I G H T	
	U-FACTOR	SOLAR HEAT GAIN COEFFICIENT	VISIBLE LIGHT TRANSMITTANCE	UV PROTECTION
	How well a product prevents heat from escaping.	How well a product blocks heat caused by sunlight.	How much visible light comes through a product.	How well a product blocks ultraviolet rays.
SmartSun Thermal control similar to tinted glass, with visible light transmittance similar to Low-E glass.	★★★★☆	★★★★★	★★★★☆	★★★★★
SmartSun with HeatLock Coating Applied to the room-side surface, it reflects heat back into the home and improves U-Factors.	★★★★☆	★★★★★	★★★☆☆	★★★★★
Low-E Outstanding overall performance for climates where both heating and cooling costs are a concern.	★★★★☆	★★★★☆	★★★★☆	★★★★☆
Low-E with HeatLock Coating Applied to the room-side surface, it reflects heat back into the home and improves U-Factors.	★★★★☆	★★★★☆	★★★★☆	★★★★☆
Sun* Outstanding thermal control in southern climates where less solar heat gain is desired.	★★★★☆	★★★★★	★★☆☆☆	★★★★☆
PassiveSun® Ideal for northern, passive solar construction applications where solar heat gain is desired.	★★★★☆	★★☆☆☆	★★★★☆	★★★★☆
PassiveSun with HeatLock Coating Ideal for northern, passive solar construction applications where solar heat gain is desired.	★★★★☆	★★☆☆☆	★★★★☆	★★★★☆
Clear Dual-Pane High visibility with basic thermal performance.	★★☆☆☆	☆☆☆☆	★★★★★	☆☆☆☆

Center of glass performance only. Ratings based on glass options available as of March 2019. Visit andersenwindows.com/energystar for ENERGY STAR map and NFRC total unit performance data.

TIME-SAVING FILM



We help protect our products during delivery and construction with a translucent film on the glass. It also minimizes time spent masking on the jobsite, then peels away for a virtually spotless window.


ADDITIONAL GLASS OPTIONS

TEMPERED safety glass (standard on patio doors).

OBSCURE patterned glass to let in light while obscuring vision.



* Sun glass available on 200 Series patio doors only.



Claymark® Product Guide

Trim Boards, Siding, Mouldings, Posts & Beams
Durable, Protected & Primed to Last

claymark.com

CLAYMARK® PREMIUM RADIATA PINE PRODUCTS


THE NEXT GENERATION OF REAL WOOD

From the finest trim boards, siding and mouldings to large-scale exterior structural posts & beams, Claymark® offers a wide range of quality wood products, double-protected and primed for years of enjoyment.




Claymark® is New Zealand's largest manufacturer of premium pine products. For years, Claymark® has been a leading supplier to the US market of high-grade clear boards and primed exterior trim. Now, we are pleased to provide this same high-quality substrate in structural products.

Claymark® only uses the finest New Zealand grown radiata pine from carefully managed and certified plantation forests. Quality is paramount in everything Claymark® manufactures. Consistency and precision are ingrained in everything we do.



Protected Trim Boards, Siding and Mouldings



The next generation of durable-protected pine, precision manufactured from Claymark's premium Radiata pine blocks.

Think of Claymark's Centurion® and Solid Gold® products as natural wood with superior protection. Grown in FSC® certified forests, our products are sustainably harvested and then protected with the patented Tru-Core® process — a wood protection program so advanced that we can offer a 50-year warranty and so safe that it has no off-gassing and can be used in any setting.

Beautiful Radiata Pine with the most advanced weatherproofing and durable protection system available

Protection Technology

Centurion and Solid Gold utilize the Tru-Core® process – the most advanced wood protection system in the world

- Unique carrier system penetrates microscopic channels in resins and glues
- 100% penetration of the Sapwood and Heartwood
- No damage to the wood structure
- No volatile organic solvents or harmful chemicals
- 3 EPA registered and globally recognized fungicides
- 2 EPA registered and globally recognized termiticides

The 4 Dimensions of Protection:

- Carrier, penetrant and fixation chemistry
- Boron – proven effective
- 5 decay and termite actives
- Performance synergy

The Tru-Core® Protection Process key benefits:

- 50-year warranty* against decay, rot & termites (including Formosan)
- Centurion® and Solid Gold® are FSC® certified – eligible for LEED points
- Durable and safe for both exterior and interior application
- No wood preservative field treatment needed on cut surface ends or drilled holes. Eliminates extra work in the field

New Generation Sealer

- Resists water uptake
- Resists resin/tannin bleed
- 100% Solids eco-friendly technology
- UV cured seal coat

100% Acrylic Primer & Undercoat

Claymark primer system utilizes new generation acrylic technology

- Waterborne technology
- 100% Acrylic composition
- All 4 sides are evenly coated
- A 5-year primer warranty*

The Solid Gold® Difference

When you need the absolute premium in pine trim-boards, siding and mouldings, call on Claymark's Solid Gold®. Harvested from pruned, mature trees, in FSC®-certified forests, Solid Gold® has no finger joints and no knots for a flawless presentation. It is protected with the patented Tru-Core® process for 50 years of protection from insects and mold.

*See written limited warranty


Tru-Core® Benefits



TRU-CORE® Wood for Life®

*See written limited warranty.

CARRIER, PENETRANT AND FIXATION CHEMISTRY



BORON
Proven Effective in 50+ Years of Use

5 DECAY & TERMITE ACTIVES
Used in All Major Window & Door Treatments and LOSPs

PERFORMANCE SYNERGY

4 Dimensions of Protection with Complete Penetration of Sapwood and Heartwood

Claymark's Lineup of Premium Wood Products

Centurion® by claymark

Centurion® is the highest performing interior and exterior finishing system manufactured by Claymark® from New Zealand Radiata Pine. Centurion® is protected using the Tru-Core® durability process.



Solid Gold® by claymark

Solid Gold® is the "Gold Standard" for solid (no fingerjoints) interior and exterior trim that utilizes the patented Tru-Core® durability protection process.




Claymark® Clear Radiata Pine Boards

Claymark® is New Zealand's largest manufacturer and exporter of premium pine products. Radiata Pine is a versatile and sustainable species. Combined with precision manufacturing and skilled staff, Claymark offers the best quality products to meet our customer needs.

Product Features

- 100% Solid Clear four sides
- No knots, no warp, no waste
- Quality kiln drying and milling process ensure superior finish
- Available in random length 8' - 16' units
- Outstanding tallies available - more than 75% 12' and longer!
- FSC® certified (FSC# SW-COC-003038)
- Perfect packaging protects product from moisture and dirt from the time it leaves New Zealand until you open the pack in your yard






Claymark® Profiles

C
Centurion®
by claymark


Finger-Jointed

SG
Solid Gold®
by claymark


Non Finger-Jointed




Center Match Nickel Gap 1x6
(C & SG)




Center Match Nickel Gap 1x8
(C & SG)




Channel Rustic 1x8
(C)




Edge and Center Bead 5/8x6
(C)




Shiplap 1x6
(C)




Shiplap 1x8
(C)




Edge and Center Bead 1x6
(C & SG)




Edge and Center Bead 1x8
(C)




Edge and Center Bead 5/8x4
(C & SG)



Shiplap 1x10/1x12
(C)




WP4 1x6
(C & SG)



Bevel Siding 1/2x6
(C)

claymark® Patterns & Profiles



CENTER MATCH NICKEL GAP 1/8" GAP



CHANNEL RUSTIC



BEVEL SIDING



EDGE & CENTER BEAD



1x6



1x8

SHIPLAP (Rough sawn one side)



1x8



1x10



1x12

WP4




S4S

MOULDINGS



Treated and Primed Posts & Beams



Tru-Pine® combines strength and durability with the enduring character and beauty of timber.

Tru-Pine® is manufactured from Radiata Pine from New Zealand plantation forests. It is finger-jointed and laminated* for defect-free strength and straightness, treated to withstand termites, rot, and decay — delivered primed and undercoated. Manufactured for outdoor use and full exposure.

- Why Choose Tru-Pine®**
- Strong and durable — Structurally graded
 - Protected against fungal decay & termites
 - Primed and undercoated — Ideal for outdoor use
 - Defect-free — Surfaced smooth finish
 - Strict quality control
 - Proven history
 - FSC® Certified

Tru-Pine® is pre-primed and ready to paint. The posts are treated for in-ground contact and hold a lifetime warranty*. All beams, rafters and purlins are treated for above ground and have a 30-year warranty.

*See written limited warranty.




Tru-Pine® Size, Length & Packet Information

Size	Net	Lengths	Treatment Use Category	Strength lb	Strength MDE
2x2	1.65x1.65	12', 18', 20'	UC3A	not rated	not rated
2x3	1.65x2.80	12', 16', 18', 20'	UC3A	not rated	not rated
2x6	1.65x5.43	12', 16', 20'	UC3A	2611	1.14 e6
2x8	1.65x7.28	16', 20', 23'6"	UC3A	2611	1.14 e6
2x10	1.65x9.06	16', 20'	UC3A	2611	1.14 e6
3x6	2.56x5.51	12', 16', 20', 23'6"	UC3A	2756	1.16 e6
3x8	2.56x7.09	12', 16', 20', 23'6"	UC3A	2756	1.16 e6
3x10	2.56x9.45	16', 20', 23'6"	UC3A	2756	1.16 e6
3x12	2.56x11.42	16', 20', 23'6"	UC3A	2756	1.16 e6
4x8	3.46x7.09	16', 23'6"	UC3A	2756	1.16 e6
4x10	3.46x9.45	16', 20', 23'6"	UC3A	2756	1.16 e6
4x12	3.46x11.41	16', 20', 23'6"	UC3A	2756	1.16 e6
4x4	3.46x3.46	8', 10', 12', 20'	UC4B	2756	1.16 e6
5x5	4.41x4.41	12', 20'	UC4B	2756	1.16 e6
6x6	5.2x5.2	8', 10', 12', 20'	UC4B	2756	1.16 e6
8x8	7.24x7.24	10', 12'	UC4B	2756	1.16 e6

All material is S4S
All material is pre-primed

Installation & Warranty



Claymark's reputation for producing the highest quality, reliable products ensures that they are trusted by industry professionals.

Claymark® products have been finished with specialized acrylic primer. For the best results when installing Claymark® products, follow these simple guidelines and ensure that industry 'best practice' standards are met throughout all areas of construction.

Storing & Handling

While storing Claymark® products, it is important to keep it dry and off the ground at a minimum of eight inches. Store Claymark® boards flat and not on uneven surfaces. If you're storing it outside always use a waterproof cover, but allow good airflow to avoid condensation. When handling Claymark products, always take care to minimize damage.

Installation

Ensure cut ends and mitre cuts are primed with 100% acrylic paints. Always follow the paint manufacturer's label instructions. Hand nail, where possible, to help protect the factory coating. In cases when nail gun use is required, make sure to adjust to the correct pressure to achieve a flush finish.

Finishing

Before painting, ensure all loose material and dirt has been removed from the product. Finish with two coats of 100% acrylic paint, applied as soon as possible but no more than 120 days after installation, allowing to dry between coats. When using putties, mastics and sealers, always ensure they are compatible with acrylic-based paints. If you are unsure, seek advice from the product manufacturer.

Heat

As wood is a natural product, and resin is a natural component of pine, if Claymark® products are exposed to extreme heat, especially when painted in a dark color, resin bleed may occur. By following the paint manufacturer's recommendations, the potential for resin bleed can be reduced; avoiding darker colored paint or high-gloss finishes will also help.

Moisture

Proper flashing is required – to ensure that water sheds use flashing to intercept and direct the flow of water away from the structure. Any horizontal application of exterior sidings (e.g., gap sidings) must be installed to allow for proper water run-off.

To protect against dimensional change, applying the manufacturer's recommended painting specification will provide protection against moisture uptake. However, should Claymark® products be exposed to moisture prior to final painting, a primer will not protect against moisture uptake. Should this result in temporary dimensional swelling, it is essential the product be given time to dry out and return to its natural moisture levels before the final coats are applied. * See written limited warranty.

Limited Warranty

For fifty (50) years after the date of its sale by Claymark®, Claymark® product will not become structurally unserviceable because of fungal decay/rot or termite attack, and for five (5) years after the date of its sale by Claymark®, the primer coating applied to Claymark® products at the time of sale will not erode or experience paint or filler peeling so that the wood substrate is exposed.

The Limited Warranty applies only to Claymark® products that are installed in full compliance with Claymark's instructions and recommendations and only if the Conditions of Warranty Coverage, (see written limited warranty) are complied with.

The Limited Warranty extends only to the first owner and not to any subsequent purchaser or users of (a) the Claymark® product or (b) the structure into which it is installed. The Limited Warranty may not be transferred in whole or part to any subsequent owner or tenant of the real property on which the Claymark® product was installed.

* For Tru-Pine® Post & Beam warranty/installation details, refer to claymark.com.



claymark®
new zealand
INGRAINED PRECISION™

New Zealand's largest manufacturer
and exporter of premium pine products.



claymark®
new zealand
INGRAINED PRECISION™



TRU-CORE
Wood for Life®



Claymark® products are manufactured
from sustainably grown FSC certified
(FSC-C008215) New Zealand plantation
Radiata Pine.

Distributed By:





Lakeville, MA: 1.800.752.0121 • Albany, NY: 1.800.827.2446 • wtrask.com

eliteTM
western red cedar siding & trim

GENUINE, PREMIUM GRADE WESTERN RED CEDAR



Distributed by
 **COASTAL**



WESTERN RED CEDAR SHINGLES, BEVEL SIDING & TRIM

A unique combination of style, warmth & durability...

No other siding product adds more value to a home than wood. With Elite Western Red Cedar shingles, bevel siding, and trim from Coastal, you can have comfort knowing that you have installed the very best exterior siding on your project.





Photo Credit: Scott Berman Photography/Red House Architects



Aesthetic Quality

Western Red Cedar is well known for its warmth, character, exceptional beauty, and legendary performance as an exterior siding or trim product. It is an extremely versatile wood specie that accepts and holds a wide range of beautiful finishes exceptionally well, including Weathering Stains, Tinted Solutions, Semi-Transparent stains and traditional solid colors, which offer the best protection.

Sustainable

As one of nature's most sustainable materials, Elite Western Red Cedar siding and trim is made from a naturally renewable resource and cut from responsibly managed forests, ensuring that this durable material remains available to use for generations to come. Once it is cut, western red cedar is transformed from raw timber into beautiful building products that are used on residential and commercial construction projects across North America. This production process requires less energy, and also creates less air and water pollution, compared to the production of other more processed building materials like polymer based, wood composites or fiber cement products. Should you ever need to replace western red cedar, the old wood is completely biodegradable unlike other non-wood siding and trim materials.

Functional

While western red cedar is known for its beauty and performance, its functionality is equally impressive. WRC building materials are not bound by the latest fashion trends and blend well with multiple architectural designs. The natural appearance of western red cedar continues to look good and perform for many years, so you'll be less likely to remodel or replace it.



Traditional aesthetic appeal

When properly finished and maintained, Western Red Cedar is an ideal choice for exterior siding. WIRC combines its traditional warm, aesthetic appeal with natural resistance to decay and attack from insects.





Photo Courtesy of Patrick Aheri Architects



Elite Solid Bevel Siding


Elite Solid Bevel siding is a consistent and superior quality of Western Red Cedar and is available in three grades:

- Clear VG (graded for the smooth face)
- AYE (graded for the smooth face)
- AYE TEX (graded for the rough face)

Elite Clear Finger Joint Bevel Siding

Elite Clear Finger Joint Bevel Siding is also available in four grades:

- Clear VG (graded for the smooth face)
- Clear VG TEX (graded for the resawn face)
- AYE (graded for the smooth face)
- AYE TEX (graded for the rough face)




Refer to pages 17-18 for additional product specifications

First Installed by



Coating Manufacturer



Distributed by



Versatile and durable...

WRC siding from Elite can be used in wide range of architectural design projects ranging from traditional to contemporary styles. Proper finishing and installation adds to its natural longevity.





Photo courtesy of Corey Fitzgerald Photography



Photo courtesy of WRCIA

Pre-Sanded Face

Elite enhances the finish of its bevel siding by face sanding each board to further enhance its appearance and coating adhesion.



Unfinished

Finished - Lava Grey

Moisture Management

To improve the lifespan of Elite Western Red Cedar siding and trim, it is recommended that a rainscreen layer or drainable house wrap (like Sticker® Classic from Benjamin Obdyke shown below) be applied to exterior walls prior to installation of the siding to facilitate drainage and drying of any moisture on the backside of the siding.





Photo Courtesy of Benjamin Obdyke Inc.

WESTERN RED CEDAR BEVEL SIDING PRE-FINISHING



Silver Dollar	Mist Gray	Sandstone
Rock Cliffs	Cage	Plunge Pool
Deep Charcoal	Harbor Gray	Country Red
Phoenix Fossil	Lava Gray	Khalid
Chalky Blue	Walnut	White

Pre-finished Color Options

Elite Western Red Cedar is available in a wide variety of standard and custom color options. Elite has you covered with a great assortment of the most popular, on-trend exterior siding colors. All backed by 15 year limited finish warranty.

Extraordinary Selection of 15 Standard Solid Colors

Fifteen standard solid colors are available with primer plus one coat or primer plus two coats. These colors are finished upon order. All standard and custom color orders are coated with PPG machine applied coatings. Please select a standard color or provide the color that you are trying to match. Samples may be requested for your review prior to final approval and written sign-off.


Note: Custom stain pre-finishing (Weathering Stain, Maximum Cedarstone, or Semi-Transparent Stain) is not available for this product.

Stock color is shown above. Due to printing limitations the exact color cannot be replicated. Please refer to actual color sample before ordering.

Fin Finishing by
QUALITY
WOOD PRIMING


Coating Manufacture
PPG
MACHINE APPLIED
COATINGS

Distributed by
COASTAL



The best choice for exterior siding...

Elite stained WRC shingles combine the best exterior wood siding with superior coatings expertly applied by an industry leader.



#1 Grade

- No grades to choose from, just the very best grade produced for sidewall shingles
- Always Kiln-Dried to proper moisture content for superior coating adhesion
- 100% Clear, never any knots or defects, easier to work with
- 100% Heartwood provides a longer lasting shingle
- 100% Edgegrain ensures smoother, more consistent surfaces and superior coating adhesion versus shingles cut with flat grain
- 100% Edgegrain also creates better dimensional stability, therefore enhancing the performance of the coatings applied

Thicker and Wider Shingles

- .45" thick butts combined with 100% edgegrain provide a heavier shadow line and ensure shingles lay flatter on the wall
- When properly installed, the thicker shingles minimize the potential for cupping, curling and lifting
- Shingles vary in width from 3" to 14" providing wider average widths and less total fasteners used on the project

More Exposure Options

- Better exterior design flexibility with 18" length, thicker butt shingles allows for up to a maximum of 7" exposures on the wall

Superior Coating Technology

- Coatings offered from PPG, the originator and industry leader in machine applied coating technology

Expertly Coated Under Ideal Conditions

- Coated by SBC Cedar, an industry leader in machine coating application for over 20 years
- Proprietary dipping process is executed in a factory controlled environment under ideal conditions of temperature and humidity to ensure the perfect finish every time


Refer to back cover for additional Elite shingle options



Phoenix Fossil	School House Brick	Kendall Charcoal	Dark Ash	Autumn Brown	Taupe	Autumn Gray	Monterey Gray	Corundum
----------------	--------------------	------------------	----------	--------------	-------	-------------	---------------	----------

Design with solid color...

Give your projects instant curb appeal while choosing from 9 beautiful in-stock colors. Coatings are manufactured by PPG, the originator and industry leader in machine applied coating technology.



Solid Stain Colors Primed Plus 1 Coat (In-Stock)

- 9 beautiful In-Stock Colors
- PPG Seal Grip acrylic, low VOC tannin stain blocking primer is used as a first coat for solid colors, offering maximum tannin stain protection
- Solid Color offerings are stained with PPG Machinecoat 100% acrylic, low VOC stain that provides mildew resistance, UV resistance and also repels water
- 10 year limited warranty on primer plus 1 solid color coat, against peeling and flaking
- Custom colors available, a set up charge applies if quantities are less than 40 boxes

Coastal 9 stock color palette is shown above. Due to printing limitations the exact color cannot be replicated. Please refer to actual color sample before ordering.

Solid Stain Colors Primed Plus 2 Coat (Custom Order)




For extra protection, a longer coating life span and 25 year stain warranty, all standard colors can be ordered with primer plus 2 coats of Solid Stain, custom color matching is also available.

- PPG Seal Grip acrylic, low VOC tannin stain blocking primer is used as a first coat for solid colors, offering maximum tannin stain protection
- Solid Color offerings are stained with PPG Machinecoat 100% acrylic, low VOC stain that provides mildew resistance, UV resistance and also repels water
- 25 year limited warranty on primer plus 2 solid color coats against peeling and flaking
- Custom colors available, a set up charge applies if quantities are less than 40 boxes



Weathering Stain Aging Accelerant Tinted Clear Solutions & Semi Transparent Stain

Accelerate the natural weathering process or...
Let the natural beauty of western red cedar shine...



Weathering Stain Aging Accelerant (In-Stock)

For the oceanfront look of beautiful silver-gray shingles, Weathering Stain is the right choice. This PPG machine applied coating includes aging accelerants to enhance the natural process of Western Red Cedar turning a beautiful silver-gray tone. For best and fastest results, Weathering Stain shingles should be specified for homes that receive a large amount of sunlight and a limited amount of shade.

- Weathering Stain shingles are on the ground at Coastal and ready for prompt shipment.
- No finish warranty on Weathering Stain which is an aging accelerant only


Maximum Cedartone Tinted Clear Solution (In-Stock)

Let the natural beauty, warmth and character of Clear Western Red Cedar show through with Maximum Cedartone. This PPG machine applied coating is a tinted clear solution that provides protection against the elements. Maximum Cedartone shingles are on the ground at Coastal and ready for prompt shipment.

- No finish warranty on Maximum Cedartone Tinted Clear
- Stock color is shown above. Due to printing limitations the exact color cannot be replicated. Please refer to actual color sample before ordering.*


Semi Transparent Stains (Custom Order)

Want a different shade and natural woodgrain to show through? A complete line up of PPG semi transparent stains is available as a custom order. Please contact your dealer for complete details.




WESTERN RED CEDAR TRIM BOARDS & PATTERNS

Western Red Cedar trim and pattern boards are available in a variety of grades, dimensions, and textures to complement the style you have envisioned.



The perfect accent to your project.

Using genuine Western Red Cedar for exterior trim is a smart choice for adding great looks and durability to the exterior of your home.



Fit & Finish

When used on the interior or exterior of residential or commercial buildings, WRC patterns perfectly complement any architectural style.




Photo courtesy of InSite Architecture & L.B. Hetherington Photography

Refer to pages 17-18 for additional product specifications

TRIM BOARDS & PATTERNS

WESTERN RED CEDAR TECHNICAL INFORMATION

Elite Western Red Cedar

BEVEL SIDING SPECIFICATIONS

SURFACE	Smooth & rough	FINISH	Raw, primed, or pre-finished (custom)
GRADE	VG, VG TEX, AYE, & AYE TEX	LENGTH	Touch up kits available
FORM	Solid or finger jointed		Solid: 3'-20', 6'-20', 17'-20' (Clear VG only)
			Finger Joint: 16' (up to 10% trimbacks)
			*8" end glued

WRC BEVEL COVERAGE CHART		
Product	Max. Exposure	Pieces Per 100 Sq. Ft.
1/2 x 6 WRC Bevel	4 1/2"	267
1/2 x 8 WRC Bevel	6 1/2"	185

Other bevel dimensions and grades are available including:	
3/4 x 8 VG	
3/4 x 10 VG	
1 1/2 x 4 Aye	

Elite Western Red Cedar

SHINGLE SPECIFICATIONS

WRC SHINGLE SPECIFICATION			
Grade	Size	Exposure	Butt
#1 R&R KD	18"	7"	.45"

WRC SHINGLE COVERAGE CHART		
Shingle Exposure	Approx. square-foot coverage per box	Boxes needed per 100 square foot of coverage
5"	18	5.56
5-1/2"	19.5	5.13
6"	21.5	4.66
6-1/2"	23	4.36
7"	25	4

Additional shingle options on back cover

Elite Western Red Cedar TRIM SPECIFICATIONS

SPECIES	Western Red Cedar	FINISH	Raw or pre-finished (custom)
GRADE	A+ VG S4S & A+ VG S1S2E	LENGTHS	8' through 20'
FORM	Solid		

A+ VG S4S BOARDS			
Grade	Nominal	Actual	Lengths
A+ VG S4S	1 x 4	11/16" x 3-1/2"	8'-20'
A+ VG S4S	1 x 6	11/16" x 5-1/2"	8'-20'
A+ VG S4S	1 x 8	11/16" x 7-1/4"	8'-20'
A+ VG S4S	1 x 10	11/16" x 9-1/4"	8'-20'
A+ VG S4S	1 x 12	11/16" x 11-1/4"	8'-20'
A+ VG S4S	5/4 x 4	1" x 3-1/2"	8'-20'
A+ VG S4S	5/4 x 6	1" x 5-1/2"	8'-20'
A+ VG S4S	5/4 x 8	1" x 7-1/4"	8'-20'
A+ VG S4S	5/4 x 10	1" x 9-1/4"	8'-20'
A+ VG S4S	5/4 x 12	1" x 11-1/4"	8'-20'
A+ VG S4S	2 x 4	1-1/2" x 3-1/2"	8'-20'
A+ VG S4S	2 x 6	1-1/2" x 5-1/2"	8'-20'
A+ VG S4S	2 x 8	1-1/2" x 7-1/4"	8'-20'
A+ VG S4S	2 x 10	1-1/2" x 9-1/4"	8'-20'
A+ VG S4S	2 x 12	1-1/2" x 11-1/4"	8'-20'



A+ VG S1S2E BOARDS			
Grade	Nominal	Actual	Lengths
A+ VG S1S2E	1 x 4	11/16" x 3-1/2"	8'-20'
A+ VG S1S2E	1 x 6	11/16" x 5-1/2"	8'-20'
A+ VG S1S2E	1 x 8	11/16" x 7-1/4"	8'-20'
A+ VG S1S2E	1 x 10	11/16" x 9-1/4"	8'-20'
A+ VG S1S2E	1 x 12	11/16" x 11-1/4"	8'-20'
A+ VG S1S2E	5/4 x 4	1" x 3-1/2"	8'-20'
A+ VG S1S2E	5/4 x 6	1" x 5-1/2"	8'-20'
A+ VG S1S2E	5/4 x 8	1" x 7-1/4"	8'-20'
A+ VG S1S2E	5/4 x 10	1" x 9-1/4"	8'-20'
A+ VG S1S2E	5/4 x 12	1" x 11-1/4"	8'-20'

Elite Western Red Cedar PATTERNS SPECIFICATIONS

GRADE	A+ VG & A+ MG	FINISH	Raw (Smooth face & resawn back)
FORM	Solid	LENGTHS	6' through 20'
PATTERNS	WP4 & CM		

A+ WP4 V-MATCH			
Pattern	Nominal	Actual	Lengths
V-Match MG	1 x 4	11/16" x 3-3/8"	6'-20'
V-Match VG & MG	1 x 6	11/16" x 5-3/8"	6'-20'
V-Match MG	1 x 8	11/16" x 7-1/8"	6'-20'

CM CENTER MATCH A+			
Pattern	Nominal	Actual	Lengths
CM	1 x 4	11/16" x 3-3/8"	6'-20'
CM	1 x 6	11/16" x 5-3/8"	6'-20'
CM	1 x 8	11/16" x 7-1/8"	6'-20'





WESTERN RED CEDAR SHINGLE OPTIONS

Western Red Cedar Shingle - Touch Up Stain Options

When installing Elite stained Western Red Cedar shingles all cuts must be touched up to maintain coating warranties. Color matched touch up stain options are listed below. Please specify at time of ordering.

- ◆ Touch Up Kits
(4-4 ounce dabber application bottles)
- ◆ Gallons

Western Red Cedar Shingle - Designer Fancy Cut Shingle Options

For custom architectural details, Elite stained Western Red Cedar shingles are also available in fancy cuts as a custom order. Choose from 9 different styles below.

Photos courtesy of Cedar Shake and Shingle Bureau. Consult www.cedarbureau.org for the most current technical details.



Diagonal



Fishscale



Diamond




Square



Half-Cove



Hexagonal



Octagonal



Round



Arrow

◆ Refer to pages 17-18 for additional product specifications ◆



660 River Road
Bow NH 033304
800.932.9663





TruDefinition®
DURATION®

Shingles with Patented SureNail® Technology

