# Pella

# **Contract - Detailed**

Fax:

Phone:

Sales Rep Name: Milot, Bret Sales Rep Phone: 508-336-6766

Sales Rep Fax:

Sales Rep E-Mail: bmilot@gopella.com

Customer Information	Project/Delivery Address	Order Information
Elks Club of Bristol RI	Elks Club of Bristol RI	Quote Name: 9-18-23 LS
1 Constitution St	1 Constitution St	
		Order Number: 182
Bristol, RI 02809-1801	Lot#	Quote Number: 16433661
Primary Phone: (617) 8031181	Bristol, RI 02809-1801	Order Type: Installed Sales
Mobile Phone:	County:	Wall Depth:
Fax Number:	Owner Name:	Payment Terms:
E-Mail: john.salesses@gmail.com	Elks Club of Bristol RI	Tax Code: RI
Contact Name:	Owner Phone: (617) 8031181	Cust Delivery Date: None
		Quoted Date: 1/30/2023
Great Plains #: 1007146328		Contracted Date:
Customer Number: 1010925459		Booked Date:
Customer Account: 1007146328		Customer PO #:

Printed on 9/26/2023 Contract - Detailed Page 1 of 18

-		
Line #	Location:	Attributes

PK#

2144

Viewed From Exterior

Entry

10

## Lifestyle, 2-Wide Double Hung, 71 X 48, Without HGP, White

**Item Price Ext'd Price** Qty \$1.397.34 \$1,397.34

1: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

2: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code


requirements Grille: No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella

Recommended Clearance, Perimeter Length = 238".

		<u> </u>	
Line #	Location:	А	Attributes

15 Main Hall



Viewed From Exterior

## Lifestyle, 2-Wide Double Hung, 71 X 48, Without HGP, White

**Item Price Ext'd Price** Qty \$1,397.34 \$2,794,68 2

1: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

2: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code

requirements Grille: No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella

Recommended Clearance, Perimeter Length = 238".

	•		
Line # Location:		Attributes	

20 Main Hall

## Lifestyle, 3-Wide Double Hung, 106.5 X 48, Without HGP, White

**Ext'd Price** Item Price Qty \$2,115.99 \$2.115.99 1



2144

Viewed From Exterior

1: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

2: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code

requirements Grille: No Grille.

Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

3: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 **Unit Type:** No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad. White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen. White. InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille.

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella

Recommended Clearance, Perimeter Length = 309".

Line # Location:	Att	ributes	

25 Main Hall

PK# 2144

Viewed From Exterior

# Pella® Reserve, Traditional, Double Outswing Door, Passive / Active, 71.25 X 81.5, White

 Item Price
 Qty
 Ext'd Price

 \$4,912.90
 1
 \$4,912.90

1: Traditional, 7282 Passive / Active Double Outswing Door

Frame Size: 71 1/4 X 81 1/2

General Information: Standard, Clad, Pine, 5 7/8", 4 9/16", Standard Sill, Black Finish Sill, Standard Frame Stops, Black Composite Threshold

**Exterior Color / Finish:** Painted, Seacoast Enduraclad, White **Interior Color / Finish:** Prefinished White Paint Interior

Sash / Panel: Putty Glaze, Ogee, Standard

Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Standard, White, Order Handle Set, Multipoint Lock, No Integrated Sensor, Aluminum Adjustable, White

Performance Information: U-Factor 0.28, SHGC 0.21, VLT 0.39, CPD PEL-N-212-06649-00001, Performance Class LC, PG 70, Calculated Positive DP

Rating 70, Calculated Negative DP Rating 70, Year Rated 11

Grille: No Grille,


Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Factory Applied, Pella Recommended Clearance, Perimeter Length

= 306".

Rough Opening: 72" X 82"

Line # Location:	Attributes

30 Billiards



Viewed From Exterior

#### Lifestyle, 2-Wide Double Hung, 71 X 48, Without HGP, White

 Item Price
 Qty
 Ext'd Price

 \$1,397.34
 2
 \$2,794.68

1: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraciad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

2: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

**Performance Information:** U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code

requirements **Grille:** No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella

Recommended Clearance, Perimeter Length = 238".

Line #	Location:	Attributes			
35	Office 1	Lifestyle, Double Hung, 34 X 48, Without HGP, White	Item Price	Qty	Ext'd Price
	Û		\$666.11	2	\$1,332.22

1: Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size:  $34 \times 48$ 

Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Clear Opening Width 30.812, Clear Opening Height 20.75, Clear Opening Area 4.439924, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 164".

Rough Opening: 34 - 3/4" X 48 - 3/4"

Viewed From Exterior

PK#

2144

•	Line #	Location:	Attributes		
	40	Office 2	ltom Drio	04	, Eytid Drice

8 8 û û û 35.571-35.5\* PK#

Viewed From Exterior

#### Lifestyle, 2-Wide Double Hung, 71 X 48, Without HGP, White

 Item Price
 Qty
 Ext'd Price

 \$1,397.34
 1
 \$1,397.34

1: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraciad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

2: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™


Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code

requirements **Grille:** No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella

Recommended Clearance, Perimeter Length = 238".

Line # Location: Attributes			
Line # Location: Attributes			
	Line #	Location:	Attributes



Viewed From Exterior

#### Lifestyle, Double Hung, 34 X 48, Without HGP, White

**Item Price** Qty **Ext'd Price** \$666.11 \$666.11

1: Non-Standard SizeNon-Standard Size Double Hung, Equal

Frame Size: 34 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Clear Opening Width 30.812, Clear Opening Height 20.75, Clear Opening Area 4.439924, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 164".

Line #	Location:	Attributes		
50	Dining	Life ( L. O.M. L. D. L. L. L. Z.4. V. 40 M. H. (LLOD. M.) ( L. O. D. D. D. D. M.) ( L. O. D. D. M.) ( L. O. D. D. D. D.	Otv.	Evt'd Drice

\$ \$ \$\text{\$\tilde{u}\$}\$\$\tilde{u}\$\$\tilde{

Viewed From Exterior

#### Lifestyle, 2-Wide Double Hung, 71 X 48, Without HGP, White

 Item Price
 Qty
 Ext'd Price

 \$1,397.34
 3
 \$4,192.02

1: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraciad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

2: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

**Exterior Color / Finish:** Seacoast Enduraclad, White **Interior Color / Finish:** Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code

requirements **Grille:** No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella

Recommended Clearance, Perimeter Length = 238".


Project Name: Elks Club of Bristol RI Customer: Elks Club of Bristol RI Order Number: 182 Quote Number: 16433661

	•	
Line # Location:	Attributes	

55 Dining

#### Lifestyle, 3-Wide Double Hung, 106.5 X 48, Without HGP, White

**Ext'd Price** Item Price Qty \$2,115.99 \$2.115.99



2144

Viewed From Exterior

1: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

2: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code

requirements Grille: No Grille.

Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

3: Non-Standard Size Double Hung, Equal

Frame Size: 35 1/2 X 48 **Unit Type:** No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad. White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen. White. InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille.

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella

Recommended Clearance, Perimeter Length = 309".

Line #	Location:	Attributes			
60	Dining Temp	Lifestyle, Double Hung, 34 X 48, Without HGP, White	Item Price \$784.46	<b>Qty</b>	Ext'd Price \$784.46
184		1: Non-Standard SizeNon-Standard Size Double Hung, Equal Frame Size: 34 X 48			

Viewed From Exterior

2144

Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00427-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Clear Opening Width 30.812, Clear Opening Height 20.75, Clear Opening Area 4.439924, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 164".

Line #	Location:	Attributes

20 198 30 8 8 8 8 8

Dining

65

**PK#** 2144

Viewed From Exterior

#### Lifestyle, 3-Wide Double Hung, 108 X 48, Without HGP, White

 Item Price
 Qty
 Ext'd Price

 \$2,115.99
 2
 \$4,231.98

1: Non-Standard SizeNon-Standard Size Double Hung, Equal

Frame Size: 36 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

2: Non-Standard SizeNon-Standard Size Double Hung, Equal

Frame Size: 36 X 48

Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, White, InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code

requirements

Grille: No Grille,

Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

3: Non-Standard SizeNon-Standard Size Double Hung, Equal

Frame Size: 36 X 48 Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: Gray

Exterior Color / Finish: Seacoast Enduraclad, White Interior Color / Finish: Prefinished White Paint Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen. White. InView™

Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella

Recommended Clearance, Perimeter Length = 312".

Line #	Location:	Attributes			
70		Installation - Including removal, disposal, flashing, insulation, shimming, exterior and	Item Price	Qty	Ext'd Price
		painted interior trim as needed	\$31,550.00	1	\$31,550.00

1000000 - Full Frame 0 - 48 Wide Installation Qty 1000020 - Double Door Installation Qty Qty 1000002 - Full Frame 96 - 144 Wide Installation 9 1000001 - Full Frame 48 - 96 Wide Installation Qty

Printed on 9/26/2023 Page 18 14 of

# Thank You For Purchasing Pella® Products

#### **PELLA WARRANTY:**

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at Insynctive.pella.com. By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link https://www.pella.com/california-rights-policy/ at pella.com.

#### ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS. You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

#### **Product Performance Information:**

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Printed on 9/26/2023

Contract - Detailed

Page 15 of

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Including during the construction period, casement windows should never be left open and unlocked for prolong periods or during high wind conditions to avoid sash detachment/damage.

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

This purchase order (PO) may be used by the COMPANY as an offer to sell to the CUSTOMER the materials as set forth herein. These terms and conditions are binding on the COMPANY and the CUSTOMER and govern their relationship to this Agreement. THIS PO IS MADE FOR YOU, THE CUSTOMER, AND NO CHANGES MAY BE MADE AFTER THREE DAYS FOLLOWING THE SIGNING OF THIS PO. This PO becomes a binding contract only upon review and acceptance by an authorized Pella Windows & Doors. All promises of shipment are estimates only, and our best efforts are used in every case to ship within the time promised, but there is no guarantee to do so. COMPANY shall not be liable for any direct, indirect or consequential damage casued by delay in shipment. CUSTOMER represents that the window/door sizes and specifications shown on this order are correct and may not be changed or cancelled. COMPANY's failure to insist upon strict performance of any provision of this PO by the CUSTOMER, or take advantage of its rights hereunder, shall not be construed as a waiver by the COMPANY of any such provision. Specifically, the COMPANY reserves its right to a mechanic's lien claim against the property in which the COMPANY's materials are incorporated. whether owned by the CUSTOMER or a third party. Pursuant to the requirements of Rhode Island Law, this is a notice that COMPANY may file a mechanic's lien upon the property in the event of nonpayment. This contract shall be governed by the state in which both the CUSTOMER and the COMPANY reside. If the CUSTOMER and the COMPANY are located in different states, then the law of the Commonwealth of Massachusetts shall govern. The COMPANY reserves its right to terminate this Agreement with notice to the CUSTOMER if the CUSTOMER fails to perform any obligations or duties required under the terms of this Agreement. The CUSTOMER shall defend, imdemnify and hold harmless the COMPANY against any claims or suits brought by any persons or entities alleging that any bodily injuries, death, property damage or economic losses were caused, in whole or in part, by any of the goods and/or services provided under this PO to the CUSTOMER. Any dispute arising out of the Terms and Conditions, or performance or materials which are the subject of this agreement shall be resolved through binding arbitration. The arbitration shall be conducted in the Commonwealth of Massachusetts as the exclusive venue, and brought before a single Arbitrator, whose decision shall be binding and enforceable by a court of competent jurisdiction. The arbitration proceedings shall be governed by Massachusetts Law. See "ARBITRATION AND CLASS ACTION WAIVER" for additional informaiton regarding arbitration.

- >> THE SCHEDULING DEPARTMENT WILL CALL YOU WITH YOUR DELIVERY DATE.
- >> WE PROVIDE TAILGATE DELIVERY ONLY. PLEASE ARRANGE TO HAVE ASSISTANCE ON SITE AT TIME OF DELIVERY <<
- >> FOR REPLACEMENT PART ORDERS PAYMENT IS REQUIRED IN FULL AT TIME OF ORDER <<
- >> COD PAYMENT IS REQUIRED AT TIME OF DELIVERY UNLESS ALTERNATIVE TERMS HAVE BEEN PREVIOUSLY ARRANGED <<
- >>FAILURE TO PAY IN FULL WITHIN TERMS SHALL VOID THE WARRANTY ON PELLA PRODUCTS SHIPPED PURSUANT TO THIS ORDER.

#### PELLA PARTNERSHIP PROGRAM

Install Seminar	Yes	No
Post Install Walk Through	Yes	No
Final Walk Throuh	Yes	No
Accessorry Holds	Yes	No
Accessory Holds & Install	Yes	_ No
Door Assembly	Yes	No
Field Mull(s)	Yes	No
INSTALL OPTIONS		
Installation	Yes	No
Installation Doors Only	Yes	No

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Project Checklist has	been reviewed
-----------------------	---------------

Credit Card Approval Signature

Customer Name (Plea	ase print)	Pella Sales Rep Name	(Please print)
Customer Signature	_	Pella Sales Rep Signature	
Date		Date	

Order Totals	
Taxable Subtotal	\$28,735.71
Sales Tax @ 7%	\$2,011.50
Non-taxable Subtotal	\$31,550.00
Total	\$62,297.21
Deposit Received	\$0.00
Amount Due	\$62,297.21

Printed on 9/26/2023 Contract - Detailed Page 18 of 18