



### Bristol Historic District Commission

#### Application for Review of Proposed Work - Printable Application

HDC-26-33	Contributing	March 13, 2026
-----------	--------------	----------------

**THIS DOCUMENT IS NOT A SUBSTITUTE FOR A BUILDING, ELECTRICAL, SIGN, MECHANICAL, DEMOLITION, SOLAR OR FENCE PERMIT APPLICATION. THESE PERMITS MUST BE APPLIED FOR AND APPROVED BY THE BRISTOL BUILDING DEPARTMENT BEFORE WORK CAN BEGIN.**

Project Address	Assessor's Plat/Lot
145 HIGH ST , BRISTOL, RI, 02809	015-0021-000

Applicant	Architect/Engineer	Contractor
Danny Ferreira	DAVID SISSON	

Property Owner (If Different from Applicant)	Owner Mailing Address (If different than Project Address)
	204 Poppasquash Rd Bristol, RI 02809

Work Category:	Addition to Structure(s)
----------------	--------------------------

Description of proposed work:
REMODEL OF EXISTING HOME. ADDITION OF THREE TOWNHOMES. RENOVATION OF EXISTING GARAGE

Property History




Building Survey Data	
RIHPHC ID #:	BRIS00149
HISTORIC NAME:	
ARCH. STYLE:	Greek Revival
ORIGINAL CONSTRUCTION DATE (est.):	1845 ca
ALTERATIONS TO MAJOR ARCH. SINCE 1978 (Height, Massing, Wall Covering, Trim, Windows, Porches)	

**DAVID SISSON**  
 Applicant's Digital Signature  
 Date: March 13, 2026



# CAI Property Card


Town of Bristol, RI

GENERAL PROPERTY INFORMATION	BUILDING EXTERIOR	
<b>LOCATION:</b> 145 HIGH ST <b>ACRES:</b> 0.5223 <b>PARCEL ID:</b> 015-0021-000 <b>LAND USE CODE:</b> 01 <b>CONDO COMPLEX:</b> <b>OWNER:</b> FWP HIGH STREET LLC <b>CO - OWNER:</b> <b>MAILING ADDRESS:</b> P.O. BOX 333  <b>ZONING:</b> R-6 <b>PATRIOT ACCOUNT #:</b> 930	<b>BUILDING STYLE:</b> Restored His <b>UNITS:</b> 1 <b>YEAR BUILT:</b> 1820 <b>FRAME:</b> Wood Frame <b>EXTERIOR WALL COVER:</b> Clapboard <b>ROOF STYLE:</b> Gable <b>ROOF COVER:</b> Asphalt Shin	
	BUILDING INTERIOR	
<th data-bbox="81 682 966 714">SALE INFORMATION</th> <td data-bbox="966 556 1526 1312"> <b>INTERIOR WALL:</b> Drywall  <b>FLOOR COVER:</b> Hardwood  <b>HEAT TYPE:</b> Radiant Hot  <b>FUEL TYPE:</b> Oil  <b>PERCENT A/C:</b> False  <b># OF ROOMS:</b> 7  <b># OF BEDROOMS:</b> 3  <b># OF FULL BATHS:</b> 2  <b># OF HALF BATHS:</b> 0  <b># OF ADDITIONAL FIXTURES:</b> 1  <b># OF KITCHENS:</b> 1  <b># OF FIREPLACES:</b> 0  <b># OF METAL FIREPLACES:</b> 0  <b># OF BASEMENT GARAGES:</b> 0         </td>	SALE INFORMATION	<b>INTERIOR WALL:</b> Drywall <b>FLOOR COVER:</b> Hardwood <b>HEAT TYPE:</b> Radiant Hot <b>FUEL TYPE:</b> Oil <b>PERCENT A/C:</b> False <b># OF ROOMS:</b> 7 <b># OF BEDROOMS:</b> 3 <b># OF FULL BATHS:</b> 2 <b># OF HALF BATHS:</b> 0 <b># OF ADDITIONAL FIXTURES:</b> 1 <b># OF KITCHENS:</b> 1 <b># OF FIREPLACES:</b> 0 <b># OF METAL FIREPLACES:</b> 0 <b># OF BASEMENT GARAGES:</b> 0
<th data-bbox="81 913 966 955">PRINCIPAL BUILDING AREAS</th> <td data-bbox="966 1312 1526 1354"></td>	PRINCIPAL BUILDING AREAS	
<b>GROSS BUILDING AREA:</b> 2942 <b>FINISHED BUILDING AREA:</b> 1440 <b>BASEMENT AREA:</b> 1164 <b># OF PRINCIPAL BUILDINGS:</b> 1		
	PHOTO	
<th data-bbox="81 1123 966 1155">ASSESSED VALUES</th> <td data-bbox="966 1438 1526 1879">  </td>	ASSESSED VALUES	
<b>LAND:</b> \$275,700 <b>YARD:</b> \$0 <b>BUILDING:</b> \$218,200 <b>TOTAL:</b> \$493,900		
	SKETCH	
		



www.cai-tech.com

This information is believed to be correct but is subject to change and is not warranted.



3 SITE - PROPOSED  
1/8" = 1'-0"

**ZONING TABLE**  
ZONE = R-6

	REQUIRED	PROVIDED	RELIEF REQUESTED?
LOT AREA	6,000 SF	22,750 SF	NO
LOT AREA PER DU	6,000 1ST UNIT 4,000 EACH ADD. UNIT	22,750 SF MAX 5 UNITS (22,750 SF)	NO
LOT WIDTH	100'	66'	YES
FRONTAGE	60'	66'	NO
LOT COVERAGE	30% (6,825 SF)	15% (3314 SF) EXISTING 24% (5542 SF) PROPOSED	NO
FRONT SETBACK	20' OR AVG	20' EXISTING	NO
SIDE SETBACK	10'	27' - 11" EXISTING 26' - 7 1/2" PROPOSED	NO
SIDE SETBACK	10'	4'-11" EXISTING 4'-11" PROPOSED	NO EXISTING NON-CONFORMING NO EXISTING NON-CONFORMING
REAR SETBACK	20'	114' - 10" EXISTING APPROX. 26' - 10 1/2" EXISTING	NO
HEIGHT	35'	26' - 10 1/2" PROPOSED	NO

**PARKING**  
REQ'D = 2 SPACE PER UNIT - 10 REQUIRED, 12 PROVIDED  
10' X 18' WITH 24' AISLE  
10' SETBACK FROM PROPERTY LINE REQUIRED - NOT PROVIDED - RELIEF REQUESTED

**LOT COVERAGE CALCULATIONS:**

	EXISTING	PROPOSED
EXISTING HOUSE	1238 SF	1238 SF
EXISTING PORCH	47 SF	190 SF
EXISTING FRONT STEPS	29 SF	29 SF
EXISTING GARAGE	2000 SF	2000 SF
TOTAL:	3314 SF	2085 SF
PROPOSED TOWN HOMES		2085 SF
TOTAL:		5542 SF

DAVID SISSON ARCHITECTURE PC  
345 Taunton Ave  
East Providence RI 02914  
www.dsa-arch.com info@dsa-arch.com 401-565-7070

ISSUED FOR: OWNER REVIEW

REV. #	DATE
1	2023-03-12

145 High Street  
Bristol RI 02809  
PROJECT NUMBER: 26022

SITE PLAN

N.F.C. ARCHITECT  
DAVID SISSON  
2021-08-27

OPT A A0.1

**PLAN LEGEND**


- EXISTING DOOR
- EXISTING PARTITION
- NEW DOOR
- FULL HEIGHT PARTITION
- PARTIAL HEIGHT PARTITION
- BEAM OVERHEAD
- DIMENSION TO THE FACE OF FRAMING OR MASONRY AT NEW CONSTRUCTION, TYP.
- DIMENSION TO THE FACE OF FINISH AT EXISTING CONSTRUCTION
- COLUMN LOCATION
- CARBON MONOXIDE DETECTOR - HARDWIRED AND INTERCONNECTED
- SMOKE DETECTOR - HARDWIRED AND INTERCONNECTED
- HEAT DETECTOR - HARDWIRED AND INTERCONNECTED
- FIRE RATED DOOR 60 MIN W/ CLOSER

**GENERAL NOTES**

1. VERIFY ALL DIMENSIONS IN THE FIELD. DO NOT SCALE DRAWINGS.
2. ALL INTERIOR WALLS 2X4 AT 16" O.C. UNLESS NOTED OTHERWISE. PROVIDE DOUBLE TOP PLATES. SEE B4/A0.0
3. ALL DOOR JAMBS 4" OFF WALL UNLESS NOTED OTHERWISE
4. CENTER DOORS IN WALL UNLESS NOTED OTHERWISE
5. PROVIDE HARDWIRED AND INTERCONNECTED SMOKE AND CO DETECTORS WITH BATTERY BACKUP PER CODE REQUIREMENTS & AS DIRECTED BY THE LOCAL BUILDING DEPT.
6. PROTECT IN PLACE ALL EXISTING FIXTURES AND SURFACES SCHEDULED TO REMAIN.
7. PATCH AND REPAIR EXISTING WALLS LOCATED IN UNALTERED AREAS AFFECTED BY ALL NEW WORK, WHETHER SHOWN ON THE DRAWINGS OR NOT.
8. PATCH, PAINT AND REFINISH ALL EXISTING WALLS, FLOORS, CEILINGS & TRIM THROUGHOUT REPLACE MATERIALS IN-KIND WHEN DAMAGED PAST POINT OF REPAIR.
9. PLANS DO NOT FULLY REPRESENT ALL NEW WORK. THE CONSTRUCTION DOCUMENTS ARE INTENDED TO SERVE AS GENERAL GUIDELINES.
10. DIMENSIONS SHOWN ARE FROM FACE OF STUD OR FACE OF EXISTING CONSTRUCTION UNLESS NOTED OTHERWISE.

**KEYED NOTES**

11. PROVIDE ELECTRICAL PER STATE ELECTRICAL CODE REQUIREMENTS. PROVIDE POWER FOR ALL APPLIANCES. LOCATE NEW ELECTRICAL DEVICES PER NEC REQUIREMENTS & OWNER'S REQUIREMENTS.
12. PROVIDE PLUMBING PER STATE PLUMBING CODE REQUIREMENTS
13. HVAC SYSTEM TO BE DESIGN BUILD, PROVIDE PER STATE CODE REQUIREMENTS.
14. PROVIDE SOLID WOOD BLOCKING AS REQUIRED.
15. PROVIDE FIRE EXTINGUISHERS PER CODE AND PER REQUIREMENTS OF THE BUILDING OFFICIAL.
16. INSTALL BATT INSULATION FULL DEPTH AT ALL EXPOSED STUD CAVITIES (CLOSED CELL SPRAY FOAM AT ATTIC ROOF CAVITIES)
17. COVER ALL WALLS AND CEILINGS W/ 1/2" THICK GYPSUM BOARD UNLESS NOTED OTHERWISE.
18. PROVIDE MOISTURE AND MOLD RESISTANT GYPSUM BOARD AT BATHROOMS UNLESS NOTED OTHERWISE.
19. ALL APPLIANCES PROVIDED BY OWNER, INSTALLED BY CONTRACTOR.
20. RECONNECT EXISTING FIXTURES TO NEW SWITCH LOCATIONS AS REQUIRED IN THE FIELD.
21. PROVIDE DIMMERS AS DIRECTED BY OWNER
22. A/V, CATV, TELEPHONIC AND OTHER LOW VOLTAGE WIRING NOT SHOWN. SYSTEM TO BE DESIGN/BUILD. CONTACT OWNER FOR LOCATIONS OF ALL LOW VOLTAGE WIRING.



A4 TH-1ST FL  
1/4" = 1'-0"

**david sisson architecture pc**  
 345 Taurillon Ave  
 East Providence RI 02914  
 www.dsa-arch.com info@dsa-arch.com 401-595-7070

REV. #	DATE	ISSUED FOR:
1	2025-03-12	OWNER REVIEW

145 High Street  
 Bristol RI 02809  
 PROJECT NUMBER: 26022

PLANS 1ST FL

**N.F.C.**  
 N. F. C. ARCHITECT  
 2021-08-27

**OPT A** **A4.1**

### PLAN LEGEND


- EXISTING DOOR
- EXISTING PARTITION
- NEW DOOR
- FULL HEIGHT PARTITION
- PARTIAL HEIGHT PARTITION
- BEAM OVERHEAD
- DIMENSION TO THE FACE OF FRAMING OR MASONRY AT NEW CONSTRUCTION, TYP.
- DIMENSION TO THE FACE OF FINISH AT EXISTING CONSTRUCTION
- COLUMN LOCATION
- CARBON MONOXIDE DETECTOR - HARDWIRED AND INTERCONNECTED
- SMOKE DETECTOR - HARDWIRED AND INTERCONNECTED
- HEAT DETECTOR - HARDWIRED AND INTERCONNECTED
- FIRE RATED DOOR 60 MIN W/ CLOSER

### GENERAL NOTES

1. VERIFY ALL DIMENSIONS IN THE FIELD. DO NOT SCALE DRAWINGS.
2. ALL INTERIOR WALLS 2X4 AT 16" O.C. UNLESS NOTED OTHERWISE. PROVIDE DOUBLE TOP PLATES. SEE B4/A0.0
3. ALL DOOR JAMBS 4" OFF WALL UNLESS NOTED OTHERWISE
4. CENTER DOORS IN WALL UNLESS NOTED OTHERWISE
5. PROVIDE HARDWIRED AND INTERCONNECTED SMOKE AND CO DETECTORS WITH BATTERY BACKUP PER CODE REQUIREMENTS & AS DIRECTED BY THE LOCAL BUILDING DEPT.
6. PROTECT IN PLACE ALL EXISTING FIXTURES AND SURFACES SCHEDULED TO REMAIN.
7. PATCH AND REPAIR EXISTING WALLS LOCATED IN UNALTERED AREAS AFFECTED BY ALL NEW WORK, WHETHER SHOWN ON THE DRAWINGS OR NOT.
8. PATCH, PAINT AND REFINISH ALL EXISTING WALLS, FLOORS, CEILINGS & TRIM THROUGHOUT REPLACE MATERIALS IN-KIND WHEN DAMAGED PAST POINT OF REPAIR.
9. PLANS DO NOT FULLY REPRESENT ALL NEW WORK. THE CONSTRUCTION DOCUMENTS ARE INTENDED TO SERVE AS GENERAL GUIDELINES.
10. DIMENSIONS SHOWN ARE FROM FACE OF STUD OR FACE OF EXISTING CONSTRUCTION UNLESS NOTED OTHERWISE.

### KEYED NOTES

11. PROVIDE ELECTRICAL PER STATE ELECTRICAL CODE REQUIREMENTS. PROVIDE POWER FOR ALL APPLIANCES. LOCATE NEW ELECTRICAL DEVICES PER NEC REQUIREMENTS & OWNERS REQUIREMENTS.
12. PROVIDE PLUMBING PER STATE PLUMBING CODE REQUIREMENTS
13. HVAC SYSTEM TO BE DESIGN BUILD, PROVIDE PER STATE CODE REQUIREMENTS.
14. PROVIDE SOLID WOOD BLOCKING AS REQUIRED.
15. PROVIDE FIRE EXTINGUISHERS PER CODE AND PER REQUIREMENTS OF THE BUILDING OFFICIAL.
16. INSTALL BATT INSULATION FULL DEPTH AT ALL EXPOSED STUD CAVITIES (CLOSED CELL SPRAY FOAM AT ATTIC ROOF CAVITIES)
17. COVER ALL WALLS AND CEILINGS W/1/2" THICK GYPSUM BOARD UNLESS NOTED OTHERWISE.
18. PROVIDE MOISTURE AND MOLD RESISTANT GYPSUM BOARD AT BATHROOMS UNLESS NOTED OTHERWISE.
19. ALL APPLIANCES PROVIDED BY OWNER, INSTALLED BY CONTRACTOR.
20. RECONNECT EXISTING FIXTURES TO NEW SWITCH LOCATIONS AS REQUIRED IN THE FIELD.
21. PROVIDE DIMMERS AS DIRECTED BY OWNER
22. A/V, CATV, TELEPHONIC AND OTHER LOW VOLTAGE WIRING NOT SHOWN. SYSTEM TO BE DESIGN/BUILD. CONTACT OWNER FOR LOCATIONS OF ALL LOW VOLTAGE WIRING.



A4 TH-2ND FL  
1/4" = 1'-0"

DAVID SIBSON ARCHITECTURE PC  
345 Taunton Ave  
East Providence RI 02914  
www.ds-arch.com info@ds-arch.com 401-595-7070

REV.#	DATE	ISSUED FOR:
1	2025-03-12	OWNER REVIEW

145 High Street  
Bristol RI 02809  
PROJECT NUMBER: 26022

PLANS 2ND FL

N.F.C.  
SIGNED:  
2-21-08-27


OPT A A4.2



A1 WEST ELEVATION  
1/4" = 1'-0"



A3 EAST ELEVATION  
1/4" = 1'-0"



A4 NORTH ELEVATION  
1/4" = 1'-0"



A1 SOUTH ELEVATION  
1/4" = 1'-0"

DAVID SISSON ARCHITECTURE PC  
 345 Taunton Ave  
 East Providence RI 02914  
 www.ds-arch.com info@ds-arch.com 401-595-7070

REV. #	DATE	ISSUED FOR
1	2025-03-12	OWNER REVIEW


145 High Street  
 Bristol RI 02809  
 PROJECT NUMBER: 28022

ELEVATIONS


DAVID SISSON ARCHITECT  
 N.F.C.  
 ARCHITECT  
 SIGNED:  
 2-21-08-27

OPT A A5.0

DAVID SISSON ARCHITECTURE PC - ALL RIGHTS RESERVED



A1 GARAGE FRONT ELEVATION  
1/4" = 1'-0"



A2 GARAGE REAR ELEVATION  
1/4" = 1'-0"



A3 GARAGE SIDE ELEVATION  
1/4" = 1'-0"

david sisson architecture pc
   
 345 Taunton Ave
   
 East Providence RI 02914
   
 www.dss-arch.com info@dss-arch.com 401-595-7070

REV.#	DATE	ISSUED FOR:
1	2025-03-12	OWNER REVIEW

145 High Street
   
 Bristol RI 02809
   
 PROJECT NUMBER: 28022

ELEVATIONS

N.F.C.
   
 ARCHITECT
   
 SIGNED:
   
 2-21-08-27

OPT A A5.1



david sisson architecture pc  
 345 Taunton Ave  
 East Providence RI 02914  
 www.dss-arch.com info@dss-arch.com 401-595-7070

REV.#	DATE	ISSUED FOR:

145 High Street  
 Bristol RI 02809  
 PROJECT NUMBER: 26022

3D

N.F.C.  
 ARCHITECT  
 SIGNED:  
 2021-08-27

OPT A A10.0

DAVID SISSON ARCHITECTURE PC - ALL RIGHTS RESERVED

A B C D

1  
2  
3  
4



DAVID SISSON ARCHITECTURE PC -- ALL RIGHTS RESERVED

david sisson architecture pc  
 345 Taunton Ave  
 East Providence RI 02914  
 www.ds-arch.com info@ds-arch.com 401-595-7070

REV.#	DATE	ISSUED FOR:

145 High Street  
 Bristol RI 02809  
 PROJECT NUMBER: 26022

3D

N.F.C.  
 DATE SIGNED:

OPT A A10.1

A B C D

1  
2  
3  
4



david sisson architecture pc
   
 345 Taunton Ave
   
 East Providence RI 02914
   
 www.ds-arch.com info@ds-arch.com 401-595-7070

REV.#	DATE	ISSUED FOR:


145 High Street
   
 Bristol RI 02809
   
 PROJECT NUMBER: 26022

3D

N.F.C.
   
 DATE SIGNED:

OPT A
   
 A10.2

DAVID SISSON ARCHITECTURE PC -- ALL RIGHTS RESERVED



3 SITE - PROPOSED  
1/8" = 1'-0"

ZONING TABLE


ZONE = R-6

LOT AREA	REQUIRED	PROVIDED	RELIEF REQUESTED?
6,000 SF	6,000 SF	22,750 SF	NO
LOT AREA PER DU	6,000 1ST UNIT 4,000 EACH ADD. UNIT	22,750 SF MAX 5 UNITS (22,750 SF)	NO
LOT WIDTH	100'	66'	YES
FRONTAGE	60'	66'	NO
LOT COVERAGE	30% (6,825 SF)	15% (3314 SF) EXISTING 25% (5665 SF) PROPOSED	NO
FRONT SETBACK	20' OR AVG	20' EXISTING	NO
SIDE SETBACK	10'	27' - 11" EXISTING 26' - 7 1/2" PROPOSED	NO
SIDE SETBACK	10'	4' - 11" EXISTING	NO EXISTING NON-CONFORMING
REAR SETBACK	20'	4' - 11" PROPOSED	NO EXISTING NON-CONFORMING
HEIGHT	35'	114' - 10" EXISTING APPROX. 26' - 10 1/2" EXISTING 26' - 10 1/2" PROPOSED	NO

PARKING  
REQ'D = 2 SPACE PER UNIT - 10 REQUIRED, 10 PROVIDED  
10' X 18' WITH 24' AISLE  
10' SETBACK FROM PROPERTY LINE REQUIRED - NOT PROVIDED - RELIEF REQUESTED

LOT COVERAGE CALCULATIONS:

EXISTING:	TOTAL:
EXISTING HOUSE	1238 SF
EXISTING PORCH	47 SF
EXISTING FRONT STEPS	29 SF
EXISTING GARAGE	2000 SF
TOTAL:	3314 SF
PROPOSED:	TOTAL:
EXISTING HOUSE	1238 SF
PROPOSED PORCH	190 SF
EXISTING FRONT STEPS	29 SF
EXISTING GARAGE	1473 SF
PROPOSED GARAGE	810 SF
PROPOSED TOWN HOMES	1925 SF
TOTAL:	5665 SF



ISSUED FOR: OWNER REVIEW


REV. #	DATE	DESCRIPTION
1	2023-03-12	OWNER REVIEW

145 High Street  
Bristol RI 02809  
PROJECT NUMBER: 26022


SITE PLAN



OPT B A0.1



TH-1ST FL 1  
1/4" = 1'-0"



TH-1ST FL 2  
1/4" = 1'-0"

### PLAN LEGEND

- EXISTING DOOR
- EXISTING PARTITION
- NEW DOOR
- FULL HEIGHT PARTITION
- PARTIAL HEIGHT PARTITION
- BEAM OVERHEAD
- DIMENSION TO THE FACE OF FRAMING OR MASONRY AT NEW CONSTRUCTION, TYP. DIMENSION TO THE FACE OF FINISH AT EXISTING CONSTRUCTION
- DIMENSION TO THE FACE OF FINISH
- COLUMN LOCATION
- CARBON MONOXIDE DETECTOR - HARDWIRED AND INTERCONNECTED
- SMOKE DETECTOR - HARDWIRED AND INTERCONNECTED
- HEAT DETECTOR - HARDWIRED AND INTERCONNECTED
- FIRE RATED DOOR 60 MIN W/ CLOSER

### GENERAL NOTES

1. VERIFY ALL DIMENSIONS IN THE FIELD. DO NOT SCALE DRAWINGS.
2. ALL INTERIOR WALLS 2X4 AT 16" O.C. UNLESS NOTED OTHERWISE. PROVIDE DOUBLE TOP PLATES. SEE B4/A0.0
3. ALL DOOR JAMBS 4" OFF WALL UNLESS NOTED OTHERWISE
4. CENTER DOORS IN WALL UNLESS NOTED OTHERWISE
5. PROVIDE HARDWIRED AND INTERCONNECTED SMOKE AND CO DETECTORS WITH BATTERY BACKUP PER CODE REQUIREMENTS & AS DIRECTED BY THE LOCAL BUILDING DEPT.
6. PROTECT IN PLACE ALL EXISTING FIXTURES AND SURFACES SCHEDULED TO REMAIN.
7. PATCH AND REPAIR EXISTING WALLS LOCATED IN UNALTERED AREAS AFFECTED BY ALL NEW WORK, WHETHER SHOWN ON THE DRAWINGS OR NOT.
8. PATCH, PAINT AND REFINISH ALL EXISTING WALLS, FLOORS, CEILINGS & TRIM THROUGHOUT REPLACE MATERIALS IN-KIND WHEN DAMAGED PAST POINT OF REPAIR.
9. PLANS DO NOT FULLY REPRESENT ALL NEW WORK. THE CONSTRUCTION DOCUMENTS ARE INTENDED TO SERVE AS GENERAL GUIDELINES.
10. DIMENSIONS SHOWN ARE FROM FACE OF STUD OR FACE OF EXISTING CONSTRUCTION UNLESS NOTED OTHERWISE.
11. PROVIDE ELECTRICAL PER STATE ELECTRICAL CODE REQUIREMENTS. PROVIDE POWER FOR ALL APPLIANCES. LOCATE NEW ELECTRICAL DEVICES PER NEC REQUIREMENTS & OWNER'S REQUIREMENTS.
12. PROVIDE PLUMBING PER STATE PLUMBING CODE REQUIREMENTS
13. HVAC SYSTEM TO BE DESIGN BUILD. PROVIDE PER STATE CODE REQUIREMENTS.
14. PROVIDE SOLID WOOD BLOCKING AS REQUIRED.
15. PROVIDE FIRE EXTINGUISHERS PER CODE AND PER REQUIREMENTS OF THE BUILDING OFFICIAL.
16. INSTALL BATT INSULATION FULL DEPTH AT ALL EXPOSED STUD CAVITIES (CLOSED CELL SPRAY FOAM AT ATTIC ROOF CAVITIES)
17. COVER ALL WALLS AND CEILINGS W/1/2" THICK GYPSUM BOARD UNLESS NOTED OTHERWISE.
18. PROVIDE MOISTURE AND MOLD RESISTANT GYPSUM BOARD AT BATHROOMS UNLESS NOTED OTHERWISE.
19. ALL APPLIANCES PROVIDED BY OWNER, INSTALLED BY CONTRACTOR.
20. RECONNECT EXISTING FIXTURES TO NEW SWITCH LOCATIONS AS REQUIRED IN THE FIELD.
21. PROVIDE DIMMERS AS DIRECTED BY OWNER
22. AV, CATV, TELEPHONE AND OT NOT SHOWN. SYSTEM TO BE DESIGNED FOR LOCATIONS OF ALL LOW VOL.

DAVID SISSON ARCHITECTURE PC  
345 Taunton Ave  
East Providence RI 02914  
www.dsa-arch.com info@dsa-arch.com 401-595-7070



REV. #	DATE	ISSUED FOR:
1	2023-03-12	OWNER REVIEW

145 High Street  
Bristol RI 02809  
PROJECT NUMBER: 26022

PLANS 1ST FL

M.F.C.  
DAVID SISSON ARCHITECT  
2023-08-27

OPT B  
A4.1



### PLAN LEGEND

- EXISTING DOOR
- EXISTING PARTITION
- NEW DOOR
- FULL HEIGHT PARTITION
- PARTIAL HEIGHT PARTITION
- BEAM OVERHEAD
- DIMENSION TO THE FACE OF FRAMING OR MASONRY AT NEW CONSTRUCTION, TYPE DIMENSION TO THE FACE OF FINISH AT EXISTING CONSTRUCTION
- DIMENSION TO THE FACE OF FINISH
- COLUMN LOCATION
- CARBON MONOXIDE DETECTOR - HARDWIRED AND INTERCONNECTED
- SMOKE DETECTOR - HARDWIRED AND INTERCONNECTED
- HEAT DETECTOR - HARDWIRED AND INTERCONNECTED
- FIRE RATED DOOR 60 MIN W/ CLOSER

### GENERAL NOTES

1. VERIFY ALL DIMENSIONS IN THE FIELD. DO NOT SCALE DRAWINGS.
2. ALL INTERIOR WALLS 2X4 AT 16" O.C. UNLESS NOTED OTHERWISE. PROVIDE DOUBLE TOP PLATES. SEE B4/A0.0
3. ALL DOOR JAMBS 4" OFF WALL UNLESS NOTED OTHERWISE
4. CENTER DOORS IN WALL UNLESS NOTED OTHERWISE
5. PROVIDE HARDWIRED AND INTERCONNECTED SMOKE AND CO DETECTORS WITH BATTERY BACKUP PER CODE REQUIREMENTS & AS DIRECTED BY THE LOCAL BUILDING DEPT.
6. PROTECT IN PLACE ALL EXISTING FIXTURES AND SURFACES SCHEDULED TO REMAIN.
7. PATCH AND REPAIR EXISTING WALLS LOCATED IN UNALTERED AREAS AFFECTED BY ALL NEW WORK, WHETHER SHOWN ON THE DRAWINGS OR NOT.
8. PATCH, PAINT AND REFINISH ALL EXISTING WALLS, FLOORS, CEILINGS & TRIM THROUGHOUT REPLACE MATERIALS IN-KIND WHEN DAMAGED PAST POINT OF REPAIR.
9. PLANS DO NOT FULLY REPRESENT ALL NEW WORK. THE CONSTRUCTION DOCUMENTS ARE INTENDED TO TO SERVE AS GENERAL GUIDELINES.
10. DIMENSIONS SHOWN ARE FROM FACE OF STUD OR FACE OF EXISTING CONSTRUCTION UNLESS NOTED OTHERWISE.
11. PROVIDE ELECTRICAL PER STATE ELECTRICAL CODE REQUIREMENTS. PROVIDE POWER FOR ALL APPLIANCES. LOCATE NEW ELECTRICAL DEVICES PER NEC REQUIREMENTS & OWNER'S REQUIREMENTS.
12. PROVIDE PLUMBING PER STATE PLUMBING CODE REQUIREMENTS
13. HVAC SYSTEM TO BE DESIGN BUILD. PROVIDE PER STATE CODE REQUIREMENTS.
14. PROVIDE SOLID WOOD BLOCKING AS REQUIRED.
15. PROVIDE FIRE EXTINGUISHERS PER CODE AND PER REQUIREMENTS OF THE BUILDING OFFICIAL.
16. INSTALL BATT INSULATION FULL DEPTH AT ALL EXPOSED STUD CAVITIES (CLOSED CELL SPRAY FOAM AT ATTIC ROOF CAVITIES)
17. COVER ALL WALLS AND CEILINGS W/1/2" THICK GYPSUM BOARD UNLESS NOTED OTHERWISE.
18. PROVIDE MOISTURE AND MOLD RESISTANT GYPSUM BOARD AT BATHROOMS UNLESS NOTED OTHERWISE.
19. ALL APPLIANCES PROVIDED BY OWNER, INSTALLED BY CONTRACTOR.
20. RECONNECT EXISTING FIXTURES TO NEW SWITCH LOCATIONS AS REQUIRED IN THE FIELD.
21. PROVIDE DIMMERS AS DIRECTED BY OWNFR
22. A/V, CATV, TELEPHONE AND OTH NOT SHOWN. SYSTEM TO BE DESIG FOR LOCATIONS OF ALL LOW VOLT

david sisson architecture pc
   
 345 Taunton Ave
   
 East Providence RI 02914
   
 www.dss-arch.com info@dss-arch.com 401-595-7070

REV. #	DATE	ISSUED FOR:
1	2023-03-12	OWNER REVIEW

145 High Street
   
 Bristol RI 02809
   
 PROJECT NUMBER: 26022

PLANS 2ND FL


M.F.C.
   
 ARCHITECT
   
 SIGNED:
   
 2/21/2023

OPT B A4.2


TH-2ND FL
   
 1/4" = 1'-0"




A1 EXISTING HOUSE + GARAGE FRONT  
1/4" = 1'-0"




1 SOUTH ELEVATION  
1/4" = 1'-0"



A3 EXISTING HOUSE + GARAGE REAR  
1/4" = 1'-0"



A4 TOWN HOUSES FRONT  
1/4" = 1'-0"



B3 TOWN HOUSES REAR  
1/4" = 1'-0"

DAVID SISSON ARCHITECTURE PC  
 345 Taunton Ave  
 East Providence RI 02914  
 www.dsa-arch.com info@dsa-arch.com 401-585-1070

REV. #	DATE	ISSUED FOR:
1	2024-03-12	OWNER REVIEW

145 High Street  
 BRISOL RI 02809  
 PROJECT NUMBER: 26022

ELEVATIONS

NOT FOR CONSTRUCTION  
 2024  
 2/21/24

OPT B A5.0

A

B

C


D

1




A1 GARAGE FRONT ELEVATION  
1/4" = 1'-0"

2



A3 GARAGE REAR ELEVATION  
1/4" = 1'-0"

3



A4 GARAGE SIDE ELEVATION  
1/4" = 1'-0"

4

DAVID SISSON ARCHITECTURE PC  
345 Taunton Ave  
East Providence RI 02914  
www.dsa-arch.com info@dsa-arch.com 401-595-7070

REV. #	DATE	ISSUED FOR:
1	2023-03-12	OWNER REVIEW

145 High Street  
Bristol RI 02809  
PROJECT NUMBER: 26022

ELEVATIONS

DAVID SISSON ARCHITECTURE PC  
OPT 2  
DATE SIGNED:

OPT B

A5.1

A B C D

1  
2  
3  
4



DAVID SIBSON ARCHITECTURE PC -- ALL RIGHTS RESERVED

david sibson architecture pc
   
 345 Taunton Ave
   
 East Providence RI 02914
   
 www.dsa-arch.com info@ds-arch.com 401-595-7070

REV.#	DATE	ISSUED FOR:

145 High Street
   
 Bristol RI 02809
   
 PROJECT NUMBER: 26022

3D

A.F.C.
   
 SIGNED:
   
 2/21/08-27

OPT B
   
 A10.0

A B C D

1  
2  
3  
4



DAVID SIBSON ARCHITECTURE PC - ALL RIGHTS RESERVED

david sibson architecture pc
   
 345 Taunton Ave
   
 East Providence RI 02914
   
 www.ds-arch.com info@ds-arch.com 401-595-7070

REV.#	DATE	ISSUED FOR:

145 High Street
   
 Bristol RI 02809
   
 PROJECT NUMBER: 26022

3D

A.F.C.
   
 ARCHITECT
   
 SIGNED:
   
 2/21/08-27

OPT B
   
 A10.1

A B C D

1  
2  
3  
4



DAVID SIBSON ARCHITECTURE PC -- ALL RIGHTS RESERVED

david sibson architecture pc  
 345 Taunton Ave  
 East Providence RI 02914  
 www.dsa-arch.com info@ds-arch.com 401-595-7070

REV.#	DATE	ISSUED FOR:

145 High Street  
 Bristol RI 02809  
 PROJECT NUMBER: 26022

3D

A.F.C.  
 ARCHITECT  
 SIGNED: 2/21/08-27

OPT B A10.2



**145 High Street, Bristol RI 02809**  
**Product Summary for exterior facade work**

Exterior Clapboard – Material

- **HardiePlank®** Lap Siding (0.312" in x 6.25" -in x 144 in) - primed
- Color: Painted – SW 7005 **Pure White**
- Exposure : 5"



Windows – Material

- **Pella® Lifestyle Series Double-Hung Window**
- Material: Clad Wood
- Exterior color: White
- Grilles: none
- Interior color: Painted – TBD



Roof Shingles – Material

- **GAF** Timberline Natural Shadow 33.3-sq ft Laminated Architectural Roof Shingles
- Color: TBD
- Item #652976
- Model #0600180



Exterior Doors – Material

- **Jeld-Wen Smooth-Pro™ Fiberglass Exterior Door: 1/2 View 4-Light 1-Panel Plank**
- Color: Wood milk chocolate



Garage door

**CLOPAY** – Coachman- Premium series


Dimensions: W 8'x H 7'0" & W 8'x H 7'4"

**Model CD13**

Design : Modern Grooved Panel (contemporary Windows)

Construction 4-layer 1 3/8" Polystyrene Insulation R-value 6.5

Color : Standard White



Exterior flat Trim

Azek - Traditional 4/ 4-in. x 2-in. x 8-ft. PVC Smooth Trim Board

- Color: Painted – SW 7005 **Pure White**



**145 High Street, Bristol RI 02809**  
**Product Summary for exterior facade work**

Exterior Clapboard – Material

- **HardiePlank®** Lap Siding (0.312" in x 6.25" -in x 144 in) - primed
- Color: Painted – SW 7005 **Pure White**
- Exposure : 5"



Windows – Material

- **Harvey SLIMLINE- 12-lite double-hung vinyl windows**
- Material: Vinyl
- Exterior color: White
- Grilles: 12 LITE
- Interior color: White



Roof Shingles – Material

- **GAF** Timberline Natural Shadow 33.3-sq ft Laminated Architectural Roof Shingles
- Color: TBD
- Item #652976
- Model #0600180



Exterior Doors – Material

- **Jeld-Wen Smooth-Pro™ Fiberglass Exterior Door: 1/2 View 4-Light 1-Panel Plank**
- Color: Wood milk chocolate



Garage door

**CLOPAY** – Coachman- Premium series


Dimensions: W 8'x H 7'0" & W 8'x H 7'4"

**Model CD13**

Design : Modern Grooved Panel (contemporary Windows)

Construction 4-layer 1 3/8" Polystyrene Insulation R-value 6.5

Color : Standard White



Exterior flat Trim

**Hardie® Trim Boards** - Traditional 4.5-in. x 1.5-in. x 8-ft. Fiber cement

- Color: Painted – SW 7005 **Pure White**





Gutter system

**Amerimax 5-in x 120-in White Aluminum**

Color: white

Style: TBD

































