

 1-800-Simpson

 Email Us

Contact Us | Careers | EZQ

FIND
A
DOOR

DESIGN
TOOLS

GALLERY



PROJECT
CENTER

PROFESSIONALS

WHERE
TO
BUY



6812 CRAFTSMAN ONE PANEL-TWO LITE

DOOR SPECIFICATIONS (AS SHOWN):

- Glass:** Clear
- Profile:** Shaker Sticking
- Panel Type:** 3/4" FP

Rough opening needs to be 2" wider and 2 1/2" taller than your door.

 [Use my location to provide accurate pricing](#)

STANDARD OPTIONS

Quantity



Change Quantity

Change Door Shape

Planning to Stain or Paint? ☐ Stain ☒ Paint

view more

Original Slab Width

view more

Original Slab Height

view more

Thickness

view more

IG Glass, Option 1

view more

Add Low-E

Film

view more

Sticking Profile

Panel Type

Groove Type

Stile Width

view more

UltraBlock

view more

Feet	Inches	Fraction
<div>3</div>	<div>0</div>	<div>0</div>
<div>7</div>	<div>0</div>	<div>0</div>
<div>2 1/4"</div>		
<div>Clear</div>		
<div><div><div></div></div> Yes <div><div></div></div> No</div>		
<div>Yes</div>		
<div>Shaker Sticking</div>		
<div>3/4" FP</div>		
<div>None</div>		
<div>5-1/2"</div>		

DESIGN AND CONSTRUCTION ALTERATIONS

Modified Mortise & Tenon

view more

Two-Piece Laminated Stiles and Rails

view more

Engineered Stiles and Rails with 1/4" Veneer

view more

Mouldings

view more

<div><div><div></div></div> Yes <div><div></div></div> No</div>
<div><div><div></div></div> Yes <div><div></div></div> No</div>
<div><div><div></div></div> Yes <div><div></div></div> No</div>
<div>None</div>

FINISHING TOUCHES

Priming

view more

<div><div><div></div></div> Yes <div><div></div></div> No</div>

