Pella® Reserve®

Traditional Wood & Clad/Wood



Exquisitely designed windows and doors with unparalleled historical detailing.

Double-Hung Interior



Double-Hung Exterior



Available in these window and patio door styles:

• Easy-to-learn Pella Steady Set interior installation system

Pella Steady Set Interior Installation System is a revolutionary, award-winning and safer way to install new construction windows.¹ The simple system is the fastest, most labor efficient wood window installation system with uncompromising quality.² Available on select windows.

· Historical Details

Our most historically authentic line of wood windows and patio doors. Featuring through-stile construction, deliberate proportions and intricate profiles. Pella Reserve – Traditional products are the ideal choice for historical renovations and traditional building projects.

· Authentic hardware

Complement your project with historically authentic spoon-lock window hardware. Our Antiek casement window hardware is inspired by period furniture to deliver authentic traditional style.

Architectural interest

Pella's Integral Light Technology® grille helps capture the look of true-divided-light without sacrificing energy performance. Further your aesthetic with the putty profile, recreated with historically accurate angles to provide meaningful depth and a realistic shadow. Pella Reserve products offer the industry's deepest sash dimension.

Virtually unlimited customization

If you can dream it, we can build it with our most customizable product line. From extra tall to extra wide, Pella can craft unique windows that complement your aesthetic. Custom sizes, grille patterns and designs, finishes, wood types and glass options are available.

• Tailor-made solutions

From preliminary drawings to installation, Pella's expert team of architects, engineers, drafters and consultants can work to deliver custom window and door solutions for your project. Partner with Pella to achieve your unique vision without concessions.

• Intentional innovation

The award-winning Integrated Rolscreen® retractable screen preserves aesthetics and the view. It is a double- and single-hung screen that appears when you open the window and rolls away, out of sight, when you close it.

• Durable interiors and extruded aluminum exteriors

To help save you time on the jobsite, interior finish options are available in a variety of paints and stains, or primed and ready-to-paint. To complement your exterior aesthetic, choose from our carefully curated color palette or define your own custom color for your project.

• ENERGY STAR® certified3

Pella wood products offer energy-efficient options that will meet or exceed ENERGY STAR guidelines in all 50 states.

Testing beyond requirements

All wood products and testing are not created equal. Pella raises the bar on industry standard testing and beyond to deliver long-lasting products and reduced callbacks. Every Pella wood window and door passes 5, on average, quality checks before it arrives on the jobsite.

• Best limited lifetime warranty4

Pella Reserve products are covered by the best limited lifetime warranty in the business for wood windows and patio doors.⁴



Special shape windows also available.

Product Specifications

| | Min. | Min. | Max. | Max. | Performance | Performance Values | | | 1 |
|--------------------------------------|---------|---------|----------|----------|-----------------------|--------------------|-----------|-----------|---|
| Window & Patio Door Styles | Width | Height | Width | Height | Class & Grade | U-Factor | SHGC | STC | Frame / Install |
| Awning | 13-3/4" | 13-3/4" | 59" | 59" | LC30 – CW50 | 0.25-0.29 | 0.18-0.47 | 27-35 | Pella Steady Set-, Fold-out Fin, Block Frame, EnduraClad Exterior Trim / Brickmould |
| Casement | 13-3/4" | 13-3/4" | 47" | 108" | R35-CW50 | 0.25-0.29 | 0.18-0.47 | 27-34 | |
| Fixed Casement | 10" | 10" | 144" | 144" | R35-CW50 | 0.25-0.29 | 0.18-0.47 | 27-35 | |
| Double-Hung | 14" | 24-3/8" | 48" | 96" | CW30-CW50 | 0.25-0.30 | 0.19-0.53 | 28-35 | |
| Precision Fit Double-Hung | 13-1/2" | 23-3/4" | 48" | 84" | CW40-CW50 | 0.25-0.31 | 0.19-0.53 | 26-30 | Pocket Replacement |
| Monumental Hung | 13-3/4" | 24" | 72" | 144" | LC25-CW50 | 0.25-0.30 | 0.17-0.47 | 29-34 | |
| In-Swing Hinged Patio Door (Single) | 18" | 36" | 48" | 119-1/2" | LC40-LC55 | 0.25-0.29 | 0.14-0.40 | 31-35 | Fold-out Fin, Block Frame, EnduraClad Exterior Trim / Brickmould |
| In-Swing Hinged Patio Door (Double) | 36" | 36" | 96" | 119-1/2" | LC40-LC55 | 0.25-0.29 | 0.14-0.40 | 31-35 | |
| Out-Swing Hinged Patio Door (Single) | 18" | 36" | 48" | 119-1/2" | R50-LC70 | 0.25-0.30 | 0.14-0.39 | 30-36 | |
| Out-Swing Hinged Patio Door (Double) | 36" | 36" | 96" | 119-1⁄2" | R50-LC70 | 0.25-0.30 | 0.14-0.39 | 30-36 | |
| Sliding Patio Door (OX, XO) | 60" | 74" | 120" | 120" | R20-LC50 | 0.26-0.31 | 0.20-0.51 | 0.28-0.33 | |
| Sliding Patio Door (OXO) | 90" | 74" | 180" | 120" | R20-LC35 | 0.26-0.31 | 0.20-0.51 | _ | |
| Sliding Patio Door (OXXO) | 117" | 74" | 237" | 120" | R20-LC35 | 0.26-0.31 | 0.20-0.51 | _ | |
| Multi-Slide Patio Door | 40-1/4" | 50-1/2" | 701-5/8" | 119-1/2" | R15-LC25 ³ | 0.30-0.36 | 0.15-0.46 | 31 | For more info visit PellaADM.com |
| Bifold Patio Door | 31-3/4" | 55-1/2" | 312" | 119-1/2" | R15-LC25 ³ | 0.26-0.44 | 0.13-0.45 | _ | |

Window sizes available in 1/8" increments
Special sizes available. For more information regarding performance, visit pella.com/performance. For more information regarding frame and installation types, visit PellaADM.com.

Grilles

Integral Light Technology®

Choose the look of true divided light without sacrificing energy performance.



Putty Glaze Exterior with Ogee Interior⁴ 7/8", 1-1/4" or 2"




Putty Glaze Exterior with Ogee Interior⁴ 7/8", 1-1/4" or 2"



Ogee Exterior with Ogee Interior⁴ 7/8", 1-1/4" or 2"

Cross Sections

Cross Sections



The double-hung cross sections provide visual reference to the historic putty exterior profile and traditional, beveled Ogee interior that add architectural interest to your project.

Optional Fold-out Installation Fin

Window Hardware

Classic Collection

Get a timeless look with authentic styles in classic finishes.



Fold-away



Spoon-Style Lock







Champagne

Oil-Rubbed

Satin Nickel

Satin Brass

Rustic Collection

Create a distinct and charming look with distressed finishes.



Fold-away Crank



Spoon-Style Lock

Finishes:



Distressed Nickel

Essential Collection

Select from popular designs and finishes to suit every style.





Cam-Action Lock

Finishes:







Bronze

Satin Nickel Satin Brass

Patio Door Hardware

Classic Collection

Choose timeless pieces, created in collaboration with Baldwin® Hardware, for a look that will never go out of style.

BALDWIN



Hinged & Bifold Patio Door Handle



Sliding & Multi-Slide Patio Door Handle



Multi-Slide Patio Door Handle^{5, 6}



Matte Black Oil-Rubbed



Satin Brass

Matte Black

Essential Collection

Elevate your style and transform a home with elegant selections.

Sliding Patio

Door Handle



Hinged & Bifold Patio Door Handle



Multi-Slide Patio









Oil-Rubbed

Satin Nickel Satin Brass

Colors

Colors

Wood Types

Choose the wood species that best complements your project's interior.



Douglas Fir









Cherry



Pine

Prefinished Pine Interior

Custom interior finishes, unfinished or primed and ready-to-paint are also available.













Frost Blue



Soft Linen

Stain

Early American **Provincial Stain**

Pearl Gray

Blue Ash

Charcoal Stain

Satin Steel

Black Stain

Dark Mahogany Stain

Extruded Aluminum-Clad **Exterior Colors**

Our low-maintenance EnduraClad® exterior finish resists fading. Take durability one step further with EnduraClad Plus which also resists chalking and corrosion.7



Wolf Gray

Spice Red

Sage

Screens

Custom colors are also available.

| Rolscreen® | Rolscreen soft-closing retractable screens roll out of sight when not in use. Available on casement windows. | | | | | | |
|------------------------|--|--|--|--|--|--|--|
| Integrated Rolscreen® | A concealed retractable screen that moves seamlessly with the sash of a single- or double-hung window — appearing when you open the window and rolling out of sight when you close it. | | | | | | |
| TuffScreen® by Phifer® | The TuffScreen® is 2.5x stronger than a standard screen.® It is tear, puncture and damage resistant, standing up to pets, children and harsh weather. Available on sliding patio doors. *All trademarks are property of their respective owners | | | | | | |

Flat

InView™ screens are clearer than conventional screens and come standard.

Matte Gray



The Best Limited Lifetime Warranty in the Industry

We know your reputation matters and you stake your reputation on quality, dependable products. That's why we have the best limited lifetime warranty in the industry for wood windows and patio doors.²

- Some Pella products may not meet ENERGY STAR® guidelines in Canada. For more information, contact your local Pella sales representative or go to energystar.gc.ca.
 Based on comparing written limited warranties of leading national wood window and wood patio door brands. See written limited warranty for details, including exceptions and limitations, at pella.com/warranty or contact Pella Customer Service.
- ³ Ratings are contingent on product configurations.

- Golor-matched to your product's interior and exterior color. Offering may vary by product type. See Pella sales representative for details.
 Flush multi-slide handle is a Pella exclusive design.
- Flush multi-slide handle is not available in Champagne
- EnduraClad Plus protective finish is not available with all colors. See your local Pella sales representative for availability.
- ⁸ Based on the composite results of a 5-panel strength analysis comparing TuffScreen and standard screening.