HISTORIC REHABILITATION OF:

467 HOPE STREET

BRISTOL, RHODE ISLAND, 02809

HISTORIC DISTRICT COMMISION SET - OPTION A NOT FOR CONSTRUCTION 18 NOVEMBER 2024

DRAWING LIST			
Sheet Number	Sheet Name		
01 - GENERAL			
G0.00	COVER		
G0.01	PROJECT INFORMATION		
03 - PROPOSED			
A3.01	EAST EXTERIOR ELEVATIONS		
A3.02	SOUTH EXTERIOR ELEVATIONS		
A3.03	WEST EXTERIOR ELEVATIONS		
A3.04	NORTH EXTERIOR ELEVATIONS		



MECHANICAL, ELECTRICAL, AND PLUMBING

TO BE
PERMITTED
DESIGN BUILD

REHABILITATION OF:
HOPE STREET

HISTORIC DISTRICT COMMISION SET - OPTION A

467 H

ISSUED FOR : HDC REVIEW


NOT FOR CONSTRUCTION 18 NOVEMBER 2024


· -	HISTORIC DISTRICT MISION SET - OPTION A
prici s cons sti	drawing set is for review, ing, and coordination and should not be used for struction or permitting. All ructural members to be eviewed and sized by a structural engineer.
REVISIONS	


COVER

SHEET SIZE: ARCH D 24" X 36"

G0.00







BY	
C. AIR CONDITION	
DETAIL LIBRARY	
DOL ADDITIONAL LINE TILES LOCKER DOL ADDITIONAL LOCKER LUL LAMINATED VENEER LUMBER LOCKER LUL LAMINATED VENEER LUMBER LOCKER LUCATION LUMT OF WORK LUC LOCATION LUMT OF WORK LUC LOCATION LUMT OF WORK LUC LOCKER LUMT OF WORK LUC LOCKER LUMT OF WORK LUC LOCKER LUMT OF WORK LUC LUC LOCKER LUMT OF WORK LUC	
D. ADJUSTABLE (OR) ADJACENT	
F. ABOVE FINISH FLOOR	
H. AUTHORITY HAVING JURISDICTION LIVE LOUVER	
LT. ALTERNATE MAS. MASONRY MAS. MASONRY MATERIAL MEDIUM	
MAL MALERIAL MAX MARIANIA	
MECH	
PT	
MDF	
UTO AUTOMATIC MIN. MIN	
AS BUILDING AUTOMATION SYSTEM D BOARD DRM BEDROOM DRM BEDROOM TULM, BEDROOM TO NATIONAL NOT IN CONTRACT NATURAL NOT IN CONTRACT NOT IN CONTRACT TO NOT SCALE O.C. ON CENTER TO OPEN TO ONTINUICE, IOUS TO OPEN TO	
MTD MOUNTED METAL	
DERNO BERROOM BITUMINOUS LIGG BULDING LIGG BLOCKING LIW BELOW SMT BASEMENT OT. BOTTOM SMICH BASEMENT OT. BOTTOM SMT BASEMENT SMT BA	
ITUM. BITUMINOUS LIGG	
BUCKING LIVE BELOW BELOW SMT BASEMENT OT. BOTTOM OT. BOTTOM NK BRICK RZ BRONZE TWW BETWEEN AB. CABINET F.M.F. COLD-FORMED METAL FRAMING LIC CENTER LINE LIC CENTER LINE LIC CELLING UR CALEAR(ANCE) J. CONTROL JOINT MU CONCRETE MASONRY UNIT OL. CLUMN OMP. COMPRESS(ED). (ION). (IBLE) ONC. CONSTRUCTION OMP. COMPRESS(ED). (ION). (IBLE) ONT. CONSTRUCTION OUT. CONSTRUCTION OUT	
M.C. NOISE CRITERIA N.C. NOISE CRITERIA N.C. NOT IN CONTRACT N.C. NOT IN CONTRACT N.C. NOT IN CONTRACT N.C. NOT IN CONTRACT N.C.	
DATE DATE DATE DATE	
MINERAL BRICK RZ BRONZE RZ BRONZE BETWEEN AB. CABINET JEMEN AB. RESILENT BASE AB. RESILENT BASE AB. RESILENT AB.	
AB. CABINET F.M.F. COLD-FORMED METAL FRAMING L. CENTER LINE CGUETR LAND OPPOSITE CRIG OPPOSITE ORIG ORIG ORIG ORIG ORIG ORIG ORIG ORIG	
AB. CABINET F.M.F. COLD-FORMED METAL FRAMING L. CENTER LINE L. CELAR(ANCE) J. CONTROL JOINT MU CONCRETTE MASONRY UNIT OL. COLUMN OL. COLUMN OL. COLUMN ONC. CONCRETE ONST. CONSTRUCTION ONT. CONTRUIU(E), (OUS) OORD. COORDINATE PR COPPER PR COPPER T. CERAMIC TILE T.E. CONSECT TO EXISTING U.H. CABINET UNIT HEATER BL DOUBLE BMO DEMO(LISH), (LITION) ET. DE TAIL F. DRINKING FOUNTAIN H DOUBLE HUNG IM. DOWN R PLANTING OFCI OWNER FURNISHED CONTRACTOR INSTAL OFCI OWNER FURNISHED OPHOSITE HAND OPHOS	
AG. CAGINET L. CENTER LINE L. CENTER LINE L. CELAR(ANCE) J. CONTROL JOINT OL. COLUMN OL. COLUMN OL. COLUMN OL. CONCRETE MASONRY UNIT OL. CONCRETE ONST. CONSTRUCTION ONT. CONSTRUCTION ONT. CONSTRUCTION ONT. CONSTRUCTION ONT. CORPERS PT CARPET PR COPPER J. CERAMIC TILE T. CERAMIC TILE T. CERAMIC TILE J. CONNECT TO EXISTING U.H. CABINET UNIT HEATER BL DOUBLE BMO DEMOLISH), (LITION) ET. DETAIL F. DRINKING FOUNTAIN H DOUBLE HUNG ILM DOWN N RM ROOM N R.H. RIGHT HAND NOWN N ROOM NEWLER COLUMN OPPOSITE OPPOSITE ONNER TURNISHED CONTRACTOR INSTALL OPPO OWNER FURNISHED CONTRACTOR INSTAL OPNO OWNER FURNISHED CONTRACTOR INSTAL OPNO OWNER FURNISHED OWNER INSTALLED OPPOSITE OWNER FURNISHED OWNER INSTALLED OPPOSITE OWNER FURNISHED OWNER INSTALLED OPPOSITE OWNER INSTALLED OPPOSITE ONE WINSTALLED OPPOSITE OWNER INSTALLED OPPOSITE OWNER INSTALLED OPPOSITE OWNER IND OPPOSITE ONE IN OPPOSITE ORIGINAL OPPOSITE ONE IN OPPOSITE ORIGINAL OPPOSITE ONE IN OPPOSITE ORIGINAL OPPOSI	
L. CENTER LINE LG CEILING LR CLEAR(ANCE) J. CONTROL JOINT MU CONCRETE MASONRY UNIT OL. COLUMN OMP. COMPRESS(ED), (ION), (IBLE) ONST. CONSTRUCTION ONT. CONSTRUCTION ONT. CONSTRUCTION ONT. CARPET PT CARPET PT CARPET PR COPPER T. CERAMIC TILE T. CERAMIC TILE T. CERAMIC TILE T. DETAIL F. DRINKING FOUNTAIN BL DOUBLE BL RESILENT BASE BL RESILENT BASE BL RESILENT BASE BL REFER BEFER B	LED
LG CEILING LR CLEAR(ANCE) J. CONTROL JOINT MU CONCRETE MASONRY UNIT OL. COLUMN OMP. COMPRESS(ED), (ION). (IBLE) ONST. CONSTRUCTION ONT. CONSTRUCTION ONT. CONTINU(E), (OUS) OPERPE PERPENDICULAR ONT. CONTINU(E), (OUS) ONT. CORPET PT CARPET PR COPPER T. CERAMIC TILE T. CERAMIC TILE T. CERAMIC TILE T. CABINET UNIT HEATER BL DOUBLE HUNG H DOUBLE HUNG H DOUBLE HUNG H DOUBLE HUNG IMM DIMENSION N DOWN S DOWNSPOUT TL DETAIL WG DRAWING WHAT ONLY DETAIL WG DRAWING OPPOSITE HAND OPNG OPENING OPHOROUS OPENING OPHOROUS OPENING OPHOROUS OPHORITED	
DOPPOSITE J. CONTROL JOINT OU. COLUMN OU. COLUMN OMP. COMPRESS(ED), (ION). (IBLE) ONC. CONSTRUCTION ONST. CONSTRUCTION ONT. CONTINU(E), (OUS) OORD. COPPER T. CARPET PT CARPET PT CARPET PR COPPER T.T. CERAMIC TILE T.E. CONNECT TO EXISTING U.H. CABINET UNIT HEATER BL DOUBLE EMO DEMO(LISH), (LITION) ET. DETAIL F. DIAMETER IA. DOWN N DOWN N DOWN N DOWN N DOWN S DOWNSPOUT TIL DETAIL WG DRAWING OPP OPPOSITE ORIGINAL ORIGINAL OVHD OVERHEAD ORIGINAL OVHD OVERHEAD OVE	
MU CONCRETE MASONRY UNIT OL. COLUMN OL. COLUMN OMP. COMPRESS(ED), (ION). (IBLE) ONC. CONCRETE ONST. CONSTRUCTION ONT. CONTINUE, (OUS) OORD. COORDINATE PT CARPET PT CARPET PR COPPER T. CERAMIC TILE T. CERAMIC TILE T. CERAMIC TILE T. CONNECT TO EXISTING U.H. CABINET UNIT HEATER BL DOUBLE BL DEMO(LISH), (LITION) BT. DETAIL BL DOUBLE HUNG BL DOUBLE BL DOUBLE HUNG BL REFER BEFER B	
OMP. COMPRESS(ED), (ION). (IBLE) ONC. CONCRETE ONST. CONSTRUCTION ONT. CONTINUED, (OUS) OORD. COORDINATE PT CARPET PR COPPER T. CERAMIC TILE T. CERAMIC TILE T. CERAMIC TILE T. CONNECT TO EXISTING U.H. CABINET UNIT HEATER BL DOUBLE BMO DEMO(LISH), (LITION) ET. DETAIL F. DRINKING FOUNTAIN H DOUBLE HUNG IA. DIAMETER IA. DIAMETER IA. DIAMETER IA. DIAMETER IA. DIAMETER IA. DIAGONAL IM. DIMENSION R DOOR S DOWNSPOUT IL DETAIL WG DRAWING OZ. OUNCE OZ. OUNCE PERP PERPENDICULAR PLAM PLASTIC LAMINATE PNT PAINT PARTITION PLYWOOD Q.T. QUARRY TILE R.B. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFER REFRIGERATOR REF. REFER REFR REFRIGERATOR REG. REQUIRE(D) RES. RESILIENT REV. REVISION R.H. RIGHT HAND RM ROOM R.H. RIGHT HAND RM ROOM R.H. RIGHT HAND RM ROOM R.H. RIGHT HAND R.O. ROUGH OPENING WG DRAWING	
ONC. CONCRETE ONST. CONSTRUCTION ONT. CONTINU(E), (OUS) OORD. COORDINATE PT CARPET PT CARPET PR COPPER T. CERAMIC TILE T.T. CERAMIC TILE T.T. CABINET UNIT HEATER BL DOUBLE EMO DEMO(LISH), (LITION) ET. DETAIL F. DETAIL F. DETAIL JIAMETER AD IMMETER IA. DIAMETER IA. DIAMETER IA. DIAMETER IA. DIAMETER IA. DOWN IA. DIAMETER IA. DOWN IA. DIMENSION IA. DOWN IA. REF. REFIRERATOR RESULENT REF. REFIRERATOR REF. REFIRERATOR REF. RESILENT RESULTE REF. REFR REFR REFRIGERATOR RES. RESILENT RES. RESILENT RES. RESILENT RES. RESILENT REF. REFR REFR REFRIGERATOR RES. RESILENT REV. REVISION RES. RESILENT REV. REVISION REV. REVISION RM ROOM RM ROOM RM ROOM RM ROOM RM ROOM ROUGH OPENING	
ONT. CONTINU(E), (OUS) OORD. COORDINATE PT CARPET PR COPPER T. CERAMIC TILE T.E. CONNECT TO EXISTING U.H. CABINET UNIT HEATER BL DOUBLE EMO DEMO(LISH), (LITION) ET. DETAIL F. DIAMETER IA. DOWN N DOWN N DOWN R DOOR S DOWNSPOUT TL DETAIL WG DRAWING PLAM PLASTIC LAMINATE PNT PAINT PAINT PTD PAINTED PARTITION PLYWD PLYWOOD RES. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFRIGERATOR REG. REQUIRE(D) RES. RESILIENT REV. REVISION RM ROOM R.H. RIGHT HAND RM ROOM R.H. RIGHT HAND RM ROOM R.O. ROUGH OPENING ROUED ROUFERURE	
OORD. COORDINATE PT CARPET PT CARPET PR COPPER T. CERAMIC TILE T.E. CONNECT TO EXISTING U.H. CABINET UNIT HEATER BL DOUBLE EMO DEMO(LISH), (LITION) ET. DETAIL F. DRINKING FOUNTAIN H DOUBLE HUNG IAG. DIAGONAL IM. DIMENSION N DOWN R DOOR S DOWNSPOUT TL DETAIL WG DRAWING WI PAINT PTD PAINTED PR PAIR PTD PAINTED PR PAINTED PR PAINTED PR PAIR PTD PAINTED PR PAIR PTD PAINTED PR PAINTED PR PAINTED PR PAINTED PR PAIR PTD PAINTED PR PAIR PTD PAINTED PR PAINTED PR PAIR PTD PAINTE PTD PAINTED PR PAIR PTD PAINTE PTD PAINTED PR PAIT PTD PAINTE P	
PR COPPER T. CERAMIC TILE T.E. CONNECT TO EXISTING U.H. CABINET UNIT HEATER BL DOUBLE EMO DEMO(LISH), (LITION) ET. DETAIL F. DRINKING FOUNTAIN H DOUBLE HUNG IA. DIAMETER IA. DIAMETER IA. DIAMETER IA. DIAMETER IA. DIMENSION N DOWN R DOOR S DOWNSPOUT TL DETAIL WG DRAWING PR PAIR P.T. PRESSURE TREATED PTN PARTITION PLYWD PLYWOOD R.B. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFR REFRIGERATOR REQ. REQUIRE(D) RES. RESILIENT REV. REVISION R.H. RIGHT HAND R.M. ROOM R.O. ROUGH OPENING ROUSEPULE PR PAIR P.T. PRESSURE TREATED PTN PARTITION PLYWD PLYWOOD R.B. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFR REFRIGERATOR REQ. REQUIRE(D) RES. RESILIENT REV. REVISION R.H. RIGHT HAND R.O. ROUGH OPENING	
T. CERAMIC TILE T.E. CONNECT TO EXISTING U.H. CABINET UNIT HEATER BL DOUBLE EMO DEMO(LISH), (LITION) ET. DETAIL F. DRINKING FOUNTAIN H DOUBLE HUNG IA. DIAMETER IAG. DIAGONAL IM. DIMENSION N DOWN R DOOR R DOOR S DOWNSPOUT TL DETAIL WG DRAWING P.I. PRESSURE TREATED PTN PARTITION PLYWD PLYWOOD R.B. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFER REFR REFRIGERATOR REQ. REQUIRE(D) RES. RESILENT REV. REVISION R.H. RIGHT HAND R.O. ROUGH OPENING ROULED COLUED P.I. PRESSURE TREATED PTN PARTITION PLYWD PLYWOOD R.B. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFR REFRIGERATOR REF. REFER REFRIGERATOR REQ. REQUIRE(D) RES. RESILENT REV. REVISION R.H. RIGHT HAND R.O. ROUGH OPENING	
BL DOUBLE EMO DEMO(LISH), (LITION) ET. DETAIL F. DRINKING FOUNTAIN H DOUBLE HUNG IA. DIAMETER IAG. DIAGONAL IM. DIMENSION N DOWN N DOWN R DOOR S DOWNSPOUT TL DETAIL WG DRAWING PLYWD PLYWOOD Q.T. QUARRY TILE R.B. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFER REFR REFRIGERATOR REQ. REQUIRE(D) RES. RESILIENT REV. REVISION R.H. RIGHT HAND RM ROOM R.O. ROUGH OPENING	
BL DOUBLE EMO DEMO(LISH), (LITION) ET. DETAIL .F. DRINKING FOUNTAIN H DOUBLE HUNG IA. DIAMETER IA. DIAMETER IM. DIMENSION N DOWN N DOWN R DOOR S DOWNSPOUT TL DETAIL BL DOUBLE Q.T. QUARRY TILE R.B. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFER REFIGERATOR REQ. REQUIRE(D) RES. RESILIENT REV. REVISION R.H. RIGHT HAND RM ROOM R.O. ROUGH OPENING ROUSED REVIED REV	
EMO DEMO(LISH), (LITION) ET. DETAIL .F. DRINKING FOUNTAIN H DOUBLE HUNG IA. DIAMETER IAG. DIAGONAL IM. DIMENSION N DOWN R DOOR S DOWNSPOUT TL DETAIL WG DRAWING R.B. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFR REFRIGERATOR REQ. REQUIRE(D) RES. RESILIENT REV. REVISION R.H. RIGHT HAND RM ROOM R.O. ROUGH OPENING	
ET. DETAIL J.F. DRINKING FOUNTAIN H DOUBLE HUNG IA. DIAMETER IAG. DIAGONAL IM. DIMENSION N DOWN R DOOR S DOWNSPOUT TL DETAIL WG DRAWING R.B. RESILENT BASE R.D. ROOF DRAIN REF. REFER REFR REFRIGERATOR REQ. REQUIRE(D) RES. RESILIENT REV. REVISION R.H. RIGHT HAND RM ROOM R.O. ROUGH OPENING	
H DOUBLE HUNG IA. DIAMETER IAG. DIAGONAL IM. DIMENSION N DOWN R DOOR S DOWNSPOUT TL DETAIL WG DRAWING REF. REFER REFR REFRIGERATOR REQ. REQUIRE(D) RES. RESILIENT REV. REVISION R.H. RIGHT HAND ROOM R.O. ROUGH OPENING	
IA. DIAMETER IA. DIAGONAL IA. DIAGONAL IM. DIMENSION IM. DOWN IA. DOWN IA. DOWN IA. DIMENSION IA. DIMENSION IA. DIMENSION IA. DOWN IA. DOWN IA. DOWN IA. REFR REFRIGERATOR IA. REQ. REQUIRE(D) IA. RES. RESILIENT IA. REV. REVISION IA. RIGHT HAND IA. ROOM IA.	
IAG. DIAGONAL IM. DIMENSION N DOWN R DOOR S DOWNSPOUT TL DETAIL WG DRAWING REQ. REQUIRE(D) RES. RESILIENT REV. REVISION R.H. RIGHT HAND RM ROOM R.O. ROUGH OPENING	
N DOWN R DOOR S DOWNSPOUT TL DETAIL WG DRAWING REV. REVISION R.H. RIGHT HAND RM ROOM R.O. ROUGH OPENING	
R DOOR S DOWNSPOUT TL DETAIL WG DRAWING R.H. RIGHT HAND RM ROOM R.O. ROUGH OPENING	
TL DETAIL WG DRAWING R.O. ROUGH OPENING	
WG DRAWING COUED COUEDING	
V DUDLEV	
SECT. SECTION	
A. EACH SF SQUARE FEET SHT SHEET	
LEC ELECTRIC(AL) SHTH SHEATHING	
LEV. ELEVATOR SIMILAR	
MS EMERGENCY MANAGEMENT SYSTEM SRL SUBMITTAL RÉVIEW LETTER	
J. EXPANSION JOINT SQ. SQUARE	
Q EQUAL QUIP EQUIPMENT S.S. STAINLESS STEEL S.S.M. SOLID SURFACE MATERIAL S.S.M. SOLID SURFACE MATERIAL	
TR EXISTING TO REMAIN STC SOUND TRANSMISSION COEFFICIENT	
XG EXISTING STANDARD	
STL STEEL	
A. FIRE ALARM STRUCT. STRUCTURAL SUSP. SUSPEND(ED)	
.A.R. FLOOR AREA RATIO C.U. FAN COIL UNIT SUSP. SUSPEND(ED) SYS. SYSTEM	
.D. FLOOR DRAIN	
FOUNDATION F FIRE EXTINGUISHER TBD TO BE DETERMINED	
EC FIRE EXTINGUISHER CABINET IEL. TELEPHONE	
THK THICK(NESS)	
IN. FINISH THRESHOLD	
T.O. TOP OF	
LUOR. FLUORESCENT TSTAT THERMOSTAT	
O. FACE OF TYP. TYPICAL P. FIRE PROTECTION TZ TERRAZZO	
T FEET LINE THE ATER	
TG FOOTING U.H. UNIT HEATER U.N.O. UNLESS NOTED OTHERWISE	
U.O.N. UNLESS NOTED OTHERWISE	
A GAGE VERT. VERTICAL	
B GRAB BAR V.I.F. VERIFY IN FIELD	
L GLASS VAPOR RETARDER	
ELAM GLUE LAMINATED BEAM ELZ GLAZING W/ WITH	
WB GYPSUM BOARD W.C. WATER CLOSET WD WOOD	
C HANDICAP WIN. WINDOW	
DF HIGH DENSITY FIBERBOARD 7.0.0 7INO COATER CORRER	
DWR HARDWARE	
OR. HORIZONTAL & AND	
R HOUR T HEIGHT	
N. INCHES	
NCL. INCLUDE(D),(ING) NFO. INFORMATION	
ISUL. INSULATION	
IT. INTERIOR	
C. JANITOR'S CLOSET	
BOX JUNCTON BOX T JOINT	
IT. KITCHEN	
AB. LABORATORY	
AV. LAVATORY B POUND(S)	

HISTORIC REHABILITATION OF:

467 HOPE Street
Bristol, Rhode Island, 02809

PROJECT NUMBER: 230912

HISTORIC DISTRICT COMMISION SET - OPTION A

ISSUED FOR : HDC REVIEW

18 NOVEMBER 2024

HISTORIC DISTRICT COMMISION SET - OPTION A

This drawing set is for review, pricing, and coordination and should not be used for construction or permitting. All structural members to be reviewed and sized by a structural engineer.

REVISIONS

PROJECT INFORMATION

SHEET SIZE: ARCH D 24" X 36"

G0.01





A5 PROPOSED EAST EXTERIOR ELEVATION

A3.01 Scale: 1/4" = 1'-0"

STREET HOPE 467

HISTORIC DISTRICT COMMISION

SET - OPTION A ISSUED FOR : HDC REVIEW

NOT FOR CONSTRUCTION

18 NOVEMBER 2024

HISTORIC DISTRICT **COMMISION SET - OPTION A**

This drawing set is for review, pricing, and coordination and should not be used for construction or permitting. All structural members to be reviewed and sized by a structural engineer.

REVISIONS

EAST EXTERIOR ELEVATIONS

SHEET SIZE: ARCH D 24" X 36"

A3.01




A5 PROPOSED SOUTH EXTERIOR ELEVATION

A3.02 Scale: 1/4" = 1'-0"

SOUTH EXTERIOR ELEVATIONS

SHEET SIZE: ARCH D 24" X 36"

A3.02



SET DESTRUCTION REPAYOR

SET TO SET T

A5 PROPOSED WEST EXTERIOR ELEVATION

A3.03 Scale: 1/4" = 1'-0"

SHEET SIZE: ARCH D 24" X 36"

A3.03

WEST EXTERIOR ELEVATIONS

HOPE

467 Hope Surstol, Rh

HISTORIC DISTRICT COMMISION SET - OPTION A

HISTORIC DISTRICT COMMISION SET - OPTION A

This drawing set is for review, pricing, and coordination and should not be used for construction or permitting. All structural members to be reviewed and sized by a structural engineer.

ISSUED FOR : HDC REVIEW

NOT FOR CONSTRUCTION

18 NOVEMBER 2024

REVISIONS

