

#### BRISTOL HISTORIC DISTRICT COMMISSION LETTER OF DECISION

TOWN HALL 10 COURT ST. BRISTOL, RI 02809 401.253.7000 x153 401.396-5466 Fax

Document Number 000 BOOK 1985 PAGE 10

June 13, 2019

John R. Troiano, III 707 Hope St. Bristol, RI 02809

RE: BHDC Review 707 Hope St. Plat 8, Lot 10 Application # 19-034 Proposed work: rebuild south porch

To Whom It May Concern:

At its Thursday, 6/6/2019, meeting, the Bristol Historic District Commission reviewed your proposed work on the property noted above, the motion on your application was as follows:

A motion was made to approve Application 19-034 as presented to replace railings on side porch for insurance purposes using appropriate 36inch wood balusters in accordance with Secretary of the Interior Standard #9 (Millard/Bergenholtz 5-0).

The Findings of Facts include that this decision conforms to the Secretary of the Interior's Standards for Rehabilitation Standard 9 which states:

9. New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale and architectural features to protect the historic integrity of the property and its environment.

Commission member Oryann Lima will be your project monitor. If you need to speak with your monitor(s) or are ready for final review of the completed project please call me at Town Hall, 253-7000 x153, and I will contact them for you.

The Certificate of Appropriateness, referred to at the meeting as the "Green Sheet", must be signed at your earliest convenience. Work cannot begin nor a building permit obtained without your signing this document.

Sincerely,

Susan Church BHDC Staff Assistant

> Recorded Jun 13,2019 at 02:20P. Louis P. Cirillo Town Clark



# Town of Bristol, Rhode Island BRISTOL HISTORIC DISTRICT COMMISSION CERTIFICATE OF APPROPRIATENESS AND FINAL APPROVAL

Town Hall 10 Court Street Bristol, RI 02809-220 401-253-7000

**Green Sheet** 

Property Address: 707 Hope St. Plat # 8 Lot # 10
Owner/s (referred to as Applicant): John R. Troiano, III
Owner Contact (if different than above):
Mailing Address (if different than above): 707 Hope St., Bristol, RI 02809
Owner/s Tel. #: 935-8026
Architect/Draftsman:
Contractor:
Work Category (Check ALL that apply to the project): Remodel
Description of Work: rebuild south porch
Historic District Commission Decision:  Approved as Submitted (Reasons below)  Approved as Noted (Conditions and reasons below)  Approved-Not Applicable to Commission review (Reasons below)  Denied (Reasons below)
MOTIONS: Upproved as presented to replace sailing on su
Blackood & Dalles I san in galationes with It
State Stiff (Millard/Bergenholty 5-0)
Mintov. Organn Lema
Check here to indicate a continuation on attached sheets.
For reasons regarding the above noted motion(s), refer to the meeting minutes dated Thursday, April 4, 2019.  Date completed application received by Historic District Commission: Tuesday, March 26, 2019  Date of hearing: Thursday, April 4, 2019 Date Building Inspector notified:  Chair/Vice Chair Historic District Commission  Date  Date  Date  Date
(OVER)

#### CERTIFICATE OF APPROPRIATNESS APPROVAL

(Not Valid Without Bristol Historic District Commission "APPROVE" Stamp)

# BRESIDA HISTORIC DISTRICT COMMISSION

Assigned BHDC Project Monitor	Date				
I have received a copy of this Certificate of A (if any) and understand that any deviations for Acceptability (if any) are a violation of the Built	on the submitted plans and the terms of this Certificate of lding Permit for this Project.				
Historic District. If the Building Official is provision of this Article is being violated, to responsible for such violation, indicating the rit. Immediately upon authorization from the Solicitor shall institute appropriate action to p who continues to violate any provision of the guilty of a misdemeanor subject to a fine of one violation is continued is a separate offensiarchitectural fabric of a building or site cover	I to enforce provisions of the Article governing Bristol's informed by the Commission or otherwise finds that any the Building Official shall notify, in writing, the person nature of the violation and order action necessary to correct to Town Council respecting any such violation, the Town revent, enjoin, abate or remove such violation. Any person is Article after receiving notice of such violation shall be the hundred dollars \$100 for each offense. Each day such a tell any alteration or destruction of the historic or the dollars of this Article occurs without Commission uch fabric be restored or duplicated by the owner of such				
The Applicant understands that the Project M for the Bristol Historic District Commission's	Ionitor assigned to this project will have to sign this sheet required FINAL APPROVAL.				
	is valid for one year from the date of issuance. within twelve months of its approval date, you have as n other words, longer than a year).				
Applicant's Signature	54m Date 8/19/19				
Contractor's Signature	Date				
FINAL APPROVAL  (Signed ONLY after work is complete in full accordance with this application.  Not valid without Bristol Historic District Commission "FINAL APPROVAL" Stamp)					
Project Monitor's Signature	Date				



Application #_	19-034
Fee Paid # 1	100
0.1	PD # 4652


# BRISTOL HISTORIC DISTRICT COMMISSION APPLICATION FOR REVIEW OF PROPOSED WORK

1. Property Address (Street & No.)	
	Contributing Non-Contributing
3. a. Applicant: JOHN	R TROIANO IL
Mailing Address:	HERST BLAZE MEDZEDG
Phone: Day 401 93	HEST BLAZE MEDZEDG 5-8026 Email JBT3@ ADL. COM
b. Owner (if different from applicant written au	thorization of owner required):
Mailing Address:	
Phone: Day	Email
4. a. Architect/Draftsman:	
Address:	
Phone: Day	Email
b. Contractor:	
Address:	
Phone: Day	Email
5. Work Category:	Replacing in-kind - (All changes must match the existing in materials, design and configuration)
New Structure(s)	Partial Demolition of Structure(s)
Addition to Structure(s)	Total Demolition of Structure(s)
Remodeling of Structure	Sign(s) / Landscaping Features
6. Description of proposed work:	LAKE SIDE PENCET INSUANCE
Confusit	
Reviewed by Zoning Officer	
OK Needs Relief	Signature Date

(Continued):	
	□ □ Check here if
continued on additional sheets.	
7. Included with the application (check those applicable):	
PHOTOGRAPHS: Please label all photographs submitted.	
Overall view of property from street(s)	Overall views of building
Existing details to be altered by work	
Other (Identify)	
Drawings: Maximum size accepted: 11" x 17"	
Site Plan(s) (drawn to scale)	Floor plan(s) (drawn to scale)
Exterior Elevations	Details
OTHER: Renderings Catalogue Cuts	Specifications
Other (Identify)	<del>andre de la constante de la c</del>
Applicant's Name - Printed  Date: 325 19	Applicant's Signature
Contact Person if other than Applicant::	
Name (Printed):	
Phone: Day Email	No. of the state o

Application #\_\_\_\_\_

A Certificate of Appropriateness (Green Sheet) is valid for one year from the date of issuance. Note: If work on a project has started within twelve months of its approval date, you have as long as is necessary to finish the job (in other words, longer than a year).



.

Sountary EMARION

		ć
	.# 	

SPRING BLACK FRIDAY SALE + FREE PARCEL SHIPPING WITH MYLOWE'S, SHOP NOW >



Prices, promotions, styles, and availability may vary. Our local stores do not honor online pricing. Prices and availability of products and services are subject to change without notice. Errors will be corrected where discovered, and Lowe's reserves the right to revoke any stated offer and to correct any errors, inaccuracies or omissions including after an order has been submitted.

Item # 488993 Model # S36COLT15EL

Severe Weather (Common: 2-in X 2-in X 36-in; Actual: 1.31-in x 1.31-in x 35.75-in) Pressure Treated Brown Pine Deck Spindle




100%

Recommend this product



\$1.58

- #1 grade southern yellow pine
- Severe Weather Above Ground pressure treated exterior wood protected by Ecolife...
- Ecolife (EL2) provides built-in water repellency that lasts for up to 3 years and...



Delivery

Delivery available

Aisle LW, Bay 5

Product is sold in individual pieces; please review the product specifications for details



5% OFF\* Every Day or up to 24 Months Special Financing\*

.\* Credit offers cannot be combined. Minimum purchase required for Special Financing. Valid 4/4/19 – 4/17/19.

GET DETAILS

### **Product Information**



- #1 grade southern yellow pine
- Severe Weather Above Ground pressure treated exterior wood protected by Ecolife (EL2); a stabilizing formula that repels water keeps boards straighter and looking better longer
- Ecolife (EL2) provides built-in water repellency that lasts for up to 3 years and reduces surface cracking and checking by up to 50% compared to ordinary treated wood
- Lifetime limited warranty that protects against damage by fungal decay or termite attack which makes the wood structurally unfit for which it was intended
- Treatment meets American Wood Protection Association (AWPA) standards and is building code compliant (IRC and IBC)
- For optimal performance of paint and stain coatings, allow the wood to dry after installation, and apply a UV protective finish to enhance the long-term beauty
- Use building code approved fasteners and hardware. Hot-dipped galvanized or stainlesssteel is recommended
- Can be used with Lowe's pre-cut 6 Ft. Tru-Fit, 8
   Ft. E-Z Fit, and 8 Ft. classic handrails
- Ideal choice for decks, gazebos and above ground exterior projects



Series Name	N/A	Style	Colonial	
Actual Thickness (Inches)	1.31	Туре	Deck spindle	
Actual Width (Inches)	1.31	For Use with Deck Stairs	×	
Warranty	Limited lifetime	Material	Pine	
Package Quantity	1	For Use with Decking	<b>✓</b>	
Common	O im v O im v OO in	For Use with Porches	✓	
Measurement (T x W x H)	2-in x 2-in x 36-in	Pressure Treated		
Actual Height (Inches)	35.75			
Manufacturer Color/Finish	Brown			


# Projects, Tips & Services



We Can Help With Installation



**Design Your Deck** 



**Tips on Building Your Deck** 

	,	

SPRING BLACK FRIDAY SALE + FREE PARCEL SHIPPING WITH MYLOWE'S. SHOP NOW >



Prices, promotions, styles, and availability may vary. Our local stores do not honor online pricing. Prices and availability of products and services are subject to change without notice. Errors will be corrected where discovered, and Lowe's reserves the right to revoke any stated offer and to correct any errors, inaccuracies or omissions including after an order has been submitted.


Item # 488981 Model # HR8ST15EL

Severe Weather (Common: 2-in X 4-in x 8-ft; Actual: 1.375-in x 3.19-in x 8-ft) Natural Pressure Treated Pine Deck Handrail



92% Recommend this product





Product is sold in individual pieces; please review the product specifications for details

## \$9.58

- #1 grade southern yellow pine with no wane molded for a smooth feel and a finished...
- Severe Weather Above Ground pressure treated exterior wood protected by Ecolife...
- Ecolife (EL2) provides built-in water repellency that lasts for up to 3 years and...





Delivery available

Unavailable for Pickup at Seekonk Lowe's

BRISTOL HISTORIC
DISTRICT COMMISSION
EXHIBIT
DATE: 6 6 1 9



5% OFF\* Every Day or up to 24 Months Special Financing, ... Credit offers cannot be combined. Minimum purchase required for Special Financing. Valid 4/4/19 – 4/17/19.

GET DETAILS

### **Product Information**

## Description

- #1 grade southern yellow pine with no wane molded for a smooth feel and a finished look
- Severe Weather Above Ground pressure treated exterior wood protected by Ecolife (EL2); a stabilizing formula that repels water keeps boards straighter and looking better longer
- Ecolife (EL2) provides built-in water repellency that lasts for up to 3 years and reduces surface cracking and checking by up to 50% compared to ordinary treated wood
- Treatment meets American Wood Protection Association (AWPA) standards and is building code compliant (IRC and IBC)
- Lifetime limited warranty that protects against damage by fungal decay or termite attack which makes the wood structurally unfit for which it was intended
- For optimal performance of paint and stain coatings, allow the wood to dry after installation, and apply a UV protective finish to enhance the long-term beauty
- Use building code approved fasteners and hardware. Hot-dipped galvanized or stainlesssteel is recommended
- Can be used as a top rail and/or bottom rail of a deck or porch railing system
- Ideal choice for decks, gazebos and above ground exterior projects

			,		



#### Specifications

Series Name	N/A	Common Length (Feet)	8
Actual Thickness (Inches)	1.375	Color/Finish Family	Brown
Actual Width (Inches)	3.19	Туре	Handrail
Actual Length (Feet)	8	For Use with Deck	×
Manufacturer		Stairs	
Color/Finish	Natural	Material	Pine
Finish	Unfinished	For Use with Decking	1
Package Quantity	1	For Use with Porches	<b>√</b>
Warranty	Limited lifetime	Pressure Treated	<b>4</b>
Common Measurement (T x W)	2-in x 4-in		

SPRING BLACK FRIDAY SALE + FREE PARCEL SHIPPING WITH MYLOWE'S. SHOP NOW >



Prices, promotions, styles, and availability may vary. Our local stores do not honor online pricing. Prices and availability of products and services are subject to change without notice. Errors will be corrected where discovered, and Lowe's reserves the right to revoke any stated offer and to correct any errors, inaccuracies or omissions including after an order has been submitted.


Item # 489177 Model # HR248T15EL

Severe Weather (Common: 2-in X 4-in x 8-ft; Actual: 1.5-in x 3.38-in x 8-ft) Natural Pressure Treated Pine Deck Handrail



86% Recommend this product





Product is sold in individual pieces; please review the product specifications for details

# \$9.18

- #2 prime southern yellow pine molded for a smooth feel and a finished look
- Severe Weather Above Ground pressure treated exterior wood protected by Ecolife...
- Ecolife (EL2) provides built-in water repellency that lasts for up to 3 years and...





Delivery available

Unavailable for Pickup at Seekonk Lowe's

BRISTOL HISTORIC
DISTRICT COMMISSION
EXHIBIT
DATE:



5% OFF\* Every Day or up to 24 Months Special Financing'
.. Credit offers cannot be combined. Minimum purchase required for Special Financing. Valid 4/4/19 – 4/17/19.

GET DETAILS

### **Product Information**



- #2 prime southern yellow pine molded for a smooth feel and a finished look
- Severe Weather Above Ground pressure treated exterior wood protected by Ecolife (EL2); a stabilizing formula that repels water keeps boards straighter and looking better longer
- Ecolife (EL2) provides built-in water repellency that lasts for up to 3 years and reduces surface cracking and checking by up to 50% compared to ordinary treated wood
- Treatment meets American Wood Protection Association (AWPA) standards and is building code compliant (IRC and IBC)
- Lifetime limited warranty that protects against damage by fungal decay or termite attack which makes the wood structurally unfit for which it was intended
- For optimal performance of paint and stain coatings, allow the wood to dry after installation, and apply a UV protective finish to enhance the long-term beauty
- Use building code approved fasteners and hardware. Hot-dipped galvanized or stainlesssteel is recommended
- Can be used as a top rail and/or bottom rail of a deck or porch railing system
- Ideal choice for decks, gazebos and above ground exterior projects



#### Specifications

Series Name	N/A	Common Length (Feet)	8
Actual Thickness (Inches)	1.5	Color/Finish Family	Brown
Actual Width (Inches)	3.38	Туре	Handrail
Actual Length (Feet)	8	For Use with Deck	×
Manufacturer Color/Finish	Natural	Stairs	pm
Color/Fillish		Material	Pine
Finish	Unfinished	For Use with Decking	<b>4</b>
Package Quantity	1	For Use with Porches	$\checkmark$
Warranty	Limited lifetime	Pressure Treated	<b>√</b>
Common Measurement (T x W)	2-in x 4-in		

SPRING BLACK FRIDAY SALE + FREE PARCEL SHIPPING WITH MYLOWE'S. SHOP NOW >



Prices, promotions, styles, and availability may vary. Our local stores do not honor online pricing. Prices and availability of products and services are subject to change without notice. Errors will be corrected where discovered, and Lowe's reserves the right to revoke any stated offer and to correct any errors, inaccuracies or omissions including after an order has been submitted.


Item # 429247 Model # 159159

Severe Weather (Common: 1/2-in x 48-in x 8-ft; Actual: 0.5-in x 48-in x 8-ft) Natural Pressure Treated Spruce Privacy Lattice



84%
Recommend this product





## **\$24.97**

- Pressure treated to resist rot, decay and insect infestation
- Lattice panel measures .5-in thick by 48-in tall by 8-ft long
- Useful for a variety of garden and home projects





Delivery available

38 available today at Seekonk Lowe's!

Aisle LW, Bay 17







5% OFF\* Every Day or up to 24 Months Special Financing\*

,\* Credit offers cannot be combined. Minimum purchase required for Special Financing. Valid 4/4/19 – 4/17/19.

**GET DETAILS** 

## **Product Information**



Description

Lattice adds beauty, privacy, and dimension to any yard, garden, or other area without confining the space or blocking airflow. It can be used for an array of practical and decorative purposes. This spruce privacy lattice panel has been pressure treated to resist rot, decay and insect infestation. This panel is very easy to install and maintain. Great for use under a deck, to hang plants on your patio or as a privacy fence.

- Pressure treated to resist rot, decay and insect infestation
- Lattice panel measures .5-in thick by 48-in tall by 8-ft long
- Useful for a variety of garden and home projects
- Can be used as a privacy fence around your garden or yard
- Easy to install

CA Residents: Prop 65 WARNING(S)



Specifications

Series Name	N/A	Manufacturer Color/Finish	Natural
Wood Species	Spruce	Warranty	1-year limited
Actual Thickness (Inches)	0.5	Fits Common Lattice Thickness	1/2-in
Actual Width (Inches)  Actual Height (Feet)	48 8	UNSPSC	30152000
Common Thickness	1/2-in	Color/Finish Family	Brown
(Inches)  Common Width	.,	Type Style	Lattice
(Inches)	48-in	Material	Privacy Wood
Common Height (Feet)	8-ft	CA Residents: Prop 65 Warning(s)	Yes



			ъ. «



#### BRISTOL HISTORIC DISTRICT COMMISSION

Bristol Town Hall 10 Court Street Bristol, RI 02809

May 23, 2019

John R. Troiano, III 707 Hope St. Bristol, RI 02809

#### Dear Applicant:

This letter is to notify you that the Bristol Historic District Commission has received your application for 707 Hope St. and has scheduled it for review on Thursday, August 1, 2019. The meeting will begin at 7:00PM and will be held at Town Hall. We request that you or a representative who can discuss the project attend the meeting. Please call in advance if you are unable to attend the meeting and wish your application to be tabled.

I will be taking photographs of the project prior to the meeting, weather permitting. It is not necessary for someone to be there for me to do this. However, if you or a representative would like to be present and this time is not convenient for you, please feel free to contact me.

Should you have any questions, concerns or are unable to attend the meeting, please contact me at 253-7000, extension 153, Tuesdays or Thursdays between 9:30 AM and 3:30 PM.

Sincerely,

Susan C. Church

Staff Assistant, B.H.D.C.

Encl. Agenda

**		