

BENCH 140

HOME >> NODE >> BENCH 140



Bench 140



Coordinating Products



BENCH 140

140-60 6' LONG, 282 LBS.

140-80 8' LONG, 343 LBS.

Add to unit price for center arm

- Custom lettering available on side supports

BENCH 144



144-60 6' LONG, 217 LBS.

144-80 8' LONG, 265 LBS.

Add to unit price per end/center

- Comfortable, contoured strap

Bench 144 shown in Bronze



NOTES

- 1.) ALL STL. MEMBERS COATED W/ ZINC RICH EPOXY THEN FINISHED W/ POLYESTER POWDER COATING.
- 2.) $1/2" \times 3 \frac{3}{4}"$ EXPANSION ANCHOR BOLTS PROVIDED.
- 3.) CUSTOM LETTERING AVAILABLE FOR RECESSED SIDE PANELS (TOTAL OF 37 SPACES)

☐ CUSTOM LETTERING (37 SPACES)

LENGTH OPTIONS


- ☐ 6' BENCH
- ☐ 8' BENCH

DuMor, inc.
P.O. Box 142 Mifflintown, PA 17059-0142

SCALE : NONE
DATE DRAWN : 7/9/01
DRAWN BY : AH
DATE REV. :
REV. BY :

TITLE : BENCH
PATENT D467-101
REV. A
DRAWING NUMBER 140 SERIES

SHEET
1 OF 2



NOTE:

- 1.) DURING ASSEMBLY PROCEDURE;
DO NOT COMPLETELY TIGHTEN HARDWARE.
- 2.) THE ACTUAL PARTS WILL NOT BE NUMBERED;
NUMBERS ONLY APPLY TO DRAWING.

STEP 1:

USE 2 - PCS. CAST IRON BENCH SUPPORT (1)
 1 - PC. 6' ALL STL. SEAT ASSEMBLY (3)
 4 - PC. 1/2" X 2 1/2" FLT. SKT. HD. CAP SCR. (4)
 ATTACH CAST IRON BENCH SUPPORT (1) TO 6' ALL STL.
 SEAT ASSEMBLY (3) USING HARDWARE (4).
 TIGHTEN TO SNUG FIT.

STEP 2:

USE 1 - PC. 71 3/4" PIPE BRACE (2)
 2 - PCS. 1/2" X 2 1/2" FLT. SKT. HD. CAP SCR. (4)
 ATTACH 71 3/4" PIPE BRACE (2) TO STEP 1 ASSEMBLY
 USING HARDWARE (4). TIGHTEN TO SNUG FIT.

STEP 3:

UPON COMPLETION OF BENCH ASSEMBLY SQUARE ALL
 COMPONENTS THEN TIGHTEN ALL HARDWARE.

STEP 4:

MOUNT AND ANCHOR AS SPECIFIED.

| ITEM | QTY | PART NO | DESCRIPTION |
|------|-----|-------------|----------------------------------|
| 1 | 2 | 0-140-00-01 | CAST IRON BENCH SUPPORT |
| 2 | 1 | 0-57-60-04 | 71 3/4" PIPE BRACE |
| 3 | 1 | 0-58-60-01 | 6' STL SEAT |
| 4 | 6 | 1-12-065 | 1/2" X 2 1/2" FLT SKT HD CAP SCR |


DuMor, inc.
 P.O. Box 142 Mifflintown, PA 17059-0142


SCALE : NONE
 DATE DRAWN : 7/9/01
 DRAWN BY : AWH
 DATE REV. :
 REV. BY :

| | | | |
|---------|-------------------|-----------------------------------|-----------------|
| TITLE : | | BENCH ASSEMBLY PATENT D467-101 | |
| REV. | DRAWING NUMBER | 140 SERIES | SHEET 2 OF 2 |
| A | | | |

COLOR AND MATERIAL OPTIONS

POWDER COAT COLOR OPTIONS

Most DuMor products are available in your choice of several color options in a super durable baked-on polyester powder finish.




*JUNIPER GREEN previously known as GREEN



Additional RAL colors are available at an extra cost—consult your local DuMor representative.

WOOD



IPE

DOUGLAS FIR

DuMor has selected the highest grade woods available for use on our products. "C" & Better Douglas Fir and Ipe are offered as standard wood options. Douglas Fir will be delivered coated in a clear preservative. Due to its density and estimated longevity left uncoated, Ipe will be delivered in its natural state without preservative.

As a natural product of our environment, wood will weather when placed outdoors. Signs of weathering include splitting, checking, and changing color. These are not covered by DuMor's warranty. Wood colors will vary.

RECYCLED PLASTIC



WALNUT

CEDAR

GREY

REDWOOD

The high-density polyethylene raw material utilized in our recycled plastic furnishings is derived from post-consumer bottle waste resulting in a product that is over 90% recycled.

WOOD GRAIN RECYCLED PLASTIC



BRAZILIAN WALNUT

ANTIQUE MAHOGANY

The longevity and Eco-friendliness of recycled plastic lumber with a feel and depth reminiscent of wood. Wood grain recycled plastic is extruded with a multicolor tonal streaking and etched with a wood grain texture to achieve a realistic wood like appearance and feel. To truly appreciate this product it needs to be seen and handled, ask your rep for a free sample. Plastic lumber is comprised of 95% recycled content. Only available on select products.



Please note that due to variations in photographic reproductions, natural wood grains and colors shown throughout may not be exact. Please contact