UP TO 35% OFF SELECT APPLIANCES +\$400 Instant Saving



₩ 02726



☐ Somerset 10PM

□ 02726

Shop All Services

4

人 Log I

Based on your search:



31-1/2 in. x 41-1/2 in. 200 Series White Double-Hung Clad Wood Window with White Interior Low-E Glass and White Hardware

by Andersen >

★★★★ (12)

Somerset Store

- √ 8 in stock Aisle 27, Bay 012
- Perma-Shield vinyl exterior is low maintenance and longlasting
- · Energy efficient low-E4 insulated glass included
- Tilt-in feature makes cleaning easy from the inside of your home

Width (in.) x Height (in.): 31.5 x 41.5

23.5 x 35.5

27.5 x 35.5

31.5 x 35.5

31.5 x 41.5

31.5 x 47.5

35.5 x 47.5

35.5 x 56.5

\$29900

Pickup at Somerset

Delivering to 02726

Pickup

Today 8 in stock

FREE

Delivery

Today

13 available

L. Add to Cart

View Full Product Details

Customers Also Viewed



D 02726



□ 02726

7 Shop All Services DIY

8 Log I

Home / Doors & Windows / Windows / Double Hung Windows

Internet # 100016327 Model # DH2836 Store SKU # 238929

♥ 82

31-1/2 in. x 41-1/2 in. 200 Series White Double-Hung Clad Wood Window with White Interior Low-E Glass and White Hardware



★★★★ (12) ✓ Questions & Answers (14)



















Hover Image to Zoom



Pickup

Today 8 in stock

FREE

Delivery

Today 13 available



Get it as soon as today. Schedule

your delivery in checkout.



Get Expert Window Installation

A local pro will take care of the job for you

Request a consultation

(i) What to Expect



Have Questions? We're Here to Help.

Speak to a Virtual Associate about Doors or Windows today.


Monday - Friday from 9AM - 11PM ET &


Saturday - Sunday from 9AM - 9PM ET.

Request Appointment

(i) What to Expect


Or call 1-833-HD-APRON(1-833-432-7766)





As low as \$28.55/mo with PayPal. Learn more

Frequently Bought Together



Subtotal: \$793⁹⁴

Add 5 Items to Cart

Product Details

About This Product

The Andersen 200 Double Hung Wood Windows, 31-1/2 in. x 41-1/2 in., White, with Low-E Insulated Glass combines real wood interiors and low-maintenance Perma-Shield exteriors for beauty at an uncommon value. Pre-finished white interiors provide an attractive appearance while minimizing maintenance. It's Low-E insulated glass is energy efficient to keep you cool in the summer and warm in the winter while reducing your energy bills. The tilt-to-clean design makes cleaning easy from inside your home.

Highlights

- · Pre-finished white interior
- · Low-maintenance exterior
- · Classic series lock and keeper hardware in a white finish for elegance, safety and peace of mind
- A variety of sizes, colors, glass and grille options are available through special order
- · Truscene insect screen and a variety of grille and hardware options available through special order
- Rough opening dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items
- Included in the box are extension jambs for a 4-9/16" jamb depth.
- Click here to learn more about Eco Options and Energy Efficiency
- Return Policy

1/1

Product Information

Internet # 100016327 Model # DH2836 Store SKU # 238929

Additional Resources

Shop All Andersen

From the Manufacturer

- Warranty
- Use and Care Manual
- · Instructions / Assembly
- Return Policy

Specifications

Dimensions: H 41.5 in, W 31.5 in, D 4.5 in

Dimensions


Grid Width (in.)	None
Jamb Depth (in.)	4.5 in
Product Depth (in.)	4.5 in
Product Height (in.)	41.5 in
Product Width (in.)	31.5 in
Rough Opening Height (in.)	42 in
Rough Opening Width (in.)	32 in
Width (in.) x Height (in.)	31.5 x 41.5


Details

Exterior Color/Finish Family Features Argon Gas Filled, Double Tilt Release, Security Lock, Tilt-In Cleaning Wood Clad Frame Type Nail Fin Glass Type Insulated Glass, Low-E Glass Glazing Type Double-Pane Grid Pattern No Grid No Grid Hardware Color/Finish Family White	Exterior Color/ Finish	White
Frame Material Wood Clad Frame Type Nail Fin Insulated Glass, Low-E Glass Glazing Type Double-Pane Grid Pattern No Grid No Grille No Grille	Exterior Color/Finish Family	White
Frame Material Wood Clad Frame Type Nail Fin Glass Type Insulated Glass, Low-E Glass Glazing Type Double-Pane Grid Pattern No Grid No Grille		winte
Frame Type Rail Fin Glass Type Insulated Glass, Low-E Glass Glazing Type Double-Pane Grid Pattern No Grid Grille Type No Grille	Features	
Glass Type Insulated Glass, Low-E Glass Glazing Type Double-Pane Grid Pattern No Grid Grille Type No Grille	Frame Material	Wood Clad
Glazing Type Double-Pane Grid Pattern No Grid Grille Type No Grille	Frame Type	Nail Fin
Grid Pattern No Grid Grille Type No Grille	Glass Type	Insulated Glass, Low-E Glass
Grille Type No Grille	Glazing Type	Double-Pane
	Grid Pattern	No Grid
Hardware Color/Finish Family White	Grille Type	No Grille
	Hardware Color/Finish Family	White


Included	Hardware	
Interior Color/Finish Family	White	
Lock Type	Lock and Keeper/Spoon	
Number of Grids	No Grid	
Number of Locks	1	
Product Weight (lb.)	43.18 lb	
Solar Heat Gain Coefficient	0.32	
U-Factor	0.29	
Window Type	Other	
Window Use Type	New Construction, Replacement	ř
Warranty / Certifications		Feedback
Energy Star Qualified	Not Qualified	
Manufacturer Warranty	20 year glass, 10 year transferable	
How can we improve our product information? Pro	ovide feedback.	
Questions & Answers 14 Questions		~
Customer Reviews 4.1 out of 5 ★★★★ (12)		~
American Craftsman. By PlyGem QUALITY RESULTS START WITH AMERICAN CRAFTSMAN		Shop Now

More from Andersen















































中 DIY

Log

Based on your search:



36 in. x 80 in. 9 Lite Primed Fiberglass Prehung \bigcirc 1 **Entry Door with Brickmould**

by JELD-WEN>

- · Made of low maintenance fiberglass that is dent-resistant
- Prehung fiberglass door includes frame for easier installation
- Energy efficient core with high-quality fiberglass construction

Door Handing: Right-Hand/Inswing

Left-Hand/Inswing

Right-Hand/Inswing

Out of Stock

This item is unavailable online and in stores.

View Full Product Details


Customers Also Viewed



JELD-WEN

36 in. x 80 in. 9 Lite Primed Fiberglass Prehung Entry Door with Brickmould





JELD-WEN

36 in. x 80 in. 9 Lite Primed Fiberglass Prehung Right-Hand Inswing Entry Door

*** (3.7 / 84)



Feather River Doors

36 in. x 80 in. 6 Lite Clear Craftsman Unfinished Smooth Left-Hand Inswing Fiberglass Prehung Front Door



JELD-WEN

36 in. x 80 in. 9 Lite Primed Fiberglass Prehung Front Door with Brickmould

** * * (3.9 / 12)

- Prehung fiberglass door includes frame for easier installation
- Energy efficient core with high-quality fiberglass construction
- View More Details

Door Handing: Right-Hand/Inswing		
Left-Hand/Inswing	Right-Hand/Inswing	

Out of Stock

This item is unavailable online and in stores.

You've Still Got Options! You can request in-home installation services for a similar product. This item is currently out of stock.



(9) Get Expert Door Installation

A local pro will take care of the job for you

Request door installation service

(i) What to Expect

Product Details

JELDWEN.





High-quality Craftsmanship and Beauty

Front doors lead to the heart of the home while windows and interior doors add to the architectural beauty and elevate your interior design. With our diverse array of energy efficient door and window designs, material choices, and finishing option help you find the right products for your home.

Browse Our Curated Style Collections

Our curated style collections make finding the right windows and doors to complement your home's unique aesthetic simple. Browse Updated Traditional, Farmhouse, Coastal, and Simply Modern collections to get inspired by today's biggest design trends.












Discover Exterior Doors

Make a statement with a high-quality exterior door from JELD-WEN. Find the right design, material, and hardware that complements your home style with ease.



Explore Interior Doors

Elevate the transitions between spaces in your home with on-trend interior door designs. Browse a comprehensive collection that will meet your needs and your budget.



Browse All Windows

JELD-WEN manufactures energy efficient and beautiful windows that are specifically engineered to deliver lasting performance without compromising on aesthetics.



Find Your Next Patio Doors

Merge indoor-outdoor spaces by choosing a sliding, swinging, or f patio door from JELD-WENs inclupatio door product collections.



We bring beauty and security to the spaces that touch our lives.

Our Purpose is our reason for being. At JELD-WEN, we do much more than manufacture windows and doors. Our products and services afford us the opportunity to enter peoples' workplaces, homes and daily lives. With this privilege comes great responsibility to ensure that the products we deliver are reliable and enrich the places and lives that they touch.

About This Product

JELD-WEN Smooth Fiberglass doors provide the look of traditional painted wood doors with the added benefits of energy efficiency and a no-dent, low-maintenance surface. It has prominent definition in the panel details of the door that can dramatically enhance your entryway. They are engineered to not warp, rot or split, making them an economical option that's as durable as they are attractive.

Highlights

- · Offers the look of a traditional painted wood door
- · Energy-efficient core to help lower heating and cooling costs
- Durable and dent-resistant to withstand the rigors of everyday use
- Insulated glass helps keep your home warmer in the winter and cooler in the summer
- Grids are adhered to interior and exterior of glass to provide an authentic divided lite appearance that adds charm to any home
- · Grids are white on both interior and exterior of door
- · Door is primed and ready to paint
- · Primed doors give you the design flexibility to choose any finish color
- · Door is prehung in frame for easier installation
- · Predrilled double bore hole for lock installation (lock sold separately)
- · From the outside, door opens into the home with hinges on the right
- Engineered to last longer with less maintenance in any climate hot or cold, wet or dry
- · Reinforced lock area provides strength and security for door hardware
- · Check local building codes before beginning your project to ensure compliancy

- Not all products are suitable for locations that experience severe weather
- · Note: Product may vary by store
- Click here to check out our project guide on installing an entry door
- PROFESSIONAL DOOR INSTALLATION CALL 1-888-654-2692 to get started with a free in-home consultation or learn more about our trusted door installations service.
- · Click here to find colored caulk to match your window, door, or siding job
- Click here to learn more about buying exterior doors
- Shop All Jeld Wen Exterior Doors Here
- Return Policy
- California residents see Prop 65 WARNINGS

Product Information


Internet # 202036898 Model # THDJW184600195

Additional Resources

Shop All JELD-WEN

From the Manufacturer

- Warranty
- Specification
- Use and Care Manual
- Instructions / Assembly
- Return Policy



We Found Similar Options You Might Like



JELD-WEN

36 in. x 80 in. 9 Lite Primed Fiberglass Prehung Entry Door with Brickmould





JELD-WEN

36 in. x 80 in. 9 Lite Primed Fiberglass Prehung Right-Hand Inswing Entry Door

*** (3.7 / 84)



Feather River Doors

36 in. x 80 in. 6 Lite Clear Craftsman Unfinished Smooth Left-Hand Inswing Fiberglass Prehung Front Door



JELD-WEN

36 in. x 80 in. 9 Lite Primed Fiberglass Prehung Front Door with Brickmould

*** (3.9 / 12)

Color/Finish	Primed White
Door Configuration	Single Door
Door Glass Insulation	Tempered
Door Handing	Right-Hand/Inswing
Door Style	Traditional
Door Type	Exterior Prehung
Features	Brickmold, Weatherstripping
Finish Type	Primed
Frame Material	Wood
Glass Caming Finish	No caming
Glass Layout	1/2 Lite
Glass Shape	1/2 Lite Rectangle Lite
Glass Style	Clear Glass
Hinge Finish	Nickel
Hinge Type	Standard
Included	No Additional Items Included
Material	Fiberglass
Number of Hinges	3
Number of Lites	9 Lite
Panel Type	2 Panel
Product Weight (lb.)	90 lb
Suggested Application	Back
Warranty / Certifications	
Energy Star Qualified	Not Qualified
Manufacturer Warranty	10-Year Limited Warranty
How can we improve our product information? Provide feedback.	
Questions & Answers	~
Customer Reviews	~

We Found Similar Options You Might Like



