


01 EXISTING SITE PLAN SCALE: 1/16" = 1'-0"

PROJECT SCOPE
 CONSTRUCT A NEW ADDITION TO THE EXISTING TWO-CAR GARAGE TO CREATE A NEW TWO-BEDROOM ACCESSORY DWELLING UNIT

SITE PLAN NOTES:
 1. SITE INFORMATION BASED ON THE TOWN OF BRISTOL'S GIS AND PLAT MAPS AVAILABLE ONLINE AND IS THE DESIGNERS BEST OF KNOWLEDGE. THE INFORMATION REPRESENTED IS SUBJECT TO VERIFICATION BY A LICENSED SURVEYOR.



BRISTOL ZONING ORDINANCE

SECTION 28-1: DEFINITIONS
 Lot Line: (4) Corner Lot: a corner lot will have more than one front lot line, all of which shall meet the front yard setback. The yard setback of one of the rear lot lines may be reduced to side yard setback requirements

SECTION 28-151: ACCESSORY DWELLING UNITS
 (a) One ADU per lot is allowed... (3) where the proposed ADU is located within the existing footprint of the primary structured or existing accessory attached or detached structure and does not expand the footprint of the structure*
 (b) Dimensional requirements: (2)(d) one off-street parking space per bedroom shall be required


SECTION 28-142: YARD REQUIREMENTS AND EXCEPTIONS
 (g) A deck may extend up to one-third of the way into the required rear yard and must meet all required side yard setbacks

SECTION 28-221: LAND NONCONFORMING BY AREA
 (2)(b)(1) Minimum building setbacks, lot frontage, and lot width requirements... shall be reduced by the same proportion that the area of such substandard lot meets the minimum lot area of the district in which the lot is located.
 Ex: If the lot area of a substandard lot only meets forty (40) percent of the minimum lot area required in the district in which it is located, the setbacks, lot frontage, and lot width shall each be reduced to forty (40) percent of the requirements*
 $3,770 / 5,000 =$ subject lot is 75.4% of required lot area
 Rear Setback = 10 FT = 75.4% of 10 FT = 7.54 FT

(2)(b)(2) Maximum lot building coverage for lots that are nonconforming in area shall be increased by the inverse proportion that the area of such substandard lot meets the minimum area requirements in the district in which the lot is located.
 Max lot building coverage for this parcel has been calculated as follows:
 $3,770 / 5,000 = 75.4\%$ of required minimum lot area
 $100\% - 75.4\% = 24.6\%$
 Lot coverage max for parcel zone (W) = 70%
 $24.6\% \text{ of } 70\% = 17.22\%$
 $70\% + 17.22\% = 87.22\%$ building coverage maximum

DRAWING LIST

A0.1 PROPERTY, PROJECT, AND ZONING INFO / SITE PLANS AND COVERAGE / DRAWING LIST / BUILDING DESIGN CRITERIA
 A2.1 PROPOSED DESIGN: PLANS, SECTION, ELEVATIONS
 A2.2 PROPOSED DESIGN: ELEVATIONS



02 PROPOSED SITE PLAN SCALE: 1/8" = 1'-0"

**721 HOPE ST
 BRISTOL, RI 02908**

Plat Map / Lot #: 08 / 03
 County: Bristol
 Zoning: W (5,000 SF minimum)
 Lot Area: 3,770 SF
 Existing Use: Three-family w/ detached 2-car garage
 Proposed Use: Three-family w/ new ADU above detached 2-car garage

Dimensional Requirements (See notes):

Front Yard:	0 FT
Side Yard:	0 FT
Rear Yard:	7.54 FT
Max Height (Principle and Accessory):	35 FT
Building Coverage:	87.22%
Paving Coverage:	15%
Parking required:	5 spaces
1 per dwelling unit = 3	
1 per ADU bedroom = 2	

Existing Living Area (per tax card): 3,264 SF

Proposed Living Area: 4,413 SF
 Existing 3-Family Dwelling: 3,264 SF
 Proposed New ADU: 1,149 SF

Existing Building Coverage (87.22% Max): 2,251 SF | 59.7%
 Main Dwelling: 1,768 SF
 Detached Garage: 483 SF

Proposed Building Coverage (87.22% Max): 2,449 SF | 64.96%
 Main Dwelling: 1,768 SF
 Detached Garage w/ Addition: 681 SF
 (Includes cantilever)

Parking Proposed: 4 Spaces (existing)

BUILDING DESIGN CRITERIA

RISBC-2-2021 RHODE ISLAND ONE AND TWO FAMILY DWELLING CODE 2021 INCORPORATES THE INTERNATIONAL RESIDENTIAL CODE 2018

FIRE CODE 2021 RI FIRE CODES AND NFPA (NATIONAL FIRE PROTECTION ASSOCIATION) 72 2019 EDITION FOR SMOKE & CO INSTALLATIONS

CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA

PER TABLE R301.2(1) OF 2021 RHODE ISLAND ONE AND TWO FAMILY DWELLING CODE

GROUND SNOW LOAD	30 PSF	
WIND DESIGN	SPEED	130 MPH
	TOPOGRAPHIC EFFECTS	NO
SEISMIC DESIGN CRITERIA	NOT REQUIRED	
SUBJECT TO DAMAGE FROM	WEATHERING	SEVERE
	FROST LINE DEPTH	40 INCHES
	TERMITE	MODERATE TO HEAVY
	DECAY	NO
WINTER DESIGN TEMP.	0° PROV. COUNTY 5° ALL OTHER	
ICE BARRIER UNDERLAYMENT REQ.	YES	
FLOOD HAZARDS	YES (SEE COMMUNITY FIRMS)	
AIR FREEZING INDEX	1200° DAYS B.F.	
MEAN ANNUAL TEMP.	50°	

ENERGY CODE COMPLIANCE (PRESCRIPTIVE METHOD)

RHODE ISLAND ENERGY CONSERVATION CODE, INCORPORATES INTERNATIONAL ENERGY CODES, 2024 EDITION PER TABLES R402.1.2 AND R402.1.3 OF IECC 2024

CLIMATE ZONE	FENESTRATION U-FACTOR	SKYLIGHT U-FACTOR	SHGC GLAZED FENESTRATION	CEILING R-VALUE
5A	0.28	0.50	NR	49

INSULATION ENTIRELY ABOVE ROOF DECK	WOOD FRAMED WALL R-VALUE	MASS WALL R-VALUE
30ci	30 OR 20+5ci OR 13+10ci OR 0+20ci	13/17

FLOOR R-VALUE	BASEMENT WALL R-VALUE	UNHEATED SLAB R-VALUE & DEPTH	HEATED SLAB R-VALUE & DEPTH	CRAWL SPACE WALL R-VALUE
30 OR 19 + 7.5ci OR 20ci	15ci OR 19 OR 13 + 5ci	10ci FOR 3FT	10ci FOR 3FT & 5 FULL SLAB	15ci OR 19 OR 13+5ci

ci = CONTINUOUS INSULATION
 13/17 = SECOND R-VALUE APPLIES WHERE MORE THAN HALF OF THE INSULATION IS ON THE INTERIOR OF THE MASS WALL

DESIGN LOADS

1. **LIVE LOADS (PER TABLE R301.5):**

GROUND SNOW LOAD	30 PSF
UNINHABITABLE ATTICS WITHOUT STORAGE	10 PSF
UNINHABITABLE ATTICS WITH LIMITED STORAGE	20 PSF
HABITABLE ATTICS AND SLEEPING AREAS	30 PSF
EXTERIOR BALCONIES, DECKS, AND ALL OTHER AREAS	40 PSF


2. **SOIL PROPERTIES:**

SOIL NAME:
 PRESUMPTIVE BEARING CAPACITY: 1,500 PSF (UNLESS SOIL IS TESTED)
 SOIL PROP. (PER TABLE R401.4.1): FIRM FINE & SILTY SANDS + SILTY GRAVEL
 SOIL CLASS (PER TABLE R405.1): GM / SM


3. **CONSTRUCTION TYPE:** 5B (UNPROTECTED WOOD FRAME)
 4. **USE AND OCCUPANCY:** R3, THREE FAMILY DWELLING
 5. **EXPOSURE CATEGORY:** B (URBAN)



OS Design + Consulting
Residential Design
os@osdesign.com
602.338.8762



01 GARAGE FLOOR PLAN SCALE: 1/4" = 1'-0"



02 GARAGE SECTION SCALE: 1/4" = 1'-0"



03 GARAGE ELEVATION SCALE: 1/4" = 1'-0"

GARAGE RENOVATIONS & A NEW DETACHED ADU FOR
721 HOPE ST
BRISTOL, RI 02809
PREPARED FOR: BOSTON MINDSYNCH

EXISTING CONDITIONS
GARAGE PLAN AND SECTION

WORKING SET.
FOR ZONING & HDC
APPROVALS

ISSUED: 03.11.2026

REVISIONS

INTENDED TO BE PRINTED
IN COLOR. REPRINT IF THIS
TEXT IS NOT BLUE.

SHEET ARCH-D 24' x 36'

A1.1




- PROPOSED DESIGN**
- STAY WITHIN REAR SETBACK LINE AND WITHIN EXISTING FOOTPRINT AS MUCH AS POSSIBLE - BUT ADD 6'-0" OVER DRIVEWAY
 - 2ND FLOOR IS MAIN LIVING SPACE
 - BOTH BEDROOMS ON 3RD FLOOR
- NOTE:** WE NEED 5 TOTAL PARKING SPACES IN ORDER TO ADD A 2-BEDROOM ADU AND WE ONLY HAVE 4 PARKING SPACES. IF ZONING ONLY ALLOW US TO HAVE 1 BEDROOM, THIS DESIGN WILL NOT WORK. IT EXCEEDS THE 900 SF MAX FOR A 1 BEDROOM ADU.

ADU FINISHED SF:	1149 SF
1ST FLOOR:	62
2ND FLOOR:	566
3RD FLOOR:	521


PROPOSED 2ND & 3RD FLOOR ADDITION ABOVE:
ADDITION TO BE SET BACK 5'-0" FROM FOOTPRINT OF EXISTING GARAGE TO ENSURE THAT THE NEW CONSTRUCTION RESPECTS THE REAR SETBACK LINE




DIMENSIONAL VARIANCE REQUESTED FOR THIS 105 SF WITHIN REAR SETBACK LINE




01 GROUND FLOOR PLAN SCALE: 1/4" = 1'-0"




02 SECOND FLOOR PLAN SCALE: 1/4" = 1'-0"




03 THIRD FLOOR PLAN SCALE: 1/4" = 1'-0"



04 SECTION SCALE: 1/4" = 1'-0"



05 SOUTH ELEVATION SCALE: 1/4" = 1'-0"



06 WEST ELEVATION SCALE: 1/4" = 1'-0"

