

Prepared for Burleson, Texas

To Joe Laster
 Email jlaster@burlesontx.com

Prepared by Andy Goddard

Joe Goddard Enterprises
 Address 11950 Thousand Oaks Drive Edmond, Oklahoma 73034
 Phone 405-830-9057 Website www.goddardenterprises.net

Quote number 720 Date January 31, 2024 Valid until February 23, 2024

Burleson, Texas - 4 New Sirens.

Denton ILA Pricing

The terms and conditions of this quote will be governed by the interlocal agreement between Burleson and Denton, Contract #7728 Outdoor Warning Siren Maintenance and Service Denton, Texas.

Outdoor Warning Siren Equipment

2001-130

2001-130 High Powered Outdoor Siren

The Federal Signal 2001-130 siren is a high power, rotating, unidirectional outdoor warning siren. The high-decibel output provides maximum coverage with minimum installation cost. The siren's projector produces a 60-degree projection of sound which rotates at 3 RPM and can produce three distinct warning signals: steady, wail and fast wail.




8,775.60
 x 4
 35,102.40




DCFCTDBU

Two Way Siren Controller

Two-way siren controller for 48VDC Sirens. Two-way radio control and status monitoring. Available in VHF and UHF configurations. Simultaneous two-tone sequential, DTMF, EAS, POCSAG, and digital AFSK decoding for security. Able to utilize multiple communication paths for redundancy. Controls mechanical sirens, including models 2001-130, Equinox, 508-128 and Eclipse8. Solar options available. Push buttons for local activation. UL Listed for general signaling. DNV Certified



7,730.00
 x 4
 30,920.00

<p>RTU-Mechanical CentrAlert RTU</p> <p>CentrAlert Siren Logic Board Interfaces Federal Signal sirens into CentrAlert system. Provides full status feedback of all siren parameters into CentrAlert control and monitoring system. AC, DC, Partial, Full, Rotor, and battery voltage.</p> 	<p>1,970.00 x 4 7,880.00</p>
<p>OMNI-BVH-XX Two-Way Antenna Kit 150-168 Mhz</p> <p>OMNI-B series antennas can be used with all Federal Signal radio controlled siren products. The robust low profile design can withstand high wind loads and harsh environments. Each model covers a broad range of frequencies without tuning.</p> 	<p>384.00 x 4 1,536.00</p>
<p>PVS240w-48 Federal signal 48 volt solar kit</p> <p>Federal signal solar panel set with mounting hardware. 240 watt 48 volt DC</p>	<p>3,340.41 x 4 13,361.64</p>
<p>8A24DT Battery - AGM 8A24DT</p> <ul style="list-style-type: none"> • MK Battery 8A24DT Standard AGM Battery. • Battery Type: Deep Cycle AGM • Capacity at C/100: 91 Ah • Average Life Span: Five (5) years. • Warranty: 1 Year 	<p>217.25 x 16 3,476.00</p>
<p>AMB-P Antenna Mounting Bracket</p> <p>Federal Signal side of pole antenna bracket. 16" offset. Mounts to any utility pole.</p>	<p>130.00 x 4 520.00</p>
<p>Steel Pole</p> <p>50ft direct bury steel pole, Valmont brand, Federal Signal Siren configuration.</p>	<p>7,071.00 x 4 28,284.00</p>

Labor & Services

Install Standard Professional Install	7,600.00 x 4 30,400.00
Goddard Enterprises crew for build out and installation of warning siren. <ul style="list-style-type: none">• Standard Installation of the siren• All heavy equipment provided by Goddard Enterprises• Provide onsite installation services for control stations• Conducting on-site site surveys & 811 locates preparing installation design plans• Complete turnkey installation of the outdoor warning system and all hardware.• All heavy equipment such as trucks and hardware will be supplied by Goddard Enterprises.	
Shipping & Handling	3,036.36 x 1
Shipping & Handling	3,036.36
Total	\$154,516.40

Terms & Conditions

The terms and conditions of this quote will be governed by the interlocal agreement between Burleson and Denton, Contract #7728 Outdoor Warning Siren Maintenance and Service Denton, Texas.

Any Installation that requires network access will be customers responsibility to facilitate and must be completed before work or commissioning can begin. All network requirements must meet factory recommendations to gain factory support.

Rock Clause: Rock, poor soil conditions, water in excavations and other unforeseen site conditions may incur additional charges upon digging.

Federal Signal Warranty 2022

Outdoor Warning Products: 5 years parts and factory labor from date of delivery, return to factory for service.

This includes: 2001-130, 508-128, Equinox, Eclipse8, Modulator and DSA series.

Controllers: 2 years parts and labor from date of delivery, return to factory for service

This includes: SS2000+ Console, Siren DC Controllers, UV, UVRI, UVIC Controllers.

Warranty does not cover the cost of return or service call labor for issues outside of Goddard Enterprises control.