



**STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY**

Southwest Region Office
PO Box 47775, Olympia, WA 98504-7775 • 360-407-6300

April 30, 2025

Robert Maul, Planning Manager
City of Camas
Community Development Department
616 Northeast Fourth Avenue
Camas, WA 98607

Dear Robert Maul:

Thank you for the opportunity to comment on the determination of non-significance for the Proposed Updates to Existing Well 13 Facility Including Installation of PFAS Treatment Equipment Project (CUP25-1002) located at 1250 East 1st Avenue as proposed by Mike Odren. The Department of Ecology (Ecology) reviewed the environmental checklist and has the following comment(s):

HAZARDOUS WASTE & TOXICS REDUCTION: Garret Peck (564) 669-0836

The applicant proposes to demolish an existing structure(s). In addition to any required asbestos abatement procedures, the applicant should ensure that any other potentially dangerous or hazardous materials present, such as PCB-containing lamp ballasts, fluorescent lamps, and wall thermostats containing mercury, are removed prior to demolition. It is important that these materials and wastes are removed and appropriately managed prior to demolition. It is equally important that demolition debris is also safely managed, especially if it contains painted wood or concrete, treated wood, or other possibly dangerous materials.

Please review the "Dangerous Waste Rules for Demolition, Construction, and Renovation Wastes," posted at Ecology's website, <https://ecology.wa.gov/Regulations-Permits/Guidance-technical-assistance/Dangerous-waste-guidance/Common-dangerous-waste/Construction-and-demolition>. The applicant may also contact Katy Harvey of Ecology's Hazardous Waste and Toxics Reduction Program at katy.harvey@ecy.wa.gov for more information about safely handling dangerous wastes and demolition debris.

Ecology's comments are based upon information provided by the lead agency. As such, they may not constitute an exhaustive list of the various authorizations that must be obtained or legal requirements that must be fulfilled in order to carry out the proposed action.

If you have any questions or would like to respond to these comments, please contact the appropriate reviewing staff listed above.

Department of Ecology

Robert Maul
April 30, 2025
Page 2

Southwest Regional Office

(JKT:202501540)

cc: Garret Peck, HWTR