

CAMAS MEADOWS SUBDIVISION

PRELIMINARY ENGINEERING/SITE/SUBDIVISION PLANS



VICINITY MAP

		<u>LE</u>	GEND		
	<u>EXISTING</u>	<u>PROPOSED</u>		EXISTING	PROPOSE
DECIDUOUS TREE	\odot		STORM DRAIN CLEAN OUT	0	•
CONFEDERATE TREE	M	Y	STORM DRAIN CATCH BASIN		
CONIFEROUS TREE	74		STORM DRAIN AREA DRAIN		
FIRE HYDRANT	Д	A	STORM DRAIN MANHOLE		
WATER BLOWOFF	Ŷ	•	GAS METER		
WATER METER		=	GAS VALVE	D	(3)
WATER VALVE	M	H	GUY WIRE ANCHOR		\leftarrow
DOUBLE CHECK VALVE	\boxtimes	E	UTILITY POLE	-O- [P]	-
AIR RELEASE VALVE	Я	F	POWER VAULT		P
SANITARY SEWER CLEAN O		•	POWER JUNCTION BOX		A
SANITARY SEWER MANHOLE		•	POWER PEDESTAL COMMUNICATIONS VAULT	C	
SIGN	- 0		COMMUNICATIONS JUNCTION BOX		C
STREET LIGHT MAILBOX	∴ MB	₩ [MB]	COMMUNICATIONS RISER	\triangle	
PROPERTY LINE					
RIGHT-OF-WAY LINE BOUNDARY LINE					
PROPERTY LINE					
CENTERLINE					
DITCH		>	>	>	->
CURB					
EDGE OF PAVEMENT					
EASEMENT					
FENCE LINE	-	0 0		0 0	
GRAVEL EDGE					-
GRAVEL EDGE					
DAWED LINE			— PWR — PWR –		PWR ———
POWER LINE					OHW
POWER LINE OVERHEAD WIRE		— — ОНЖ	———— OHW —		01111
		COM			
OVERHEAD WIRE			сом — сом —		
OVERHEAD WIRE COMMUNICATIONS LINE		— сом — -	COM COM		сго —
OVERHEAD WIRE COMMUNICATIONS LINE FIBER OPTIC LINE	 	COM	COM COM CFO GAS GAS	CFO	COM
OVERHEAD WIRE COMMUNICATIONS LINE FIBER OPTIC LINE GAS LINE	 	— COM — — — — — — — — — — — — — — — — — — —	COM COM COM	— CFO — — — — — — — — — — — — — — — — — — —	COM



SITE MAP

ENGINEER/PLANNER/ARBORIST/ SURVEYOR/LANDSCAPE

APPLICANT/CONTACT

4610 NE 77TH AVENUE, SUITE 102

EMAIL: STACEY@ROMANOFINANCIAL.COM

LOFTS AT CAMAS MEADOWS PHASE I LLC

LOFTS AT CAMAS MEADOWS PHASE II LLC

VANPORT MANUFACTURING INC & HERTRICH ADOLF

ROMANO DEVELOPMENT, LLC

2370 E 3RD LOOP SUITE 100

2370 E 3RD LOOP SUITE 100

PEDWAR DEVELOPMENT GROUP LLC

4711 NW CAMAS MEADOWS DRIVE

VANCOUVER, WA 98661

VANCOUVER, WA 98661

BORING OR, 97009

CAMAS, WA 98607

CONTACT: STACEY SHIELDS

VANCOUVER, WA 98682

PH: (360) 904-4759

OWNERS

PO BOX 97

ARCHITECT/BIOLOGIST

AKS ENGINEERING & FORESTRY, LLC. CONTACT: MICHAEL ANDREOTTI 9600 NE 126TH AVENUE, SUITE 2520 VANCOUVER, WA 98682 PH: 360-882-0419 FAX: 360-882-0426 E-MAIL: ANDREOTTIM@AKS-ENG.COM

PROPERTY DESCRIPTION

LOCATED IN THE NORTHWEST AND SOUTHWEST 1/4 OF SECTION 28, TOWNSHIP 2 NORTH, RANGE 3 EAST AND THE NORTHEAST 1/4 OF SECTION 29, TOWNSHIP 2 NORTH, RANGE 3 EAST, WILLAMETTE MERIDIAN, CLARK COUNTY, WASHINGTON. PROPERTY SERIAL NO.'S 175980-000, 172973-000, 172963-000, 986035-734, 986035-733, 172970-000, & 986026-906.

EXISTING LAND USE

UNDEVELOPED ZONED MIXED USE (MX)

PROJECT PURPOSE

PHASED MIXED USE SUBDIVISION WITH 77 SINGLE-FAMILY RESIDENTIAL LOTS AND ONE COMMERCIAL LOT WITH ASSOCIATED ROAD AND OTHER SITE IMPROVEMENTS.

SITE AREA

13.81 AC (601,725 SF)

SHEET INDEX

P2.1 EXISTING CONDITIONS PLAN

P3.1 PRELIMINARY SUBDIVISION PLAT

P4.0 PRELIMINARY GRADING, DEMOLITION, AND ESC PLAN

P4.1 PRELIMINARY GRADING, DEMOLITION, AND ESC PLAN

P5.0 PRELIMINARY TREE PRESERVATION AND REMOVAL PLAN

P7.1 PRELIMINARY STORMWATER PLAN

P8.1 PRELIMINARY CIRCULATION PLAN

P9.0 PRELIMINARY LANDSCAPE PLAN

P10.1 PRELIMINARY ADA AND PEDESTRIAN LIGHTING PLAN

P1.0 COVER SHEET

P2.0 EXISTING CONDITIONS PLAN

P3.0 PRELIMINARY SUBDIVISION PLAT

P3.2 PRELIMINART SITE PLAN

PRELIMINARY TREE PRESERVATION AND REMOVAL PLAN

P5.2 PRELIMINARY TREE PRSERVATION AND REMOVAL TABLE

P5.3 PRELIMINARY TREE PRSERVATION AND REMOVAL TABLE

P6.0 PRELIMINARY COMPOSITE UTILITY PLAN

PRELIMINARY COMPOSITE UTILITY PLAN

P7.0 PRELIMINARY STORMWATER PLAN

P8.0 PRELIMINARY STREET PLAN

P9.1 PRELIMINARY LANDSCAPE PLAN

P10.0 PRELIMINARY STREET LIGHTING PLAN

DESIGNED BY:

COVER CAMAS ROMAN CITY OF

UBDIVI

ASHINGTON

P2.0

10277

10290

10291

CONIFEROUS

Coniferous

DECIDUOUS

10355

10356

10359

DECIDUOUS

DECIDUOUS

DECIDUOUS

DECIDUOUS

Coniferous |

CONIFEROUS

DECIDUOUS

CONIFEROUS

10899

10900

10901

DECIDUOUS

CONIFEROUS

DECIDUOUS

8,8

CONIFEROUS

CONIFEROUS

CONIFEROUS

21803


21804

- 1. TOTAL SITE AREA IS 13.81 ACRES (601,725 SQUARE FEET).
- 2. CONTOURS SHOWN ARE AT 1 FOOT INTERVALS.
- 3. PER CLARK COUNTY GIS NO WATERCOURSES ARE IDENTIFIED ON SITE.
- 4. PER CLARK COUNTY GIS THERE IS NOT ORDINARY HIGH WATER MARK ON SITE.
- 5. PER CLARK COUNTY GIS THERE ARE NO FLOODPLAINS, FLOOD FRINGE, OR
- FLOODWAY ON SITE.

 6. PER CLARK COUNTY GIS THE SITE DOES NOT CONTAIN SHORELINES OF THE
- STATE.
- PER CLARK COUNTY GIS NO WATERBODIES OR WETLANDS EXIST ON SITE.
 DEVELOPMENT ENVELOPES ARE SHOWN ON SHEETS P3.0-P3.2.
- 9. PER CLARK COUNTY GIS NO UNSTABLE SLOPES OR LANDSLIDE HAZARD AREAS EXIST ON SITE.
- 10. PER CLARK COUNTY GIS NO PRIORITY HABITAT AND SPECIES AREAS EXIST ON
- 11. PER CLARK COUNTY GIS NO SIGNIFICANT HISTORIC SITES OR RESOURCES WERE IDENTIFIED ON SITE.
- 12. NO STRUCTURES EXIST ON SITE.
- 13. EASEMENTS EXIST ON SITE AND ARE SHOWN ON THE PLANS.
- 14. NW CAMAS MEADOWS DRIVE IS PUBLIC WITH ASPHALT SURFACING.
- 15. PER CLARK COUNTY GIS NO PEDESTRIAN OR BICYCLE FACILITIES EXIST WITHIN 100 FEET OF THE SITE.
- 16. PER CLARK COUNTY GIS NO TRANSIT ROUTES EXIST WITHIN 600 FEET OF THE SITE. THE NEAREST STOP IS LOCATED ON SE 1932D AVENUE ±2.1 MILES SOUTHWEST OF THE SITE.
- 17. THE NEAREST FIRE HYDRANTS ARE LOCATED ADJACENT TO THE THE SITE ALONG NW CAMAS MEADOWS DRIVE AND SHOWN ON THE PLANS.
- 18. PER CLARK COUNTY GIS NO SEPTIC SYSTEMS OR WELLS EXIST ON SITE.

CURVE TABLE						
CURVE	RADIUS	DELTA	LENGTH	CHORD		
C1	470.00'	56°24'11"	462.68'	N32°43'20"W 444.22'		
C2	405.00'	8*54'45"	63.00'	N8*58'37"W 62.94'		


			_					
1	REE TABLE			1	TREE TABLE		1	ree table
TREE NUMBER	TYPE	DBH (IN.)		TREE NUMBER	TYPE	DBH (IN.)	TREE NUMBER	TYPE
21121	CONIFEROUS	6		21425	CONIFEROUS	7	21816	DECIDUOUS
21123	DECIDUOUS	7		21426	CONIFEROUS	7	21817	DECIDUOUS
21160	DECIDUOUS	6		21427	CONIFEROUS	6,6	21818	DECIDUOUS
21161	DECIDUOUS	6	Ī	21717	CONIFEROUS	8	21819	DECIDUOUS
21162	DECIDUOUS	6		21770	CONIFEROUS	44	21820	CONIFEROUS
21163	DECIDUOUS	6		21771	CONIFEROUS	30	21821	DECIDUOUS
21164	DECIDUOUS	8		21772	DECIDUOUS	6	21850	CONIFEROUS
21373	CONIFEROUS	8		21773	CONIFEROUS	28	21851	CONIFEROUS
21374	CONIFEROUS	6		21774	CONIFEROUS	54	21852	DECIDUOUS
21375	CONIFEROUS	6		21775	CONIFEROUS	77	21853	DECIDUOUS
21376	CONIFEROUS	6		21778	CONIFEROUS	8	21854	DECIDUOUS
21377	CONIFEROUS	7		21806	CONIFEROUS	30		
21378	CONIFEROUS	6		21807	CONIFEROUS	23		
21379	CONIFEROUS	6		21809	CONIFEROUS	14		
21418	CONIFEROUS	6		21810	CONIFEROUS	27		
21419	CONIFEROUS	6		21811	DECIDUOUS	24		
21420	CONIFEROUS	7		21812	DECIDUOUS	9		
21422	CONIFEROUS	6		21813	DECIDUOUS	8		
21423	CONIFEROUS	6		21814	DECIDUOUS	17		
21424	CONIFEROUS	6		21815	DECIDUOUS	17		



P2.1



- 1. TOTAL SITE AREA IS 13.81 ACRES (600,725 SQUARE FEET).
- 2. NO WETLAND, STREAM, OR STEEP BANK BUFFER AREAS, OR PROTECTED AREAS exist on site.
- 3. NO PLANNED ENHANCEMENT AREAS ARE PROPOSED.
- 4. NO STRUCTURES EXIST ON SITE.
- 5. NO TRANSIT FACILITIES ARE PROPOSED.
- 6. NO BICYCLE FACILITIES BEYOND THOSE LOCATED IN THE RIGHT-OF-WAY ARE
- 7. NW 75TH AVENUE, NW 77TH AVENUE, NW 78TH AVENUE, AND NW A DRIVE ARE PUBLIC WITH ASPHALT SURFACING.
- 8. NO ROADS ON OR WITHIN 500 FEET OF THE SITE PROPOSED TO PROVIDE SITE ACCESS ARE IN EXCESS OF 15% GRADE.
- 9. NW CAMAS MEADOWS DRIVE IS PUBLIC WITH ASPHALT SURFACING.
- 10. SIGHT DISTANCE TRIANGLES ARE SHOWN ON SHEET P8.0.
- 11. ALL PROPOSED EASEMENTS ARE SHOWN ON THE PLANS.
- 12. NO HARD LANDSCAPING FEATURES ARE PROPOSED.
- 13. SEE SHEETS P9.0 AND 9.1 FOR LANDSCAPE PLANS.
- 14. THE DEVELOPMENT PROPOSES TO SUBDIVIDE SEVEN PARCELS INTO 77 ATTACHED AND DETACHED SINGLE-FAMILY LOTS, AND ONE COMMERCIAL LOT.
- 15. THE DEVELOPMENT WILL CONSTRUCT FOUR INTERNAL STREETS. PROPOSED STREETS TO INCLUDE A 52-FOOT RIGHT-OF-WAY, 28-FOOT PAVED WIDTH, 7-FOOT PLANTER STRIP, AND 5-FOOT DETACHED SIDEWALK PER CITY OF CAMAS STANDARD DETAIL ST3.
- 16. SURFACE MATERIAL FOR ALL PROPOSED ROADWAYS IS ASPHALT.
- 17. ALL PROPOSED HOMES WILL BE CONSTRUCTED WITH FIRE SPRINKLERS.
- 18. ALL LOTS WILL BE SERVED WITH PUBLIC SANITARY SEWER AND WATER BY CITY OF CAMAS. WATER AND SEWER WILL BE EXTENDED FROM THE LINES IN NW CAMAS MEADOWS DRIVE INTO THE SITE.
- 19. STORMWATER FROM SUBDIVISION WILL BE COLLECTED ON SITE AND CONVEYED TO A MECHANICAL FILTER VAULT AND UNDERGROUND DETENTION IN TRACT TRACT F PRIOR TO DISCHARGING AT THE NORTHEAST CORNER OF THE SITE. STORMWATER FROM COMMERCIAL LOT WILL BE COLLECTED ON SITE AND CONVEYED TO MECHANICAL FILTER CATCH BASINS AND UNDERGROUND DETENTION PRIOR TO DISCHARGING AT THE NORTH CORNER OF THE SITE. STORMWATER TO BE DESIGNED PER CITY OF CAMAS STANDARDS.
- 20. OPEN SPACE/PARKING TRACTS C & G TO BE OWNED AND MAINTAINED BY THE HOME OWNERS ASSOCIATION (HOA).
- 21. ACCESS TRACTS A, B, E, & H TO BE OWNED AND MAINTAINED BY THE HOA.
- 22. STORMWATER FACILITIES IN TRACT F TO BE OWNED AND MAINTAINED BY THE HOA. STORMWATER FACILITIES IN COMMERCIAL LOT TO PRIVATELY OWNED AND
- 23. OPEN SPACE/ACCESS TRACT J TO BE OWNED AND MAINTAINED BY THE HOA.
- 24. OPEN SPACE TRACTS D & I TO BE OWNED AND MAINTAINED BY THE HOA.
- 25. BUILDING ENVELOPES SHALL BE PER DEVELOPMENT STANDARDS TABLE.
- 26. LOTS 1-19 AND 57-77 WILL BE REAR LOAD ATTACHED TOWNHOMES.
- 27. LOTS 20, 21, AND 30-48 WILL BE FRONT LOADED STANDARD DETACHED
- 28. LOTS 22-29 AND 49-56 WILL EITHER BE REAR LOADED OR FRONT LOADED STANDARD DETACHED HOMES, LOT ACCESS WILL BE BASED ON FINAL GRADING.
- 29. NW CAMAS MEADOWS FRONTAGE IMPROVEMENTS WILL INCLUDE: REPLACEMENT OF DAMAGED CURB AND SIDEWALK. GRIND AND INLAY AT NW 75TH AVENUE AND NW 77TH AVENUE.



SITE STATISTICS PARCEL ZONE: GROSS AREA:

MINIMUM REAR YARD:

└─ 12' UTILITY EASEMENT

PARCEL NO. 172967-000

COUNTY

PROPERTIES EAST LLC

12 | 13 | 14 | 15 | 16 | 17 | 18 | 19

NW CAMAS MEADOWS DRIVE

28' PAVED —

52' ROW —

400.00' **TRACT B**

9 10 11

6' EXISTING PLANTER STRIP-10' EXISTING SIDEWALK — .36' EXISTING PAVED WIDTH⊢

└ 6' PUE (TYP.)

30.00'-|20.00'|20.00'|-30.00'-|-30.00'-|20.00'|20.00'|-30.00'-|-30.00'-|20.00'|-20.00'|20.00'|-30.00'-|30.00'-|20.00'|-30.00'-|30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|-30.00'|

 $2.00' | 20.00' + 20.00' - 30.00' - \frac{1}{2} | 30.00' + 20.00' + 20.00' + 30.00' + 30.00' - \frac{1}{2} | 4 + 30.00' - \frac{1}{2} | 20.00' + 20.00' - 30.00' - \frac{1}{2} | 30.00' - \frac{1}{2} | 20.00' + 20.00' | 20.00' + 20$

PARCEL AREA TABLE

AREA (SF)

5,000

9,138

7,089

7,974

8,115

7,645

6,266

7,554

6,786

7,072

7,359

8,686

7,294

PARCEL #

29

30

31

32

33

34

35

36

37

38

39

40

41

28' PAVED —

52' ROW -

PARCEL NO.

172962-000

COUNTY

PROPERTIES

EAST LLC

7.0' PLANTER STRIP —

).O' FRONT YARD SETBACK (TYP.)-

ADA RAMP (TYP.)

└ 60' EXISTING ROW

TRACT A

└ 12' UTILITY EASEMENT

-N60°55'25"W 382.00'

PARCEL AREA TABLE

AREA (SF)

3,000

2,000

2,930

2,930

2,000

2,000

3,000

3,000

2,000

2,000

3,000

3,000

2,000

2,000

PARCEL #

2

4

5

10

13

14

3

5' SIDEWALK

NW A DRIVE

52.00′

,26' PAVED-

SEE P8.0 FOR SIGHT DISTANCE

PARCEL NO.

986028-109

CM#3 LLC

PARCEL AREA TABLE

AREA (SF)

3,000

3,000

2,000

2,000

2,930

9,088

10,915

5,448

5,200

5,200

5,200

5,200

5,145

4,945

PARCEL #

17

18

19

24

25

TOTAL ROW DEDICATION: 96,852 SF (2.22 AC) MINIMUM LOT AREA: 2,000 SF MAXIMUM LOT AREA: 9,915 SF PROPOSED AVERAGE LOT AREA: 4,714 SF LOT STATISTICS

ATTACHED REAR LOAD: DETACHED FRONT LOAD:

DEVELOPMENT STANDARDS

MINIMUM FRONT YARD SETBACK: 10 FEET GARAGE SETBACK: 5 FEET FROM FRONT OF DWELLING MINIMUM SIDE YARD: 10 FEET MINIMUM STREET SIDE YARD: 10 FEET

RESIDENTIAL PARKING STATISTICS REQUIRED PARKING: 1 SPACE/5 LOTS

	,
PROPOSED PARKING:	15 SPACES (77 LOTS/5 LOTS/SPAC
TRACT C:	11 SPACES
TRACT G:	4 SPACES
TOTAL PROPOSED;	15 SPACES

25 FEET

TRACT	PURPOSE	AREA
TRACT A	ALLEY	2,600 SF
TRACT B	ALLEY	10,400 SF
TRACT C	OPEN SPACE/PARKING	7,590 SF
TRACT D	OPEN SPACE	13,804 SF
TRACT E	ACCESS	5,117 SF
TRACT F	STORMWATER FACILITY	23,425 SF
TRACT G	OPEN SPACE/PARKING	5,123 SF
TRACT H	ALLEY	13,083 SF
TRACT I	OPEN SPACE	2,270 SF
TRACT J	OPEN SPACE/ACCESS	4,981 SF
TOTAL	·	88,393 SF

APPLICANT/CONTACT ROMANO DEVELOPMENT, LLC CONTACT: STACEY SHIELDS 4610 NE 77TH AVENUE, SUITE 102 VANCOUVER, WA 98682 PH: (360) 904-4759 EMAIL: STACEY@ROMANOFINANCIAL.COM

100.00' 10.11'—

20' ACCESS EASEMENT 21

-N60°55'25"W 263.76'

PARCEL NO.

175983-000

STEVEN & JANICE

OLIVA

172964-000

COUNTY PROPERTIES

EAST LLC

7.0' PLANTER STRIP

├**-** 6' PUE (TYP.)

🕂 28' PAVED

TRACT D

OPEN SPACE

└ 15' UTILITY EASEMENT

SEE P8.0 FOR SIGHT DISTANCE

PARCEL NO.

176155000

EAST VANCOUVER

OWNER LLC

MIXED USE (MX)

13.81 AC (601,725 SF)

20' PAVED片

|

UTILITY EASEMENT

STORMWATER FACILITY

- RETAINING WALL (6' MAX HEIGHT)

PARCEL NO.

172975-000

FAR FROM PAR LLC

PARCEL NO.

172981-000

FAR FROM

PAR LLC

EXISTING LAND USE

UNDEVELOPED ZONED MIXED USE (MX)

- RETAINING WALL (6' MAX HEIGHT)

OWNERS LOFTS AT CAMAS MEADOWS PHASE I LLC 2370 E 3RD LOOP SUITE 100 VANCOUVER, WA 98661

LOFTS AT CAMAS MEADOWS PHASE II LLC 2370 E 3RD LOOP SUITE 100 VANCOUVER, WA 98661

VANPORT MANUFACTURING INC & HERTRICH ADOLF PO BOX 97 BORING OR, 97009

PEDWAR DEVELOPMENT GROUP LLC 4711 NW CAMAS MEADOWS DRIVE CAMAS, WA 98607

ENGINEER/PLANNER/ARBORIST/

SURVEY/LANDSCAPE ARCHITECT/BIOLOGIST AKS ENGINEERING & FORESTRY, LLC. CONTACT: MICHAEL ANDREOTTI 9600 NE 126TH AVENUE, SUITE 2520 VANCOUVER, WA 98682 PH: 360-882-0419 FAX: 360-882-0426 E-MAIL: ANDREOTTIM@AKS-ENG.COM

PROPERTY DESCRIPTION

LOCATED IN THE NORTHWEST AND SOUTHWEST 1/4 OF SECTION 28, TOWNSHIP 2 NORTH, RANGE 3 EAST AND THE NORTHEAST 1/4 OF SECTION 29, TOWNSHIP 2 NORTH, RANGE 3 EAST, WILLAMETTE MERIDIAN, CLARK COUNTY, WASHINGTON. PROPERTY SERIAL NO.'S 175980-000, 172973-000, 172963-000, 986035-734, 986035-733, 172970-000, & 986026-906.

PROJECT PURPOSE PHASED MIXED USE SUBDIVISION WITH 77 SINGLE-FAMILY	CENT	ERLINE 1	TANGENT TABLE
RESIDENTIAL LOTS AND ONE COMMERCIAL LOT WITH ASSOCIATED ROAD AND OTHER SITE IMPROVEMENTS.	LINE #	LENGTH	DIRECTION
SITE AREA	T1	171.70	S65* 51' 46.18"W
13.81 AC (601,725 SF)	T2	31.67	S42° 22' 23.73"W
	Т3	88.24	S47° 37' 36.27"E
	T4	704.72	S60° 55′ 25.29″E

CENTERLINE CURVE TABLE						
CURVE #	ARC LENGTH	DELTA	RADIUS			
C1	169.42	13°17'49"	730.00			
C2	143.24	16 ° 24'49"	500.00			
C3	67.45	7*20'49"	526.00			
C4	51.28	6 ° 11'53"	474.00			
C5	18.60	10°39'29"	100.00			
C6	41.00	23°29'22"	100.00			

282.00

255.50

S29°04′34.71″W

S29°04′34.71″W

THE PURPOSE OF THIS PRELIMINARY
PLAT IS TO SHOW THE PROPOSED LOT
DIMENSIONS AND AREAS FOR PLANNING
PURPOSES. THIS IS NOT AN OFFICIAL
PLAT AND IS NOT TO BE USED FOR
SURVEY PURPOSES.

DESIGNED BY:

4

SUBDIVI

4

SUBDIVI



GENERAL NOTES

- 1. TOTAL SITE AREA IS 13.81 ACRES (600,725 SQUARE FEET).
- 2. NO WETLAND, STREAM, OR STEEP BANK BUFFER AREAS, OR PROTECTED AREAS exist on site.
- 3. NO PLANNED ENHANCEMENT AREAS ARE PROPOSED.
- 4. NO STRUCTURES EXIST ON SITE.
- 5. NO TRANSIT FACILITIES ARE PROPOSED.
- 6. NO BICYCLE FACILITIES BEYOND THOSE LOCATED IN THE RIGHT-OF-WAY ARE
- 7. NW 75TH AVENUE, NW 77TH AVENUE, NW 78TH AVENUE, AND NW A DRIVE ARE PUBLIC WITH ASPHALT SURFACING.
- 8. NO ROADS ON OR WITHIN 500 FEET OF THE SITE PROPOSED TO PROVIDE SITE ACCESS ARE IN EXCESS OF 15% GRADE.
- 9. NW CAMAS MEADOWS DRIVE IS PUBLIC WITH ASPHALT SURFACING.
- 10. SIGHT DISTANCE TRIANGLES ARE SHOWN ON SHEET P8.0.
- 11. ALL PROPOSED EASEMENTS ARE SHOWN ON THE PLANS.
- 12. NO HARD LANDSCAPING FEATURES ARE PROPOSED.
- 13. SEE SHEETS P9.0 AND 9.1 FOR LANDSCAPE PLANS.
- 14. THE DEVELOPMENT PROPOSES TO SUBDIVIDE SEVEN PARCELS INTO 77 ATTACHED AND DETACHED SINGLE-FAMILY LOTS, AND ONE COMMERCIAL LOT.
- 15. THE DEVELOPMENT WILL CONSTRUCT FOUR INTERNAL STREETS. PROPOSED STREETS TO INCLUDE A 52-FOOT RIGHT-OF-WAY, 28-FOOT PAVED WIDTH, 7-FOOT PLANTER STRIP, AND 5-FOOT DETACHED SIDEWALK PER CITY OF CAMAS STANDARD DETAIL ST3.
- 16. SURFACE MATERIAL FOR ALL PROPOSED ROADWAYS IS ASPHALT.
- 17. ALL PROPOSED HOMES WILL BE CONSTRUCTED WITH FIRE SPRINKLERS.
- 18. ALL LOTS WILL BE SERVED WITH PUBLIC SANITARY SEWER AND WATER BY CITY OF CAMAS. WATER AND SEWER WILL BE EXTENDED FROM THE LINES IN NW CAMAS MEADOWS DRIVE INTO THE SITE.
- 19. STORMWATER FROM SUBDIVISION WILL BE COLLECTED ON SITE AND CONVEYED TO A MECHANICAL FILTER VAULT AND UNDERGROUND DETENTION IN TRACT TRACT F PRIOR TO DISCHARGING AT THE NORTHEAST CORNER OF THE SITE. STORMWATER FROM COMMERCIAL LOT WILL BE COLLECTED ON SITE AND CONVEYED TO MECHANICAL FILTER CATCH BASINS AND UNDERGROUND DETENTION PRIOR TO DISCHARGING AT THE NORTH CORNER OF THE SITE. STORMWATER TO BE DESIGNED PER CITY OF CAMAS STANDARDS.
- 20. OPEN SPACE/PARKING TRACTS C & G TO BE OWNED AND MAINTAINED BY THE HOME OWNERS ASSOCIATION (HOA).
- 21. ACCESS TRACTS A, B, E, & H TO BE OWNED AND MAINTAINED BY THE HOA.
- 22. STORMWATER FACILITIES IN TRACT F TO BE OWNED AND MAINTAINED BY THE HOA. STORMWATER FACILITIES IN COMMERCIAL LOT TO PRIVATELY OWNED AND
- 23. OPEN SPACE/ACCESS TRACT J TO BE OWNED AND MAINTAINED BY THE HOA.
- 24. OPEN SPACE TRACTS D & I TO BE OWNED AND MAINTAINED BY THE HOA.
- 25. BUILDING ENVELOPES SHALL BE PER DEVELOPMENT STANDARDS TABLE.
- 26. LOTS 1-19 AND 57-77 WILL BE REAR LOAD ATTACHED TOWNHOMES. 27. LOTS 20, 21, AND 30-48 WILL BE FRONT LOADED STANDARD DETACHED
- 28. LOTS 22-29 AND 49-56 WILL EITHER BE REAR LOADED OR FRONT LOADED
- STANDARD DETACHED HOMES, LOT ACCESS WILL BE BASED ON FINAL GRADING. 29. NW CAMAS MEADOWS FRONTAGE IMPROVEMENTS WILL INCLUDE: REPLACEMENT OF DAMAGED CURB AND SIDEWALK.

GRIND AND INLAY AT NW 75TH AVENUE AND NW 77TH AVENUE.

SCALE: 1"=50 FEET
50 0 10 25 50 ORIGINAL PAGE SIZE: 24" x 36"

PARCEL A	REA TABLE	PARCEL A	REA TABL
PARCEL #	AREA (SF)	PARCEL #	AREA (SF)
42	8,333	61	2,000
43	8,149	62	3,000
44	7,952	63	3,000
45	8,949	64	2,000
46	8,531	65	3,000
49	5,010	66	3,000
50	5,358	67	2,000
51	5,000	68	3,000
52	5,000	69	3,624
53	5,000	70	3,624
54	5,000	71	3,624
55	5,000	72	3,624
56	5,000	73	3,624
57	3,000	74	3,892
58	2,000	75	4,242
59	3,000	76	2,001
60	3,000	77	4,878

PARCEL NO.

172962-000 COUNTY PROPERTIES EAST LLC

SITE STATISTICS MIXED USE (MX) PARCEL ZONE: GROSS AREA: 13.81 AC (601,725 SF) TOTAL ROW DEDICATION: 96,852 SF (2.22 AC) MINIMUM LOT AREA: 2,000 SF MAXIMUM LOT AREA: 9,915 SF PROPOSED AVERAGE LOT AREA: 4,714 SF LOT STATISTICS ATTACHED REAR LOAD: DETACHED FRONT LOAD:

SEE P8.0 FOR SIGHT DISTANCE 14.5' UTILITY EASEMENT

6' PLANTER STRIP

 $^{\diamond}$ tract ${ t G}$

14.5' UTILITY EASEMENT

172980-000

PLEXSYS INTERFACE

PRODUCTS INC

OPEN SPACE

DEVELOPMENT STANDARDS MINIMUM FRONT YARD SETBACK: 10 FEET GARAGE SETBACK: 5 FEET FROM FRONT OF DWELLING

14.5' UTILITY EASEMENT =

MINIMUM SIDE YARD: 10 FEET MINIMUM STREET SIDE YARD: 10 FEET 25 FEET MINIMUM REAR YARD:

RESIDENTIAL PARKING STATISTICS

REQUIRED PARKING: 1 SPACE/5 LOTS 15 SPACES (77 LOTS/5 LOTS/SPACE) PROPOSED PARKING: 11 SPACES TRACT C: 4 SPACES TRACT G: 15 SPACES TOTAL PROPOSED;

TRACT	PURPOSE	AREA
TRACT A	ALLEY	2,600 SF
TRACT B	ALLEY	10,400 SF
TRACT C	OPEN SPACE/PARKING	7,590 SF
TRACT D	OPEN SPACE	13,804 SF
TRACT E	ACCESS	5,117 SF
TRACT F	STORMWATER FACILITY	23,425 SF
TRACT G	OPEN SPACE/PARKING	5,123 SF
TRACT H	ALLEY	13,083 SF
TRACT I	OPEN SPACE	2,270 SF
TRACT J	OPEN SPACE/ACCESS	4,981 SF
TOTAL		88,393 SF

APPLICANT/CONTACT ROMANO DEVELOPMENT, LLC

CONTACT: STACEY SHIELDS 4610 NE 77TH AVENUE, SUITE 102 VANCOUVER, WA 98682 PH: (360) 904-4759 EMAIL: STACEY@ROMANOFINANCIAL.COM

OWNERS

PARCEL NO.

172971-000

CM#3 LLC

PARCEL NO. 172962-000

COUNTY **PROPERTIES**

EAST LLC

42

62 | 61 | 60 | 59 | 58 | 57

⁻⁻⁻N60°55'25"₩ 382.00'

PARCEL NO.

986028-109

CM#3 LLC

— 6'PUE (TYP.)

└ 12' UTILITY EASEMENT

NW CAMAS MEADOWS DRIVE

└ 10.0' FRONT YARD SETBACK (TYP.)

50.00'

BUILDING ENVELOPE (TYP.) -

NW A DRIVE

300.00

31.92' - 20.00' - 30.00' - 20.00' - 30.00' - 30.00' - 20.00' - 30.00' - 30.00' - 20.00' - 30.0

63

-25.41'l-30.00'-[20.00'l-30.00'l-30.00'l+20.00'l+20.00'l+-30.00'l-30.00'l-30.00'l-30.00'-[-30.00'-120.00'l-30.00'

28' PAVED 一

TRACT H

68 | 67 | 66 | 65

10' EXISTING SIDEWALK -36' EXISTING PAVED WIDTH -

└ 60' EXISTING ROW

52' ROW —

LOFTS AT CAMAS MEADOWS PHASE I LLC 2370 E 3RD LOOP SUITE 100 VANCOUVER, WA 98661

LOFTS AT CAMAS MEADOWS PHASE II LLC 2370 E 3RD LOOP SUITE 100 VANCOUVER, WA 98661

VANPORT MANUFACTURING INC & HERTRICH ADOLF PO BOX 97 BORING OR, 97009

PEDWAR DEVELOPMENT GROUP LLC 4711 NW CAMAS MEADOWS DRIVE CAMAS, WA 98607

ENGINEER/PLANNER/ARBORIST/

SURVEY/LANDSCAPE ARCHITECT/BIOLOGIST AKS ENGINEERING & FORESTRY, LLC. CONTACT: MICHAEL ANDREOTTI 9600 NE 126TH AVENUE, SUITE 2520 VANCOUVER, WA 98682 PH: 360-882-0419 FAX: 360-882-0426 E-MAIL: ANDREOTTIM@AKS-ENG.COM

PROPERTY DESCRIPTION

LOCATED IN THE NORTHWEST AND SOUTHWEST 1/4 OF SECTION 28, TOWNSHIP 2 NORTH, RANGE 3 EAST AND THE NORTHEAST 1/4 OF SECTION 29, TOWNSHIP 2 NORTH, RANGE 3 EAST, WILLAMETTE MERIDIAN, CLARK COUNTY, WASHINGTON. PROPERTY SERIAL NO.'S 175980-000, 172973-000, 172963-000, 986035-734, 986035-733, 172970-000, & 986026-906.

EXISTING LAND USE UNDEVELOPED ZONED MIXED USE (MX)

PROJECT PURPOSE PHASED MIXED USE SUBDIVISION WITH 77 SINGLE-FAMILY RESIDENTIAL LOTS AND ONE COMMERCIAL LOT WITH

ASSOCIATED ROAD AND OTHER SITE IMPROVEMENTS.

SITE AREA 13.81 AC (601,725 SF)

CENTERLINE TANGENT TABLE							
LINE #	LENGTH	DIRECTION					
T1	171.70	S65° 51' 46.18"W					
T2	31.67	S42° 22' 23.73"W					
Т3	88.24	S47° 37' 36.27"E					
T4	704.72	S60° 55′ 25.29″E					
T5	282.00	S29° 04' 34.71"W					
Т6	255.50	S29° 04' 34.71"W					

CENTERLINE CURVE TABLE								
CURVE #	ARC LENGTH	DELTA	RADIUS					
C1	169.42	13°17'49"	730.00					
C2	143.24	16 ° 24'49"	500.00					
C3	67.45	7°20'49"	526.00					
C4	C4 51.28		474.00					
C5	C5 18.60		100.00					
C6	41.00	23°29'22"	100.00					

THE **PLAT** DIME PLAT AND IS NOT TO BE USED FOR

	COSTON	STERED CONTINUES
	JOB NUMBER:	9030
PURPOSE OF THIS PRELIMINARY	DATE:	3/13/2023
IS TO SHOW THE PROPOSED LOT	DESIGNED BY:	DJL
INSIONS AND AREAS FOR PLANNING	DRAWN BY:	DJL
POSES. THIS IS NOT AN OFFICIAL	CHECKED BY:	JMM

SURVEY PURPOSES.



PROPERTY DESCRIPTION LOCATED IN THE NORTHWEST AND SOUTHWEST 1/4 OF SECTION 28, TOWNSHIP 2 NORTH, RANGE 3 EAST AND THE NORTHEAST 1/4 OF SECTION 29, TOWNSHIP 2 NORTH, RANGE 3 EAST, WILLAMETTE MERIDIAN, CLARK COUNTY, WASHINGTON. PROPERTY SERIAL NO.'S 175980-000, 172973-000, 172963-000, 986035-734, 986035-733, 172970-000, & 986026-906.

EXISTING LAND USE UNDEVELOPED ZONED MIXED USE (MX)

PROJECT PURPOSE

PHASED MIXED USE SUBDIVISION WITH 77 SINGLE-FAMILY RESIDENTIAL LOTS AND ONE COMMERCIAL LOT WITH ASSOCIATED ROAD AND OTHER SITE IMPROVEMENTS.

SITE AREA 13.81 AC (601,725 SF)

APPLICANT/CONTACT

ROMANO DEVELOPMENT, LLC CONTACT: STACEY SHIELDS 4610 NE 77TH AVENUE, SUITE 102 VANCOUVER, WA 98682 PH: (360) 904-4759 EMAIL: STACEY@ROMANOFINANCIAL.COM

OWNERS LOFTS AT CAMAS MEADOWS PHASE I LLC

2370 E 3RD LOOP SUITE 100 VANCOUVER, WA 98661

LOFTS AT CAMAS MEADOWS PHASE II LLC 2370 E 3RD LOOP SUITE 100 VANCOUVER, WA 98661

VANPORT MANUFACTURING INC & HERTRICH ADOLF PO BOX 97 BORING OR, 97009

PEDWAR DEVELOPMENT GROUP LLC 4711 NW CAMAS MEADOWS DRIVE CAMAS, WA 98607

ENGINEER/PLANNER/ARBORIST/

SURVEY/LANDSCAPE ARCHITECT/BIOLOGIST

AKS ENGINEERING & FORESTRY, LLC. CONTACT: MICHAEL ANDREOTTI 9600 NE 126TH AVENUE, SUITE 2520 VANCOUVER, WA 98682 PH: 360-882-0419 FAX: 360-882-0426 E-MAIL: ANDREOTTIM@AKS-ENG.COM

SCALE: 1"= 20 FEET

0 4 10 ORIGINAL PAGE SIZE: 24" x 36"

GENERAL NOTES

PARCEL NO.

172962-000

COUNTY

PROPERTIES EAST LLC

- UNDERGROUND

10' SIDE YARD -

- PROPOSED TRASH

18'

ENCLOSURE

- PROPOSED FIRE HYDRANT

SETBACK

STORMWATER

LOT 78

COMMERCIAL

- 4" WATER MAIN

VAULT

STORMWATER

STORMWATER

WATER QUALITY

-13.0' UTILITY EASEMENT

CATCH BASIN

LATERAL

 lack ada Parking lack

PROPOSED FDC —

FLOW CONTROL MANHOLE

- 1. TOTAL SITE AREA IS 13.81 ACRES (600,725 SQUARE FEET).
- 2. ACCORDING TO CLARK NO WETLAND, STREAM, OR STEEP BANK BUFFER AREAS, OR PROTECTED AREAS EXIST ON SITE.

48

- 3. NO PLANNED ENHANCEMENT AREAS ARE PROPOSED.
- 4. NO STRUCTURES EXIST ON SITE.
- 5. NO TRANSIT FACILITIES ARE PROPOSED.
- 6. NO BICYCLE FACILITIES BEYOND THOSE LOCATED IN THE RIGHT-OF-WAY ARE PROPOSED.
- 7. NW 75TH AVENUE, NW 77TH AVENUE, NW 78TH AVENUE, AND NW A DRIVE ARE PUBLIC WITH ASPHALT SURFACING.
- 8. NO ROADS ON OR WITHIN 500 FEET OF THE SITE PROPOSED TO PROVIDE
- SITE ACCESS ARE IN EXCESS OF 15% GRADE.
- 9. NW CAMAS MEADOWS DRIVE IS PUBLIC WITH ASPHALT SURFACING.
- 10. SIGHT DISTANCE TRIANGLES ARE SHOWN ON SHEET P8.0. 11. ALL PROPOSED EASEMENTS ARE SHOWN ON THE PLANS.
- 12. NO HARD LANDSCAPING FEATURES ARE PROPOSED.
- 13. SEE SHEETS P9.0 AND 9.1 FOR LANDSCAPE PLANS.
- 14. STRUCTURE SQUARE FEET IS NOTED/SHOWN ON THE PLAN. 15. SEE ARCHITECTURAL PLANS INCLUDED IN THE APPLICATION SUBMITTAL PACKAGE FOR BUILDING ELEVATIONS AND FLOOR PLANS.
- 16. RECYCLABLE AND SOLID WASTE STORAGE IS SHOWN ON THE PLANS.
- 17. SEE SHEETS 10.0 AND 10.1 FOR OUTDOOR LIGHTING PLANS.
- 18. LOT 78, COMMERCIAL LOT, WILL BE SERVED WITH PUBLIC SANITARY SEWER AND WATER BY CITY OF CAMAS. WATER AND SEWER WILL BE EXTENDED FROM THE LINES IN NW CAMAS MEADOWS DRIVE INTO THE SITE.
- 19. STORMWATER WILL BE COLLECTED ON SITE AND CONVEYED TO MECHANICAL FILTER CATCH BASINS AND UNDERGROUND DETENTION PRIOR TO DISCHARGING AT THE NORTH CORNER OF THE SITE. STORMWATER TO BE DESIGNED PER CITY OF CAMAS STANDARDS.
- 20. STORMWATER FACILITIES TO BE PRIVATELY OWNED AND MAINTAINED.
- 21. NW CAMAS MEADOWS FRONTAGE IMPROVEMENTS WILL INCLUDE: REPLACEMENT OF DAMAGED CURB AND SIDEWALK.

SITE STATISTICS

PARCEL ZONE: MIXED USE (MX) 13.81 AC (601,725 SF) GROSS AREA: TOTAL ROW DEDICATION: 95,084 SF (2.18 AC) 2,000 SF MINIMUM LOT AREA: MAXIMUM LOT AREA: 9,157 SF

DEVELOPMENT STANDARDS

PROPOSED AVERAGE LOT AREA: 4,620 SF

MINIMUM SIDE YARD: MINIMUM STREET SIDE YARD: 11.5 FEET 25 FEET MINIMUM REAR YARD: MAXIMUM FRONT YARD: 10 FEET

COMMERCIAL PARKING STATISTICS

REQUIRED PARKING STALLS (6,500/100): PROPOSED STANDARD PARKING STALLS (9' X 18'): PROPOSED ADA PARKING STALLS (9' X 18'): TOTAL PROPOSED PARKING STALLS:

COMMERCIAL LOT STATISTICS

MIXED USE (MX) GROSS SITE AREA: 52,616 SF (1.21 AC) **ROW DEDICATION:** NET PROJECT AREA: 52,616 SF (1.21 AC) 52,616 SF (1.21 AC) DISTURBED AREA: 6,500 SF PROPOSED BUILDING AREA: LANDSCAPED AREA: 19,326 SF (36.7%) IMPERVIOUS AREA 33,290 SF (63.3%)

_ 25' REAR YARD

1,750 SF

PATIO

STORMWATER OUTFALL/FLOW

SPREADÉR

SETBACK

6,500 SF

PUB/BREWERY

COMMERCIAL -

STEP TANK

11.5' UTILITY EASEMENT -

MAXIMUM 11.5'

FRONT YARD

CONNECT TO EXISTING —

WATER LINE N

SETBACK

COMMERCIAL

WATER METER

11.5' UTILITY EASEMENT

10' SIDE YARD

SETBACK

EXISTING 12" DIP -

WATER LINE

EXISTING SANITARY

FORCE MAIN

STEP LATERAL

EXISTING -STORMWATER MANHOLE (TYP.)

> EXISTING STORMWATER CATCH BASING

> > 1,1

CONNECT TO EXISTING

SANITARY FORCE MAIN

/— EXISTING STORM LINE

EXISTING FIBER —


EXISTING GAS LINE -


PARCEL NO.

172962-000

COUNTY PROPERTIES EAST LLC

DESIGNED BY:





- 1. SEE THE PRELIMINARY TREE PRESERVATION AND REMOVAL PLAN P5.0 FOR TREE PROTECTION AND CONSTRUCTION FENCE LOCATIONS AND TREE ROOT PROTECTION ZONE RADIUS ZONES.
- 2. ADDITIONAL EROSION CONTROL MEASURES WILL BE INCLUDED DURING FINAL ENGINEERING TO ACCOUNT FOR GRADING ON STEEP SLOPES AND CONSTRUCTION
- 3. RETAINING WALLS MAY BE NECESSARY TO COMPLETE THIS PROJECT. WALL LOCATIONS WILL BE DETERMINED WITH FINAL ENGINEERING IF NECESSARY.

DEMOLITION KEYED NOTES

- 1. EXISTING TREE TO REMAIN (TYP).
- 2. REPLACE ALL DAMAGED CURB AND SIDEWALK ALONG CAMAS MEADOWS FRONTAGE (TYP.).
- 3. REMOVE EXISTING CURB.
- 4. REMOVE EXISTING ASPHALT.
- 5. REMOVE EXISTING DRIVEWAY.

6. REMOVE EXISTING FENCE.

- 7. RELOCATE EXISTING STREET LIGHT.
- 8. REMOVE EXISTING SIGN.
- 9. REMOVE EXISTING TRANSFORMER AND ASSOCIATED WIRE. 10. REMOVE EXISTING WATER METER AND ASSOCIATED SERVICE LINE.
- 11. SAWCUT AND REMOVE EXISTING ASPHALT, AND GRIND AND INLAY NEW ASPHALT.

EROSION CONTROL KEYED NOTES

- 1. INSTALL INLET PROTECTION (TYP).
- 2. POTENTIAL STOCKPILE AREA.
- 3. INSTALL SEDIMENT FENCE (TYP).
- 4. DISTURBED LIMITS (TYP).
- 5. CONSTRUCTION ENTRANCE. 6. INSTALL TEMPORARY SEDIMENT TRAP (TYP).

PRELIMINARY GRADING QUANTITIES


CUT: 30,000 C.Y. FILL: 30,000 C.Y.

SCALE: 1"=50 FEET
50 0 10 25 50 ORIGINAL PAGE SIZE: 24" x 36"

1"= 50 FEET 0 10 25 50 AGE SIZE: 24" x 36"	PRELIMINARY GRADING, DEMOLITI
	M . WASA

PLAN

AND ESC





EXISTING GROUND CONTOUR (2 FT) EXISTING GROUND CONTOUR (10 FT) FINISHED GRADE CONTOUR (2 FT) FINISHED GRADE CONTOUR (10 FT) SEDIMENT FENCE (TO BE INSTALLED PRIOR TO GRADING) INLET PROTECTION (TYP) PER COMBINATION DETAIL PROPOSED DRAINAGE FLOW DIRECTION GRAVEL CONSTRUCTION ENTRANCE

DISTURBED LIMITS TREE PROTECTION/CONSTRUCTION FENCE

POTENTIAL STAGING/SOIL STOCKPILE AREA

CONCRETE WASHOUT AREA

----- 350 ---- ---- -----342 ----- -----350 -----

GENERAL NOTES

- 1. SEE THE PRELIMINARY TREE PRESERVATION AND REMOVAL PLAN P5.0 FOR TREE PROTECTION AND CONSTRUCTION FENCE LOCATIONS AND TREE ROOT PROTECTION ZONE RADIUS ZONES.
- 2. ADDITIONAL EROSION CONTROL MEASURES WILL BE INCLUDED DURING FINAL ENGINEERING TO ACCOUNT FOR GRADING ON STEEP SLOPES AND CONSTRUCTION
- 3. RETAINING WALLS MAY BE NECESSARY TO COMPLETE THIS PROJECT. WALL LOCATIONS WILL BE DETERMINED WITH FINAL ENGINEERING IF NECESSARY.

DEMOLITION KEYED NOTES

- 1. EXISTING TREE TO REMAIN (TYP).
- 2. REPLACE ALL DAMAGED CURB AND SIDEWALK ALONG CAMAS MEADOWS FRONTAGE (TYP.).
- 3. REMOVE EXISTING CURB.
- 4. SAWCUT AND REMOVE EXISTING ASPHALT, AND GRIND AND INLAY NEW ASPHALT.

EROSION CONTROL KEYED NOTES

- 1. INSTALL INLET PROTECTION (TYP).
- 2. POTENTIAL STOCKPILE AREA.
- 3. INSTALL SEDIMENT FENCE (TYP).
- 4. DISTURBED LIMITS (TYP).
- 5. INSTALL TEMPORARY SEDIMENT TRAP (TYP).


PRELIMINARY GRADING QUANTITIES


CUT: 30,000 C.Y. FILL: 30,000 C.Y.

	SCALE: 1"= 50 FEET	
50	0 10 25 50 ORIGINAL PAGE SIZE: 24" x 36"	

50	PRELIMINARY GRADING, DE CAMAS MEADOWS SUBROMANO CAPITAL
	OF WASA

ESERVA:





ANCHOR POSTS SHOULD BE HIGHLY VISIBLE FLAGGING ATTACHED TO MINIMUM 2" STEEL U CHANNEL OR 2"X2" TIMBER, 6' IN LENGTH TOPS OF ANCHOR POSTS ANCHOR POSTS MUST BE INSTALLED TO A DEPTH OF NO / ∖ USE 8" WIRE 'U' TO SECURE LESS THAN 1/3 THE TOTAL HEIGHT OF POST FENCE BOTTOM

TREE PROTECTION NOTES:

- BLAZE ORANGE OR BLUE PLASTIC MESH FENCE FOR TREE PROTECTION DEVICE, ONLY. BOUNDARIES OF PROTECTION AREA WILL BE ESTABLISHED IN THE FIELD BY THE ARBORIST PRIOR TO
- BOUNDARIES OF PROTECTION AREA SHOULD BE STAKED AND FLAGGED BY THE ARBORIST, OR UNDER THE
- SUPERVISION OF THE ARBORIST, PRIOR TO INSTALLING DEVICES.

 4. AVOID DAMAGE TO CRITICAL ROOT ZONE. DO NOT DAMAGE OR SEVER LARGE ROOTS WHEN INSTALLING POSTS.

 5. TREE PROTECTION TO BE INSTALLED PRIOR TO CONSTRUCTION AND REMAIN IN PLACE UNTIL CONSTRUCTION IS

PLASTIC MESH TREE PROTECTION FENCE

NOT TO SCALE

GENERAL NOTES:

- 1. A CERTIFIED ARBORIST SHALL BE PRESENT DURING EXCAVATION ACTIVITIES WITHIN TREE PROTECTION ZONE OF PRESERVED TREES. SEE TREE PROTECTION NOTES ON THIS SHEET FOR MORE INFORMATION.
- 2. A CERTIFIED ARBORIST SHALL BE PRESENT DURING ALL TREE REMOVAL ACTIVITIES BEHIND THE TREE PROTECTION FENCE.
- 3. SEE SHEET P5.3 FOR TREE PROTECTION NOTES.
- 4. SEE SHEET P5.2-P5.3 FOR DETAILED INVENTORY TABLE.
- 5. TREE PROTECTION MEASURES SHALL BE INSTITUTED PRIOR TO ANY DEVELOPMENT ACTIVITIES, INCLUDING, BUT NOT LIMITED TO, CLEARING, GRADING, EXCAVATION OR DEMOLITION WORK, AND SHALL BE REMOVED ONLY AFTER COMPLETION OF ALL CONSTRUCTION ACTIVITY, INCLUDING LANDSCAPING AND IRRIGATION INSTALLATION. SEE TREE PROTECTION DETAIL ON THIS SHEET.
- 6. TREE PROTECTION FENCING SHALL BE FLUSH WITH THE INITIAL UNDISTURBED
- 7. NO CONSTRUCTION ACTIVITY SHALL OCCUR WITHIN THE TREE PROTECTION ZONE, INCLUDING, BUT NOT LIMITED TO, DUMPING OR STORAGE OF MATERIALS SUCH AS BUILDING SUPPLIES, SOIL, WASTE ITEMS OR PARKED VEHICLES OR EQUIPMENT.
- 8. NO EXCAVATION, TRENCHING, GRADING, ROOT PRUNING OR OTHER ACTIVITIES SHALL OCCUR WITHIN THE TREE PROTECTION ZONE UNLESS DIRECTED BY AN ARBORIST PRESENT ON-SITE AND APPROVED BY THE CITY.
- 9. FOLLOWING CLEARING AND GRADING ACTIVITIES, A CERTIFIED ARBORIST SHALL INSPECT RETAINED TREES FOR POTENTIALLY HAZARDOUS TREE CONDITIONS. COORDINATION WITH THE CITY SHALL OCCUR PRIOR TO ANY ADDITIONAL TREE REMOVALS FOR HAZARD ABATEMENT.


KEYED NOTE:

1. ARBORIST OBSERVATION REQUIRED DURING TREE REMOVAL WITHIN THE TREE PROTECTION AREA.


TREE PLAN

SITE AREA: 13.81 AC TOTAL TREE UNITS REQUIRED (13.81AC X 20): 276 EXISTING TREES RETAINED/(TREE UNITS): 15/(149.5) 159/(159) 308.5 PROPOSED SITE TREES/(TREE UNITS): TOTAL TREE UNITS: (RETAINED AND PRESERVED)


NOTE: SEE LANDSCAPING PLAN (P9.0-P9.1) FOR PROPOSED TREE PLANTING PLAN



OF TION	PF
•	PREL
HANSON : PN 7554A 06/30/25	CO,



LEGEND EXISTING GROUND CONTOUR (1 FT) EXISTING GROUND CONTOUR (5 FT) FINISHED GRADE CONTOUR (1 FT) FINISHED GRADE CONTOUR (5 FT) EXISTING CONIFEROUS TREE \odot EXISTING DECIDUOUS TREE **X** TREE REMOVAL TREE PROTECTION FENCE *********** (TREE PROTECTION AREA) ORANGE SEDIMENT FENCE ASSUMED TREE ROOT ZONE (1-FT RADIUS PER 1-IN OF DBH)



TREE PROTECTION NOTES:

- BLAZE ORANGE OR BLUE PLASTIC MESH FENCE FOR TREE PROTECTION DEVICE, ONLY.
 BOUNDARIES OF PROTECTION AREA WILL BE ESTABLISHED IN THE FIELD BY THE ARBORIST PRIOR TO
- CONSTRUCTION 3. BOUNDARIES OF PROTECTION AREA SHOULD BE STAKED AND FLAGGED BY THE ARBORIST, OR UNDER THE
- SUPERVISION OF THE ARBORIST, PRIOR TO INSTALLING DEVICES.
- 4. AVOID DAMAGE TO CRITICAL ROOT ZONE. DO NOT DAMAGE OR SEVER LARGE ROOTS WHEN INSTALLING POSTS.

 5. TREE PROTECTION TO BE INSTALLED PRIOR TO CONSTRUCTION AND REMAIN IN PLACE UNTIL CONSTRUCTION IS COMPLETED.

PLASTIC MESH TREE PROTECTION FENCE NOT TO SCALE

GENERAL NOTES:

- 1. A CERTIFIED ARBORIST SHALL BE PRESENT DURING EXCAVATION ACTIVITIES WITHIN TREE PROTECTION ZONE OF PRESERVED TREES. SEE TREE PROTECTION NOTES ON THIS SHEET FOR MORE INFORMATION.
- 2. A CERTIFIED ARBORIST SHALL BE PRESENT DURING ALL TREE REMOVAL ACTIVITIES BEHIND THE TREE PROTECTION FENCE.
- 3. SEE SHEET P5.3 FOR TREE PROTECTION NOTES.
- 4. SEE SHEET P5.2-P5.3 FOR DETAILED INVENTORY TABLE.
- 5. TREE PROTECTION MEASURES SHALL BE INSTITUTED PRIOR TO ANY DEVELOPMENT ACTIVITIES, INCLUDING, BUT NOT LIMITED TO, CLEARING, GRADING, EXCAVATION OR DEMOLITION WORK, AND SHALL BE REMOVED ONLY AFTER COMPLETION OF ALL CONSTRUCTION ACTIVITY, INCLUDING LANDSCAPING AND IRRIGATION INSTALLATION. SEE TREE PROTECTION DETAIL ON THIS SHEET.
- 6. TREE PROTECTION FENCING SHALL BE FLUSH WITH THE INITIAL UNDISTURBED
- 7. NO CONSTRUCTION ACTIVITY SHALL OCCUR WITHIN THE TREE PROTECTION ZONE, INCLUDING, BUT NOT LIMITED TO, DUMPING OR STORAGE OF MATERIALS SUCH AS BUILDING SUPPLIES, SOIL, WASTE ITEMS OR PARKED VEHICLES OR EQUIPMENT.
- 8. NO EXCAVATION, TRENCHING, GRADING, ROOT PRUNING OR OTHER ACTIVITIES SHALL OCCUR WITHIN THE TREE PROTECTION ZONE UNLESS DIRECTED BY AN ARBORIST PRESENT ON-SITE AND APPROVED BY THE CITY.
- 9. FOLLOWING CLEARING AND GRADING ACTIVITIES, A CERTIFIED ARBORIST SHALL INSPECT RETAINED TREES FOR POTENTIALLY HAZARDOUS TREE CONDITIONS. COORDINATION WITH THE CITY SHALL OCCUR PRIOR TO ANY ADDITIONAL TREE REMOVALS FOR HAZARD ABATEMENT.


KEYED NOTE:

1. ARBORIST OBSERVATION REQUIRED DURING TREE REMOVAL WITHIN THE TREE PROTECTION AREA.

TREE PLAN

SITE AREA: 13.81 AC TOTAL TREE UNITS REQUIRED (13.81AC X 20): 276 EXISTING TREES RETAINED/(TREE UNITS): PROPOSED SITE TREES/(TREE UNITS): 159/(159) TOTAL TREE UNITS: 308.5 (RETAINED AND PRESERVED)

NOTE: SEE LANDSCAPING PLAN (P9.0-P9.1) FOR PROPOSED TREE PLANTING PLAN



CHON	PRE
NSON N 7554A	C _C
5/30/25	JOB NUM
	DATE:

0 0 0

0 0

22.5

В

Preserve

Impacts from Lot Grading

BRYCE D. HANSON
CERTIFICATE NUMBER: PN 7554A
EXPIRATION DATE: 06/30/25

WASHINGTON

PRELIMINARY NOTFORTON'S ONSTRUCTIONS

COM	
JOB NUMBER:	9030
DATE:	3/13/2023
DESIGNED BY:	DJL
DRAWN BY:	BRK
CHECKED BY:	BDH

ECKED	BY:	
	P5	2

DBH		Tree Species	aluated By: Tree Units		Windthrow	Reason for Removal	Tree Units	Tree #	DBH	uation Date: 3/22/2022 & 1/11/2023 - Evaluated By: Tree Species Tree Unit		Windthrow	Reason for Removal
(in.)	_	Common Name (Scientific name) puglas-fir (Pseudotsuga menziesii)	Initial	Good Condition	Rating	Impacts from Lot Grading	Retained		(in.)	Common Name (Scientific name) Initial		Rating	
7		k Cottonwood (<i>Populus trichocarpa</i>)	2	Good Condition	С	Impacts from Lot Grading	0	10407 10408	31 28	Oregon White Oak (<i>Quercus garryana</i>) 12 Douglas-fir (<i>Pseudotsuga menziesii</i>) 10	Good Condition Good Condition	C	Impacts from Lot Grading
6		ouglas-fir (Pseudotsuga menziesii)	2	Good Condition	С	Impacts from Lot Grading	0	10409	6	Red Alder (Alnus rubra) 2	Good Condition	С	Impacts from Public Road Cons
24,18 15,11		egon White Oak (<i>Quercus garryana</i>) Red Alder (<i>Alnus rubra</i>)	11 6	Sparse canopy; Historic root removal; Large cavities with decay; Some large dead limbs 15" stem dead; 11" Broken top; In decline	A	Preserve Impacts from Lot Grading	0	10427	47	Western Hemlock (<i>Tsuga heterophylla</i>) 0	OFFSITE; Evaluated from property line; Large bore holes; Small cavities in base with decay; Many dead branches; In decline	A	Preserve
40		ouglas-fir (Pseudotsuga menziesii)	16	Slightly crooked bole	С	Impacts from Alley Construction	0	10428	33	Douglas-fir (Pseudotsuga menziesii) 13	Good Condition	С	Preserve
44		ouglas-fir (Pseudotsuga menziesii)	18	Slightly crooked bole	С	Impacts from Lot Grading	0	10432	38	Douglas-fir (Pseudotsuga menziesii) 0	OFFSITE; Evaluated from property line	С	Preserve
12,8 10,6		Sweet Cherry (<i>Prunus avium</i>) Willow (<i>Salix sp.</i>)	2	8" stem dead; 12" dead top; In decline Dead with some epicormic stems	A	Impacts from Lot Grading Impacts from Lot Grading	0 0	10433 10434	30 26	Douglas-fir (Pseudotsuga menziesii) 11 Douglas-fir (Pseudotsuga menziesii) 0	Codominant leader; 1-sided canopy (S) OFFSITE; Evaluated from property line	В	Preserve Preserve
36		stern Hemlock (<i>Tsuga heterophylla</i>)	14	Dead (~30')	A	Impacts from Lot Grading	0	10435	32	Douglas-fir (Pseudotsuga menziesii) 0	OFFSITE; Evaluated from property line	C	Preserve
32		stern Hemlock (<i>Tsuga heterophylla</i>)	12	Dead (~80')	A	Impacts from Public Road Construction	0	10440	30	Douglas-fir (Pseudotsuga menziesii) 11	Good Condition	С	Impacts from Lot Gradin
30		egon White Oak (<i>Quercus garryana</i>) egon White Oak (<i>Quercus garryana</i>)	11	1-sided canopy (SW) 1-sided canopy (SE)	С	Preserve Preserve	8	10441	16 22	Douglas-fir (Pseudotsuga menziesii) 4 Willow (Salix sp.) 7	Good Condition Broken top; Significant decay; Conks	C A	Impacts from Lot Gradin
18		ouglas-fir (<i>Pseudotsuga menziesii</i>)	5	1-sided canopy (S)	С	Impacts from Public Road Construction	0	10443	9,6	Red Alder (Alnus rubra) 2	Good Condition	C	Impacts from Lot Grading
37		ouglas-fir (Pseudotsuga menziesii)	15	Good Condition	С	Impacts from Public Road Construction	0	10444	9,6	Red Alder (Alnus rubra) 2	Good Condition	С	Impacts from Lot Gradin
30 40		stern Hemlock (<i>Tsuga heterophylla</i>) stern Hemlock (<i>Tsuga heterophylla</i>)	11	Dead (~80') OFFSITE; Evaluated from property line; Dead branches; Dead foliage; Sparse canopy	A B	Impacts from Lot Grading Preserve	0	10445 10446	8	Red Alder (Alnus rubra) 2 Red Alder (Alnus rubra) 2	Good Condition Good Condition	С	Impacts from Lot Grading
40		ouglas-fir (Pseudotsuga menziesii)	0	OFFSITE; Evaluated from property line	С	Preserve	0	10447	6	Red Alder (Alnus rubra) 2	Good Condition	C	Impacts from Lot Grading
14		Red Alder (<i>Alnus rubra</i>)	0	OFFSITE; Evaluated from property line; Dead (~40'); Some remaining epicormic limbs	А	Preserve	0	10448	35	Douglas-fir (Pseudotsuga menziesii) 14	Good Condition	С	Impacts from Lot Gradin
45 16		ouglas-fir (<i>Pseudotsuga menziesii</i>) ouglas-fir (<i>Pseudotsuga menziesii</i>)	19 4	Good Condition Good Condition	C In	npacts from Stormwater Facility Construction Impacts from Lot Grading	n 0	10449 10745	31 38	Western Hemlock (<i>Tsuga heterophylla</i>) 12 Douglas-fir (<i>Pseudotsuga menziesii</i>) 15	Dead (~60) Good Condition	A C	Impacts from Lot Grading Impacts from Public Road Cons
20		ouglas-fir (Pseudotsuga menziesii)	6	Good Condition	C In	npacts from Stormwater Facility Construction	n 0	10745	36	Douglas-III (Pseudotsugu Menziesii) 15 Douglas-fir (Pseudotsuga menziesii) 14	Good Condition	C	Impacts from Lot Grading
6,6,6,6,	,6	Willow (Salix sp.)	3	Good Condition	С	Impacts from Public Road Construction	0	10756	28	Douglas-fir (Pseudotsuga menziesii) 10	Dead branches	В	Impacts from Lot Gradin
9,9		Willow (Salix sp.) ouglas-fir (Pseudotsuga menziesii)	3 16	Dead Codominant stem; Broken branches; Dead limbs; In decline Good Condition	A	Impacts from Public Road Construction Impacts from Public Road Construction	0	10761	28	Western Hemlock (<i>Tsuga heterophylla</i>) 10	Dead (~100')	A	Impacts from Lot Gradin
30		ouglas-fir (Pseudotsuga menziesii)	11	Good Condition	С	Impacts from Public Road Construction	0	10767 10827	26	Douglas-fir (Pseudotsuga menziesii) 2 Douglas-fir (Pseudotsuga menziesii) 9	Good Condition Good Condition	C	Impacts from Lot Gradin
12,11,8	,8	Sweet Cherry (<i>Prunus avium</i>)	5	Sparse canopy; Lean (SE)	В	Impacts from Public Road Construction	0	10834	29	Douglas-fir (Pseudotsuga menziesii) 11	Slightly crooked bole	С	Impacts from Lot Gradin
10		ouglas-fir (Pseudotsuga menziesii)	2	Good Condition Sparse canony: Dead Limbs: Lean (SE)	C	Impacts from Public Road Construction	0	10835	50	Western Redcedar (<i>Thuja plicata</i>) 21	Dead top; Sparse canopy; In decline		Impacts from Public Road Cons
12		Sweet Cherry (<i>Prunus avium</i>) Sweet Cherry (<i>Prunus avium</i>)	3	Sparse canopy; Dead limbs; Lean (SE) Good Condition	C In	Impacts from Public Road Construction pacts from Stormwater Facility Construction	n 0	10836 10839	26 8	Douglas-fir (Pseudotsuga menziesii) 9 Douglas-fir (Pseudotsuga menziesii) 2	Sweep (S) Good Condition	C	Impacts from Public Road Cons Impacts from Alley Construc
26		ouglas-fir (Pseudotsuga menziesii)	9	Good Condition	+	npacts from Stormwater Facility Construction	n 0	10839	28	Douglas-fir (Pseudotsuga menziesii) 10	Dead (~120')	A	Impacts from Lot Grading
28		ouglas-fir (Pseudotsuga menziesii)	10	Good Condition	С	Impacts from Lot Grading	0	10841	19	Oregon White Oak (Quercus garryana) 6	Good Condition	С	Impacts from Alley Constru
18 27		ouglas-fir (<i>Pseudotsuga menziesii</i>) igleaf Maple (<i>Acer macrophyllum</i>)	5 10	Good Condition Good Condition	C	Impacts from Lot Grading Impacts from Lot Grading	0	10842 10843	25 25	Douglas-fir (Pseudotsuga menziesii) 9 Douglas-fir (Pseudotsuga menziesii) 9	Good Condition Dead at very top	C	Impacts from Lot Gradin Impacts from Lot Gradin
53		ouglas-fir (Pseudotsuga menziesii)	0	OFFSITE; Evaluated from property line	С	Preserve	0	10843	26	Willow (Salix sp.) 9	Broken top; Decay; Epicormic limbs; In decline	A	Impacts from Public Road Cons
30	Doi	ouglas-fir (Pseudotsuga menziesii)	11	Good Condition	С	Impacts from Public Road Construction	0	10867	20	Douglas-fir (Pseudotsuga menziesii) 6	Good Condition	С	Impacts from Lot Gradi
6		Red Alder (Alnus rubra)	2	Good Condition	С	Impacts from Public Road Construction	0	10868	27	Douglas-fir (Pseudotsuga menziesii) 10	Good Condition	С	Impacts from Lot Gradi
6		Red Alder (<i>Alnus rubra</i>) Red Alder (<i>Alnus rubra</i>)	2	Good Condition Good Condition	С	Impacts from Public Road Construction Impacts from Public Road Construction	0	10869 10871	35 30	Douglas-fir (Pseudotsuga menziesii) 14 Douglas-fir (Pseudotsuga menziesii) 11	Good Condition Codominant; Crooked bole	В	Impacts from Alley Constr Impacts from Public Road Cor
6,6		Red Alder (<i>Alnus rubra</i>)	2	Good Condition	С	· Impacts from Lot Grading	0	10873	18	Oregon White Oak (Quercus garryana) 5	Good Condition	 	Impacts from Public Road Co
6	_	Red Alder (Alnus rubra)	2	Good Condition	С	Impacts from Lot Grading	0	10874	16	Red Alder (Alnus rubra) 4	Dead with some epicormic stems remaining	 	Impacts from Public Road Co
6,6,6,6 6,5		Red Alder (<i>Alnus rubra</i>) Red Alder (<i>Alnus rubra</i>)	2	Good Condition Good Condition	С	Impacts from Lot Grading Impacts from Lot Grading	0	10875 10876	16	Douglas-fir (Pseudotsuga menziesii) 4 Douglas-fir (Pseudotsuga menziesii) 9	Large cavity with decay up bole; Conks; Slight lean (N) Good Condition	 	Impacts from Public Road Col Impacts from Public Road Col
7,6,6,6		Red Alder (<i>Alnus rubra</i>)	2	Good Condition	С	Impacts from Lot Grading	0	10876	25 15	Oregon White Oak (Quercus garryana) 4	Good Condition		Impacts from Public Road Co
18		Sweet Cherry (<i>Prunus avium</i>)	5	Some broken limbs; Some dead limbs	В	Impacts from Lot Grading	0	10878	24	Douglas-fir (Pseudotsuga menziesii) 8	Good Condition		Impacts from Public Road Co
35 39		stern Hemlock (<i>Tsuga heterophylla</i>)	14	Good Condition Some large broken limbs; Dead codominant stem in canopy	С	Impacts from Lot Grading	0	10879	16	Oregon White Oak (Quercus garryana) 4	Good Condition		Impacts from Public Road Co
6	ы	igleaf Maple (Acer macrophyllum) Red Alder (Alnus rubra)	16 2	Good Condition	С	Impacts from Lot Grading Impacts from Public Road Construction	0	10880	21 15	Oregon White Oak (<i>Quercus garryana</i>) 7 Oregon White Oak (<i>Quercus garryana</i>) 4	Good Condition Good Condition	C	Impacts from Public Road Cor Impacts from Lot Grad
6		Red Alder (<i>Alnus rubra</i>)	2	Good Condition	С	Impacts from Public Road Construction	0	10882	30	Douglas-fir (Pseudotsuga menziesii) 11	Some dead branches	C	Impacts from Lot Grad
8,8		Red Alder (<i>Alnus rubra</i>)	2	Good Condition	С	Impacts from Public Road Construction	0	10883	30	Douglas-fir (Pseudotsuga menziesii) 11	Good Condition	С	Impacts from Lot Grad
26 27		stern Hemlock (<i>Tsuga heterophylla</i>) puglas-fir (<i>Pseudotsuga menziesii</i>)	10	Broken top @ 50'; Dead branches; Sparse canopy; Decay Good Condition	A C	Impacts from Public Road Construction Impacts from Public Road Construction	0	10889 10890	36,15 28	Douglas-fir (Pseudotsuga menziesii) 16 Douglas-fir (Pseudotsuga menziesii) 10	Codominant base Good Condition	C	Impacts from Lot Grad Preserve
12		k Cottonwood (<i>Populus trichocarpa</i>)	2	Good Condition	С	Impacts from Public Road Construction	0	10890	32	Douglas-fir (Pseudotsuga menziesii) 12	Dead (~100')	A	Impacts from Lot Grad
6,6		Red Alder (<i>Alnus rubra</i>)	2	Good Condition	С	Impacts from Lot Grading	0	10892	12	Sweet Cherry (<i>Prunus avium</i>) 2	Dead (~70'); Lean (W)	A	Impacts from Lot Gradi
18	_	ouglas-fir (Pseudotsuga menziesii)	5	Good Condition	С	Impacts from Lot Grading	0	10893	20	Oregon Ash (Fraxinus latifolia) 6	Good Condition	С	Impacts from Lot Gradi
18 20	_	ouglas-fir (Pseudotsuga menziesii) ouglas-fir (Pseudotsuga menziesii)	6	Good Condition Good Condition	С	Impacts from Lot Grading Impacts from Lot Grading	0	10894 10895	24 14	Bigleaf Maple (Acer macrophyllum) 8 Sweet Cherry (Prunus avium) 3	Some large broken limbs; Decay Dead top; In decline	B A	Impacts from Lot Grad Impacts from Lot Grad
14		ouglas-fir (Pseudotsuga menziesii)	3	Lean (E)	В	Impacts from Lot Grading	0	10897	20	Western Hemlock (<i>Tsuga heterophylla</i>) 6	Some dead branches	C	Impacts from Lot Grad
11	Black	k Cottonwood (<i>Populus trichocarpa</i>)	2	Good Condition	С	Impacts from Lot Grading	0	10898	26	Douglas-fir (Pseudotsuga menziesii) 9	Good Condition	С	Impacts from Lot Grac
<u>6</u>		Red Alder (<i>Alnus rubra</i>) Red Alder (<i>Alnus rubra</i>)	2	Good Condition Good Condition	С	Impacts from Lot Grading Impacts from Lot Grading	0	10899	8,8 26	Bigleaf Maple (Acer macrophyllum) 2	Good Condition Good Condition	C	Impacts from Lot Grad
30	Dou	ouglas-fir (Pseudotsuga menziesii)	11	Good Condition	С	Preserve	11	10900	6	Douglas-fir (Pseudotsuga menziesii) 9 Red Alder (Alnus rubra) 2	Good Condition	C	Impacts from Lot Grad Impacts from Lot Grad
22	Dou	ouglas-fir (Pseudotsuga menziesii)	7	Good Condition	С	Impacts from Lot Grading	0	10902	7	Red Alder (Alnus rubra) 2	Good Condition	С	Impacts from Lot Gradi
24		ouglas-fir (Pseudotsuga menziesii)	8	Good Condition OFFSITE: Evaluated from property line: Sparse cappony	С	Preserve Preserve	8	10903	26	Oregon White Oak (Quercus garryana) 9	One broken limbs	C .	Impacts from Lot Grad
26 31		ouglas-fir (<i>Pseudotsuga menziesii</i>) ouglas-fir (<i>Pseudotsuga menziesii</i>)	0	OFFSITE; Evaluated from property line; Sparse canopy OFFSITE; Evaluated from property line	С	Preserve Preserve	0	10904 10910	15 14,12,8	Sweet Cherry (Prunus avium) 4 Oregon Ash (Fraxinus latifolia) 6	Dead top with few epicormic limbs; In decline Codominant base	C	Impacts from Lot Grad Impacts from Public Road Co
13	Dou	ouglas-fir (Pseudotsuga menziesii)	3	Suppressed	В	Preserve	3	10911	12	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	 	Impacts from Public Road Co
18		ouglas-fir (Pseudotsuga menziesii)	5	Good Condition	С	Preserve	5	10912	18	Douglas-fir (Pseudotsuga menziesii) 5	Good Condition	С	Impacts from Public Road Co
46		ouglas-fir (<i>Pseudotsuga menziesii</i>) ouglas-fir (<i>Pseudotsuga menziesii</i>)	8 19	Good Condition Good Condition	С	Impacts from Lot Grading Preserve	19	10913 10914	22 13	Douglas-fir (<i>Pseudotsuga menziesii</i>) 7 Oregon White Oak (<i>Quercus garryana</i>) 3	Dead (~80') Good Condition	A C	Impacts from Lot Grad Impacts from Lot Grad
6		Red Alder (<i>Alnus rubra</i>)	2	Good Condition	С	Impacts from Lot Grading	0	10915	26	Douglas-fir (Pseudotsuga menziesii) 9	Good Condition	c	Impacts from Public Road Co
19	Big	gleaf Maple (Acer macrophyllum)	6	Dead and broken top; Epicormic stems; Broken limbs	A	Impacts from Lot Grading	0	10916	20	Oregon White Oak (Quercus garryana) 6	Slight lean (N)		Impacts from Public Road Co
22		Red Alder (<i>Alnus rubra</i>) Red Alder (<i>Alnus rubra</i>)	7	OFFSITE; Evaluated from property line; Dead top; In decline Sluffing bark; Several cavities with decay; Dead top	A	Preserve Impacts from Lot Grading	0	10917 10921	30 10,9	Douglas-fir (<i>Pseudotsuga menziesii</i>) 11 Sweet Cherry (<i>Prunus avium</i>) 3	Good Condition Dead top on 10" stem; Broken limbs	C	Impacts from Public Road Co Impacts from Lot Grad
20	Oreg	egon White Oak (Quercus garryana)	0	OFFSITE; Evaluated from property line	С	Preserve	0	21121	6	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	C	Impacts from Lot Grad
6,6		Red Alder (Alnus rubra)	2	Good Condition	С	Impacts from Lot Grading	0	21122	7	Sweet Cherry (<i>Prunus avium</i>) 2	Good Condition	С	Impacts from Lot Grad
36	West	stern Hemlock (<i>Tsuga heterophylla</i>) Red Alder (<i>Alnus rubra</i>)	14	Dead; Broken @ 20'	A	Impacts from Lot Grading	0	21123	7	Bigleaf Maple (Acer macrophyllum) 2	Good Condition	<u>c</u>	Impacts from Lot Grad
26	Dou	ouglas-fir (<i>Pseudotsuga menziesii</i>)	9	Good Condition Good Condition	С	Impacts from Lot Grading Impacts from Lot Grading	0	21161 21162	6,6 6	Red Alder (Alnus rubra) 2 Red Alder (Alnus rubra) 2	Good Condition Good Condition	C	Impacts from Lot Grac
26		ouglas-fir (Pseudotsuga menziesii)	9	Good Condition	С	Impacts from Lot Grading	0	21163	6,6	Red Alder (Alnus rubra) 2	Good Condition	С	Impacts from Lot Grad
18		Willow (Salix sp.)	5	Broken limbs; Dead branches; Small cavity with decay	В	Impacts from Lot Grading	0	21164	8	Red Alder (Alnus rubra) 2	Good Condition	C	Impacts from Lot Grad
6,6 6		Red Alder (<i>Alnus rubra</i>) Red Alder (<i>Alnus rubra</i>)	2	Good Condition Good Condition	C	Impacts from Public Road Construction Impacts from Public Road Construction	0	21373 21374	8 6	Douglas-fir (Pseudotsuga menziesii) 2 Douglas-fir (Pseudotsuga menziesii) 2	Good Condition Good Condition	C	Impacts from Lot Grad Impacts from Lot Grad
28	West	stern Hemlock (<i>Tsuga heterophylla</i>)	10	Dead (~80')	A	Impacts from Public Road Construction	0	21374	6	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	c	Impacts from Lot Grad
22		stern Hemlock (<i>Tsuga heterophylla</i>)	7	Dead (~80')	A	Impacts from Public Road Construction	0	21376	6	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	С	Impacts from Lot Grad
22 17		ouglas-fir (Pseudotsuga menziesii) ouglas-fir (Pseudotsuga menziesii)	7 5	Good Condition Good Condition	C	Impacts from Public Road Construction Impacts from Lot Grading	0	21378	6	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	<u>C</u>	Impacts from Public Road Cor
28	_	ouglas-fir (<i>Pseudotsuga menziesii</i>)	10	Good Condition Good Condition	C	Impacts from Lot Grading Impacts from Lot Grading	0	21379 21418	ь 6	Douglas-fir (Pseudotsuga menziesii) 2 Douglas-fir (Pseudotsuga menziesii) 2	Good Condition Good Condition	C	Impacts from Lot Grad Impacts from Public Road Cor
22	_	puglas-fir (Pseudotsuga menziesii)	7	Good Condition	С	Impacts from Lot Grading	0	21419	6	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	C	Impacts from Lot Grad
22		ouglas-fir (Pseudotsuga menziesii)	7	Good Condition	С	Impacts from Lot Grading	0	21420	7	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	С	Impacts from Lot Grad
22		ouglas-fir (Pseudotsuga menziesii) ouglas-fir (Pseudotsuga menziesii)	7 8	Good Condition Good Condition	C	Impacts from Lot Grading Impacts from Parking Lot Construction	0	21422	6	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	+	Impacts from Public Road Col Impacts from Public Road Col
25		ouglas-fir (<i>Pseudotsuga menziesii</i>)	9	Good Condition	c	Impacts from Parking Lot Construction Impacts from Lot Grading	0	21423 21424	6	Douglas-fir (Pseudotsuga menziesii) 2 Douglas-fir (Pseudotsuga menziesii) 2	Good Condition Good Condition		Impacts from Public Road Cor Impacts from Public Road Cor
20	Dou	ouglas-fir (Pseudotsuga menziesii)	6	Good Condition	С	Impacts from Lot Grading	0	21425	7	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition		Impacts from Public Road Cor
4 -	Doi	ouglas-fir (<i>Pseudotsuga menziesii</i>)	4	Good Condition	С	Impacts from Lot Grading	0	21426	7	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	+	Impacts from Public Road Co
15		auglas fin / Paradatan				imposts from Lot (-rading	. ()	. 24427	<i>c c</i>	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	'	Common and America Dividition Deposit
18 18		ouglas-fir (<i>Pseudotsuga menziesii</i>) Red Alder (<i>Alnus rubra</i>)	5 4	Good Condition Dead top half; In decline	A	Impacts from Lot Grading Impacts from Lot Grading	0	21427	6,6 8	Douglas-fir (Pseudotsuga menziesii) 2	Good Condition	C	Impacts from Public Road Co

Impacts from Lot Grading

Impacts from Lot Grading

21772 6

2 Lean (W)

Willow (Salix sp.)

21773 28 Douglas-fir (*Pseudotsuga menziesii*) 10 Good Condition

19 Douglas-fir (*Pseudotsuga menziesii*) 6 Good Condition

26 Douglas-fir (*Pseudotsuga menziesii*) 9 Good Condition

Tree #	DBH (in.)	Tree Species Common Name (<i>Scientific name</i>)	Tree Units Initial	Condition/Comments		Reason for Removal	Tree Units Retained
21774	54	Douglas-fir (Pseudotsuga menziesii)	23	Good Condition	С	Impacts from Lot Grading	0
21775	77	Douglas-fir (Pseudotsuga menziesii)	31	codominant Top; Dead at very top	В	Impacts from Lot Grading	0
21778	8	Douglas-fir (Pseudotsuga menziesii)	2	Good Condition	С	Impacts from Public Road Construction	0
21798	32	Douglas-fir (Pseudotsuga menziesii)	12	Good Condition	С	Preserve	12
21803	36	Douglas-fir (Pseudotsuga menziesii)	14	Some abnormal dead limbs at the top	В	Impacts from Lot Grading	0
21804	37	Douglas-fir (Pseudotsuga menziesii)	15	Good Condition	С	Impacts from Public Road Construction	0
21806	30	Douglas-fir (Pseudotsuga menziesii)	11	Good Condition	С	Impacts from Lot Grading	0
21807	23	Douglas-fir (Pseudotsuga menziesii)	8	Lean (W)	В	Impacts from Lot Grading	0
21809	14	Willow (Salix sp.)	3	Dead top; Broken limbs; In decline	A	Impacts from Public Road Construction	0
21810	27	Douglas-fir (Pseudotsuga menziesii)	10	Good Condition	С	Impacts from Lot Grading	0
21811	24	Willow (Salix sp.)	8	Failed leader with decay and bore holes; Large crack up bole	A	Impacts from Lot Grading	0
21812	9	Bigleaf Maple (Acer macrophyllum)	2	Good Condition	С	Impacts from Lot Grading	0
21813	8	Willow (Salix sp.)	2	Broken primary stem; Epicormic leaders; Significant decay	A	Impacts from Lot Grading	0
21814	17	Willow (Salix sp.)	5	Broken primary stem; Epicormic leaders; Significant decay	A	Impacts from Lot Grading	0
21815	17	Oregon White Oak (Quercus garryana)	5	Good Condition	С	Preserve	5
21816	16	Sweet Cherry (<i>Prunus avium</i>)	4	Broken top; Significant decay; In decline	A	Impacts from Lot Grading	0
21817	12	Sweet Cherry (<i>Prunus avium</i>)	2	Broken at 5' with epicormic leaders; Significant decay	A	Impacts from Lot Grading	0
21818	15	Sweet Cherry (<i>Prunus avium</i>)	4	Broken top; Dead codominant stem; In decline	A	Impacts from Lot Grading	0
21819	8	Willow (Salix sp.)	2	Dead primary stem with epicormic leaders; In decline	A	Impacts from Lot Grading	0
21820	36	Douglas-fir (Pseudotsuga menziesii)	14	Good Condition	С	Impacts from Lot Grading	0
21821	6	Bigleaf Maple (Acer macrophyllum)	2	Good Condition	С	Impacts from Lot Grading	0
21850	7	Douglas-fir (Pseudotsuga menziesii)	2	Good Condition	С	Impacts from Lot Grading	0
21851	7	Douglas-fir (Pseudotsuga menziesii)	2	Good Condition	С	Impacts from Public Road Construction	0
21852	6	Red Alder (<i>Alnus rubra</i>)	2	Good Condition	С	Impacts from Lot Grading	0
21853	6	Red Alder (<i>Alnus rubra</i>)	2	Good Condition	С	Impacts from Lot Grading	0
21854	6	Red Alder (Alnus rubra)	2	Good Condition	С	Impacts from Lot Grading	0

Total # of Existing Trees Inventoried = 225

Total # of Existing Onsite Trees = 213 Total Onsite Existing Tree Units = 1387.5 Total # of Onsite Trees Retained = 15

Total # of Tree Units Retained = 149.5

Minimum Tree Units Required per City Code = 276 (13.81 acres * 20 trees/acre)

Minimum # Trees to Replant = 126.5

Site Area = 13.81 Acres

Windthrow Rating

A=Least windthrow resistant B=Moderate windthrow resistant **C**=Most windthrow resistant

Arborist Disclosure Statement:

Arborists are tree specialists who use their education, knowledge, training, and experience to examine trees, recommend measures to enhance the health of trees, and attempt to reduce the risk of living near trees. The Client and Jurisdiction may choose to accept or disregard the recommendations of the arborist, or seek additional advice. Arborists cannot detect every condition that could possibly lead to the structural failure of a tree. Trees are living organisms that fail in ways we do not fully understand. Conditions are often hidden within trees and below ground. Arborists cannot guarantee that a tree will be healthy or safe under all circumstances, or for a specified period of time. Likewise, remedial treatments, like medicine, cannot be guaranteed. Trees can be managed, but they cannot be controlled. To live near trees is to accept some degree of risk. The only way to eliminate all risk associated with trees is to eliminate all trees. Neither this author nor AKS Engineering & Forestry, LLC have assumed any responsibility for liability associated with the trees on or adjacent to this site.

Total # of Existing Trees Removed = 198

Total Existing Tree Units Removed = 1238


At the completion of construction, all trees should once again be reviewed. Land clearing and removal of adjacent trees can expose previously unseen defects and otherwise healthy trees can be damaged during construction.

TREE PROTECTION NOTES

- A. PLACING MATERIALS NEAR TREES NO PERSON MAY CONDUCT ANY ACTIVITY WITHIN THE PROTECTED AREA OF ANY TREE DESIGNATED TO REMAIN, INCLUDING, BUT NOT LIMITED TO, PARKING EQUIPMENT, PLACING SOLVENTS, STORING BUILDING MATERIALS AND SOIL DEPOSITS, DUMPING CONCRETE WASHOUT, ETC.
- B. ATTACHMENTS TO TREES DURING CONSTRUCTION, NO PERSON SHALL ATTACH ANY OBJECT TO ANY TREE DESIGNATED FOR PROTECTION.
- C. PROTECTIVE BARRIER BEFORE DEVELOPMENT, LAND CLEARING, FILLING OR ANY LAND ALTERATION FOR WHICH A TREE REMOVAL PERMIT IS REQUIRED, THE CONTRACTOR:
- C.A. SHALL ERECT AND MAINTAIN READILY VISIBLE PROTECTIVE TREE FENCING ALONG THE OUTER EDGE AND COMPLETELY SURROUNDING THE PROTECTED AREA OF ALL PROTECTED TREES OR GROUP OF TREES. FENCES SHALL BE CONSTRUCTED PER THE DETAIL ON THIS SHEET
- MAY BE REQUIRED TO COVER WITH MULCH TO A DEPTH OF AT LEAST SIX (6) INCHES OR WITH PLYWOOD OR SIMILAR MATERIAL IN THE AREAS ADJOINING THE CRITICAL ROOT ZONE OF A TREE IN ORDER TO PROTECT ROOTS FROM DAMAGE CAUSED BY HEAVY EQUIPMENT.
- SHALL PROHIBIT EXCAVATION OR COMPACTING OF EARTH OR OTHER POTENTIALLY DAMAGING ACTIVITIES
- MAY BE REQUIRED TO MINIMIZE ROOT DAMAGE BY EXCAVATING A TWO (2) FOOT DEEP TRENCH, AT EDGE OF CRITICAL ROOT ZONE, TO CLEANLY SEVER THE ROOTS OF TREES TO BE RETAINED. ROOTS ONE (1) INCH DIAMETER OR GREATER SHALL BE CLEANLY CUT WITH A SAW OR PRUNERS.
- MAY BE REQUIRED TO HAVE CORRECTIVE PRUNING PERFORMED ON PROTECTED TREES IN ORDER TO AVOID DAMAGE FROM MACHINERY OR BUILDING ACTIVITY. MAY BE REQUIRED TO MAINTAIN TREES THROUGHOUT THE CONSTRUCTION PERIOD BY WATERING AND FERTILIZING.
- SHALL MAINTAIN THE PROTECTIVE BARRIERS IN PLACE UNTIL THE PROJECT ARBORIST AUTHORIZES THEIR REMOVAL OR A FINAL CERTIFICATE OF OCCUPANCY IS ISSUED, WHICHEVER OCCURS FIRST.
- SHALL ENSURE THAT ANY LANDSCAPING DONE IN THE PROTECTED ZONE SUBSEQUENT TO THE REMOVAL OF THE BARRIERS SHALL BE ACCOMPLISHED WITH LIGHT MACHINERY OR HAND LABOR.

- D.A. THE GRADE SHALL NOT BE ELEVATED OR REDUCED WITHIN THE CRITICAL ROOT ZONE OF TREES TO BE PRESERVED WITHOUT THE PROJECT ARBORISTS'S AUTHORIZATION. THE PROJECT ARBORIST MAY ALLOW COVERAGE OF UP TO ONE HALF OF THE AREA OF THE TREE'S CRITICAL ROOT ZONE WITH LIGHT SOILS (NO CLAY) TO THE MINIMUM DEPTH NECESSARY TO CARRY OUT GRADING OR LANDSCAPING PLANS, IF IT WILL NOT IMPERIL THE SURVIVAL OF THE TREE. AERATION DEVICES MAY BE REQUIRED TO ENSURE THE
- IF THE GRADE ADJACENT TO A PRESERVED TREE IS RAISED SUCH THAT IT COULD SLOUGH OR ERODE INTO THE TREES CRITICAL ROOT ZONE, IT SHALL BE PERMANENTLY STABILIZED TO PREVENT SUFFOCATION
- THE APPLICANT SHALL NOT INSTALL AN IMPERVIOUS SURFACE WITHIN THE CRITICAL ROOT ZONE OF ANY TREE TO BE RETAINED WITHOUT THE AUTHORIZATION OF THE PROJECT ARBORIST. THE PROJECT ARBORIST MAY REQUIRE SPECIFIC CONSTRUCTION METHODS AND/OR USE OF AERATION DEVICES TO ENSURE THE TREE'S SURVIVAL AND TO MINIMIZE THE POTENTIAL FOR ROOT INDUCED DAMAGE TO THE IMPERVIOUS SURFACE.
- TO THE GREATEST EXTENT PRACTICAL, UTILITY TRENCHES SHALL BE LOCATED OUTSIDE OF THE CRITICAL ROOT ZONE OF TREES TO BE RETAINED. THE PROJECT ARBORIST MAY REQUIRE THAT UTILITIES BE TUNNELED UNDER THE ROOTS OF TREES TO BE RETAINED IF THE PROJECT ARBORIST DETERMINES THAT TRENCHING WOULD SIGNIFICANTLY REDUCE THE CHANCES OF THE TREE'S SURVIVAL
- TREE AND OTHER VEGETATION TO BE RETAINED SHALL BE PROTECTED FROM EROSION AND SEDIMENTATION. CLEARING OPERATIONS SHALL BE CONDUCTED SO AS TO EXPOSE THE SMALLEST PRACTICAL AREA OF SOIL TO EROSION FOR THE LEAST POSSIBLE TIME. TO CONTROL EROSION, SHRUBS, GROUND COVER, AND STUMPS SHALL BE MAINTAINED ON THE INDIVIDUAL LOTS, WHERE FEASIBLE. WHERE NOT FEASIBLE, APPROPRIATE EROSION CONTROL PRACTICES SHALL BE IMPLEMENTED PURSUANT TO CAMAS MUNICIPAL CODE CHAPTER 14.06.
- E. DIRECTIONAL FELLING OF TREES SHALL BE USED TO AVOID DAMAGE TO TREES DESIGNATED FOR RETENTION. ADDITIONAL REQUIREMENTS — THE PROJECT ARBORIST MAY REQUIRE ADDITIONAL TREE PROTECTION MEASURES
- WHICH ARE CONSISTENT WITH ACCEPTED URBAN FORESTRY PRACTICES.
- G. ENCROACHMENT INTO THE ROOT PROTECTION ZONE IS ALLOWED WITH PROJECT ARBORIST APPROVAL AS DESCRIBED IN THE FOLLOWING NOTES:
- G.A. EXCAVATION IN THE TOP 24 INCHES OF THE SOIL IN THE CRITICAL ROOT ZONE AREA SHOULD BEGIN AT THE EXCAVATION LINE THAT IS CLOSEST TO THE TREE.
- G.B. THE EXCAVATION SHOULD BE DONE BY HAND/SHOVEL OR WITH A BACKHOE AND A MAN WITH A SHOVEL,
- PRUNING SHEARS, AND A PRUNING SAW. G.C. IF DONE BY HAND, ALL ROOTS 1 INCH OR LARGER SHOULD BE PRUNED AT THE EXCAVATION LINE.
- G.D. IF DONE WITH BACKHOE (MOST LIKELY SCENARIO), THEN THE OPERATOR SHALL START THE CUT AT THE EXCAVATION LINE AND CAREFULLY "FEEL" FOR ROOT/RESISTANCE. WHEN THERE IS RESISTANCE, THE MAN WITH THE SHOVEL HAND DIGS AROUND THE ROOTS AND PRUNES THE ROOTS LARGER THAN 1 INCH
- THE BACKHOE IS TO REMAIN OFF OF THE TREE ROOTS TO BE PRESERVED AT ALL TIMES.
- ALL ROOTS SHALL BE CUT CLEANLY WITH PRUNING SHEARS OR A PRUNING SAW.
- PROJECT ARBORIST MUST BE ONSITE DURING ANY WORK WITHIN THE TREE ROOT PROTECTION ZONE.
- THE CITY PLANNER MUST BE CONTACTED 24 HOURS PRIOR TO WORKING WITHIN THE TREE ROOT

- H. TREE PROTECTION ZONE IS DEFINED AS ALL AREAS BOUND AND PROTECTING THE OPTIMAL TREE PROTECTION
- I. TIMELINE FOR CLEARING, GRADING, AND INSTALLATION OF TREE PROTECTION MEASURES: WORK WILL BEGIN IMMEDIATELY FOLLOWING FINAL APPROVAL BY THE CITY. TREE PROTECTION MEASURES WILL BE DONE DURING CLEARING AND ANY GRADING WILL FOLLOW.
- J. PRUNING/TREE REMOVAL NOTES: THE WORK TO BE COMPLETED UNDER THIS PROJECT SHALL CONSIST OF TREE REMOVAL AND TREE TRIMMING AS LISTED.
- J.A. THE CONTRACTOR SHALL PROVIDE ADEQUATE CREW OF MEN, EQUIPMENT AND MATERIALS TO SAFELY AND EFFICIENTLY COMPLETE THE ASSIGNED WORK. EACH SUCH CREW SHALL INCLUDE AN INDIVIDUAL WHO SHALL BE DESIGNATED AS THE CREW SUPERVISOR AND WHO SHALL BE RESPONSIBLE FOR THE CREW'S ACTIVITIES AND WHO SHALL RECEIVE INSTRUCTION FROM THE OWNER OR THE OWNER'S REPRESENTATIVE AND DIRECT THE CREW TO ACCOMPLISH SUCH WORK.
- WHENEVER A TREE, WHICH IS NOT SCHEDULED TO BE REMOVED, MUST BE TRIMMED OR PRUNED, THE CONTRACTOR SHALL INSURE THAT SUCH TRIMMING AND PRUNING IS CARRIED OUT UNDER THE DIRECT SUPERVISION OF A LICENSED ARBORIST. ALL PRUNING AND TRIMMING SHALL BE PERFORMED IN ACCORDANCE WITH THE PROVISIONS OF ANSI A 300 "STANDARD PRACTICES FOR TREE, SHRUB AND OTHER WOODY PLANT MAINTENANCE".
- J.C. THE CONTRACTOR SHALL BE REQUIRED TO CUT TREES TO A HEIGHT OF APPROXIMATELY 12". THE STUMPS AND ROOTS SHALL BE GROUND DOWN A MINIMUM OF TWELVE (12) INCHES BELOW NORMAL
- J.D. THE CONTRACTOR SHALL PERFORM ALL WORK IN ACCORDANCE WITH THE LATEST GOVERNMENTAL SAFETY REGULATIONS. ALL WORK SHALL BE PERFORMED IN STRICT ACCORDANCE WITH ANSI Z133.1 "PRUNING, TRIMMING, REPAIRING, MAINTAINING AND REMOVING TREES AND CUTTING BRUSH—SAFETY REQUIREMENTS" WITH SPECIAL EMPHASIS GIVEN TO THE REQUIREMENT THAT ONLY QUALIFIED LINE-CLEARANCE TREE TRIMMERS BE ASSIGNED TO WORK WHERE A POTENTIAL ELECTRICAL HAZARD EXISTS.
- THE CONTRACTOR SHALL MAKE ALL THE NECESSARY ARRANGEMENTS WITH ANY UTILITY THAT MUST BE PROTECTED OR RELOCATED IN ORDER TO ACCOMPLISH THE WORK. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR THE PROTECTION OF THE OPERATING CONDITION OF ALL ACTIVE UTILITIES WITHIN THE AREA OF CONSTRUCTION AND THEY SHALL TAKE ALL NECESSARY PRECAUTIONS TO AVOID DAMAGE TO EXISTING UTILITIES.
- ANY MATERIAL RESULTING FROM THE TRIMMING OR REMOVAL OF ANY TREES SHALL BECOME THE RESPONSIBILITY OF THE CONTRACTOR.
- HAZARDOUS TREES-REPORTING ANY PERSON ENGAGED IN TRIMMING OR PRUNING WHO BECOMES AWARE OF A TREE OF DOUBTFUL STRENGTH, THAT COULD BE DANGEROUS TO PERSONS AND PROPERTY, SHALL REPORT SUCH TREE(S) TO THE OWNER OR THE OWNERS REPRESENTATIVE. SUCH TREES SHALL INCLUDE THOSE THAT ARE OVER MATURE, DISEASED, OR SHOWING SIGNS OF DECAY OR OTHER STRUCTURAL WEAKNESS.
- DAMAGES-ANY DAMAGE CAUSED BY THE CONTRACTOR, INCLUDING, BUT NOT LIMITED TO, BROKEN SIDEWALK, CURB, RUTTED LAWN, BROKEN WATER SHUT-OFFS, WIRE DAMAGE, BUILDING DAMAGE, STREET DAMAGE, ETC., WILL BE REPAIRED OR REPLACED IN A TIMELY MANNER, TO THE OWNER'S SATISFACTION, AND ALL COSTS PAID BY THE CONTRACTOR.
- ANY BRUSH CLEARING REQUIRED WITHIN THE TREE PROTECTION ZONE SHALL BE ACCOMPLISHED WITH HAND OPERATED EQUIPMENT.
- TREES TO BE REMOVED SHALL BE FELLED SO AS TO FALL AWAY FROM TREE ROOT PROTECTION ZONES AND TO AVOID PULLING AND BREAKING OF ROOTS TO REMAIN.
- J.K. ALL DOWNED BRUSH AND TREES SHALL BE REMOVED FROM THE TREE PROTECTION ZONE EITHER BY HAND OR WITH EQUIPMENT SITTING OUTSIDE THE TREE ROOT PROTECTION ZONE. EXTRACTION SHALL
- OCCUR BY LIFTING THE MATERIAL OUT, NOT BY SKIDDING IT ACROSS THE GROUND. J.L. IF TEMPORARY HAUL OR ACCESS ROADS MUST PASS OVER THE ROOT AREA OF TREES TO BE RETAINED A ROADBED OF <u>6 INCHES</u> OF MULCH OR GRAVEL SHALL BE CREATED TO PROTECT THE SOIL. THE ROADBED MATERIAL SHALL BE REPLENISHED AS NECESSARY TO MAINTAIN A 6-INCH DEPTH.
- J.M. PRUNING. TREES SHALL BE PRUNED PRIOR TO THE START OF CONSTRUCTION. TREES SHALL BE CROWN CLEANED TO REMOVE THE DEADWOOD 2 INCHES IN DIAMETER AND OVER. TREES SHALL BE CROWN THINNED BY 10-20%. CROWNS MAY BE RAISED BY REMOVING BOTTOM BRANCHES AS NECESSARY UP TO 14 FEET HIGH TO GIVE CLEARANCE FOR ANY CONSTRUCTION TRAFFIC, ACTIVITIES, ETC. ALL WORK TO BE DONE IN ACCORDANCE WITH ANSI A300 PRUNING STANDARDS. REMOVE ANY LIMBS OF DOUBTFUL STRENGTH THAT COULD BE DANGEROUS TO PERSONS AND PROPERTY.



CERTIFICATE NUMBER: PN 7554A EXPIRATION DATE: 06/30/25

DESIGNED BY

Exhibit 20 CUP23-01

≈ ≥ ≥ ≥

 \mathbf{m}

4

EMO


 \mathbf{T}

PRSERVA

TREE

UBDI


SHINGT



ex. Fiber -

PARCEL NO. 172971-000

PARCEL NO. 986028-109




GENERAL NOTES


- 1. RESIDENTIAL FIRE SPRINKLERS REQUIRED IN ALL NEW DWELLINGS.
- 2. LOTS 20-56 TO INCLUDE INDIVIDUAL STEP TANKS INSTALLED AT TIME OF HOME CONSTRUCTION.
- LOTS 1-19 AND 57-77 TO BE CONNECTED TO A SANITARY SEWER LATERAL FROM GRAVITY SANITARY SEWER MAIN AND CONVEYED TO A COMMUNITY STEP TANK IN TRACT F.
- 4. COMMERCIAL LOT (TRACT K) TO INCLUDE A STEP TANK INSTALLED AT TIME OF CONSTRUCTION.

ASHINGTO









- 1. RESIDENTIAL FIRE SPRINKLERS REQUIRED IN ALL NEW DWELLINGS.
- 2. LOTS 20-56 TO INCLUDE INDIVIDUAL STEP TANKS INSTALLED AT TIME OF HOME CONSTRUCTION.
- LOTS 1-19 AND 57-77 TO BE CONNECTED TO A SANITARY SEWER LATERAL FROM GRAVITY SANITARY SEWER MAIN AND CONVEYED TO A COMMUNITY STEP TANK IN TRACT F.

ASHINGTO





PARCEL NO. 172962-000

> LOT 78, COMMERCIAL LOT, INCLUDES UNDERGROUND DETENTION UNDER PARKING AREA AND WATER QUALITY CATCH BASINS FOR STORMWATER FLOW AND TREATMENT OF RUNOFF FROM COMMERCIAL LOT.

TIE INTO EXISTING STORMWATER — MAIN WITH MANHOLE AND EXTEND LATERAL TO NEW CATCH BASIN - LANDSCAPE SHEET FLOWS THROUGH

TO DISCHARGING OFF SITE. ROOF

- UNDERGROUND

STORMWATER DETENTION

DRAINS TO STORMWATER LATERAL.

LAWN AND NATIVE VEGETATION PRIOR

- STORMWATER TREATMENT FACILITY (MECHANICAL FILTER CATCH BASIN)

— STORMWATER

BASIN (TYP.)

TRACT GOPEN SPACE

72

PARCEL NO.

172980-000

STORMWATER MANHOLE (TYP.)

50

REAR YARD LANDSCAPE FOR LOTS 42-48 SHEET

FLOWS THROUGH LAWN

PRIOR TO DISCHARGING

OFF SITE. ROOF AREAS DRAIN TO STORMWATER

STORMWATER -LATERAL (TYP.)_

NW CAMAS MEADOWS DRIVE

LATERAL.

AND NATIVE VEGETATION

PARCEL NO.

53

68 67 66 65 64 63 62 61 60 59 58 48 57

PARCEL NO.

172971-000

PARCEL NO.

986028-109

172962-000

COMMERCIAL LOT.

PRELIMINARY SIZE OF REQUIRED DETENTION FACILITY: 32'W X 32'L X 4'H

PRELIMINARY WATER QUALITY FEATURES INCLUDE:
2 MECHANICAL FILTER CATCH BASINS

- STORMWATER

OUTFALL/FLOW SPREADER — STORMWATER

CONTROL

STORMWATER LATERAL

CARTRIDGE COUNT AND SIZE PER CATCH BASIN: 1 – 18"

OFF-LINE FLOW RATE PROVIDED: 0.080 CFS (0.040 CFS PER CATCH BASIN)


OFF-LINE FLOW RATE REQUIRED: 0.078 CFS

2. TRACT F INCLUDES UNDERGROUND DETENTION AND A WATER QUALITY VAULT FOR STORMWATER FLOW AND TREATMENT OF RUNOFF FROM SUBDIVISION.

PRELIMINARY SIZE OF REQUIRED DETENTION FACILITY: 64'W X 64"L X 9'H


PRELIMINARY WATER QUALITY FEATURES INCLUDE: 9'X16' MECHANICAL FILTER VAULT
CARTRIDGE COUNT AND SIZE: 31-12"+18" STACKED
OFF-LINE FLOW RATE PROVIDED: 1.175 CFS
OFF-LINE FLOW RATE REQUIRED: 1.142 CFS

- 3. ACCORDING TO CLARK COUNTY GIS, THE SITE IS NOT WITHIN OR ADJACENT TO A 100-YEAR FLOODPLAIN OR SHORELINE MANAGEMENT AREA.
- 4. THERE ARE NO KNOWN ON-SITE STORMWATER FACILITIES.
- 5. STORMWATER INFRASTRUCTURE EXISTS IN NW CAMAS MEADOWS DRIVE. STORMWATER FROM CAMAS MEADOWS DRIVE DOES NOT CONTRIBUTE TO ON—SITE FLOWS.
- 6. ACCORDING TO CLARK GIS, NO WELLS, AGRICULTURAL DRAIN TILES, POTENTIAL SLOPE INSTABILITY, STRUCTURES, UTILITIES, SEPTIC TANKS, OR DRAIN FIELDS EXIST ONSITE.
- 7. ACCORDING TO CLARK GIS, NO FLOODPLAIN, FLOODWAYS, OR SHORELINE EXIST ONSITE.
- 8. ACCORDING TO CLARK GIS, NO WETLANDS EXIST ON THE SITE.
- 9. EXISTING DRAINAGE FLOW ROUTES ARE GENERALLY NORTH TO NORTHEAST FOR THE THRESHOLD DISCHARGE AREA (TDA). EXISTING STORMWATER FROM THE SITE DISCHARGES NORTH TO NORTHEAST THROUGH NEIGHBORING PROPERTY (GOLF COURSE).
- 10. PROPOSED DRAINAGE FLOW ROUTES TO FOLLOW EXISTING FLOW ROUTES WITH STORMWATER DISCHARGED FROM STORMWATER FACILITIES CONVEYED TO EXISTING LOW POINTS IN THE NORTH AND NORTHEAST CORNERS OF THE SITE.
- 11. RUNOFF FROM LANDSCAPE AREAS LOWER THAN STORMWATER FACILITIES, REAR YARDS FOR LOTS 30-48 AND COMMERCIAL LOT, DISPERSE THROUGH LAWN AND NATIVE VEGETATION PRIOR TO DISCHARGING TO NORTHERN BOUNDARY AND NEIGHBORING PROPERTY (GOLF COURSE) FOLLOWING EXISTING FLOW ROUTE.
- 12. ROOF AREAS FOR ALL LOTS, RESIDENTIAL AND COMMERCIAL, DRAIN TO A STORMWATER LATERAL.



4

RMW



. LOT 78, COMMERCIAL LOT, INCLUDES UNDERGROUND DETENTION UNDER PARKING AREA AND WATER QUALITY CATCH BASINS FOR STORMWATER FLOW AND TREATMENT OF RUNOFF FROM COMMERCIAL LOT.

PRELIMINARY SIZE OF REQUIRED DETENTION FACILITY: 32'W X 32'L X 4'H

PRELIMINARY WATER QUALITY FEATURES INCLUDE:
2 MECHANICAL FILTER CATCH BASINS

CARTRIDGE COUNT AND SIZE PER CATCH BASIN: 1 – 18"

OFF-LINE FLOW RATE PROVIDED: 0.080 CFS (0.040 CFS PER CATCH BASIN)


OFF-LINE FLOW RATE REQUIRED: 0.078 CFS

2. TRACT F INCLUDES UNDERGROUND DETENTION AND A WATER QUALITY VAULT FOR STORMWATER FLOW AND TREATMENT OF RUNOFF FROM SUBDIVISION.

PRELIMINARY SIZE OF REQUIRED DETENTION FACILITY: 64'W X 64"L X 9'H

PRELIMINARY WATER QUALITY FEATURES INCLUDE:
9'X16' MECHANICAL FILTER VAULT
CARTRIDGE COUNT AND SIZE: 31-12"+18" STACKED
OFF-LINE FLOW RATE PROVIDED: 1.175 CFS
OFF-LINE FLOW RATE REQUIRED: 1.142 CFS

- 3. ACCORDING TO CLARK COUNTY GIS, THE SITE IS NOT WITHIN OR ADJACENT TO A 100-YEAR FLOODPLAIN OR SHORELINE MANAGEMENT AREA.
- 4. THERE ARE NO KNOWN ON-SITE STORMWATER FACILITIES.
- 5. STORMWATER INFRASTRUCTURE EXISTS IN NW CAMAS MEADOWS DRIVE. STORMWATER FROM CAMAS MEADOWS DRIVE DOES NOT CONTRIBUTE TO ON—SITE FLOWS.
- 6. ACCORDING TO CLARK GIS, NO WELLS, AGRICULTURAL DRAIN TILES, POTENTIAL SLOPE INSTABILITY, STRUCTURES, UTILITIES, SEPTIC TANKS, OR DRAIN FIELDS EXIST ONSITE.
- 7. ACCORDING TO CLARK GIS, NO FLOODPLAIN, FLOODWAYS, OR SHORELINE EXIST ONSITE.
- 8. ACCORDING TO CLARK GIS, NO WETLANDS EXIST ON THE SITE.
- 9. EXISTING DRAINAGE FLOW ROUTES ARE GENERALLY NORTH TO NORTHEAST FOR THE THRESHOLD DISCHARGE AREA (TDA). EXISTING STORMWATER FROM THE SITE DISCHARGES NORTH TO NORTHEAST THROUGH NEIGHBORING PROPERTY (GOLF COURSE).
- 10. PROPOSED DRAINAGE FLOW ROUTES TO FOLLOW EXISTING FLOW ROUTES WITH STORMWATER DISCHARGED FROM STORMWATER FACILITIES CONVEYED TO EXISTING LOW POINTS IN THE NORTH AND NORTHEAST CORNERS OF THE SITE.
- 11. RUNOFF FROM LANDSCAPE AREAS LOWER THAN STORMWATER FACILITIES, REAR YARDS FOR LOTS 30-48 AND COMMERCIAL LOT, DISPERSE THROUGH LAWN AND NATIVE VEGETATION PRIOR TO DISCHARGING TO NORTHERN BOUNDARY AND NEIGHBORING PROPERTY (GOLF COURSE) FOLLOWING EXISTING FLOW ROUTE.
- 12. ROOF AREAS FOR ALL LOTS, RESIDENTIAL AND COMMERCIAL, DRAIN TO A STORMWATER LATERAL.



AKS DRAWING FILE: 9030 P7.0.DWG | LAYOUT: P7.1


| PRELIMINARY STORMWATER PLAN | CAMAS MEADOWS SUBDIVISION | ROMANO CAPITAL | CITY OF CAMAS WASHINGTON


JOB NUMBER:

DESIGNED BY:

CHECKED BY:


P7.1






4:1 MAX

GENERAL NOTES 1. THE PROPOSED DEVELOPMENT WILL ACCESS OFF NE CAMAS MEADOWS DRIVE WHICH IS CLASSIFIED AS AN EXISTING 3-LANE ARTERIAL WITH CURB AND GUTTER, SIDEWALK, AND PLANTER STRIPS ON BOTH SIDES. 2. NW CAMAS MEADOWS FRONTAGE IMPROVEMENTS WILL INCLUDE: REPLACEMENT OF DAMAGED CURB AND SIDEWALK. GRIND AND INLAY AT NW 75TH AVENUE, NW 77TH AVENUE, AND NW 78TH AVENUE, IF NECESSARY.



PRIVATE ACCESS AND ALLEY TRACT A, B, E, H, & J



TRACT G OPEN SPACE TRACT H

TRACT C PARKING


TRACT G PARKING

SCALE: 1"= 20 FEET 0 4 10 ORIGINAL PAGE SIZE: 24" x 36"

NW 75TH AVENUE - NW 77TH AVENUE - NW 78TH AVENUE - NW A DRIVE







GENERAL NOTE

SEE SHEET P8.0 FOR PROPOSED ROADWAY WIDTHS, TURNING RADII, AND PARKING AREA LAYOUT.

- CAMAS MEADOWS DRIVING RANGE

EX. DRIVEWAY ±30'

PARCEL NO.

175934-000

PARCEL NO. 172964-000

PARCEL NO. 175983-000

PARCEL NO. 172975-000

PARCEL NO. 172981-000

ANTICIPATED LOCATION OF FUTURE STREET PER CITY OF CAMAS MEADOWS GOLF COURSE

PARCEL NO. 172967-000

NW A DRIVE

NW CAMAS MEADOWS DRIVE

EX. DRIVEWAY ±42'-

DEVELOPMENT —/ CONNECTION TO ARTERIAL

PARCEL NO. 176155000

PARCEL NO. 986028–109

EX. GOLF COURSE CROSSING ±10'

PARCEL NO. 172962000

EX. DRIVEWAY ±75'—

DEVELOPMENT CONNECTION TO ARTERIAL -

- ACCESS TO COMMERCIAL SITE

BUSINESS PARK —X

PARCEL NO. 172980-000

EX. DRIVEWAY ±40'

CIRCULATION TO NW
CAMAS MEADOWS DRIVE

PARCEL NO. 172971-000

DEVELOPMENT CONNECTION TO ARTERIAL

EX. DRIVEWAY ±28'

EX. DRIVEWAY ±25'-

PARCEL NO. 172962-000

PRELIMINARY CIRCULATION PLAN CAMAS MEADOWS SUBDIVISI ROMANO CAPITAL CITY OF CAMAS, WASHINGTON




PRELIMINARY LANDSCAPE NOTES

- INCLUDING CHANGES TO PLANT LOCATION, QUANTITIES, TYPES, AND SIZES MAY BE NECESSARY PRIOR TO FINAL APPROVAL BASED ON PLANT AVAILABILITY, SITE CONDITIONS, UTILITY CONFLICTS, ETC. ALL SUBSTITUTIONS SHALL CONFORM TO CITY OF CAMAS LANDSCAPE DESIGN STANDARDS. STREET TREES WILL BE UPDATED TO AVOID FUTURE DRIVEWAY DROPS.
- STANDARDS ANSI Z60.1. PLANT IN ACCORDANCE WITH ACCEPTED BEST-PRACTICE INDUSTRY STANDARDS SUCH AS THOSE ADOPTED BY THE WASHINGTON ASSOCIATION OF LANDSCAPE PROFESSIONALS (WALP).
- 3. CENTER TREES IN PLANTER STRIPS AND LANDSCAPE PLANTING BEDS WHERE POSSIBLE. KEEP OTHER TREE TRUNKS 3' O.C. MINIMUM FROM CURBS, SIDEWALKS, AND OTHER PAVING OR CENTERED IN PLANTING ISLAND. KEEP SHRUBS AND GROUNDCOVER A MINIMUM OF 24" O.C. FROM PAVING AND 3' O.C. FROM TREES. ADJUST PLANTINGS AS NECESSARY ON SITE TO AVOID CONFLICT WITH UTILITIES, HYDRANTS, LIGHT POLES, METERS, ETC..
- 4. HATCHED AREAS ARE MEANT TO CONVEY GENERAL PLANT LOCATION. PLANT COVERAGE, SPACING, AND LAYOUT SHALL BE CONSISTENT WITH THE SPACING LISTED IN THE PLANT LEGEND FOR FULL COVERAGE.
- 5. MULCH: APPLY 3" DEEP WELL-AGED MEDIUM GRIND OR SHREDDED DARK HEMLOCK BARK MULCH UNDER AND AROUND ALL TREES AND SHRUBS IN PLANTER STRIP AREAS NOT INCLUDED AS STORMWATER FACILITIES OR LAWN. WHERE TREES ARE IN LAWN AREAS, A MINIMUM 3' DIAMETER MULCH RING SHALL BE USED AROUND THE TREE TO PROTECT THE TRUNK FROM MOWER DAMAGE. CARE SHALL BE TAKEN TO AVOID COVERING FOLIAGE OR ROOT CROWNS OF PLANTS. PLANTS SHALL BE PLANTED AT A DEPTH TO ACCOMMODATE BARK MULCH APPLICATION.
- LANDSCAPE CONTRACTOR.
- 7. REFER TO SHEET P5.0 FOR PRELIMINARY TREE PLAN.

TREE PLAN

SITE AREA: 13.81 AC TOTAL TREE UNITS REQUIRED (13.81AC X 20): 276 EXISTING TREES RETAINED/(TREE UNITS): PROPOSED SITE TREES/(TREE UNITS): 308.5 TOTAL TREE UNITS:



- BROMUS CARINATUS (CALIFORNIA BROME) 35%

±22,482 SF NATIVE E/C SEED MIX - SUNMARK SEEDS (OR APPROVED EQUAL) - HORDEUM BRACHYANTHERUM (MEADOW BARLEY) 40%

> - FESTUCA RUBRA RUBRA (NATIVE RED FESCUE) 20% - DESCHAMPSIA CESPITOSA (TUFTED HAIRGRASS) 3% AGROSTIS EXERATA (SPIKE BENTGRASS) 2%

APPLY AT A RATE OF 1 LB. PER 1,000 SF OR AS RECOMMENDED BY SUPPLIER ECOLIVE ORGANICS SHALL BE ADDED TO SEED MIX AT A RATE OF 1.5 LBS. PER 1,000 SF

- 1. LANDSCAPE PLAN IS PRELIMINARY AND INTENDED TO SHOW DESIGN INTENT ONLY. REVISIONS OR SUBSTITUTIONS,
- 2. ALL PLANTS AND PLANTINGS SHALL CONFORM TO CITY OF CAMAS DESIGN STANDARDS AND TO AMERICAN NURSERY

6. IRRIGATION FOR HEALTHY PLANT ESTABLISHMENT AND SURVIVAL IS RECOMMENDED AND SHALL BE 'DESIGN-BUILD' BY

15/(149.5) (RETAINED AND PRESERVED)

3/13/2023

TEB

JOB NUMBER:

DESIGNED BY:

PLAN


4

SC

AND

4






1. REFER TO SHEET P9.0 FOR PRELIMINARY PLANT SCHEDULE AND NOTES.



3/13/2023 TEB TEB

P9.1



R	ROADWAY LIGHT LEVEL S	SUMMARY - C	ITY OF CAMAS				
	ROADWAY CLASSIFICATION	UNITS	AVERAGE	MAX	MIN	AVG / MIN	MAX / MIN
	NEIGHBORHOOD (RESIDENTIAL)	Fc	0.43	0.8	0.1	4.30	8.00

1. LIGHTING ANALYSIS PERFORMED WITH AGI SOFTWARE.

AKS ENGINEERING & FORESTRY, LLC
9600 NE 126TH AVE, STE 2520
VANCOUVER, WA 98682
360.882.0419
WWW.AKS-ENG.COM

ENGINEERING · SURVEYING · NATURAL RESOURCES
FORESTRY · PLANNING · LANDSCAPE ARCHITECTURE

| PRELIMINARY STREET LIGHTING PLA | CAMAS MEADOWS SUBDIVISION | ROMANO CAPITAL



9030 3/13/2023 JTG JTG MPA

DRAWN BY:

P10.1

LUMINA	AIRE SCH	HEDULE			
SYMBOL	QUANTITY	STYLE	LUMINAIRE	POLE	LUCIOLIT
			TYPE	TYPE	HEIGHT
*	2	PROPOSED	HUBBELL LIGHTING - AIRO SERIES - ASL-24L-N-T3	N/A	20.0' HT.

ADA/PEDE	STRIAN LEVEL	SUMMARY	′ – CITY	OF CAMA	S
UNITS	AVERAGE	MAX	MIN	AVG / MIN	MAX / MIN
Fc	1.70	4.1	0.4	4.25	10.25

LOT 78

|--|

1. LIGHTING ANALYSIS PERFORMED WITH AGI SOFTWARE.

PRELIMINARY CONSTRUCTOR CONSTRUCTOR SCALE: 1"=10 FEET

0 2 5 10

ORIGINAL PAGE SIZE: 24" x 36"