

Community Development Department 616 NE Fourth Avenue Camas, WA 98607

# Design Review Checklist- DR22-02 Camas Station

The purpose of this sheet is to provide a simplified and expedited review of the design review principles and guidelines using objective review standards. The standards are intended as tool for the decision-maker in making findings that the proposal either achieves compliance with the intent of the principles or reasonably mitigates any conflict. When reviewing the check sheet, the proposal should as a whole "comply" with the standards and thus be generally consistent with the overriding principles. [Yes = In Compliance; No = Not In Compliance; NA = Not Applicable]

#### **Standard Principles and Guidelines**

ARCH	ARCHITECTURE					
Yes	No	NA	Principles and Guidelines	Comments		
х			Corrugated materials, standing seam, T-1 11, or similar			
			siding materials are avoided unless it produces a high visual (or aesthetic) quality.			
х			Buildings walls or fences visible from roadways are articulated in order to avoid a blank look.	COA- retaining and CMU walls should be complimentary to the buildings		
х			The use of bold colors has been avoided unless used as minor accents.			
Х			Higher density/larger structures abutting lower density			
			residential structures have been designed to mitigate			
			size and scale differences.			
LAND	LANDSCAPING AND SCREENING					
Yes	No	NA	Principles and Guidelines	Comments		
			Vegetation for landscaping includes native, low			
Х			maintenance plantings. Significant trees are retained if			
			feasible.			
		х	Trees planted along streetscapes with overhead power			
			lines include only those trees identified on the City's			
			Tree list.			
Х			Landscaping, including trees, shrubs, and vegetative			
			groundcover, is provided to visually screen and buffer			

## **DESIGN REVIEW CHECKLIST**

		1	T.,		
			the use from adjoining less intense uses including		
			parking.		
		Х	Proposed fencing is incorporated into the landscaping so		
			as to have little or no visual impact.		
			Signs located on buildings or incorporated into the	COA	
			landscaping are unobtrusive and vandal resistant. If		
			illuminated they are front lit.		
			Landscape lighting - low voltage, non-glare, indirect	COA	
			lighting is directed, hooded or shielded away from		
			neighboring properties.		
			Street lighting (poles, lamps) is substantially similar or	COA	
			architecturally more significant than other street lighting		
			existing on the same street and do not conflict with any		
			City approved street lighting plans for the street.		
			Parking and building lighting is directed away from	COA	
			surrounding properties through the use of hooding,		
			shielding, siting and/or landscaping.		
		Х	Outdoor furniture samples are consistent with the		
			overall project design.		
	Х		Existing trees over 6" dbh that are not required to be	An arborist report has been submitted with the land use application.	
			removed to accommodate the proposed development		
			are retained and incorporated into the landscape plan.		
	Х		Rock outcropping's, forested areas and water bodies are	An arborist report has been submitted with the land use application.	
			retained.		
HISTO	IISTORIC AND HERITAGE PRESERVATION				
Yes	No	NA	Principles and Guidelines	Comments	
х			The use of Historic Markers, information kiosks, project		
			names, architectural features, or other elements of the		
			project promote the historic heritage of the site or		
			surrounding area.		

#### **DESIGN REVIEW CHECKLIST**

# **Specific Principles and Guidelines**

	COMMERCIAL & MIXED USES				
ARCH	ARCHITECTURE				
Yes	No	NA	Principles and Guidelines	Comments	
	х		Office and retail buildings provide a minimum solid to		
			void ratio of 60%/40%		
Х			The development is built with a residential feel (i.e. size,		
			scale, and materials compatible with neighboring		
			buildings) if surrounded by residential areas or adjacent		
			to residentially zoned properties.		
		х	Buildings over two stories have the third story and above		
			offset from the first two stories, if surrounding		
			developments are less than three stories or land use		
			designations on adjacent zones do not allow more than		
			three story development.		
LAND	SCAPI	NG &	SCREENING		
Yes	No	NA	Principles and Guidelines	Comments	
			Intersections are illuminated, but not dominated by	COA	
			lighting. Lighting is incorporated into the landscape and		
			illuminates the quality of the natural environment.		
			Street light poles and lamps are compatible with other		
			nearby lighting on the same street.		
x			Parking spaces are clustered in small groupings and		
			separated by landscaping to create a pedestrian friendly,		
			park like environment.		
	ETSCA				
Yes	No	NA	Principles and Guidelines	Comments	
Х			On-site parking areas are located to the interior of the		
			development unless site development proved		
			prohibitive.		
Х			Parking areas are screened with landscaping.		
Х			Buildings are placed close to streets and roads unless site		
			constraints made it impossible, or characteristics of the		
			surrounding properties already developed made it		

## **DESIGN REVIEW CHECKLIST**

			incompatible. Otherwise, retail frontage setbacks do not exceed 25 feet from back of curb.	
	х		Window and door placement provides a high degree of transparency at the lower levels of the building and maximize visibility of pedestrian active uses.	
Х			Each use/activity in a development containing multiple uses/activities is integrated in a manner that achieves a seamless appearance or creates a cohesive development.	
х			Watering system will maintain proposed landscaping for a period to ensure that plants are well established.	COA
		х	New streets intersecting commercial properties are designed to create a safe environment. "Coving" techniques and "round-a-bouts" were considered for traffic calming when appropriate.	