

7. Critical Areas Reports



CRITICAL AREAS REPORT

May 19, 2025



ICG 252nd Property Camas, Washington

Prepared for HSR Capital, LLC 19120 SE 34th St. Suite #103 Vancouver, WA 98683 (360) 798-6458

Prepared by

Ecological Land Services

1157 3rd Avenue, Suite 220A • Longview, WA 98632 (360) 578-1371 • Project Number 3341.03

SIGNATURE PAGE

The information and data in this report was compiled and prepared under the supervision and direction of the undersigned.

Natalie Denson

Biologist

Julianne Blake

Biologist IV

TABLE OF CONTENTS

INTRODUCTION	1
SITE DESCRIPTION	
METHODOLOGY	
VEGETATION	
Wetlands	
UPLANDS	
SOILS	
WETLAND SOILS	
UPLAND SOILS	
HYDROLOGY	
WETLAND A	
WETLAND B	
STREAM A	
PRECIPITATION	
CRITICAL AREAS INVENTORIES	_
NATIONAL WETLANDS INVENTORY	
CLARK COUNTY CRITICAL AREAS	
PRIORITY HABITATS AND SPECIES	
WDNR Forest Practices	
CRITICAL AREAS SUMMARY	6
WETLAND A	6
Wetland B	6
Wetland Buffers	7
Stream A	7
Stream Buffers	7
Diтсн A	8
OREGON WHITE OAK	8
LIMITATIONS	9
REFERENCES	10
Tables (In text)	
Table 1. Mapped Soils	3
Table 2. Precipitation Data	
Table 3. Critical Areas Summary	

FIGURES

Figure 1	Vicinity Map
Figure 2	Existing Conditions
Figure 3	NRCS Soil Survey
Figure 4	USFWS National Wetlands Inventory
Figure 5	Clark County Critical Areas
Figure 6	WDFW Priority Habitats and Species
Figure 7	WDNR Stream Type Map
Figure 8	Wetland Rating Form – 150' Offset
Figure 9a	Wetland Rating Form – 1 km Offset – Wetland A
Figure 9b	Wetland Rating Form – 1 km Offset – Wetland B
Figure 10	Wetland Rating Form – 303(d) and TMDLs

APPENDICES

Appendix A – Routine Determination Method and Plant Indicator Rating Definitions

Appendix B – Wetland Determination Data Forms

Appendix C – Wetland Rating Forms

Appendix D – Antecedent Precipitation Tool Data

INTRODUCTION

Ecological Land Services, Inc. (ELS) was contracted by HSR Capital, LLC to complete a critical areas report for Clark County Tax Parcel Number 178175000, located at 305 SE 252nd Avenue in Camas, Washington. The site is approximately 15 acres and is located within Section 35, Township 2 North, Range 3 East of the Willamette Meridian (Figure 1). ELS biologists conducted a site visit on August 15, 2024 to determine the presence and extent of wetlands and fish and wildlife habitat conservation areas onsite. This critical areas report summarizes ELS findings in accordance with City of Camas Municipal Code (CMC) Chapter 16.53 Wetlands and Chapter 16.61 Fish and Wildlife Habitat Conservation Areas (March 2025).

SITE DESCRIPTION

The approximately 15-acre site consists of Clark County Tax Parcel Number 178175000 and is accessed by a gravel road off SE 252nd Avenue from the north. The site is zoned as North Shore Lower Density Residential (LD-NS), Mixed Use (MX-NS), and North Shore Commercial (C-NS). The properties surrounding the site consist of single-family homes, farmland, and undeveloped forested land. The northwest portion of the site has a single-family residence and fenced area for livestock. Two wetlands (Wetland A and Wetland B) and one stream (Stream A) were located onsite. A cluster of 16 Oregon white oak trees (Quercus garryana, FACU) is present in the central western portion, with 3 of the oaks existing onsite and the remaining 13 located on the western adjacent parcel (Figure 2). One wetland is located in the northeastern portion of the site and continues offsite to the north, east, and south. A small portion of a second wetland is located in the northwest corner of the site and continues offsite to the southwest. The southern portion of the site consists of undeveloped forested land. Topography varies, as it is generally level in the north and northeast portions with a depression in the northwest corner corresponding to the location of Wetland B. Topography in the remainder of the site consists of moderate to steep slopes that descend towards the onsite portions of Wetland A and Stream A. General vegetation consists of grasses, weedy herbs, and forbs in the northwest portion, and the remainder of the site consists of forested canopy containing a mix of coniferous and deciduous trees and an herbaceous layer.

METHODOLOGY

The property was evaluated for the presence of wetlands using the Routine Determination Method according to the U.S. Army Corps of Engineers' 1987 Wetland Delineation Manual and the Regional Supplement to the Corps of Engineers' Wetland Delineation Manual (Environmental Laboratory 1987); Western Mountains, Valleys, and Coast Region (Version 2.0) (Corps 2010). The Routine Determination Method and defining wetland criteria are discussed further in Appendix A. Wetlands are regulated as "Waters of the United States" by the U.S. Army Corps of Engineers (Corps) and as "Waters of the State" by the Washington Department of Ecology (Ecology), and locally by the City of Camas. The ordinary high water mark (OHWM) delineation was conducted following RCW 90.58.030 and Determining the Ordinary High Water Mark for Shoreline Management Act Compliance in Washington State (Ecology 2016).

ELS biologists evaluated the property on August 15, 2024, for the presence of critical areas including streams, wetlands, and other fish and wildlife habitat conservation areas within or near the site. Two wetlands (Wetlands A and B) were delineated onsite. The onsite boundaries of Wetlands A and B were determined through changes in topography, vegetation, and evidence of wetland hydrology. Vegetation, soil, and hydrology data were collected from test plots to determine the location and extent of wetlands onsite. The offsite portion of Wetland A's boundaries on parcel 178171000 to the east were delineated by ELS biologists in November 2023 and are described in the *Revised Critical Areas Report for Enclave Property* (ELS 2025). The offsite portion of Wetland B's boundaries that extend onto parcel 177885000 to the west were delineated by ELS biologists on November 11, 2022, and are described in the *Critical Areas Report for Mills Property* (ELS 2025). The remaining offsite portions of Wetlands A and B were approximated using aerial images, topographic maps, and visual observations.

One stream (Stream A) was delineated onsite. The OHWM of Stream A was demarcated with orange flagging based on obvious changes in topography, vegetation, and indicators of seasonal flow. Both sides of the stream onsite were delineated, and the stream centerline was mapped. An agricultural ditch (Ditch A) was also delineated in the northeast corner of the site and its centerline was mapped. The locations of test plots, wetland flags, and OHWM flagging were recorded using a hand-held GPS unit capable of sub-meter accuracy under ideal conditions (Figure 2).

VEGETATION

General vegetation in the northwest portion of the property consists of weedy herbs and forbs. The remainder of the site consists of deciduous and coniferous trees and shrubs with a multi-layered subcanopy. Himalayan blackberry (*Rubus armeniacus*, FAC) was very dense in some portions of the site. The plant indicator status following the plant scientific name is defined by the *National Wetland Plant List Indicator Rating Definitions* (Corps 2012) and is in Appendix A.

WETLANDS

Dominant vegetation consists of **trees**: Oregon Ash (*Fraxinus latifolia*, FACW) and black cottonwood (*Populus balsamifera*, FAC); **shrubs**: Scouler's willow (*Salix scouleriana*, FAC) and Nootka rose (*Rosa nutkana*, FAC) and **herbs**: reed canarygrass (*Phalaris arundinacea*, FACW), common rush (*Juncus effusus*, FACW), water smartweed (*Polygonum amphibium*, OBL), and creeping buttercup (*Ranunculus repens*, FAC).

UPLANDS

Dominant vegetation consists of **trees**: Douglas fir (*Pseudotsuga menzeisii*, FACU); **shrubs**: osoberry (*Oemleria cerasiformis*, FACU), snowberry (*Symphoricarpos albus*, FACU), and thimbleberry (*Rubus parviflorus*, FAC); and **herbs**: perennial ryegrass (*Lolium perenne*, FAC), trailing blackberry (*Rubus ursinus*, FACU), and western sword fern (*Polystichum munitum*, FACU).

SOILS

Soils onsite are mapped as Tisch silt loam, 0 to 3 percent slopes (ThA), Olympic stony clay loam, 3 to 30 percent slopes (OmE), Vader silt loam, 3 to 8 percent slopes (VaB), and Lauren very gravelly loam, 0 to 8 percent slopes (LIB) as referenced on the Natural Resources Conservation Service (NRCS) Web Soil Survey website (2025a; Figure 3). Appendix B contains the Wetland Determination Data Forms with soil descriptions.

Tisch silt loam, 0 to 3 percent slopes is characterized as very poorly drained with a depth to water table of about 0 to 12 inches below ground surface (BGS). ThA is formed within depressions with a parent material of volcanic ash, alluvium and diatomaceous earth. A typical profile of ThA consists of 0 to 31 inches of medial silt loam and 31 to 60 inches of muck BGS (NRCS, 2025a). ThA is rated as hydric by the NRCS (NRCS 2025b).¹

Olympic stony clay loam, 3 to 30 percent slopes is characterized as well drained with a depth to water table of more than 80 inches BGS. OmE is formed on mountain slopes with parent material consisting of residuum and colluvium from igneous rock. A typical profile of OmE consists of 0 to 13 inches of stony clay loam, 13 to 44 inches of clay loam, and 44 to 60 inches of gravelly clay loam BGS (NRCS 2025a). OmE is not rated as hydric by the NRCS (NRCS 2025b).

Vader silt loam, 3 to 8 percent slopes is characterized as well drained with a depth to water table of more than 80 inches BGS. VaB has parent material consisting of residuum and colluvium from sandstone with a mixture of volcanic ash in the upper part. A typical profile of VaB consists of 0 to 6 inches of ashy silt loam, 6 to 30 inches of ashy loam, and 30 to 34 inches of weathered bedrock BGS (NRCS 2025a). VaB is not rated as hydric by the NRCS (NRCS 2025b).

Lauren very gravelly loam, 0 to 8 percent slopes is characterized as well drained with a depth to water table of more than 80 inches BGS. LIB is formed on terraces with parent material consisting of alluvium with volcanic ash. A typical profile of LIB consists of 0 to 27 inches of very gravelly medial loam, 27 to 30 inches of very gravelly coarse sandy loam, and 30 to 60 inches of very gravelly loamy coarse sand BGS (NRCS 2025a). LIB is not rated as hydric by the NRCS (NRCS 2025b).

Table 1. Mapped Soils

i dale 1. Mapped cons									
Soil Series ¹	Percent Slope ¹	Landform ¹	Drainage Class ¹	Hydric Soil ²	Test Plots per Soil Series				
Tisch silt loam (ThA)	0 to 3	Depressions	Very poorly drained	Yes	A1, A2, A5, A6				
Olympic stony clay loam (OmE)	3 to 30	Mountain Slopes	Well drained	No	A3, A4				
Vader silt loam (VaB)	3 to 8		Well drained	No					
Lauren very gravelly loam (LIB)	0 to 8	Terraces	Well drained	No					

¹NRCS 2025a; ²NRCS 2025b.

¹Areas mapped with hydric soils do not necessarily mean that an area is or is not a wetland—hydrology, hydrophytic vegetation, and hydric soils must all be present to classify an area as a wetland.

WETLAND SOILS

Evaluated wetland soils consist of mucky clays and silty clay loams with very dark brown, very dark gray, dark gray, and gray (10YR 2/2, 3/1, 4/1, 5/1) matrix colors. Redoximorphic features were observed as concentrations in the matrix with dark brown, reddish yellow, and yellowish brown (7.5YR 3/4, 7/6; 10YR 5/4) matrix colors. Primary hydric soil indicators Depleted Matrix (F3), and Depleted Below Dark Surface (A11) were observed within Wetland A (Appendix B). Test plot data for Wetland B are in the *Critical Areas Report for Mills Property* (ELS 2025).

UPLAND SOILS

Evaluated upland soils consist of silty loams and clays with very dark gray, very dark grayish brown, dark brown, brown, and grayish brown (10YR 3/1, 3/2, 3/3, 4/3, 5/2) matrix colors. Evaluated upland soils did not meet any hydric soil indicators.

HYDROLOGY

WETLAND A

Wetland A is a large, depressional, seasonally flooded, saturated only wetland with a seasonally flowing stream (Stream A) within the wetland. Observed wetland hydrology consisted of primary hydrology indicators High Water Table (A2) and Saturation (A3) and secondary hydrology indicators Geomorphic Position (D2) and FAC Neutral Test (D5). Hydrology is supported by precipitation, surface runoff, a shallow groundwater table, and seasonal overbank flooding from Stream A, which serves as Wetland A's outlet.

WETLAND B

Wetland B is a seasonally flooded wetland located primarily offsite to the west in a topographical depression. Surface water was observed in Wetland B during site visits that took place between November 2022 and January 2023, however, it should be noted that no surface hydrology was observed during the September 2022 site visits. During the November 11, 2022 site visit, 12 to 18 inches of surface water was documented in the wetland. Wetland B provides flood storage and delay and groundwater recharge functions. Hydrology is supported by a shallow groundwater table, precipitation, and runoff from adjacent uplands, and the wetland does not have an outlet.

STREAM A

The onsite portion of Stream A is mapped by WDNR as a Type-U stream (unknown; WDNR 2025). Stream A originates and enters Wetland A near the central portion of the site and flows approximately 560 feet northeasterly to the site boundary. Offsite, Stream A mapping changes to a Type-N (non-fish-bearing) water and flows south for approximately 0.20 miles and then southwesterly for approximately 0.42 miles before discharging into Lacamas Lake (WDNR 2025; Figure 2). According to WAC 222-16-031, Stream A meets the definition of a Type 3 water based on having a defined channel of 2 feet or greater within the bankfull width, a gradient of 16 percent or less, and the absence of any fish passage barriers. As such, Stream A is considered a Type-F (fish-bearing) stream. Onsite hydrology is supported by precipitation, a shallow groundwater table, and runoff from upslope areas. According to the Washington State

Department of Ecology's Water Quality Atlas, the site is in the Lacamas Creek 12-digit hydrologic unit code (HUC) 170800050305 and Watershed Resource Inventory Area (WRIA) 28 Salmon – Washougal.

PRECIPITATION

Precipitation data were gathered from the NOAA Regional Climate Centers *Multnomah County, Oregon, WETS Station: Troutdale,* which is the closest station to the project site with the most complete set of precipitation data. Precipitation two weeks prior to the site visit in August 2024 totaled 0.00 inches. While June and August precipitation levels were normal, July precipitation was below normal levels. Furthermore, the Corps Antecedent Precipitation Tool (APT) indicates rainfall two months prior to the site visit was normal (Corps 2024). A copy of the APT data is provided in Appendix D and precipitation data is summarized in Table 2. Precipitation data surrounding the November 2022 offsite delineation of Wetland B are described in the *Critical Areas Report for Mills Property* (ELS 2025).

Table 2. Precipitation Data

	adic 2.1. redipitation bata									
Precipitation (inches)										
Date of Visit	Two	30 Days	Observed O	30%	70%	DAREM ¹				
	Weeks Prior	Ending	Observed			Value	Weight	Total		
08/15/2024		08/2024	0.15	0.08	0.56	2	3	6		
	0.00	07/2024	0.10	0.37	0.10	1	2	2		
0.00		06/2024	3.55	1.98	3.95	2	1	2		
Rainfall 3 months prior was: drier than normal (sum 6-9), normal (sum 10-14), wetter than normal (sum 15-18).										
Year to Date N	Mean Rainfall ^{2,3} :	38.24 inche	?S							
Year to Date A	Actual Rainfall ³ :	40.71 inches	S							

¹Direct Antecedent Rainfall Evaluation Methods (Sumner et al 2009); ²Based on 2004-2024 precipitation data; ³Based on a water year, which starts on October 1.

CRITICAL AREAS INVENTORIES

NATIONAL WETLANDS INVENTORY

The National Wetlands Inventory (NWI; USFWS 2025) mapping indicates the presence of one R4SBC² riverine waterbody offsite to the east (Figure 4). ELS partially agrees with the NWI, as mapping of the R4SBC waterbody corresponds with the location of a portion of Stream A; however, ELS delineated two wetlands onsite, which NWI mapping does not identify. Critical area inventory maps are typically used to gather information about a region and due to the large scale necessary for regional mapping, are limited in accuracy for localized analyses.

CLARK COUNTY CRITICAL AREAS

The Clark County Critical Areas (CCCA) map indicates potential and permitted wetland presence and hydric soils onsite (Figure 5). ELS partially agrees with the mapping of permitted and potential

²Riverine, intermittent, streambed, seasonally flooded.

wetlands as they generally correspond with the location of Wetland A; however, hydric soils are not mapped in the northwest corner of the site where Wetland B is located.

PRIORITY HABITATS AND SPECIES

The Washington Department of Fish and Wildlife (WDFW) Priority Habitat and Species (PHS) maps indicate an oak woodland is present onsite along the central-western boundary of the parcel (WDFW 2025a; Figure 6). ELS generally agrees with the PHS mapping, as a cluster of 16 oak trees were observed in the central-western portion of the parcel extending offsite to the west in the general vicinity of the PHS mapped oaks.

WDNR FOREST PRACTICES

The Washington Department of Natural Resources (WDNR) Forest Practices Application Mapping Tool (FPAMT) indicates a Type-U stream at the location of Stream A onsite and a Type-U stream offsite to the northeast flowing into the Type-N stream that runs along the eastern site boundary (Figure 7). ELS investigations generally agree with the location of the mapped streams as they generally correspond to the location of Stream A. However, ELS does not agree with the stream typing as Stream A meets the criteria of a Type-F water according to WAC 222-16-031.

CRITICAL AREAS SUMMARY

WETLAND A

Wetland A is Category III, depressional, emergent (EM), forested (FO), seasonally flooded (SF) and saturated only (SO) wetland with a seasonally flowing stream (SFS) within the wetland, with approximately 2.26 acres onsite and a total area of approximately 10.06 acres (Figure 8). Portions of Wetland A's offsite boundary were approximated by utilizing lidar and topographic maps to determine obvious changes in elevation as well as observing changes in vegetation while onsite. Wetland A's onsite vegetation is dominated by Oregon ash, common rush, and reed canarygrass. Hydrology is supported by precipitation, surface runoff, a shallow groundwater table, and seasonal overbank flooding from Stream A, which serves as Wetland A's outlet. According to the Washington State Wetland Rating System for Western Washington: 2014 Update (Rating System), Wetland A is a Category III wetland, scoring 7 points for water quality functions, 4 points for hydrologic functions, and 7 points for habitat functions, for a total score of 18 points. The wetland rating form is in Appendix C.

WETLAND B

Wetland B is a Category III, depressional, EM, FO, SF wetland, with approximately 0.03 acres onsite and a total area of approximately 0.84 acres, located primarily offsite to the west. Wetland B's vegetation is dominated by Oregon ash, black cottonwood, Scouler's willow, Nootka rose, reed canarygrass, and water smartweed. Hydrology is supported by a shallow groundwater table, precipitation, and runoff from adjacent uplands, and the wetland has no outlet. According to the Rating System, Wetland B is a Category III wetland, scoring 6 points for water quality functions, 5 points for hydrologic functions, and 7 points for habitat functions, for a total score of 18 points. The wetland rating form can be found in Appendix C.

WETLAND BUFFERS

Standard wetland buffers are based on wetland category and habitat score from the Rating System, in conjunction with the proposed land use intensity (*CMC* 16.53.040(*B*)(2)). Wetland A and Wetland B are both Category III wetlands, each with a habitat score of 7 points. According to *CMC* Table 16.53.040-3, the standard buffer widths for both wetlands are 75 feet, 110 feet, and 150 feet for proposed low, moderate, and high land use intensities, respectively. According to *CMC* 16.53.040(*B*)(4)(b)(i), functionally isolated buffer areas are areas that do not protect the wetland from adverse impacts, such as preexisting roads and structures, and shall be excluded from buffer requirements. Portions of the wetland buffers are functionally isolated due to existing impervious surfaces such as the house onsite and the road that runs through the central portion of the site (Figure 2). Wetlands and buffers are summarized in Table 3.

STREAM A

Onsite, Stream A is mapped as Type-U by WDNR (WDNR 2025). According to WAC 222-16-031, Stream A meets the definition of a Type 3 water based on having a defined channel of 2 feet or greater within the bankfull width, a gradient of 16 percent or less, and the absence of any fish passage barriers (WDFW 2025b). As such, Stream A is considered a Type-F (fish-bearing) stream. Onsite hydrology is supported by precipitation, a shallow groundwater table, and runoff from upslope areas. Both sides of Stream A's onsite OHWM and the centerline of the stream were mapped. The streambed is composed of sediment and silty sands, with approximately 12 to 24 inches of flowing water, and banks that are sloping but not prominent.

STREAM BUFFERS

According to Washington State Fish Passage online mapping, Stream A may have the potential presence of resident fish (WDFW 2025b). According to *CMC 16.61.040(D)*, non-anadromous Type-F streams require a 75-foot riparian buffer. The riparian buffer of Stream A is primarily vegetated with reed canarygrass, slough sedge, and a mixture of mature coniferous and deciduous trees with a multi-layered subcanopy. Stream A is summarized in Table 3.

Table 3. Critical Areas Summary

Identifier	Classification	Cowardin Class, Hydroperiod ⁴	Habitat Score/ Category ⁵	Proposed Land Use Intensity	Buffer Width ^{6,7}
Wetland A (2.26 acres onsite)		EM/FO, SF/SO/SFS		Low	75 feet
,	Depressional ¹		III/7	Moderate	110 feet
Wetland B (0.03 acres onsite)		EM/FO, SF		High	150 feet
Stream A	Type F, non- anadromous ²				75 feet

¹NRCS 2008; ²WAC 222-16-031; ³WDNR 2025b; ⁴FGDC 2013; ⁵Hruby 2023; ⁶CMC Table 16.53.040-3; ⁷CMC 16.61.040(D).

DITCH A

Ditch A is an agricultural ditch that appears to have been created within uplands for the purpose of diverting upslope runoff into Stream A (Figure 2). According to *CMC 16.53.010(C)(2)(b),* Ditch A is exempt from buffers as detailed below:

Artificial. Wetlands created from non-wetland sites including, but not limited to, irrigation and drainage ditches, grass-lined swales, canals, detention facilities, wastewater treatment facilities, stormwater facilities, farm ponds, and landscape amenities; provided, that wetlands created as mitigation shall not be exempted.

Ditch A is not classified as a fish and wildlife habitat conservation area per $CMC\ 16.61.010(A)(5)$ which defines "Water of the State" as omitting, "man-made ditches or bio-swales that have been created from areas not meeting the definition of waters of the state."

OREGON WHITE OAK

CMC Chapter 16.61 regulates Fish and Wildlife Habitat Conservation Areas, which include areas with which state or federally designated endangered, threatened, and sensitive species have a primary association, state priority habitats and areas associated with state priority species, habitats of local importance (Oregon white oak and Camas lily), naturally occurring ponds under 20 acres, waters of the state, bodies of water planted with game fish by a governmental or tribal entity, and state natural area preserves and natural resource conservation areas (CMC 16.61.010(A)).

WDFW identifies which oak communities are considered priority habitats through its Priority Habitats and Species (PHS) program. The Washington Natural Heritage Program (WNHP) defines a North Pacific Oak Woodland as a community dominated or co-dominated by oak and associated with dry, low-elevation sites or those with frequent fires pre-settlement (Nolan and Azerrad 2024). Oregon white oak woodlands are associated with eight different plant communities, including a wide variety of native herbaceous and shrub species. Oak woodlands provide a mix of feeding, resting, and breeding habitat for many wildlife species (Nolan and Azerrad 2024). In addition to oak woodlands, individual oak trees can be considered a priority habitat if they provide considerable value to wildlife. In addition to woodland communities, oaks are also associated with prairies and savannas in Washington. These communities are considered wooded grasslands and are associated with upland grassland and meadows (Rocchio and Crawford 2015).

A cluster of 16 Oregon white oak trees is present in the central western portion, with 3 of the oaks existing onsite and the remaining 13 located on the western adjacent parcel (Figure 2). The cluster has a contiguous dripline of 0.10 acres (onsite and offsite combined). Although PHS mapping identifies the cluster as an oak woodland, it does not meet the woodland size requirements, and each oak shall be considered an individual rather than part of an oak woodland. Several of the oak trees meet WDFW priority habitat criteria for individual oaks.

LIMITATIONS


ELS bases the above listed determinations and conclusions on standard scientific methodology and best professional judgment. In our opinion, local, state, and federal regulatory agencies should agree with the conclusions of this report. However, this should be considered a preliminary report and should be used at your own risk until it has been reviewed and approved in writing by the appropriate regulatory agencies. ELS is not responsible for the impacts of any changes in environmental standards, practices, or regulations after the date of this report.


REFERENCES


- City of Camas. 2025. Camas Municipal Code, *Title 16 Environment, Critical Areas* and *Fish and Wildlife Habitat Conservation Areas*. March 25, 2025.
- Ecological Land Services, Inc. (ELS). 2025. *Critical Areas Report for Enclave Property*. Camas, WA. Revised March 4, 2025.
- Ecological Land Services, Inc. (ELS). 2025. *Critical Areas Report for Mills Property*. Camas, WA. May 19, 2025.
- Environmental Laboratory. 1987. *Corps of Engineers Wetlands Delineation Manual,* Technical Report Y-87-1. U.S. Army Corps of Engineer Waterways Experiment Station, Vicksburg, Mississippi.
- Federal Geographic Data Committee (FGDC). 2013. *Classification of Wetlands and Deepwater Habitats of the United States*. FGDC-STD-004-2013. Second Edition. Wetlands Subcommittee, Federal Geographic Data Committee and U.S. Fish and Wildlife Service, Washington, DC.
- Hruby, T. & Yahnke, A. 2023. *Washington State Wetland Rating System for Western Washington:* 2014 Update (Version 2.0). Publication #23-06-009. Washington Department of Ecology.
- Natural Resource Conservation Service (NRCS). 2008. *Hydrogeomorphic Wetland Classification System: An Overview and Modification to Better Meet the Needs of the Natural Resources Conservation Service.* United States Department of Agriculture Technical Note, #190-8-76.
- Natural Resources Conservation Service (NRCS). 2025a. *Web Soil Survey*. https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx. Accessed April 2025.
- Natural Resources Conservation Service (NRCS). 2025b. *State Soil Data Access (SDA) Hydric Soils List*. https://www.nrcs.usda.gov/publications/query-by-state.html. Accessed April 2025.
- Nolan, M. P., and J. M. Azerrad. 2024. *Management recommendations for Washington's priority habitats: Best management practices for mitigating impacts to Oregon white oak priority habitat*. Washington Department of Fish and Wildlife (WDFW), Olympia, Washington. January 2, 2024.
- Revised Code of Washington (RCW). Shoreline Management Act of 1971, Definitions and concepts. Certified July 12, 2024.
- Rocchio, F. J., and Crawford. R. C. 2015. *Ecological Systems of Washington State: A Guide to Identification*. Washington Department of Natural Resources Natural Heritage Program. Olympia, WA.


- U.S. Army Corps of Engineers (Corps). 2010. Final Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region (Version 2.0), ed. J.S. Wakeley, R.W. Lichvar, and C.V. Noble. ERDC/EL TR-08-13. Vicksburg, Mississippi: U.S. Army Engineer Research and Development Center.
- U.S. Army Corps of Engineers (Corps). *Antecedent Precipitation Tool (APT)*, Troutdale weather station. August 15, 2024.
- U.S. Fish & Wildlife Service (USFWS). 2025. *National Wetlands Inventory*. https://www.fws.gov/wetlands/data/mapper.html. Accessed April 2025.
- Washington Administrative Code (WAC). WAC 222-16-031, *Interim water typing system*. Certified February 20, 2023.
- Washington Department of Ecology (Ecology). 2016. Determining the Ordinary High Water Mark for Shoreline Management Act Compliance in Washington State. Final Review. Publication No. 16-06-029. October.
- Washington Department of Fish and Wildlife (WDFW). 2025a. *Priority Habitats and Species (PHS)*. https://geodataservices.wdfw.wa.gov/hp/phs/. Accessed April 2025.
- Washington Department of Fish and Wildlife (WDFW). 2025b. Washington State Fish Passage online map. https://geodataservices.wdfw.wa.gov/hp/fishpassage/index.html. Accessed April 2025.
- Washington Department of Natural Resources (WDNR). 2006. Forest Practices Rules, WAC 222 160-1 Interim Water Typing System. December 16, 2006.
- Washington Department of Natural Resources (WDNR). 2025. Forest Practices Application Mapping Tool (FPAMT). https://www.dnr.wa.gov/programs-and-services/forest-practices/forest-practices-application-review-system-fpars. Accessed April 2025.


FIGURES





























APPENDIX A

ROUTINE DETERMINATION METHOD AND PLANT INDICATOR RATING DEFINITIONS

ROUTINE DETERMINATION METHOD

The Routine Determination Method is defined according to the U.S. Army Corps of Engineers' 1987 Wetland Delineation Manual and the Regional Supplement to the Corps of Engineers' Wetland Delineation Manual (Environmental Laboratory 1987); Western Mountains, Valleys, and Coast Region (Version 2.0) (Corps 2010). The Routine Determination Method examines three parameters – vegetation, soils, and hydrology – to determine if wetlands exist in a given area. Hydrology is critical in determining what is a wetland, but if often difficult to assess because hydrologic conditions can change periodically (hourly, daily, or seasonally). Consequently, it is necessary to determine if hydrophytic vegetation and hydric soils are present, which would indicate that water is present for a long enough duration to support a wetland plant community. By definition, wetlands are those areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions.

VEGETATION INDICATOR STATUS

The indicator status, following the scientific names of plant species, indicates the likelihood of the species to be found in wetlands according to the *National Wetland Plant List Indicator Rating Definitions* (Corps 2012). Listed from most likely to least likely to be found in wetlands, the indicator status categories are:

- OBL (obligate wetland) occur almost always under natural conditions in wetlands.
- FACW (facultative wetland) usually occur in wetlands, but occasionally found in nonwetlands.
- FAC (facultative) equally likely to occur in wetlands or non-wetlands.
- FACU (facultative upland) usually occur in non-wetlands, but occasionally found in wetlands.
- **UPL** (obligate upland) occur almost always under natural conditions in non-wetlands.
- NI (no indicator) insufficient data to assign to an indicator category.

APPENDIX B

WETLAND DETERMINATION DATA FORMS

WETLAND DETERMINATION	DN DATA FO	KM – Weste	rn Moun	tains, valleys and	Coast Re	gion
Project/Site: ICG 252 nd Property		City/Cou	unty: Cama			Date: 08/15/2024
Applicant/Owner: HSR Capital, LLC			State: V			Point: TP-A1
Investigator(s): Naglich F., Mendez A.				p, Range: <u>S35, T2N,</u>	R3E	
Landform (hillslope, terrace, etc.): Depressions				onvex, none): None		Slope (%): <u>0-3%</u>
Subregion (LRR): A	Lat: 45.619	98537		2.4122602		: NAD83
Soil Map Unit Name: Tisch silt loam, 0 to 3 percent s				NWI classification: No		
Are climatic / hydrologic conditions on the site typical						ı. 🗆
Are Vegetation, Soil, or Hydrology significan				Circumstances" preser any answers in Rema		NO L
Are Vegetation□, Soil□, or Hydrology□ naturally	•	•	•		•	
SUMMARY OF FINDINGS – Attach site ma		sampling po	int locati	ons, transects, im	portant re	eatures, etc.
		Is the Sar	npled Area	a		
		within a V		Yes□	No⊠	
Wetland Hydrology Present? Yes No Remarks: TP-A1 is located in the northern, central process.		ita and is naive	Judith TD A	2		
VEGETATION – Use scientific names of p				T=		
Troo Stratum (Plat cizo:20 ff radius)	Absolute	Dominant Species?	Indicator	Dominance Test W	orksneet	
<u>Tree Stratum</u> (Plot size: <u>30</u> ft radius) 1.	% Cover %	Species?	Status	Number of Dominan	t Species	4 (4
2		· 		That Are OBL, FAC		1 (A
3.				1	,	
4.	- / 0			Total Number of Do	ninant	1 (E
50% = 20% =	<u> </u>	=Total Cover		Species Across All S	Strata:	
<u> </u>						
0 11 (0) 1 0) 1 (0) 1 1 15 (11 1)				Percent of Dominan		400 //
Sapling/Shrub Stratum (Plot size: 15 ft. radius)	0/			That Are OBL, FACY		<u>100</u> (A
1. 2.	0/	· ——		Total % Cover		Multiply by:
	0/	·		OBL species	OI.	x 1=
	0/			FACW species		
45.				FAC species		x 2= x 3= x 4=
50% = 20% =		=Total Cover		FACU species		x 4=
Herb Stratum (Plot size: 5 ft radius)	-			UPL species		x 5=
1. Lolium perenne	70%	yes	FAC	Column Totals:		(A)
2. Prunella vulgaris	10%	no	FACU	Prevale	nce Index =	
3. Daucus carota	5%	no	FACU	Hydrophytic Veget	ation Indica	tors:
4. Taraxacum officinale	5%	no	FACU	☐ 1 – Rapid Tes	t for Hydroph	nytic Vegetation
5. Rubus ursinus	5%	no	FACU	2 – Dominanc	e Test is >50)%
6. Plantago major	5%	no	FAC	3 - Prevalence		
7	%			4 - Morpholog		
8.				_	a in Remark	s or on a separate
9.				sheet)	., .	D 1
10	%	·		5 - Wetland No	on-Vascular	Plants'
11. 50% = 50 20% = 20	400%	-Tetal Cayor		_ □ Drablamatia II	valnambvatia V	(agatatian 1 (Evalain)
Woody Vine Stratum (Plot size: 15 ft radius)	100%	=Total Cover		☐ Problematic H	yaropnytic v	egetation ¹ (Explain)
	%			¹ Indicators of hydric	soil and wet	land hydrology
1. 2.				must be present, un		
		=Total Cover		mast be present, an	C33 distarbe	d or problematic.
50% = 20% =		·		Hydrophytic Vegetation		
				Present?		Yes⊠ No□
% Bare Ground in Herb Stratum <u>0%</u>						
Remarks:				•		

SOIL Sampling Point: <u>TP-A1</u>

Profile D	escription: (Desc	ribe to the de	pth needed to docu	ment the ind	ilcator or con	ifirm the al	bsence of indicators.)	
Depth	Matrix	,		Redox Feat	ures			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-8	10YR 3/1	100%	` ,	%			Clay	
8-16	10YR 3/2	100%		<u>%</u>			Clay	
		%		<u>%</u> %				
	-	· /// /						
		<u> </u>		/ 6				
		%		%				
¹ Type:	C=Concentration, I	D=Depletion, F	RM=Reduced Matrix,	CS=Covered	or Coated Sa	nd Grains.	² Location: PL=Pore	Lining, M=Matrix
		oplicable to al	I LRRs, unless other		.)	_	Indicators for Problemati	c Hydric Soils
Histo			☐ Sandy Redo				2 cm Muck (A10)	•
	Epipedon (A2)		☐ Stripped Ma				Red Parent Material (TF:	· · · ·
	Histic (A3)		Loamy Muck				Very Shallow Dark Surfa	• •
	ogen Sulfide (A4)		☐ Loamy Gley	•)	L	Other (Explain in Remar	ks)
	eted Below Dark Su		☐ Depleted Ma			21		
	Dark Surface (A12	•	Redox Dark	, ,	\	ગ	ndicators of hydrophytic ve Wetland hydrology must	
	y Mucky Minerals (•	☐ Depleted Da	-	7)		unless disturbed or prob	
	y Gleyed Matrix (S ²	·-	☐ Redox Depre	essions (F8)			unless distarbed of prob	lemano
Restrict	ive Layer (if prese	nt):						
Tunor								
Type: Depth (in	nches):					Hydr	ic Soil Present?	Yes⊡ No⊠
Remarks	,					,		
rtomante	,,							
HYDRO	LOGY							
	LOGY Hydrology Indica	tors:						
Wetland			heck all that apply)				Secondary Indicate	ors (2 or more required)
Wetland Primary	Hydrology Indica Indicators (min. of c			ed Leaves (R	9) (except MI	 RΔ 1 2 4		_
Wetland Primary Surfa	Hydrology Indica Indicators (min. of c		☐ Water-Stain		9) (except ML	RA 1, 2, 4	A, Water-Stained	Leaves (B9) (MLRA 1, 2,
Wetland Primary □ Surfa □ High	Hydrology Indica Indicators (min. of concernment) Cee Water (A1) Water Table (A2)		☐ Water-Staine		9) (except ML	.RA 1, 2, 4	A, Water-Stained 4A, and 4B	Leaves (B9) (MLRA 1, 2,
Wetland Primary ☐ Surfa ☐ High ☐ Satur	Hydrology Indica Indicators (min. of c		☐ Water-Stain	311)		.RA 1, 2, 4	A, Water-Stained 4A, and 4B Drainage Patter	Leaves (B9) (MLRA 1, 2,) rns (B10)
Wetland Primary Surfa High Satur	Hydrology Indica Indicators (min. of concernment) water (A1) Water Table (A2) ation (A3) r Marks (B1)		☐ Water-Staine and 4B) ☐ Salt Crust (E	311) ertebrates (B1	3)	.RA 1, 2, 4	A, Water-Stained 4A, and 4B Drainage Patte Dry-Season Wa	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2)
Wetland Primary Surfa High Satur Water	Hydrology Indica Indicators (min. of concernment) water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2)		☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve	311) ertebrates (B1 ulfide Odor (C	3) C1)		A, Water-Stained 4A, and 4B Drainage Patte Dry-Season Wa Saturation Visit	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ole on Aerial Imagery (C9)
Wetland Primary Surfa High Satur Water Sedin Drift [Hydrology Indica Indicators (min. of concernment (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3)		☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen Sı ☐ Oxidized Rh	311) ertebrates (B1 ulfide Odor (C iizospheres al	3) 21) long Living Ro		A, Water-Stained 4A, and 4B Drainage Pattee Dry-Season Wa Saturation Visib Geomorphic Po	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2)
Wetland Primary Surfa High ' Satur Water Sedin Drift [Algal	Hydrology Indica Indicators (min. of concernment (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4)		☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen St ☐ Oxidized Rh ☐ Presence of	311) ertebrates (B1 ulfide Odor (C iizospheres al Reduced Iror	3) C1) long Living Ro n (C4)	oots (C3)	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visib Geomorphic Po Shallow Aquital	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) rd (D3)
Wetland Primary Surfa High ' Satur Wate Sedin Drift [Algal	Hydrology Indica Indicators (min. of concernment) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5)	one required; c	☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen St ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron	B11) ertebrates (B1 ulfide Odor (C izospheres al Reduced Iror Reduction in	3) c1) long Living Ro n (C4) Tilled Soils (C	oots (C3)	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visite Geomorphic Po Shallow Aquitar FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) besition (D2) rd (D3) est (D5)
Wetland Primary Surfa High Satur Water Sedin Orift [Algal Iron [Surfa	Hydrology Indica Indicators (min. of of ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6)	one required; c	☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen St ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron ☐ Stunted or S	B11) ertebrates (B1 ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant	3) c1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3)	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visib Geomorphic Po Shallow Aquitar FAC Neutral Te Raised Ant Mod	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Primary Surfa High Satur Sedin Orift [Algal Iron [Surfa Inund	Hydrology Indica Indicators (min. of concernment) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5)	one required; c	☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen Si ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron ☐ Stunted or S ☐ Other (Explain	B11) ertebrates (B1 ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant	3) c1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3)	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visite Geomorphic Po Shallow Aquitar FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Primary Surfa High Satur Sedin Drift [Algal Iron [Surfa Inund Spars	Hydrology Indica Indicators (min. of of ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) ation Visible on Ae	one required; c	☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen Si ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron ☐ Stunted or S ☐ Other (Explain	B11) ertebrates (B1 ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant	3) c1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3)	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visib Geomorphic Po Shallow Aquitar FAC Neutral Te Raised Ant Mod	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Primary Surfa High Satur Sedin Drift [Algal Iron [Surfa Inund Spars	Hydrology Indica Indicators (min. of of one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) one Soil Cracks (B6) Indicator Visible on Aesely Vegetated Con	one required; c	Water-Staine and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S (T) Other (Explains)	ertebrates (B1 ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remark	3) c1) ong Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3)	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visib Geomorphic Po Shallow Aquitar FAC Neutral Te Raised Ant Mod	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Primary Surfa High Satur Water Sedin Drift [Algal Iron [Surfa Inund Spars Field Ob	Hydrology Indica Indicators (min. of of of other case) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Indicators (B6) Indicators	one required; c	Water-Staine and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S (T) Other (Explains)	B11) ertebrates (B1 ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remark	3) c1) ong Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) (66) (A)	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visib Geomorphic Po Shallow Aquitar FAC Neutral Te Raised Ant Mod	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Primary Surfa High Satur Sedin Drift [Algal Iron [Surfa Inund Spars Field Ob Surface Water Ta Saturation	Hydrology Indica Indicators (min. of or one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) one Soil Cracks (B6) Indication Visible on Ae one of the self vegetated Consider Present? In Present?	one required; c rial Imagery (B cave Surface (Water-Staine and 4B) Salt Crust (E Aquatic Inve Hydrogen St Oxidized Rh Presence of Recent Iron Stunted or S Other (Explaiges) No	ertebrates (B1 ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remark	3) C1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) (66) (A)	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiter Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Primary Surfa Surfa Satur Sedin Sedin Surfa Inund Spars Field Ob Surface Water Ta Saturatio (Includes	Hydrology Indica Indicators (min. of of one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Indicator Visible on Aerical Vegetated Conservations: Water Present? In Present? In Present? In Capital Cap	one required; contained in the contained	Water-Stains and 4B)	and the state of t	3) C1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) 66) A) Wetla	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Primary Surfa Surfa Satur Sedin Sedin Surfa Inund Spars Field Ob Surface Water Ta Saturatio (Includes	Hydrology Indica Indicators (min. of of one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Indicator Visible on Aerical Vegetated Conservations: Water Present? In Present? In Present? In Capital Cap	one required; contained in the contained	Water-Staine and 4B) Salt Crust (E Aquatic Inve Hydrogen St Oxidized Rh Presence of Recent Iron Stunted or S Other (Explaiges) No	and the state of t	3) C1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) 66) A) Wetla	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Primary Surfa Surfa Satur Sedin Sedin Surfa Inund Spars Field Ob Surface Water Ta Saturatio (Includes	Hydrology Indica Indicators (min. of of one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Indicator Visible on Aerical Vegetated Conservations: Water Present? In Present? In Present? In Capital Cap	one required; contained in the contained	Water-Stains and 4B)	and the state of t	3) C1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) 66) A) Wetla	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Primary Surfa High Satur Water Sedin Drift [Algal Iron [Inund Spars Field Ob Surface Water Ta Saturatio (Includes	Hydrology Indica Indicators (min. of of one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Indicator Visible on Aerical Vegetated Conservations: Water Present? In Present? In Present? In Capital Cap	one required; contained in the contained	Water-Stains and 4B)	and the state of t	3) C1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) 66) A) Wetla	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Primary Surfa High Satur. Wate! Sedin Drift D Algal Iron D Surfa Inund Spars Field Ob Surface S Water Ta Saturatio (Includes Describe	Hydrology Indica Indicators (min. of or one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Indicator Visible on Aerological (B6) Indicator (B4) Indicators (B1) Indicators (B2) Indicators (B2) Indicators (B1) Indicators (B2) Indicato	one required; contained in the contained	Water-Stains and 4B)	and the state of t	3) C1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) 66) A) Wetla	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Primary Surfa High Satur Water Sedin Drift [Algal Iron [Inund Spars Field Ob Surface Water Ta Saturatio (Includes	Hydrology Indica Indicators (min. of or one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Indicator Visible on Aerological (B6) Indicator (B4) Indicators (B1) Indicators (B2) Indicators (B2) Indicators (B1) Indicators (B2) Indicato	one required; contained in the contained	Water-Stains and 4B)	and the state of t	3) C1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) 66) A) Wetla	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Primary Surfa High Satur. Wate! Sedin Drift D Algal Iron D Surfa Inund Spars Field Ob Surface S Water Ta Saturatio (Includes Describe	Hydrology Indica Indicators (min. of or one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Indicator Visible on Aerological (B6) Indicator (B4) Indicators (B1) Indicators (B2) Indicators (B2) Indicators (B1) Indicators (B2) Indicato	one required; contained in the contained	Water-Stains and 4B)	and the state of t	3) C1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) 66) A) Wetla	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Primary Surfa High Satur. Wate! Sedin Drift D Algal Iron D Surfa Inund Spars Field Ob Surface S Water Ta Saturatio (Includes Describe	Hydrology Indica Indicators (min. of or one Water (A1) Water Table (A2) ation (A3) In Marks (B1) Inent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Indicator Visible on Aerological (B6) Indicator (B4) Indicators (B1) Indicators (B2) Indicators (B2) Indicators (B1) Indicators (B2) Indicato	one required; contained in the contained	Water-Stains and 4B)	and the state of t	3) C1) long Living Ro n (C4) Tilled Soils (C ts (D1) (LRR A	oots (C3) 66) A) Wetla	A, Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)

WEILAND DETERMINATIO	N DATA FO	rivi – weste	rn woun	tains, valleys and Coast Region
Project/Site: ICG 252 nd Property		City/Cou	ınty: Cama	as/Clark Sampling Date: 08/15/2024
Applicant/Owner: HSR Capital, LLC			State: V	VA Sampling Point: TP-A2
Investigator(s): Naglich F., Mendez A.		Sectio	n, Townshi	p, Range: S35, T2N, R3E
Landform (hillslope, terrace, etc.): Depression		Local relief: (c	oncave, co	onvex, none): Concave Slope (%): 0-3
Subregion (LRR): A	Lat: 45.619	99713	Long: 45.	6199713 Datum: NAD83
Soil Map Unit Name: Tisch silt loam, 0 to 3 percent s	lopes			NWI classification: None
Are climatic / hydrologic conditions on the site typical	for this time of			
Are Vegetation ☐, Soil ☐, or Hydrology ☐ significan		Are	e "Normal (Circumstances" present? Yes⊠ No□ any answers in Remarks.)
Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally	problematic?	(If need	ed, explain	any answers in Remarks.)
SUMMARY OF FINDINGS - Attach site ma	p showing s	sampling po	int locati	ons, transects, important features, etc.
Hydrophytic Vegetation Present? Yes ⊠ No		In the Com		
Hydric Soils Present? Yes ⊠ No		Is the Sar within a V		a Yes⊠ No⊡
Wetland Hydrology Present? Yes ⊠ No				
Remarks: TP-A2 is located in the northern, central p	oortion of the s	ite and is paired	I WITH IP-A	.1.
VEGETATION – Use scientific names of pl				
T 0: 1 (D) 1 : 00 5 ::)	Absolute	Dominant	Indicator	Dominance Test Worksheet
<u>Tree Stratum</u> (Plot size: <u>30</u> ft radius)	% Cover	Species?	Status	Number of Deminent Species
1.				Number of Dominant Species 2 (/ That Are OBL, FACW, or FAC:
2.	%	· 		That Ale Obl., I ACW, OF I AC.
3. 4.	<u> </u>	·		Total Number of Dominant 2
50% = 20% =	- 70 %	=Total Cover		Species Across All Strata:
30 70 20 70		- Total Covel		
				Percent of Dominant Species
Sapling/Shrub Stratum (Plot size: 15 ft. radius)				That Are OBL, FACW, or FAC 100 (A
1	%			Prevalence Index worksheet
2.	%	· 		Total % Cover of: Multiply by:
3.	0.1			OBL species x 1=
4. 5.	- <u>%</u> %			FACW species x 2= FAC species x 3= FACU species x 4=
50% = 20% =		=Total Cover		FACU species x 3=
Herb Stratum (Plot size: 5 ft radius)		- Total Gover		UPL species
1. Juncus effusus	50%	yes	FACW	Column Totals: (A)
Phalaris arundinacea	50%	ves	FACW	Prevalence Index = B/A=
3.	%	·		Hydrophytic Vegetation Indicators:
4.	%			☐ 1 – Rapid Test for Hydrophytic Vegetation
5.	%			☑ 2 – Dominance Test is >50%
6.	%			☐ 3 - Prevalence Index is ≤3.0 ¹
7.	%			☐ 4 - Morphological Adaptations¹ (Provide
8	%			supporting data in Remarks or on a separate
9.	<u></u> %			sheet)
10		· <u></u>		☐ 5 - Wetland Non-Vascular Plants¹
11	%			
50% = <u>50</u> 20% = <u>20</u> <u>Woody Vine Stratum</u> (Plot size: <u>15</u> ft radius)	100%	=Total Cover		☐ Problematic Hydrophytic Vegetation¹ (Explain)
1	%			¹ Indicators of hydric soil and wetland hydrology
2	%	-T-4-1 O		must be present, unless disturbed or problematic.
50% = 20% =	<u></u>	=Total Cover		Hydrophytic
				Vegetation Present? Yes⊠ No□
% Bare Ground in Herb Stratum <u>0%</u>				
Remarks:				

SOIL Sampling Point: <u>TP-A2</u>

	escription: (Desc	ribe to the dep	oth needed to docu	ment the ind	icator or con	firm the ab	sence of indicators.)	
Depth	Matrix	_		Redox Feat			,	
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-6	10YR 2/2	98%	7.5YR 3/4	2%	C	М	Mucky Clay	See Remarks Below
6-16	10YR 4/1	97%	7.5YR 7/6	3%	С	М	Mucky Clay	See Remarks Below
		%		%				
		<u></u> %		%				
		%		%				<u></u>
		<u> </u>		<u>%</u>				
		%		<u> %</u>				
1-		<u> </u>		%			21 (1 5) 5	
			M=Reduced Matrix,					e Lining, M=Matrix
☐ Histos		pplicable to all	LRRs, unless other		.)		ndicators for Problema] 2 cm Muck (A10)	tic Hydric Soils
	Epipedon (A2)		☐ Sandy Redd				Red Parent Material (T	F2)
				` '	I) (avaant MI)		•	•
	Histic (A3)		Loamy Mucl	-		-	Very Shallow Dark Surf	
_	gen Sulfide (A4)	/ A 4 4 \	☐ Loamy Gley	-)		Other (Explain in Rema	irks)
	ted Below Dark Su	, ,	☐ Depleted Ma			21		
	Dark Surface (A12	•	Redox Dark	` ,		٦lr	ndicators of hydrophytic	
-	/ Mucky Minerals (S	•	•	ark Surface (F	7)		Wetland hydrology mus	
☐ Sandy	Gleyed Matrix (S4	1)	☐ Redox Depr	essions (F8)			unless disturbed or pro	biematic
Restricti	ve Layer (if prese	nt):						
_								
Type:	<u></u>					l localed	o Cail Draggraf?	VaaN Na
Depth (in						пуагі	c Soil Present?	Yes⊠ No□
Remarks	: Distinct and prom	inent redox cor	ncentrations.					
HYDROL	LOGY							
Wetland	Hydrology Indica	tors:						
	ndicators (min. of c		ook all that apply)				0	(O
Filliary II	nuicators (min. or c	nie required, ci	ieck all that apply)				Secondary Indica	tors (2 or more required)
Surface Surface	ce Water (A1)		☐ Water-Stain	ed Leaves (B	9) (except ML	RA 1, 2, 4A	A, 🔲 Water-Stained	l Leaves (B9) (MLRA 1, 2,
☐ High V	Vater Table (A2)		and 4B)				4A, and 4l	3)
☐ Satura	ation (A3)		☐ Salt Crust (E	311)			☐ Drainage Patt	erns (B10)
☐ Water	Marks (B1)		☐ Aquatic Inve	rtebrates (B1	3)		☐ Dry-Season V	Vater Table (C2)
	ent Deposits (B2)		☐ Hydrogen S					ible on Aerial Imagery (C9)
	eposits (B3)		Oxidized Rh	-	•	ots (C3)	☐ Geomorphic F	
	Mat or crust (B4)		☐ Presence of	-		()	☐ Shallow Aquit	
	eposits (B5)		☐ Recent Iron		, ,	6)	☐ FAC Neutral 1	
	ce Soil Cracks (B6)		Stunted or S		•	0)		
□ Surfac					C (1 17 1) (1 PP #	1 1	I I Raised Ant Ma	
						A)		ounds (D6) (LRR A)
Inunda	ation Visible on Ae	rial Imagery (B	7)			A)	∐ Raised Ant Mo ☐ Frost-Heave H	ounds (D6) (LRR A)
☐ Inunda	ation Visible on Aerely Vegetated Con	rial Imagery (B	7)			A)		ounds (D6) (LRR A)
☐ Inunda☐ Sparse	ation Visible on Aerely Vegetated Conservations:	rial Imagery (B7 cave Surface (B	7)	ain in Remark	s)	A)		ounds (D6) (LRR A)
☐ Inunda☐ Sparse Field Obs Surface V	ation Visible on Aelely Vegetated Conservations: Water Present?	rial Imagery (Bī cave Surface (I Yes ⊠	7)	ain in Remark	1		☐ Frost-Heave I	ounds (D6) (LRR A)
Inunda Sparse Field Obs Surface V Water Ta	ation Visible on Aei ely Vegetated Con- servations: Vater Present? ble Present?	rial Imagery (B7 cave Surface (I Yes ⊠ Yes □	7)	oth (Inches):	1 			ounds (D6) (LRR A) Hummocks (D7)
☐ Inunda☐ Spars Field Obs Surface V Water Ta Saturation	ation Visible on Aei ely Vegetated Con- servations: Vater Present? ble Present? n Present?	rial Imagery (Bī cave Surface (I Yes ⊠	7)	ain in Remark	1 		☐ Frost-Heave I	ounds (D6) (LRR A)
Inunda Sparse Field Obs Surface V Water Ta Saturation (Includes	ation Visible on Aei ely Vegetated Con- servations: Vater Present? ble Present? n Present? Capillary fringe)	rial Imagery (Bī cave Surface (I Yes ⊠ Yes □ Yes □	7)	oth (Inches): oth (Inches): oth (Inches):	1	Wetlar	☐ Frost-Heave H	ounds (D6) (LRR A) Hummocks (D7)
Inunda Sparse Field Obs Surface V Water Ta Saturation (Includes	ation Visible on Aei ely Vegetated Con- servations: Vater Present? ble Present? n Present? Capillary fringe)	rial Imagery (Bī cave Surface (I Yes ⊠ Yes □ Yes □	7)	oth (Inches): oth (Inches): oth (Inches):	1	Wetlar	☐ Frost-Heave H	ounds (D6) (LRR A) Hummocks (D7)
Inunda Sparse Field Obs Surface V Water Ta Saturation (Includes	ation Visible on Aei ely Vegetated Con- servations: Vater Present? ble Present? n Present? Capillary fringe)	rial Imagery (Bī cave Surface (I Yes ⊠ Yes □ Yes □	7)	oth (Inches): oth (Inches): oth (Inches):	1	Wetlar	☐ Frost-Heave H	ounds (D6) (LRR A) Hummocks (D7)
Inunda Sparse Field Obs Surface V Water Ta Saturation (Includes	ation Visible on Aei ely Vegetated Con- servations: Vater Present? ble Present? n Present? Capillary fringe)	rial Imagery (Bī cave Surface (I Yes ⊠ Yes □ Yes □	7)	oth (Inches): oth (Inches): oth (Inches):	1	Wetlar	☐ Frost-Heave H	ounds (D6) (LRR A) Hummocks (D7)
Inunda Sparse Field Obs Surface V Water Ta Saturation (Includes	ation Visible on Aeiely Vegetated Conservations: Water Present? ble Present? n Present? Capillary fringe) Recorded Data (Si	rial Imagery (Bī cave Surface (I Yes ⊠ Yes □ Yes □	7)	oth (Inches): oth (Inches): oth (Inches):	1	Wetlar	☐ Frost-Heave H	ounds (D6) (LRR A) Hummocks (D7)
☐ Inunda☐ Sparse Field Obs Surface V Water Ta Saturation (Includes Describe	ation Visible on Aeiely Vegetated Conservations: Water Present? ble Present? n Present? Capillary fringe) Recorded Data (Si	rial Imagery (Bī cave Surface (I Yes ⊠ Yes □ Yes □	7)	oth (Inches): oth (Inches): oth (Inches):	1	Wetlar	☐ Frost-Heave H	ounds (D6) (LRR A) Hummocks (D7)
☐ Inunda☐ Sparse Field Obs Surface V Water Ta Saturation (Includes Describe	ation Visible on Aeiely Vegetated Conservations: Water Present? ble Present? n Present? Capillary fringe) Recorded Data (Si	rial Imagery (Bī cave Surface (I Yes ⊠ Yes □ Yes □	7)	oth (Inches): oth (Inches): oth (Inches):	1	Wetlar	☐ Frost-Heave H	ounds (D6) (LRR A) Hummocks (D7)
☐ Inunda☐ Sparse Field Obs Surface V Water Ta Saturation (Includes Describe	ation Visible on Aeiely Vegetated Conservations: Water Present? ble Present? n Present? Capillary fringe) Recorded Data (Si	rial Imagery (Bī cave Surface (I Yes ⊠ Yes □ Yes □	7)	oth (Inches): oth (Inches): oth (Inches):	1	Wetlar	☐ Frost-Heave H	ounds (D6) (LRR A) Hummocks (D7)

WETLAND DETERMINATION	ON DATA FO	RM – Weste	rn Moun	tains, Valleys and (Coast Region	on
Project/Site: ICG 252 nd Property		City/Cou	unty: Cama		Sampling Da	ate: 08/15/2024
Applicant/Owner: HSR Cappital, LLC			State: V		Sampling Po	oint: TP-A3
Investigator(s): Naglich F., Mendez A.				p, Range: <u>S</u> 35, T2N, F	₹3E	
Landform (hillslope, terrace, etc.): Depression		_ `		onvex, none): None		Slope (%): 3-309
Subregion (LRR): A	Lat: 45.61			2.4112567	Datum: _	NAD83
Soil Map Unit Name: Olympic stony clay loam, 3 to 3 Are climatic / hydrologic conditions on the site typical				NWI classification: None		
Are Vegetation□, Soil□, or Hydrology□ significar				Circumstances" present		٦
Are Vegetation , Soil , or Hydrology naturally				any answers in Remarl		_
SUMMARY OF FINDINGS – Attach site ma	-	•		•	,	ures. etc.
Hydric Soils Present? Yes ☐ No		Is the Sar within a V	npled Area		No⊠	
Wetland Hydrology Present? Yes ☐ No				1 €2 □ 1		
Remarks: TP-A3 is located in the northeastern porti	on or the site a	ina is paired wit	II IF -/(\4 .			
VEGETATION – Use scientific names of pl				1		
Trop Stratum (Diet eizer20 ft radius)	Absolute	Dominant	Indicator	Dominance Test Wo	rksheet	
<u>Tree Stratum</u> (Plot size: <u>30</u> ft radius) 1. <i>Pseudotsuga menziesii</i>	<u>% Cover</u> 30%	Species? ves	Status FACU	Number of Dominant	Species	4 /^
2.		yes	FACU	That Are OBL, FACW		1 (A
3.	- / 0				,	
4.	%	-		Total Number of Dom		6 (B
50% = <u>15</u> 20% = <u>6</u>	30%	=Total Cover		Species Across All St	rata:	
				Percent of Dominant	Species	
Sapling/Shrub Stratum (Plot size: 15 ft. radius)				That Are OBL, FACW		<u>17</u> (A
Oemleria cerasiformis	5%	yes	FACU	Prevalence Index we		
2. Symphoricarpos albus	5%	yes	FACU	Total % Cover	of:	Multiply by:
3. Rubus parviflorus	5%	yes	FAC	OBL species		1=
4.	<u>%</u>			FACW species		2=
5.	<u>%</u>	T.1.10		FAC species		3= 4=
50% = <u>8</u> 20% = <u>3</u> Herb Stratum (Plot size: 5 ft radius)	15%	=Total Cover		FACU species UPL species		4= <u></u> 5=
1. Polystichum munitum	30%	yes	FACU	Column Totals:		A) (
2. Rubus ursinus	30%	yes	FACU		ce Index = B/A	•
3.	<u> </u>			Hydrophytic Vegeta		
4.	%			1 – Rapid Test		
5.	%			2 – Dominance		
6	%			3 - Prevalence		
7.	%			4 - Morphologic		
8. 9.	<u> %</u> %			supporting data	in Remarks o	or on a separate
40		·		5 - Wetland No	n Vascular Dl	onte ¹
10. 11.	- / 0				i-vasculai i ie	11113
50% = 30 20% = 12	60%	=Total Cover		☐ Problematic Hy	drophytic Vea	etation¹ (Explain)
Woody Vine Stratum (Plot size: 15 ft radius)		-		_ ,	. , .	(
1	%			¹ Indicators of hydric s		
2	%			must be present, unle	ess disturbed o	or problematic.
50% = 20% =	%	=Total Cover		Hydrophytic		
% Bare Ground in Herb Stratum <u>40%</u>				Vegetation Present?		Yes□ No⊠
Remarks:				1		

SOIL Sampling Point: <u>TP-A3</u>

	esciption: (Desci	ribe to the dep	oth needed to docu	ment the ind	icator or com	irm the abs	sence of indicators.)	
Depth	Matrix			Redox Feat	Ires			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-8	10YR 3/2	100%		%			Silt Loam	
8-16	10YR 5/2	100%		%			Silt Loam	
		<u>%</u> %		<u>%</u> %				
				- %				
				<u> </u>				
				<u>%</u>				
		%		%				
			M=Reduced Matrix,				² Location: PL=Pore	
		plicable to all	LRRs, unless other)		dicators for Problemat	ic Hydric Soils
Histosal			☐ Sandy Redo				2 cm Muck (A10)	
	pipedon (A2)		☐ Stripped Ma				Red Parent Material (TF	
☐ Black Hi			Loamy Mucl				Very Shallow Dark Surfa	
	en Sulfide (A4)		Loamy Gley)	Ш	Other (Explain in Remar	rks)
	d Below Dark Su	, ,	☐ Depleted Ma	, ,		0.		
	ark Surface (A12	•	Redox Dark	, ,			dicators of hydrophytic v	
-	Mucky Minerals (S	•	Depleted Da	•	7)		Wetland hydrology must unless disturbed or prob	
☐ Sandy G	Gleyed Matrix (S4	·)	☐ Redox Depr	essions (F8)			unless disturbed or prob	nematic
Restrictive	Layer (if prese	nt):						
_								
Type: Depth (inch						Hydric	Soil Present?	Yes⊡ No⊠
Remarks:	les)					пушт	, Son Fresent?	Tes NO
Remarks.								
HYDROLO	OGY							
	OGY ydrology Indica	tors:						
Wetland H	ydrology Indicat		neck all that apply)				Secondary Indicat	tors (2 or more required)
Wetland Hy	ydrology Indicat dicators (min. of o			ed Leaves (R	2) (aveant MI F	20.1.2.40		• • • • • • • • • • • • • • • • • • • •
Wetland Hy Primary Ind ☐ Surface	ydrology Indicated in the second in the seco		☐ Water-Stain	•	9) (except MLF	RA 1, 2, 4A	, ☐ Water-Stained	Leaves (B9) (MLRA 1, 2,
Wetland Hy Primary Ind ☐ Surface ☐ High Wa	ydrology Indicat dicators (min. of o Water (A1) ater Table (A2)		☐ Water-Staine	,	9) (except MLF	RA 1, 2, 4A	, ☐ Water-Stained 4A, and 4B	Leaves (B9) (MLRA 1, 2,
Wetland Hy Primary Ind Surface High Wa	ydrology Indicat dicators (min. of o Water (A1) ater Table (A2) on (A3)		☐ Water-Stain and 4B) ☐ Salt Crust (E	311)		RA 1, 2, 4A	,	Leaves (B9) (MLRA 1, 2, B) erns (B10)
Wetland Hy Primary Ind Surface High Wa Saturati Water M	ydrology Indicated dicators (min. of one of the of		☐ Water-Staine and 4B) ☐ Salt Crust (E	311) ertebrates (B1	3)	RA 1, 2, 4A	, Water-Stained 4A, and 4B Drainage Patte Dry-Season W	Leaves (B9) (MLRA 1, 2, B) erns (B10) fater Table (C2)
Wetland Hy Primary Ind Surface High Wa Saturati Water M Sedimen	ydrology Indicated dicators (min. of one of the order (A1) atter Table (A2) on (A3) Marks (B1) attertion (B2)		☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve	311) ertebrates (B1 ulfide Odor (C	3)		, Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9)
Wetland Hy Primary Ind Surface High Wa Saturati Water M Sedimer Drift Dep	ydrology Indicated dicators (min. of		☐ Water-Staind and 4B) ☐ Salt Crust (E☐ Aquatic Inve	311) ertebrates (B1 ulfide Odor (C iizospheres al	3) 1) ong Living Roc		, Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po	Leaves (B9) (MLRA 1, 2, 3) erns (B10) fater Table (C2) ble on Aerial Imagery (C9) osition (D2)
Wetland Hy Primary Ind Surface High Wa Saturatia Water M Sedimer Drift Dep Algal Ma	ydrology Indicated icators (min. of of of water (A1) ater Table (A2) on (A3) Marks (B1) nt Deposits (B2) posits (B3) at or crust (B4)		☐ Water-Staind and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen Stain ☐ Oxidized Rh ☐ Presence of	B11) ertebrates (B1) ulfide Odor (C iizospheres al Reduced Iror	3) 1) ong Living Roc ı (C4)	ts (C3)	, Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po	Leaves (B9) (MLRA 1, 2, 3) erns (B10) fater Table (C2) ble on Aerial Imagery (C9) osition (D2) and (D3)
Wetland Hy Primary Ind Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma	ydrology Indicated dicators (min. of	ne required; ch	☐ Water-Staind and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen St ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron	B11) ertebrates (B1: ulfide Odor (C izospheres al Reduced Iror Reduction in	3) 1) ong Living Roc ı (C4) Tilled Soils (C6	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visi Geomorphic Po Shallow Aquita FAC Neutral To	Leaves (B9) (MLRA 1, 2, B) erns (B10) fater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5)
Wetland Hy Primary Ind Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface	ydrology Indicated dicators (min. of	ne required; ch	□ Water-Stains and 4B) □ Salt Crust (E □ Aquatic Inve □ Hydrogen Si □ Oxidized Rh □ Presence of □ Recent Iron □ Stunted or S	B11) ertebrates (B1: ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant	3) ong Living Roon (C4) Tilled Soils (C6s (D1) (LRR A	ts (C3)	, Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visit Geomorphic Potential Shallow Aquita FAC Neutral Total	Leaves (B9) (MLRA 1, 2, 3) erns (B10) eater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) ennds (D6) (LRR A)
Wetland Hy Primary Ind Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface	ydrology Indicated dicators (min. of	ne required; ch	□ Water-Stains and 4B) □ Salt Crust (E □ Aquatic Inve □ Hydrogen Si □ Oxidized Rh □ Presence of □ Recent Iron □ Stunted or S 7) □ Other (Explains)	B11) ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant	3) ong Living Roon (C4) Tilled Soils (C6s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visi Geomorphic Po Shallow Aquita FAC Neutral To	Leaves (B9) (MLRA 1, 2, 3) erns (B10) eater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) ennds (D6) (LRR A)
Wetland Hy Primary Ind Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely	ydrology Indicated dicators (min. of one of	ne required; ch	□ Water-Stains and 4B) □ Salt Crust (E □ Aquatic Inve □ Hydrogen Si □ Oxidized Rh □ Presence of □ Recent Iron □ Stunted or S 7) □ Other (Explains)	B11) ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant	3) ong Living Roon (C4) Tilled Soils (C6s (D1) (LRR A	ts (C3)	, Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visit Geomorphic Potential Shallow Aquita FAC Neutral Total	Leaves (B9) (MLRA 1, 2, 3) erns (B10) eater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) ennds (D6) (LRR A)
Wetland Hy Primary Ind Surface High Wa Saturati Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (E	☐ Water-Stain and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen Si ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron ☐ Stunted or Si ☐ Other (Explains)	B11) ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks	3) ong Living Roo n (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	, Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visit Geomorphic Potential Shallow Aquita FAC Neutral Total	Leaves (B9) (MLRA 1, 2, 3) erns (B10) eater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) ennds (D6) (LRR A)
Wetland Hy Primary Ind Surface High Wa Saturatie Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse	ydrology Indicated dicators (min. of or water (A1) ater Table (A2) on (A3) Marks (B1) at or crust (B4) posits (B3) at or crust (B4) posits (B5) Soil Cracks (B6) ion Visible on Aery Vegetated Concervations: ater Present?	ne required; ch rial Imagery (B7 cave Surface (B Yes □	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains)	B11) ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks	3) ong Living Roo ong C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visit Geomorphic Potential FAC Neutral Total Raised Ant Motential	Leaves (B9) (MLRA 1, 2, 3) erns (B10) eater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) ennds (D6) (LRR A)
Wetland Hy Primary Ind Surface High Wa Saturati Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (E	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ⊠ Deg	B11) ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks	3) ong Living Roc i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	, Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visit Geomorphic Potential Shallow Aquita FAC Neutral Total	Leaves (B9) (MLRA 1, 2, 3) erns (B10) eater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) ennds (D6) (LRR A)
Wetland Hy Primary Ind Surface High Wa Saturatie Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse Surface Water Table Saturation I	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (B Yes Yes Yes Yes Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ☑ Dep No ☑ Dep	ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Roo i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po Shallow Aquita FAC Neutral To Raised Ant Mo Frost-Heave H	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) eunds (D6) (LRR A) ummocks (D7)
Wetland Hy Primary Ind Surface High Wa Saturatie Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse Surface Water Table Saturation I	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (B Yes Yes Yes Yes Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ⊠ Deg	ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Roo i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po Shallow Aquita FAC Neutral To Raised Ant Mo Frost-Heave H	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) eunds (D6) (LRR A) ummocks (D7)
Wetland Hy Primary Ind Surface High Wa Saturatie Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse Surface Water Table Saturation I	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (B Yes Yes Yes Yes Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ☑ Dep No ☑ Dep	ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Roo i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po Shallow Aquita FAC Neutral To Raised Ant Mo Frost-Heave H	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) eunds (D6) (LRR A) ummocks (D7)
Wetland Hy Primary Ind Surface High Wa Saturatie Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse Surface Water Table Saturation I	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (B Yes Yes Yes Yes Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ☑ Dep No ☑ Dep	ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Roo i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po Shallow Aquita FAC Neutral To Raised Ant Mo Frost-Heave H	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) eunds (D6) (LRR A) ummocks (D7)
Wetland Hy Primary Ind Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse Surface Wa Water Table Saturation I (Includes C Describe R	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (B Yes Yes Yes Yes Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ☑ Dep No ☑ Dep	ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Roo i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po Shallow Aquita FAC Neutral To Raised Ant Mo Frost-Heave H	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) eunds (D6) (LRR A) ummocks (D7)
Wetland Hy Primary Ind Surface High Wa Saturatie Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse Surface Water Table Saturation I	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (B Yes Yes Yes Yes Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ☑ Dep No ☑ Dep	ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Roo i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po Shallow Aquita FAC Neutral To Raised Ant Mo Frost-Heave H	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) eunds (D6) (LRR A) ummocks (D7)
Wetland Hy Primary Ind Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse Surface Wa Water Table Saturation I (Includes C Describe R	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (B Yes Yes Yes Yes Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ☑ Dep No ☑ Dep	ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Roo i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po Shallow Aquita FAC Neutral To Raised Ant Mo Frost-Heave H	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) eunds (D6) (LRR A) ummocks (D7)
Wetland Hy Primary Ind Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse Surface Wa Water Table Saturation I (Includes C Describe R	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (B Yes Yes Yes Yes Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ☑ Dep No ☑ Dep	ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Roo i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po Shallow Aquita FAC Neutral To Raised Ant Mo Frost-Heave H	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) eunds (D6) (LRR A) ummocks (D7)
Wetland Hy Primary Ind Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely Field Obse Surface Wa Water Table Saturation I (Includes C Describe R	ydrology Indicated dicators (min. of one of	rial Imagery (B7 cave Surface (B Yes Yes Yes Yes Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S Other (Explains) No ☑ Dep No ☑ Dep	ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Roo i (C4) Tilled Soils (C6 s (D1) (LRR A	ts (C3)	Water-Stained 4A, and 4B Drainage Patte Dry-Season W Saturation Visil Geomorphic Po Shallow Aquita FAC Neutral To Raised Ant Mo Frost-Heave H	Leaves (B9) (MLRA 1, 2, 3) erns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) ard (D3) est (D5) eunds (D6) (LRR A) ummocks (D7)

WEILAND DEIERMINATIC	NUATAFC	rkivi – vveste	m woun	iailis, valleys allu coas	i Region
Project/Site: ICG 252 nd Property		City/Cou	unty: Cama	is/Clark San	npling Date: 08/15/2024
Applicant/Owner: HSR Capital, LLC			State: V	VA Sam	ppling Point: TP-A4
Investigator(s): Naglich F., Mendez A.		Sectio	n, Townshi	p, Range: S35, T2N, R3E	· •
Landform (hillslope, terrace, etc.): Depression		Local relief: (c	oncave, co	nvex, none): Concave	Slope (%): 3-30%
Subregion (LRR): A	Lat: 45.61	95713	Long: -12	2.4113417 D	Datum: NAD83
Soil Map Unit Name: Olympic stony clay loam, 3 to	30 percent slop	es		NWI classification: None	_
Are climatic / hydrologic conditions on the site typica					
Are Vegetation⊡, Soil⊡, or Hydrology⊡ significai		Are	e "Normal (Circumstances" present? Yes any answers in Remarks.)	⊠ No□
Are Vegetation \square , Soil \square , or Hydrology \square $\;\;$ naturally	•				
SUMMARY OF FINDINGS – Attach site ma	p showing s	sampling po	int locati	ons, transects, importa	nt features, etc.
Hydrophytic Vegetation Present? Yes ⊠ No		le the Cor	anlad Ava	_	
		within a V	npled Area	yes⊠ No⊡	
Wetland Hydrology Present? Yes ⊠ No				res No	
Remarks: TP-A4 is located in the northeastern port	ion of the site a	ınd is paired wit	h TP-A3.		
VEGETATION – Use scientific names of p	lants.				
	Absolute	Dominant	Indicator	Dominance Test Worksho	eet
Tree Stratum (Plot size:30 ft radius)	% Cover	Species?	Status		
1.	%			Number of Dominant Speci	ies 1 (A)
2.	%			That Are OBL, FACW, or F.	AC: (4)
3.	%			1	
4.	%			Total Number of Dominant	1 (B)
50% = 20% =	%	=Total Cover		Species Across All Strata:	、 ,
		•		Developt of Developet Consi	
Sapling/Shrub Stratum (Plot size: 15 ft. radius)				Percent of Dominant Species That Are OBL, FACW, or F.	
1	%			Prevalence Index worksh	
	- 0/			Total % Cover of:	
	0/			OBL species	x 1=
4.					
5.	<u> </u>	·		FAC species	x 3=
50% = 20% =	<u> </u>	=Total Cover		i -	x 2= x 3= x 4=
Herb Stratum (Plot size: 5 ft radius)				UPL species	x 5=
1. Phalaris arundinacea	100%	ves	FACW	Column Totals:	(A) (B
2.	%			Prevalence Ind	
3.	%			Hydrophytic Vegetation II	ndicators:
4.	%			☐ 1 – Rapid Test for Hy	
5.	%				is >50%
6.	%			3 - Prevalence Index	is $\leq 3.0^{1}$
7.	%			4 - Morphological Ada	
8	%			_	emarks or on a separate
9	%			sheet)	
10				☐ 5 - Wetland Non-Vase	cular Plants ¹
11	%			<u> </u>	
50% = <u>50</u> 20% = <u>20</u>	100%	=Total Cover		☐ Problematic Hydroph	ytic Vegetation¹ (Explain)
Woody Vine Stratum (Plot size: 15 ft radius)				4	
1.	%			¹ Indicators of hydric soil and	
2	%			must be present, unless dis	sturbed or problematic.
50% = 20% =	%	=Total Cover		I la columna de	
				Hydrophytic	
				Vegetation Present?	Yes⊠ No□
% Bare Ground in Herb Stratum 0%				1 1636111:	I GOM MOM
Remarks:				1	
Tomano.					

SOIL Sampling Point: <u>TP-A4</u>

	Description: (Desc	ribe to the der	oth needed to docu	ment the ind	icator or con	firm the a	absence of indicators.)	
Depth	Matrix	_		Redox Feat			,	
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-10	10YR 3/1	90%	10YR 5/4	10%		M	Silty Clay Loam	See Remarks Below
10-16	10YR 4/1	90%	10YR 5/4	10%	C	М	Silty Clay Loam	See Remarks Below
		%		%			· ·	
		%		%				
		%		%			· · ·	
		<u></u> %		<u></u> %			-	
		%		<u>%</u>				
				%				
			M=Reduced Matrix,			and Grains		re Lining, M=Matrix
		oplicable to all	LRRs, unless other)	1	Indicators for Problema	atic Hydric Soils
Histor	sai (A1) Epipedon (A2)		☐ Sandy Redo ☐ Stripped Ma				☐ 2 cm Muck (A10)☐ Red Parent Material (T	·E2\
			• •		\ /awaant MI		•	•
	Histic (A3)		Loamy Muck			-	☐ Very Shallow Dark Sur	
	ogen Sulfide (A4)		☐ Loamy Gley)		Other (Explain in Rema	arks)
	eted Below Dark Su	, ,	□ Depleted Ma □ D			,	2	
	Dark Surface (A12	•	⊠ Redox Dark	, ,		•	3Indicators of hydrophytic	
	y Mucky Minerals (•	Depleted Da	`	7)		Wetland hydrology mu	
☐ Sand	y Gleyed Matrix (S ²	4)	☐ Redox Depr	essions (F8)			unless disturbed or pro	bblematic
Restricti	ive Layer (if prese	nt):						
_								
Type: Depth (ir	achoe):					Llvd	Iric Soil Present?	Yes⊠ No⊡
						Tiyu	inc Jon Fresent:	I ES NO
Remarks	: Distinct redox cor	ncentrations.						
HYDRO	LOGY							
Wetland	Hydrology Indica	tors:						
·		one required: cl	neck all that apply)				Secondary Indic	ptors (2 or more required)
	indicators (min. or c	one required; ch	neck all that apply)					ators (2 or more required)
_	ce Water (A1)	one required; ch	☐ Water-Stain		9) (except ML	_RA 1, 2,	4A , ☐ Water-Staine	d Leaves (B9) (MLRA 1, 2,
High	ce Water (A1) Water Table (A2)	one required; ch	☐ Water-Staine		9) (except ML	_RA 1, 2, 4	4A, Water-Staine 4A, and 4	d Leaves (B9) (MLRA 1, 2, B)
☐ High \	ce Water (A1) Water Table (A2) ation (A3)	one required; ch	☐ Water-Staind and 4B)	311)		_RA 1, 2, 4	4A, ☐ Water-Staine 4A, and 4 ☐ Drainage Pat	d Leaves (B9) (MLRA 1, 2, B) terns (B10)
☐ High \	ce Water (A1) Water Table (A2)	one required; ch	☐ Water-Staine	311)		_RA 1, 2, 4	4A, ☐ Water-Staine 4A, and 4 ☐ Drainage Pat ☐ Dry-Season N	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Water Table (C2)
☐ High \ ☑ Satura ☐ Water	ce Water (A1) Water Table (A2) ation (A3)	one required; ch	☐ Water-Staind and 4B)	311) ertebrates (B1	3)	.RA 1, 2, 4	4A, ☐ Water-Staine 4A, and 4 ☐ Drainage Pat ☐ Dry-Season N	d Leaves (B9) (MLRA 1, 2, B) terns (B10)
☐ High \ ☐ Satura ☐ Water ☐ Sedin	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1)	one required; ch	☐ Water-Staine and 4B) ☐ Salt Crust (E	311) ertebrates (B1 ulfide Odor (C	3)		4A, ☐ Water-Staine 4A, and 4 ☐ Drainage Pat ☐ Dry-Season N	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Water Table (C2) sible on Aerial Imagery (C9)
☐ High \\ ☐ Satura ☐ Water ☐ Sedin ☐ Drift □	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2)	one required; ch	☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve	311) ertebrates (B1 ulfide Odor (C izospheres al	3) 1) ong Living Ro		4A,	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2)
High \\ Satura Satura Water Sedin Drift D	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3)	one required; ch	☐ Water-Staind and 4B) ☐ Salt Crust (E☐ Aquatic Inve	B11) ertebrates (B1) ulfide Odor (C izospheres al Reduced Iror	3) 11) ong Living Ro ı (C4)	oots (C3)	Water-Staine 4A, and 4 Drainage Pat Dry-Season V Saturation Vis Geomorphic	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3)
☐ High \ ☐ Satura ☐ Water ☐ Sedin ☐ Drift □ ☐ Algal ☐ Iron □	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4)		☐ Water-Staind and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen St ☐ Oxidized Rh ☐ Presence of	311) Intebrates (B1: Intebrates (B1: Interpretation of the second of the	3) 1) ong Living Ro ı (C4) Tilled Soils (C	oots (C3)	Water-Staine 4A, and 4 Drainage Pat Dry-Season Vi Saturation Vis Geomorphic I Shallow Aqui FAC Neutral	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3)
☐ High \ ☐ Satura ☐ Water ☐ Sedin ☐ Drift □ ☐ Algal ☐ Iron □ ☐ Surfac	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5))	□ Water-Stains and 4B) □ Salt Crust (E □ Aquatic Inve □ Hydrogen Si □ Oxidized Rh □ Presence of □ Recent Iron □ Stunted or S	311) Intebrates (B1) Intebrates (B1) Integrated Integrated Incomplete Incompl	3) 1) ong Living Ro 1 (C4) Tilled Soils (C s (D1) (LRR A	oots (C3)	Water-Staine 4A, and 4 Drainage Pat Dry-Season V Saturation Vis Geomorphic I Shallow Aquit FAC Neutral Raised Ant M	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A)
High \ Satura Satura Water Sedin Drift C Algal Iron C Surfac	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) ation Visible on Ae) rial Imagery (B	□ Water-Stain and 4B) □ Salt Crust (E □ Aquatic Inve □ Hydrogen Si □ Oxidized Rh □ Presence of □ Recent Iron □ Stunted or S 7) □ Other (Explain	311) Intebrates (B1) Intebrates (B1) Integrated Integrated Incomplete Incompl	3) 1) ong Living Ro 1 (C4) Tilled Soils (C s (D1) (LRR A	oots (C3)	Water-Staine 4A, and 4 Drainage Pat Dry-Season Vi Saturation Vis Geomorphic I Shallow Aqui FAC Neutral	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A)
High Natural Satural Sedin Drift Date Algal Iron Date Surface Inund	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6)) rial Imagery (B	□ Water-Stain and 4B) □ Salt Crust (E □ Aquatic Inve □ Hydrogen Si □ Oxidized Rh □ Presence of □ Recent Iron □ Stunted or S 7) □ Other (Explain	311) Intebrates (B1) Intebrates (B1) Integrated Integrated Incomplete Incompl	3) 1) ong Living Ro 1 (C4) Tilled Soils (C s (D1) (LRR A	oots (C3)	Water-Staine 4A, and 4 Drainage Pat Dry-Season V Saturation Vis Geomorphic I Shallow Aquit FAC Neutral Raised Ant M	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A)
High Natural Satural Sedin Drift Date Algal Iron Date Inund Spars	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con) rial Imagery (B	☐ Water-Stain and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen Si ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron ☐ Stunted or S 7) ☐ Other (Explain	B11) Intebrates (B1) Intebrates (B1) Interpretation (C) Izospheres al Reduced Iror Reduction in Interpretation in Remarks	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	oots (C3)	Water-Staine 4A, and 4 Drainage Pat Dry-Season V Saturation Vis Geomorphic I Shallow Aquit FAC Neutral Raised Ant M	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A)
High Natural Satural Sedin Drift Date Natural Sedin Drift Date Natural Sedin Drift Date Natural Sedin Drift Date Natural Sedin Date Natura Sedin Date Natura Sedin Date Natura Sedin Date Natura Sedin Date	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con) rial Imagery (B cave Surface (l	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S T) Other (Explain	311) Intebrates (B1) Intebrates (B1) Integrated Integrated Incomplete Incompl	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	oots (C3) (C6) (A)	Water-Staine 4A, and 4 Drainage Pat Dry-Season V Saturation Vis Geomorphic I Shallow Aquit FAC Neutral Raised Ant M	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)
High Natural Satural Water Sedin Drift Date Iron Date Iron Date Inund Spars	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con pservations: Water Present?) rial Imagery (B cave Surface (l Yes □	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8) No ⊠ Deg	and the state of t	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	oots (C3) (C6) (A)	Water-Staine 4A, and 4 Drainage Pat Dry-Season V Saturation Vis Geomorphic I Shallow Aquit FAC Neutral Raised Ant M Frost-Heave	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)
High Natural Water Sedin Drift Date Algal Iron Date Inund Spars Field Obsurface Water Tasaturatio (Includes	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con pservations: Water Present? able Present? on Present?) rial Imagery (B cave Surface (l Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8) No ☑ Dep No ☑ Dep	and the state of t	3) ong Living Ro i (C4) Tilled Soils (C s (D1) (LRR i	oots (C3) (C3) (C4) (Wetla	Water-Staine 4A, and 4 Drainage Pate Dry-Season Water-Staine Saturation Vises Geomorphic Shallow Aquit FAC Neutral Raised Ant Material Frost-Heave	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)
High Natural Water Sedin Drift Date Algal Iron Date Inund Spars Field Obsurface Water Tasaturatio (Includes	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con pservations: Water Present? able Present? on Present?) rial Imagery (B cave Surface (l Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8) No ⊠ Deg	and the state of t	3) ong Living Ro i (C4) Tilled Soils (C s (D1) (LRR i	oots (C3) (C3) (C4) (Wetla	Water-Staine 4A, and 4 Drainage Pate Dry-Season Water-Staine Saturation Vises Geomorphic Shallow Aquit FAC Neutral Raised Ant Material Frost-Heave	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)
High Natural Water Sedin Drift Date Algal Iron Date Inund Spars Field Obsurface Water Tasaturatio (Includes	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con pservations: Water Present? able Present? on Present?) rial Imagery (B cave Surface (l Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8) No ☑ Dep No ☑ Dep	and the state of t	3) ong Living Ro i (C4) Tilled Soils (C s (D1) (LRR i	oots (C3) (C3) (C4) (Wetla	Water-Staine 4A, and 4 Drainage Pate Dry-Season Water-Staine Saturation Vises Geomorphic Shallow Aquit FAC Neutral Raised Ant Material Frost-Heave	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)
High Natural Water Sedin Drift Date Algal Iron Date Inund Spars Field Obsurface Water Tasaturatio (Includes	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con pservations: Water Present? able Present? on Present?) rial Imagery (B cave Surface (l Yes	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8) No ☑ Dep No ☑ Dep	and the state of t	3) ong Living Ro i (C4) Tilled Soils (C s (D1) (LRR i	oots (C3) (C3) (C4) (Wetla	Water-Staine 4A, and 4 Drainage Pate Dry-Season Water-Staine Saturation Vises Geomorphic Shallow Aquit FAC Neutral Raised Ant Material Frost-Heave	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)
High Natural Saturation (Includes Describe	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con servations: Water Present? able Present? on Present? s Capillary fringe) e Recorded Data (S) rial Imagery (B' cave Surface (l Yes □ Yes □ Yes ⊠ tream gauge, n	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8) No ☑ Dep No ☑ Dep	and the state of t	3) ong Living Ro i (C4) Tilled Soils (C s (D1) (LRR i	oots (C3) (C3) (C4) (Wetla	Water-Staine 4A, and 4 Drainage Pate Dry-Season Water-Staine Saturation Vises Geomorphic Shallow Aquit FAC Neutral Raised Ant Material Frost-Heave	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)
High Natural Saturation (Includes Describe	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con pservations: Water Present? able Present? on Present?) rial Imagery (B' cave Surface (l Yes □ Yes □ Yes ⊠ tream gauge, n	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8) No ☑ Dep No ☑ Dep	and the state of t	3) ong Living Ro i (C4) Tilled Soils (C s (D1) (LRR i	oots (C3) (C3) (C4) (Wetla	Water-Staine 4A, and 4 Drainage Pate Dry-Season Water-Staine Saturation Vises Geomorphic Shallow Aquit FAC Neutral Raised Ant Material Frost-Heave	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)
High Natural Saturation (Includes Describe	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con servations: Water Present? able Present? on Present? s Capillary fringe) e Recorded Data (S) rial Imagery (B' cave Surface (l Yes □ Yes □ Yes ⊠ tream gauge, n	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8) No ☑ Dep No ☑ Dep	and the state of t	3) ong Living Ro i (C4) Tilled Soils (C s (D1) (LRR i	oots (C3) (C3) (C4) (Wetla	Water-Staine 4A, and 4 Drainage Pate Dry-Season Water-Staine Saturation Vises Geomorphic Shallow Aquit FAC Neutral Raised Ant Material Frost-Heave	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)
High Natural Saturation (Includes Describe	ce Water (A1) Water Table (A2) ation (A3) r Marks (B1) nent Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ce Soil Cracks (B6) lation Visible on Ae sely Vegetated Con servations: Water Present? able Present? on Present? s Capillary fringe) e Recorded Data (S) rial Imagery (B' cave Surface (l Yes □ Yes □ Yes ⊠ tream gauge, n	Water-Stain and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S 7) Other (Explain B8) No ☑ Dep No ☑ Dep	and the state of t	3) ong Living Ro i (C4) Tilled Soils (C s (D1) (LRR i	oots (C3) (C3) (C4) (Wetla	Water-Staine 4A, and 4 Drainage Pate Dry-Season Water-Staine Saturation Vises Geomorphic Shallow Aquit FAC Neutral Raised Ant Material Frost-Heave	d Leaves (B9) (MLRA 1, 2, B) terns (B10) Vater Table (C2) sible on Aerial Imagery (C9) Position (D2) tard (D3) Test (D5) lounds (D6) (LRR A) Hummocks (D7)

WETLAND DETERMINATION	N DATA FU				COAST KE	gion	
Project/Site: ICG 252 nd Property		City/Cou	unty: Cama			Date: 08/15/202	24
Applicant/Owner: HSR Capital, LLC			State: V			Point: TP-A5	
nvestigator(s): Naglich F., Mendez A.				p, Range: <u>\$35, T2N,</u>	K3E	C! (2/)	2.001
Landform (hillslope, terrace, etc.): Terrace	1 1 45 04	_ `		nvex, none): None		Slope (%):)-3%
Subregion (LRR): A	Lat: 45.619	91137		2.4124104		n: NAD83	
Soil Map Unit Name: Tisch silt loam, 0 to 3 percent				NWI classification: Nor			
Are climatic / hydrologic conditions on the site typica Are Vegetation□, Soil□, or Hydrology□ significar				no, explain Remarks. Dircumstances" presen		Ja 🗆	
Are Vegetation⊡, Soil⊡, or Hydrology⊡ signilical Are Vegetation⊡, Soil⊡, or Hydrology⊡ naturally				any answers in Rema		NO	
SUMMARY OF FINDINGS – Attach site ma	•	•	•	•	•	actures etc	
			iiit iocati	ons, transects, im	portant is	eatures, etc.	
			npled Area	1			
		within a V	Vetland?	Yes□	No⊠		
Remarks: TP-A5 is located in the central portion of		paired with TP-	A6				
VEGETATION – Use scientific names of p				T =			
Tree Ctrature (District 20 ft radius)	Absolute % Cover	Dominant	Indicator	Dominance Test W	orksheet		
<u>Tree Stratum</u> (Plot size: <u>30</u> ft radius) 1.	% Cover	Species?	Status	Number of Dominan	t Species	3	(
2.	- / / %	·		That Are OBL, FAC			_ (A)
3.		-		1	,		
4.	- / 6			Total Number of Dor		5	(B)
50% = 20% =	%	=Total Cover		Species Across All S	itrata:		_ (-)
<u> </u>				D			
Sapling/Shrub Stratum (Plot size: 15 ft. radius)				Percent of Dominant That Are OBL, FACN		60	(A/I
1. <i>Phyllostachys</i> sp.*	10%	ves	UPL	Prevalence Index w		<u>00</u>	(//\
2		yes	UFL	Total % Cover		Multiply by	
3.				OBL species	01.	x 1=	
4.	<u> </u>			FACW species		x 2=	
5.	%			FAC species			
50% = <u>5</u> 20% = <u>2</u>	10%	=Total Cover		FACU species		x 3= x 4=	
Herb Stratum (Plot size: 5 ft radius)				UPL species		x 5=	
1. Lolium perenne	30%	yes	FAC	Column Totals:		(A)	(E
2. Daucus carota	10%	yes	FACU		nce Index =		
3. Rumex obtusifolius	10%	yes	FAC	Hydrophytic Vegeta			
4. Plantago major	10%	yes	FAC	☐ 1 – Rapid Test			
5. Cirsium vulgare	5%	no	<u>FACU</u>				
6.				3 - Prevalence			
7.	%			4 - Morphologi		ons ' (Provide (s or on a separa	
8. 9.	<u>%</u>			supporting date	a III Neillaik	s or on a separa	E
40				5 - Wetland No	on Vaccular	Dianta1	
10 11.				5 - Welland No	ni-vasculai	Fidilis	
50% = <u>33</u> 20% = <u>13</u>	65%	=Total Cover		☐ Problematic H	vdrophytic \	/egetation¹ (Expla	in)
Woody Vine Stratum (Plot size: 15 ft radius)		10101 00101			, ar opriya o v	ogotation (Expire	,
1	%			¹ Indicators of hydric	soil and we	land hydrology	
2.	%			must be present, unl			
50% = 20% =	%	=Total Cover					
<u> </u>				Hydrophytic Vegetation Present?		Yes⊠ No	П
% Bare Ground in Herb Stratum 35%							_
Remarks: Phyllostachis sp.* assumed UPL.							
•							

SOIL Sampling Point: <u>TP-A5</u>

	Description: (Descr	ibe to the dep	oth needed to docu	ment the ind	icator or con	firm the abs	sence of indicators.)	
Depth	Matrix			Redox Featu	ıres			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-10	10YR 3/3	100%		%			Silt Loam	
10-16	10YR 4/3	100%					SIIt Loam	
		% -		- <u>%</u> %				
-		70 –		- 70 %				
-				%				
-	· -	%		%				
		%		%				
			RM=Reduced Matrix,				² Location: PL=Pore	
		plicable to all	I LRRs, unless othe)		dicators for Problemati	ic Hydric Soils
☐ Histo	sai (A1) Epipedon (A2)		☐ Sandy Redo ☐ Stripped Ma				2 cm Muck (A10) Red Parent Material (TF:	2)
	Histic (A3)		☐ Loamy Muck		\ (ovcont MI		Very Shallow Dark Surfa	7
	ogen Sulfide (A4)		☐ Loamy Gley				Other (Explain in Remark	` ,
	eted Below Dark Sur	face (A11)	☐ Depleted Ma		,	Ц	Other (Explain in Neman	No)
	Dark Surface (A12)		☐ Redox Dark			³ lnc	dicators of hydrophytic ve	egetation and
	y Mucky Minerals (S		☐ Depleted Da	` ,	7)		Wetland hydrology must	
	y Gleyed Matrix (S4	•	☐ Redox Depr	•	• ,		unless disturbed or prob	
	ive Layer (if preser	-						
Restrict	ive Layer (ii preser	ш.						
Type:								
Depth (ir	nches):					Hydric	Soil Present?	Yes⊡ No⊠
Remarks	S:							
HYDRO	LOGY							
Wetland	l Hydrology Indicat	ors:						
<u></u>			heck all that apply)				Secondary Indicate	ors (2 or more required)
_			heck all that apply)					ors (2 or more required)
	ce Water (A1)		☐ Water-Stain		except ML	.RA 1, 2, 4A	,	Leaves (B9) (MLRA 1, 2,
☐ High	ice Water (A1) Water Table (A2)		☐ Water-Staine		9) (except ML	RA 1, 2, 4A	, Water-Stained 4A, and 4B	Leaves (B9) (MLRA 1, 2,
☐ High ☐ Satur	nce Water (A1) Water Table (A2) ration (A3)		☐ Water-Staine and 4B) ☐ Salt Crust (E	311)		RA 1, 2, 4A,	, ☐ Water-Stained 4A, and 4B ☐ Drainage Patte	Leaves (B9) (MLRA 1, 2,) rns (B10)
☐ High ☐ Satur ☐ Wate	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1)		☐ Water-Staine and 4B) ☐ Salt Crust (E	311) ertebrates (B1	3)	RA 1, 2, 4A	Water-Stained 4A, and 4B Drainage Patte Dry-Season Wa	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2)
☐ High ☐ Satur ☐ Wate ☐ Sedir	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2)		☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve	311) ertebrates (B13 ulfide Odor (C	3) 1)		Water-Stained 4A, and 4B Drainage Patte Dry-Season Wa	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ole on Aerial Imagery (C9)
☐ High ☐ Satur ☐ Wate ☐ Sedir ☐ Drift I	water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3)		☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen St	311) ertebrates (B13 ulfide Odor (C iizospheres ald	3) 1) ong Living Ro		Water-Stained 4A, and 4B Drainage Pattee Dry-Season Water Saturation Visib Geomorphic Po	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2)
☐ High ☐ Satur ☐ Wate ☐ Sedir ☐ Drift I ☐ Algal	water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4)		☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen Si ☐ Oxidized Rh ☐ Presence of	311) ertebrates (B13 ulfide Odor (C iizospheres ald Reduced Iron	3) 11) ong Living Ro ı (C4)	ots (C3)	Water-Stained 4A, and 4B Drainage Pattee Dry-Season Wa Saturation Visik Geomorphic Po	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) position (D2) rd (D3)
☐ High ☐ Satur ☐ Wate ☐ Sedir ☐ Drift I ☐ Algal ☐ Iron [ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5)		☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen St ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron	B11) ertebrates (B13 ulfide Odor (C izospheres ale Reduced Iror Reduction in	3) 1) ong Living Ro I (C4) Tilled Soils (C	ots (C3) 6)	Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visite Geomorphic Po Shallow Aquitar FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bestion (D2) rd (D3) est (D5)
☐ High ☐ Satur ☐ Wate ☐ Sedir ☐ Drift I ☐ Algal ☐ Iron □ ☐ Surfa	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ice Soil Cracks (B6)	ne required; cl	☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen St ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron ☐ Stunted or S	B11) ertebrates (B1; ulfide Odor (C izospheres ale Reduced Iron Reduction in	3) 1) ong Living Ro 1 (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6)	Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visib Geomorphic Po Shallow Aquitar FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bestion (D2) rd (D3) est (D5) unds (D6) (LRR A)
High Satur Satur Wate Sedir Drift I Algal Iron I Surfa	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Ice Soil Cracks (B6) dation Visible on Aer	ne required; cl	☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen Si ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron ☐ Stunted or S 7) ☐ Other (Explain	B11) ertebrates (B1; ulfide Odor (C izospheres ale Reduced Iron Reduction in	3) 1) ong Living Ro 1 (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6)	Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visite Geomorphic Po Shallow Aquitar FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bestion (D2) rd (D3) est (D5) unds (D6) (LRR A)
☐ High ☐ Satur ☐ Wate ☐ Sedir ☐ Drift I ☐ Algal ☐ Iron I ☐ Surfa ☐ Inunc	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) ace Soil Cracks (B6) dation Visible on Aer	ne required; cl	☐ Water-Staine and 4B) ☐ Salt Crust (E ☐ Aquatic Inve ☐ Hydrogen Si ☐ Oxidized Rh ☐ Presence of ☐ Recent Iron ☐ Stunted or S 7) ☐ Other (Explain	B11) ertebrates (B1; ulfide Odor (C izospheres ale Reduced Iron Reduction in	3) 1) ong Living Ro 1 (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6)	Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visib Geomorphic Po Shallow Aquitar FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bestion (D2) rd (D3) est (D5) unds (D6) (LRR A)
High Satur Wate Sedir Drift I Algal Iron I Surfa Inunc Spars	water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Ice Soil Cracks (B6) dation Visible on Aerosely Vegetated Concoservations:	ne required; cl ial Imagery (B cave Surface (☐ Water-Stains and 4B) ☐ Salt Crust (E☐ Aquatic Inversion in Figure 2 in Figure 2 in Figure 3 in Figu	B11) ertebrates (B13 ulfide Odor (C izospheres ale Reduced Iron Reduction in Stressed Plant ain in Remarks	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6)	Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visib Geomorphic Po Shallow Aquitar FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bestion (D2) rd (D3) est (D5) unds (D6) (LRR A)
High Satur Wate Sedir Drift I Algal Iron I Surfa Inunc Spars Field Ot Surface	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Ice Soil Cracks (B6) dation Visible on Aer sely Vegetated Concoservations: Water Present?	ne required; cl	Water-Stains and 4B) □ Salt Crust (E □ Aquatic Inve □ Hydrogen Si □ Oxidized Rh □ Presence of □ Recent Iron □ Stunted or S 7) □ Other (Explain B8)	ertebrates (B13 ulfide Odor (C izospheres ale Reduced Iron Reduction in Stressed Plant ain in Remarks	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A)	Water-Stained 4A, and 4B Drainage Patter Dry-Season Wa Saturation Visib Geomorphic Po Shallow Aquitar FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) rd (D3) est (D5) unds (D6) (LRR A)
High Satur Wate Sedir Drift I Algal Iron I Surfa Inunc Spars Field Ot Surface Water Ta	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Ice Soil Cracks (B6) dation Visible on Aer sely Vegetated Concoservations: Water Present? able Present?	ne required; cl ial Imagery (B ave Surface (Yes □	Water-Staine and 4B) Salt Crust (E Aquatic Inve Hydrogen St Oxidized Rh Presence of Recent Iron Stunted or S Other (Explain B8) No ⊠ Dep No ⊠ Dep	B11) ertebrates (B13 ulfide Odor (C izospheres ale Reduced Iron Reduction in Stressed Plant ain in Remarks	3) ong Living Ro on (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A)	Water-Stained 4A, and 4B Drainage Patter Dry-Season Water Saturation Visiter Geomorphic Poter Shallow Aquitar FAC Neutral Teres Raised Ant Moter Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) rd (D3) est (D5) unds (D6) (LRR A)
High Satur Sedir Sedir Sedir Sedir Sedir Sedir Surfa Inunc Spars Field Ot Surface Water Ta Saturatic (Includes	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Ice Soil Cracks (B6) dation Visible on Aer sely Vegetated Concoservations: Water Present? able Present? on Present? s Capillary fringe)	ial Imagery (B cave Surface (Yes Yes Yes Yes Yes	Water-Stains and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S T) Other (Explains) No ☑ Deg No ☑ Deg	B11) Prtebrates (B13 ulfide Odor (C izospheres ald Reduced Iron Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A) Wetland	Water-Stained 4A, and 4B Drainage Patter Dry-Season Water-Stained Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Terestand Ant Moter Frost-Heave Hunder	Leaves (B9) (MLRA 1, 2,) rrns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
High Satur Sedir Sedir Sedir Sedir Sedir Sedir Surfa Inunc Spars Field Ot Surface Water Ta Saturatic (Includes	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Ice Soil Cracks (B6) dation Visible on Aer sely Vegetated Concoservations: Water Present? able Present? on Present? s Capillary fringe)	ial Imagery (B cave Surface (Yes Yes Yes Yes Yes	Water-Staine and 4B) Salt Crust (E Aquatic Inve Hydrogen St Oxidized Rh Presence of Recent Iron Stunted or S Other (Explain B8) No ⊠ Dep No ⊠ Dep	B11) Prtebrates (B13 ulfide Odor (C izospheres ald Reduced Iron Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A) Wetland	Water-Stained 4A, and 4B Drainage Patter Dry-Season Water-Stained Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Terestand Ant Moter Frost-Heave Hunder	Leaves (B9) (MLRA 1, 2,) rrns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
High Satur Sedir Sedir Sedir Sedir Sedir Sedir Surfa Inunc Spars Field Ot Surface Water Ta Saturatic (Includes	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Ice Soil Cracks (B6) dation Visible on Aer sely Vegetated Concoservations: Water Present? able Present? on Present? s Capillary fringe)	ial Imagery (B cave Surface (Yes Yes Yes Yes Yes	Water-Stains and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S T) Other (Explains) No ☑ Deg No ☑ Deg	B11) Prtebrates (B13 ulfide Odor (C izospheres ald Reduced Iron Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A) Wetland	Water-Stained 4A, and 4B Drainage Patter Dry-Season Water-Stained Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Terestand Ant Moter Frost-Heave Hunder	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
High Satur Sedir Sedir Sedir Sedir Sedir Sedir Surfa Inunc Spars Field Ot Surface Water Ta Saturatic (Includes	ce Water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Ice Soil Cracks (B6) dation Visible on Aer sely Vegetated Concoservations: Water Present? able Present? on Present? s Capillary fringe)	ial Imagery (B cave Surface (Yes Yes Yes Yes Yes	Water-Stains and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S T) Other (Explains) No ☑ Deg No ☑ Deg	B11) Prtebrates (B13 ulfide Odor (C izospheres ald Reduced Iron Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A) Wetland	Water-Stained 4A, and 4B Drainage Patter Dry-Season Water-Stained Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Terestand Ant Moter Frost-Heave Hunder	Leaves (B9) (MLRA 1, 2,) rrns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
High Satur Wate Sedir Drift I Algal Iron I Surfac Inunc Spars Field Ot Surface Water Ta Saturatio (Includes	water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Idea Soil Cracks (B6) dation Visible on Aer sely Vegetated Conconservations: Water Present? able Present? on Present? s Capillary fringe) e Recorded Data (St	ial Imagery (B cave Surface (Yes Yes Yes Yes Yes	Water-Stains and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S T) Other (Explains) No ☑ Deg No ☑ Deg	B11) Prtebrates (B13 ulfide Odor (C izospheres ald Reduced Iron Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A) Wetland	Water-Stained 4A, and 4B Drainage Patter Dry-Season Water-Stained Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Terestand Ant Moter Frost-Heave Hunder	Leaves (B9) (MLRA 1, 2,) rrns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
High Satur Sedir Sedir Sedir Sedir Sedir Sedir Surfa Inunc Spars Field Ot Surface Water Ta Saturatic (Includes	water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Idea Soil Cracks (B6) dation Visible on Aer sely Vegetated Conconservations: Water Present? able Present? on Present? s Capillary fringe) e Recorded Data (St	ial Imagery (B cave Surface (Yes Yes Yes Yes Yes	Water-Stains and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S T) Other (Explains) No ☑ Deg No ☑ Deg	B11) Prtebrates (B13 ulfide Odor (C izospheres ald Reduced Iron Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A) Wetland	Water-Stained 4A, and 4B Drainage Patter Dry-Season Water-Stained Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Terestand Ant Moter Frost-Heave Hunder	Leaves (B9) (MLRA 1, 2,) rrns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
High Satur Wate Sedir Drift I Algal Iron I Surfac Inunc Spars Field Ot Surface Water Ta Saturatio (Includes	water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Idea Soil Cracks (B6) dation Visible on Aer sely Vegetated Conconservations: Water Present? able Present? on Present? s Capillary fringe) e Recorded Data (St	ial Imagery (B cave Surface (Yes Yes Yes Yes Yes	Water-Stains and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S T) Other (Explains) No ☑ Deg No ☑ Deg	B11) Prtebrates (B13 ulfide Odor (C izospheres ald Reduced Iron Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A) Wetland	Water-Stained 4A, and 4B Drainage Patter Dry-Season Water-Stained Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Terestand Ant Moter Frost-Heave Hunder	Leaves (B9) (MLRA 1, 2,) rrns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
High Satur Wate Sedir Drift I Algal Iron I Surfac Surface Water Ta Saturatio (Includes	water (A1) Water Table (A2) ration (A3) r Marks (B1) ment Deposits (B2) Deposits (B3) Mat or crust (B4) Deposits (B5) Idea Soil Cracks (B6) dation Visible on Aer sely Vegetated Conconservations: Water Present? able Present? on Present? s Capillary fringe) e Recorded Data (St	ial Imagery (B cave Surface (Yes Yes Yes Yes Yes	Water-Stains and 4B) Salt Crust (E Aquatic Inve Hydrogen Si Oxidized Rh Presence of Recent Iron Stunted or S T) Other (Explains) No ☑ Deg No ☑ Deg	B11) Prtebrates (B13 ulfide Odor (C izospheres ald Reduced Iron Reduction in Stressed Plant ain in Remarks oth (Inches): oth (Inches):	3) ong Living Ro n (C4) Tilled Soils (C s (D1) (LRR A	ots (C3) 6) A) Wetland	Water-Stained 4A, and 4B Drainage Patter Dry-Season Water-Stained Saturation Visiber Geomorphic Poter Shallow Aquitar FAC Neutral Terestand Ant Moter Frost-Heave Hunder	Leaves (B9) (MLRA 1, 2,) rrns (B10) ater Table (C2) ble on Aerial Imagery (C9) bition (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)

WETLAND DETERMINATION	DN DATA FO	KM – Weste	rn Moun	tains, valleys and	Coast Re	gion	
Project/Site: ICG 252 nd Property		City/Cou	unty: Cama			Date: <u>08/15/202</u> 4	1
Applicant/Owner: HSR Capital, LLC			State: V			Point: TP-A6	
Investigator(s): Naglich F., Mendez A.				p, Range: <u>S35, T2N</u>			
Landform (hillslope, terrace, etc.): Depression				nvex, none): Concav		Slope (%): <u>0</u>	-3%
Subregion (LRR): A	Lat: 45.619	90404	Long: -12	2.4123058		n: <u>NAD83</u>	
Soil Map Unit Name: Tisch silt loam, 0 to 3 percent s				NWI classification: No			
Are climatic / hydrologic conditions on the site typical							
Are Vegetation□, Soil□, or Hydrology□ significar				Circumstances" prese		ИОШ	
Are Vegetation , Soil , or Hydrology naturally	•	•	•	any answers in Rema	•		
SUMMARY OF FINDINGS – Attach site ma		sampling po	int iocati	ons, transects, in	iportant te	eatures, etc.	
	Ĭ	Is the Sar	npled Area	1			
	· 📙	within a V		Yes⊠	No□		
Wetland Hydrology Present? Yes ⊠ No Remarks: TP-A6 is located to the central portion of	the site and is	n aire d with TD	Λ <i>E</i>				
VEGETATION – Use scientific names of p			1 11 1				
Troo Stratum (Plot size 20 ft radius)	Absolute % Cover	Dominant	Indicator	Dominance Test V	orksheet/		
<u>Tree Stratum</u> (Plot size: <u>30</u> ft radius) 1.	% Cover	Species?	Status	Number of Dominar	nt Species	2	(A)
2.				That Are OBL, FAC		3	(A)
3.					,		
4.	- / 0	· 		Total Number of Do	minant	3	(B)
50% = 20% =	<u> </u>	=Total Cover		Species Across All	Strata:		(5)
Carling/Obs. b. Ctarture (Diet sies AF ft andiss)				Percent of Dominar		400	/ A /I
Sapling/Shrub Stratum (Plot size: 15 ft. radius)	0/			That Are OBL, FAC		<u>100</u>	(A/I
1. 2.	_ <u>%</u> %	· 		Total % Cove		Multiply by:	
	0/	· 		OBL species	1 01.	x 1=	—
	0/	· 		FACW species			_
4 5.		· 		FAC species		x 2= x 3= x 4=	_
50% = 20% =	<u> </u>	=Total Cover		FACU species		x 4=	_
Herb Stratum (Plot size: 5 ft radius)				UPL species		x 5=	_
1. Phalaris arundinacea	30%	yes	FACW	Column Totals:		(A)	(E
2. Juncus effusus	30%	yes	FACW	Prevale	ence Index =		_ `
3. Ranunculus repens	25%	yes	FAC	Hydrophytic Vege	tation Indica	ators:	
4.	%			☐ 1 – Rapid Tes	t for Hydropl	hytic Vegetation	
5	%			2 – Dominano			
6	%			3 - Prevalence			
7.	%			4 - Morpholog			
8.					ta in Remark	s or on a separate)
9.	0.1			sheet)		Di . 1	
10		·		☐ 5 - Wetland N	on-Vascular	Plants'	
11. 50% = 43 20% = 17	<u>%</u>	-Total Cayor		Drahlamatia I	ludranhutia \	/a matation 1 / Evelai	\
Woody Vine Stratum (Plot size: 15 ft radius)	85%	=Total Cover		☐ Problematic F	iyaropriyiic v	/egetation¹ (Explai	n)
	%			¹ Indicators of hydric	· soil and wet	tland hydrology	
1. 2.				must be present, ur			
		=Total Cover		muot be present, ur	nood diotarbe	sa or problematic.	
50% = 20% =		10101 00101		Hydrophytic			
				Vegetation		Waa Ma F	_
% Bare Ground in Herb Stratum 15%				Present?		Yes⊠ No	_
Remarks:				1			
nemans.							

SOIL Sampling Point: <u>TP-A6</u>

Profile Description: (Describe to the dept	th needed to document the indicator or confin	m the absence of indicators.)	
Depth Matrix	Redox Features		
(inches) Color (moist) %		Loc ² Texture	Remarks
0-12 10YR 5/1 100%	<u></u> %	Silty Clay Loam	
12-16 10YR 3/1 100%	<u>%</u>	Silty Clay Loam	
	<u>%</u>		
	<u> </u>		
<u> </u>	<u> </u>		
¹ Type: C=Concentration, D=Depletion, RN	M=Reduced Matrix, CS=Covered or Coated Sand	d Grains. ² Location: PL=Pore	Lining, M=Matrix
Hydric Soil Indicators: (Applicable to all		Indicators for Problemati	c Hydric Soils
☐ Histosal (A1)	☐ Sandy Redox (S5)	2 cm Muck (A10)	
☐ Histic Epipedon (A2)	Stripped Matrix (S6)	Red Parent Material (TF2	- ¹
☐ Black Histic (A3)	Loamy Mucky Mineral (F1) (except MLRA		
☐ Hydrogen Sulfide (A4)	☐ Loamy Gleyed Matrix (F2)	☐ Other (Explain in Remark	ks)
☐ Depleted Below Dark Surface (A11)	☑ Depleted Matrix (F3)	2	
☐ Thick Dark Surface (A12)	Redox Dark Surface (F6)	³ Indicators of hydrophytic ve	
☐ Sandy Mucky Minerals (S1)	Depleted Dark Surface (F7)	Wetland hydrology must unless disturbed or probl	
☐ Sandy Gleyed Matrix (S4)	Redox Depressions (F8)	unless disturbed or probl	lemano
Restrictive Layer (if present):			
T			
Type: Depth (inches):		Hydric Soil Present?	Yes⊠ No⊡
Remarks:		Tryunc don't resent:	Teski No
incinarios.			
HYDROLOGY			
HYDROLOGY Wetland Hydrology Indicators:			
	eck all that apply)	Secondary Indicate	ors (2 or more required)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che			
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1)	☐ Water-Stained Leaves (B9) (except MLR	A 1, 2, 4A,	Leaves (B9) (MLRA 1, 2,
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2)	☐ Water-Stained Leaves (B9) (except MLR and 4B)	A 1, 2, 4A,	Leaves (B9) (MLRA 1, 2,
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3)	☐ Water-Stained Leaves (B9) (except MLR and 4B) ☐ Salt Crust (B11)	A 1, 2, 4A, Water-Stained I 4A, and 4B) □ Drainage Patter	Leaves (B9) (MLRA 1, 2,) rns (B10)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che ☐ Surface Water (A1) ☐ High Water Table (A2) ☐ Saturation (A3) ☐ Water Marks (B1)	☐ Water-Stained Leaves (B9) (except MLR and 4B) ☐ Salt Crust (B11) ☐ Aquatic Invertebrates (B13)	A 1, 2, 4A, Water-Stained I 4A, and 4B) Drainage Patter Dry-Season Wa	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che ☐ Surface Water (A1) ☐ High Water Table (A2) ☐ Saturation (A3) ☐ Water Marks (B1) ☐ Sediment Deposits (B2)	☐ Water-Stained Leaves (B9) (except MLR and 4B) ☐ Salt Crust (B11) ☐ Aquatic Invertebrates (B13) ☑ Hydrogen Sulfide Odor (C1)	A 1, 2, 4A, Water-Stained I 4A, and 4B) Drainage Patter Dry-Season Wa Saturation Visib	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ole on Aerial Imagery (C9)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	 □ Water-Stained Leaves (B9) (except MLR and 4B) □ Salt Crust (B11) □ Aquatic Invertebrates (B13) ☑ Hydrogen Sulfide Odor (C1) □ Oxidized Rhizospheres along Living Root 	A 1, 2, 4A, Water-Stained I 4A, and 4B) Drainage Patter Dry-Season Wa Saturation Visib s (C3) Geomorphic Po	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4)	 □ Water-Stained Leaves (B9) (except MLR and 4B) □ Salt Crust (B11) □ Aquatic Invertebrates (B13) ☑ Hydrogen Sulfide Odor (C1) □ Oxidized Rhizospheres along Living Root □ Presence of Reduced Iron (C4) 	A 1, 2, 4A, Water-Stained I 4A, and 4B) Drainage Patter Dry-Season Wa Saturation Visib s (C3) Geomorphic Po Shallow Aquitar	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) osition (D2) rd (D3)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5)	□ Water-Stained Leaves (B9) (except MLR and 4B) □ Salt Crust (B11) □ Aquatic Invertebrates (B13) □ Hydrogen Sulfide Odor (C1) □ Oxidized Rhizospheres along Living Root □ Presence of Reduced Iron (C4) □ Recent Iron Reduction in Tilled Soils (C6)	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) sition (D2) rd (D3) est (D5)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6)	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) sition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7)	□ Water-Stained Leaves (B9) (except MLR and 4B) □ Salt Crust (B11) □ Aquatic Invertebrates (B13) ☑ Hydrogen Sulfide Odor (C1) □ Oxidized Rhizospheres along Living Root □ Presence of Reduced Iron (C4) □ Recent Iron Reduction in Tilled Soils (C6) □ Stunted or Stressed Plants (D1) (LRR A)) □ Other (Explain in Remarks)	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) sition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6)	□ Water-Stained Leaves (B9) (except MLR and 4B) □ Salt Crust (B11) □ Aquatic Invertebrates (B13) ☑ Hydrogen Sulfide Odor (C1) □ Oxidized Rhizospheres along Living Root □ Presence of Reduced Iron (C4) □ Recent Iron Reduction in Tilled Soils (C6) □ Stunted or Stressed Plants (D1) (LRR A)) □ Other (Explain in Remarks)	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) sition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B	□ Water-Stained Leaves (B9) (except MLR and 4B) □ Salt Crust (B11) □ Aquatic Invertebrates (B13) ☑ Hydrogen Sulfide Odor (C1) □ Oxidized Rhizospheres along Living Root □ Presence of Reduced Iron (C4) □ Recent Iron Reduction in Tilled Soils (C6) □ Stunted or Stressed Plants (D1) (LRR A)) □ Other (Explain in Remarks)	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) sition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B	□ Water-Stained Leaves (B9) (except MLR and 4B) □ Salt Crust (B11) □ Aquatic Invertebrates (B13) ☑ Hydrogen Sulfide Odor (C1) □ Oxidized Rhizospheres along Living Root □ Presence of Reduced Iron (C4) □ Recent Iron Reduction in Tilled Soils (C6) □ Stunted or Stressed Plants (D1) (LRR A)) □ Other (Explain in Remarks) 8)	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bistion (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7 Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Yes ☐ Water Table Present? Yes ☐ Saturation Present? Yes ☐	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)) Other (Explain in Remarks) 8)	Water-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou □ Frost-Heave Hu	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) sition (D2) rd (D3) est (D5) unds (D6) (LRR A)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Yes ☐ Water Table Present? Yes ☐ Saturation Present? Yes ☐ Saturation Present? Yes ☐ (Includes Capillary fringe)	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)) Other (Explain in Remarks) 8) No Depth (Inches): No Depth (Inches): No Depth (Inches):	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou □ Frost-Heave Hu Wetland Hydrology Present?	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bistion (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Yes ☐ Water Table Present? Yes ☐ Saturation Present? Yes ☐ Saturation Present? Yes ☐ (Includes Capillary fringe)	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)) Other (Explain in Remarks) No Depth (Inches): No Depth (Inches):	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou □ Frost-Heave Hu Wetland Hydrology Present?	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bistion (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Yes ☐ Water Table Present? Yes ☐ Saturation Present? Yes ☐ Saturation Present? Yes ☐ (Includes Capillary fringe)	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)) Other (Explain in Remarks) 8) No Depth (Inches): No Depth (Inches): No Depth (Inches):	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou □ Frost-Heave Hu Wetland Hydrology Present?	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bistion (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Yes ☐ Water Table Present? Yes ☐ Saturation Present? Yes ☐ Saturation Present? Yes ☐ (Includes Capillary fringe)	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)) Other (Explain in Remarks) 8) No Depth (Inches): No Depth (Inches): No Depth (Inches):	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou □ Frost-Heave Hu Wetland Hydrology Present?	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bistion (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Yes □ Water Table Present? Yes □ Saturation Present? Yes □ (Includes Capillary fringe) Describe Recorded Data (Stream gauge, metal)	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)) Other (Explain in Remarks) 8) No Depth (Inches): No Depth (Inches): No Depth (Inches):	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou □ Frost-Heave Hu Wetland Hydrology Present?	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bistion (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Yes ☐ Water Table Present? Yes ☐ Saturation Present? Yes ☐ Saturation Present? Yes ☐ (Includes Capillary fringe)	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)) Other (Explain in Remarks) 8) No Depth (Inches): No Depth (Inches): No Depth (Inches):	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou □ Frost-Heave Hu Wetland Hydrology Present?	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bistion (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Yes □ Water Table Present? Yes □ Saturation Present? Yes □ (Includes Capillary fringe) Describe Recorded Data (Stream gauge, metal)	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)) Other (Explain in Remarks) 8) No Depth (Inches): No Depth (Inches): No Depth (Inches):	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou □ Frost-Heave Hu Wetland Hydrology Present?	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bistion (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)
Wetland Hydrology Indicators: Primary Indicators (min. of one required; che Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or crust (B4) Iron Deposits (B5) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Yes □ Water Table Present? Yes □ Saturation Present? Yes □ (Includes Capillary fringe) Describe Recorded Data (Stream gauge, metal)	Water-Stained Leaves (B9) (except MLR and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Root Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Stunted or Stressed Plants (D1) (LRR A)) Other (Explain in Remarks) 8) No Depth (Inches): No Depth (Inches): No Depth (Inches):	Mater-Stained I 4A, and 4B) □ Drainage Patter □ Dry-Season Wa □ Saturation Visib s (C3) □ Geomorphic Po □ Shallow Aquitar □ FAC Neutral Te □ Raised Ant Mou □ Frost-Heave Hu Wetland Hydrology Present?	Leaves (B9) (MLRA 1, 2,) rns (B10) ater Table (C2) ble on Aerial Imagery (C9) bistion (D2) rd (D3) est (D5) unds (D6) (LRR A) ummocks (D7)

APPENDIX C

WETLAND RATING FORMS FOR WESTERN WASHINGTON

RATING SUMMARY – Western Washington

	Name of wetland (or	Date of s	ite visit: <u>8/15/2024</u>			
	Rated by: <u>Julianne Bla</u> l	ке	_Trained by Eco	ology? <u>X</u>	YesNo Da	te of training: <u>6/2022</u>
	HGM Class used for r	ating: <u>Depressi</u>	onal V	etland has	multiple HGM	classes?Y_X_N
		-	without the recovery		ures (figures ca	n be combined).
OV	ERALL WETLAN	D CATEGOR	RY <u>III</u> (bas	sed on fund	ctions <u>X</u> or spec	ial characteristics)
	1. Category of we		on FUNCTIOI score = 23 - 27			
	Ca XCa Ca		Score for each function based on three ratings (order of ratings			
	FUNCTION	Improving Water Quality	Hydrologic	Habitat		is not important) 9 = H, H, H 8 = H, H, M 7 = H, H, L
	Site Potential	н (М) L	Circle the app	ropriate ratin	igs I	7 = H, M, M 6 = H, M, L
	Jite i oteritiai		'		<u> </u>	U - I I, IVI, L

(M)

Μ

7

L

TOTAL

18

2. Category based on SPECIAL CHARACTERISTICS of wetland

LH

Н

(M)

7

 \exists

Landscape Potential

Score Based on

Value

Ratings

CHARACTERISTIC	CATEGORY
Estuarine	I II
Wetland of High Conservation Value	ı
Bog	I
Mature Forest	ı
Old Growth Forest	ı
Coastal Lagoon	I II
Interdunal	I II III IV
None of the above	Not Applicable

(M)

Μ

4

(L)(H)

6 = M, M, M

5 = H, L, L

5 = M, M, L

4 = M, L, L

3 = L, L, L

Wetland A

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	8
Hydroperiods	D 1.4, H 1.2	8
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	8
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	8
Map of the contributing basin	D 4.3, D 5.3	9a
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	9a
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	10
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	10

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and total habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands


Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides except during floods?



YES – the wetland class is Tidal Fringe – go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

NO – Saltwater Tidal Fringe (Estuarine)

YES – Freshwater Tidal Fringe

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe, it is an **Estuarine** wetland and is not scored. This method **cannot** be used to score functions for estuarine wetlands.


2. The entire wetland unit is flat, and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO – go to 3

YES - The wetland class is Flats


If your wetland can be classified as a Flats wetland, use the form for **Depressional** wetlands.

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - __The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size,
 - __At least 30% of the open water area is deeper than 6.6 ft (2 m).



YES - The wetland class is Lake Fringe (Lacustrine Fringe)

- 4. Does the entire wetland unit **meet all** of the following criteria?
 - The wetland is on a slope (slope can be very gradual),
 - ____The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheet flow, or in a swale without distinct banks,
 - The water leaves the wetland without being impounded.



YES – The wetland class is **Slope**


NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

Wetland A

- Does the entire wetland unit meet all of the following criteria?
 The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,
 The overbank flooding occurs at least once every 2 years.
 - NO go to 6

 YES The wetland class is **Riverine**NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding
- 6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? This means that any outlet, if present, is higher than the interior of the wetland.

NO - go to 7



7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched but has no obvious natural outlet.

NO - go to 8

YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	1
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland:	
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet).	
points:	
Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet.	2
points:	
Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch.	
D 1.2. The soil 2 in. below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No =	o
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classe	s):
Wetland has persistent, ungrazed plants > 95% of area points	
Wetland has persistent, ungrazed plants > ½ of area points	
Wetland has persistent, ungrazed plants $\geq 1/10$ of area points	
Wetland has persistent, ungrazed plants <1/10 of area points	
D 1.4. Characteristics of seasonal ponding or inundation:	
This is the area that is ponded for at least 2 months. See description in manual.	
Area seasonally ponded is > ½ total area of wetland points	4 0
Area seasonally ponded is ≥ ¼ total area of wetland points	: 2
Area seasonally ponded is < ¼ total area of wetland points	: 0
Total for D 1 Add the points in the boxes above	7
Rating of Site Potential If score is:12-16 = HX _6-11 = M0-5 = L	the first page

D 2.0. Does the landscape have the potential to support the water quality function of the site? D 2.1. Does the wetland unit receive stormwater discharges? Yes = 1 No = 00 D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? Yes = 1 No = 0D 2.3. Are there septic systems within 250 ft of the wetland? Yes = 1 No = 01 D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3? 0 Source Yes = 1 No = 0Total for D 2 Add the points in the boxes above 2

Rating of Landscape Potential If score is: 3 or 4 = H X 1 or 2 = M 0 = L Record the rating on the first page

D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? Yes = 1 No = 0	1
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list? Yes = 1 No = 0	1
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? (Answer YES if there is a TMDL in development or in effect for the basin in which the unit is found.) Yes = 2 No = 0	0
Total for D 3 Add the points in the boxes above	2

Rating of Value If score is: X 2-4 = H 1 = M 0 = L

Record the rating on the first page

DEPRESSIONAL AND FLATS WETLANDS Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradate	ion
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. Characteristics of surface water outflows from the wetland: Wetland is a depression or flat depression with no surface water leaving it (no outlet) Wetland has an intermittently flowing stream/ditch, OR highly constricted permanently flowing outlet points = 2 Wetland is a flat depression (question 7 on key), whose outlet is a permanently flowing ditch Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 0	2
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part. Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 The wetland is a "headwater" wetland points = 3 Wetland is flat but has small depressions on the surface that trap water points = 1 Marks of ponding less than 0.5 ft (6 in)	0
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the area of the wetland unit itself. The area of the basin is less than 10 times the area of the unit points = 5 The area of the basin is 10 to 100 times the area of the unit points = 3 The area of the basin is more than 100 times the area of the unit points = 0 Entire wetland is in the Flats class points = 5	3
Total for D 4 Add the points in the boxes above	5
Rating of Site Potential If score is:12-16 = H6-11 = MX0-5 = L	first page
D 5.0. Does the landscape have the potential to support hydrologic functions of the site? D 5.1. Does the wetland receive stormwater discharges? Yes = 1 No = 0	
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1 No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)? Yes = 1 No = 0	1
Total for D 5 Add the points in the boxes above	2
Rating of Landscape Potential If score is:3 = HX_1 or 2 = M0 = L	first page
D 6.0. Are the hydrologic functions provided by the site valuable to society?	
D 6.1. Is the unit in a landscape that has flooding problems? Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow downgradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds): Flooding occurs in a sub-basin that is immediately downgradient of unit. Surface flooding problems are in a sub-basin farther downgradient. Flooding from groundwater is an issue in the sub-basin. Flooding from groundwater is an issue in the sub-basin. The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. Explain why	0
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for D 6 Add the points in the boxes above	0

Rating of Value If score is: ___2-4 = H ____1 = M __X_0 = L

Record the rating on the first page

These questions apply to wetlands of all HGM classes. **HABITAT FUNCTIONS** - Indicators that site functions to provide important habitat H 1.0. Does the site have the potential to provide habitat? H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac if the unit is at least 2.5 ac, or more than 10% of the unit if it is smaller than 2.5 ac. Aquatic bed 4 structures or more: points = 4 X Emergent 3 structures: points = 2 2 Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1 X Forested (areas where trees have > 30% cover) 1 structure: points = 0 If the unit has a Forested class, check if: X The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/groundcover) that each cover 20% within the Forested polygon H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland if the unit is < 2.5 ac, or ¼ ac if the unit is at least 2.5 ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated 4 or more types present: points = 3 X Seasonally flooded or inundated 3 types present: points = 2 2 Occasionally flooded or inundated 2 types present: points = 1 X Saturated only 1 type present: points = 0 Permanently flowing stream or river in, or adjacent to, the wetland X Intermittently or seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland 2 points 2 points Freshwater tidal wetland H 1.3. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canada thistle 2 If you counted: > 19 species points = 25 - 19 species points = 1 < 5 species points = 0 H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. 1 Moderate = 2 points None = 0 points Low = 1 point All three diagrams in this row are High = 3 points

Wetland A

H 1.5. Special habitat features:	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	
X_Large, downed, woody debris within the wetland (> 4 in. diameter and 6 ft long).	
X_Standing snags (dbh > 4 in.) within the wetland	
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extend at least 3.3 ft (1 m) over open water or a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered where wood is exposed)	3
X_At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are permanently or seasonally inundated (structures for egg-laying by amphibians)	
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 above for the	
list of strata and H 1.5 in the manual for the list of aggressive plant species)	
Total for H 1 Add the points in the boxes above	10

Rating of Site Potential If score is: __15-18 = H __X_7-14 = M __0-6 = L

Record the rating on the first page

H 2.0. Does the landscape have the potential to support the habitat functions of the site?	
H 2.1. Accessible habitat (include only habitat polygons accessible from the wetland. Calculate: % relatively undisturbed habitat 16.6%+[(% moderate and low intensity land uses)/2]10.8% = 27.4% Total accessible habitat is: > $^{1}/_{3}$ (33.3%) of 1 km Polygon points = 3 20-33% of 1 km Polygon points = 2 10-19% of 1 km Polygon points = 1 < 10% of 1 km Polygon points = 0	2
H 2.2. Total habitat in 1 km Polygon around the wetland. Calculate: % relatively undisturbed habitat 21.9%+[(% moderate and low intensity land uses)/2]27.1% =49.0% Total habitat > 50% of Polygon Total habitat 10-50% and in 1-3 patches Total habitat 10-50% and > 3 patches Total habitat < 10% of 1 km Polygon points = 0	1
H 2.3. Land use intensity in 1 km Polygon: > 50% of 1 km Polygon is high intensity land use ≤ 50% of 1 km Polygon is high intensity points = 0	0
Total for H 2 Add the points in the boxes above	3

Rating of Landscape Potential If score is: ___4-6 = H __X _1-3 = M ___<1 = L

Record the rating on the first page

H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? <i>Choose only the highest score that applies to the wetland being rated.</i> Site meets ANY of the following criteria: points = 2	
 It has 3 or more Priority Habitats within 100 m (see next page) It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists) It is mapped as a location for an individual WDFW Priority Species. It is a Wetland of High Conservation Value as determined by the Department of Natural Resources data It has been categorized as an important habitat site in a local or regional comprehensive plan, in a Shoreline Master Plan, or in a watershed plan 	2
Site has 1 or 2 Priority Habitats (listed on next page) within 100 m points = 1 Site does not meet any of the criteria above points = 0	

Rating of Value If score is: X 2 = H 1 = M 0 = L

Record the rating on the first page

WDFW Priority Habitats

See complete descriptions of Priority Habitats listed by WDFW, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008 (current year, as revised). Priority Habitat and Species List. 133 This list was updated for consistency with guidance from WDFW.

This question is independent of the land use between the wetland unit and the Priority Habitat. All vegetated wetlands are by definition a Priority Habitat but are not included in this list because they are addressed by this rating system.

Count how many of the following Priority Habitats are within 330 ft (100 m) of the wetland unit:

- **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various species of native fish and wildlife. This habitat automatically counts if mapped on the PHS online map within 100m of the wetland. If not mapped, a determination can be made in the field.
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- Cliffs: Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- Fresh Deepwater: Lands permanently flooded with freshwater, including environments where surface water is permanent and often deep, so that water, rather than air, is the principal medium within which the dominant organisms live. Substrate does not support emergent vegetation. Do not select if Instream habitat is also present, or if the entire Deepwater feature is included in the wetland unit being rated (such as a pond with a vegetated fringe).
- Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.
- Instream: The combination of physical, biological, and chemical processes and conditions that interact
 to provide functional life history requirements for instream fish and wildlife resources. Do not select if
 Fresh Deepwater habitat is also present.
- **Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in. (81 cm) diameter at breast height (dbh) or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in. (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.

http://wdfw.wa.gov/publications/00165/wdfw00165.pdf
 Wetland Rating System for Western WA: 2014 Update
 Rating Form – Version 2, July 2023

Wetland A

- Oregon White Oak: Woodland stands of pure oak or oak/conifer associations where canopy coverage of
 the oak component is important. For single oaks or oak stands <0.4 ha in urban areas, <u>WDFW's</u>
 Management Recommendations for Oregon White Oak¹³⁴ provides more detail for determining if they
 are Priority Habitats
 - **Riparian:** The area adjacent to freshwater aquatic systems with flowing or standing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
 - Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in. (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in. (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie.

https://wdfw.wa.gov/publications/00030/wdfw00030.pdf
 Wetland Rating System for Western WA: 2014 Update
 Rating Form – Version 2, July 2023

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS	Cataaaa
Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
— The dominant water regime is tidal,	
— Vegetated, and	
— With a salinity greater than 0.5 ppt Yes – Go to SC 1.1 No= Not an estuarine wetland	<u> </u>
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area	
Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I
Yes = Category I No – Go to SC 1.2	- Cat. 1
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less	Cat. I
than 10% cover of non-native plant species. If non-native species are <i>Spartina</i> , see chapter 4.8 in the manual.	Cat.1
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	Cat. II
— The wetland has at least two of the following features: tidal channels, depressions with open water, or	
contiguous freshwater wetlands. Yes = Category I No = Category II	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Does the wetland overlap with any known or historical rare plant or rare & high-quality ecosystem polygons	
on the WNHP <u>Data Explorer</u> ? ¹³⁵ Yes = Category I No – Go to SC 2.2	Cat. I
SC 2.2. Does the wetland have a rare plant species, rare ecosystem (e.g., plant community), or high-quality common	
ecosystem that may qualify the site as a WHCV? Contact WNHP for resources to help determine the	
presence of these elements.	
Yes – <u>Submit data to WA Natural Heritage Program for determination</u> , ¹³⁶ Go to SC 2.3 No = Not a WHCV	1
SC 2.3. Did WNHP review the site within 30 days and determine that it has a rare plant or ecosystem that meets their criteria?	
Yes = Category I No = Not a WHCV	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key	
below. If you answer YES, you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in.	
or more of the first 32 in. of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in. deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 3.3 No = Not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4? Yes = Category I bog No – Go to SC 3.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in. deep. If the pH is less than 5.0 and	
the plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	Cat. 1
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the campy?	1
Yes = Category I bog No = Not a bog	<u>/</u>

¹³⁵ https://www.dnr.wa.gov/NHPdata

https://www.dnr.wa.gov/Publications/amp_nh_sighting_form.pdf
 Wetland Rating System for Western WA: 2014 Update
 Rating Form – Version 2, July 2023

SC 4.0. Forested Wetlands	
Does the wetland have at least 1 contiguous acre of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as Priority Habitats? <i>If you answer YES, you will still need to rate the wetland based on its functions.</i> — Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 in. (81 cm) or more.	
 Mature forests (west of the Cascade Crest): Stands where the largest trees are 80- 200 years old OR the species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm). 	
Yes = Category I No = Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
 The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks 	
— The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	
— The lagoon retains some of its <u>surface water at low</u> tide during spring tides	
Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	Cat. I
SC 5.1. Does the wetland meet all of the rollowing three conditions?	
 The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species in H 1.5 in the manual). 	
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.	Cat. II
— The wetland is larger than $^1/_{10}$ ac (4350 ft 2)	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If you answer YES, you will still need to rate the wetland based on its habitat functions. In practical terms that means the following geographic areas: — Long Beach Peninsula: Lands west of SR 103 — Grayland-Westport: Lands west of SR 105 — Ocean Shores-Copalis: Lands west of SR 115 and SR 109 and Ocean Shores Blvd SW, including lands west of E. Oceans Shores Blvd SW.	Cat I
Yes – Go to SC 6.1 No = Not an interdunal wetland for rating	Cat. II
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M for the three aspects of function)? Yes = Category I No - Go to SC 6.2 SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger? Yes = Category II No - Go to SC 6.3 SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	Cat. III
Yes = Category III No = Category IV	Cat. IV
Category of wetland based on Special Characteristics If you answered No for all types, enter "Not Applicable" on Summary Form	Not Applicable

RATING SUMMARY – Western Washington

Name of Wetland (or i	D#): <u>wetiand</u>	В	Da	te of site visi	t: <u>11/11/2022</u>	
Rated by: <u>Julianne Bla</u>	ke	_Trained by Eco	ology? <u>X</u> Ye	sNo Date	e of training: <u>6/2022</u>	<u>2</u>
HGM Class used for ra	ating: <u>Depressi</u>	onal V	/etland has mu	ıltiple HGM d	classes?Y_X_N	
	-	without the re o/map: <u>Google</u>		(figures can	be combined).	
OVERALL WETLANI 1. Category of we		`		ns <u>X</u> or speci	al characteristics	_)
• ,						
Ca1	t egory I – Total	score = 23 - 27			Score for each	
Cat	t egory II – Tota	l score = 20 - 2	2		function based	
<u> X</u> Ca	t egory III – Tota	al score = 16 - :	19		on three ratings	
Ca	t egory IV – Tota	al score = 9 - 15	5	_	(order of ratings is not important)	
FUNCTION	Improving	Hydrologic	Habitat		9 = H, H, H	

FUNCTION	Improving Water Quality		Hydrologic		Habitat					
				(Circle th	е арр	ropriat	te ratii	ngs	
Site Potential	Н	M	L	Н	M	L	Н	М		
Landscape Potential	Н	M	L	Н	M	L	\oplus	М	Ĺ	
Value	Н	M	L	Н	M		$\widehat{\oplus}$	М	L	TOTAL
Score Based on Ratings		6			5			7		18

Score for each function based on three ratings (order of ratings is not important)

9 = H, H, H
8 = H, H, M
7 = H, H, L
7 = H, M, M
6 = H, M, L
6 = M, M, M
5 = H, L, L
5 = M, M, L
4 = M, L, L
3 = L, L, L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY	
Estuarine	- 1	II
Wetland of High Conservation Value		I
Bog		I
Mature Forest		I
Old Growth Forest		1
Coastal Lagoon	ı	11
Interdunal	1	III IV
None of the above	Not A	pplicable

Wetland B

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	8
Hydroperiods	D 1.4, H 1.2	8
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	8
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	8
Map of the contributing basin	D 4.3, D 5.3	9b
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	9b
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	10
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	10

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands


Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants (can be added to figure above)	S 4.1	
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

Are the water levels in the entire unit usually controlled by tides except during floods?



YES – the wetland class is **Tidal Fringe** – go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

NO – Saltwater Tidal Fringe (Estuarine)

YES – Freshwater Tidal Fringe

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe, it is an **Estuarine** wetland and is not scored. This method **cannot** be used to score functions for estuarine wetlands.

2. The entire wetland unit is flat, and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO – go to 3

YES - The wetland class is Flats


If your wetland can be classified as a Flats wetland, use the form for **Depressional** wetlands.

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - __The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size,
 - ___At least 30% of the open water area is deeper than 6.6 ft (2 m).



YES – The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 4. Does the entire wetland unit **meet all** of the following criteria?
 - The wetland is on a slope (slope can be very gradual),
 - ____The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheet flow, or in a swale without distinct banks,
 - ____The water leaves the wetland without being impounded.



YES – The wetland class is **Slope**


NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

Wetland B

5.	Does the entire wetland unit meet all of the followin	g criteria?
	The unit is in a valley, or stream channel, where	it gets inundated by overbank flooding from that
	stream or river,	
	The overbank flooding occurs at least once ever	y 2 years.
(NO – go to 6 NOTE: The Riverine unit can contain depressions that	YES – The wetland class is Riverine
	NOTE. The Riverine unit can contain depressions that	are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? This means that any outlet, if present, is higher than the interior of the wetland.

NO - go to 7



7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched but has no obvious natural outlet.

NO - go to 8

YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream within boundary of depression	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS			
Water Quality Functions - Indicators that the site functions to improve water quality			
D 1.0. Does the site have the potential to improve water quality?			
D 1.1. Characteristics of surface water outflows from the wetland:			
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet).			
points = 3 Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet.	3		
points = 2			
Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1			
Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1			
D 1.2. The soil 2 in. below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No = 0	0		
D 1.3. <u>Characteristics and distribution of persistent plants</u> (Emergent, Scrub-shrub, and/or Forested Cowardin classes):			
Wetland has persistent, ungrazed plants > 95% of area points = 5			
Wetland has persistent, ungrazed plants > ½ of area points = 3	3		
Wetland has persistent, ungrazed plants $\geq 1/10$ of area points = 1			
Wetland has persistent, ungrazed plants $< \frac{1}{10}$ of area points = 0			
D 1.4. Characteristics of seasonal ponding or inundation:			
This is the area that is ponded for at least 2 months. See description in manual.	_		
Area seasonally ponded is > ½ total area of wetland points = 4 Area seasonally ponded is ≥ ¼ total area of wetland points = 2	4		
Area seasonally ponded is ≥ ¼ total area of wetland points = 2 Area seasonally ponded is < ¼ total area of wetland points = 0			
·	10		
Total for D 1 Add the points in the boxes above			
Rating of Site Potential If score is:12-16 = HX_6-11 = M0-5 = L	first page		
D 2.0. Does the landscape have the potential to support the water quality function of the site?	,		
D 2.1. Does the wetland unit receive stormwater discharges? Yes = 1 No = 0	0		
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? Yes = 1 No = 0	1		
D 2.3. Are there septic systems within 250 ft of the wetland? Yes = 1 No = 0	0		
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3?	0		
Source: Yes = 1 No = 0			
Total for D 2 Add the points in the boxes above	1		
Rating of Landscape Potential If score is:3 or 4 = HX _1 or 2 = M0 = L Record the rating on the first page			
D 3.0. Is the water quality improvement provided by the site valuable to society?			
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the	0		
303(d) list? Yes = 1 No = 0	0		
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list? Yes = 1 No = 0	1		
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? (Answer YES if there is a TMDL in development or in effect for the basin in which the unit is found.) Yes = 2 No = 0	0		
Total for D 3 Add the points in the boxes above	1		
Rating of Value If score is:2-4 = H _X_1 = M0 = L	first page		

DEPRESSIONAL AND FLATS WETLANDS			
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradation			
D 4.0. Does the site have the potential to reduce flooding and erosion?			
D 4.1. Characteristics of surface water outflows from the wetland: Wetland is a depression or flat depression with no surface water leaving it (no outlet) Wetland has an intermittently flowing stream/ditch, OR highly constricted permanently flowing outlet points = 2 Wetland is a flat depression (question 7 on key), whose outlet is a permanently flowing ditch Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 0	4		
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part. Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 The wetland is a "headwater" wetland points = 3 Wetland is flat but has small depressions on the surface that trap water points = 1 Marks of ponding less than 0.5 ft (6 in) points = 0	3		
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the area of the wetland unit itself. The area of the basin is less than 10 times the area of the unit points = 5 The area of the basin is 10 to 100 times the area of the unit points = 3 The area of the basin is more than 100 times the area of the unit points = 0 Entire wetland is in the Flats class	0		
Total for D 4 Add the points in the boxes above	7		
Rating of Site Potential If score is:12-16 = HX 6-11 = M0-5 = L	irst page		
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?			
D 5.1. Does the wetland receive stormwater discharges? Yes = 1 No = 0	0		
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1 No = 0	1		
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)? Yes = 1 No = 0	1		
Total for D 5 Add the points in the boxes above	2		
Rating of Landscape Potential If score is:3 = HX_1 or 2 = M0 = L Record the rating on the f	irst page		
D 6.0. Are the hydrologic functions provided by the site valuable to society?			
D 6.1. Is the unit in a landscape that has flooding problems? Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow downgradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds): • Flooding occurs in a sub-basin that is immediately downgradient of unit. • Surface flooding problems are in a sub-basin farther downgradient. • Flooding from groundwater is an issue in the sub-basin. • The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. Explain why • There are no problems with flooding downstream of the wetland. points = 0	0		
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0		
Total for D 6 Add the points in the boxes above	0		

Rating of Value If score is: ___2-4 = H ___1 = M __X_0 = L

Record the rating on the first page

These questions apply to wetlands of all HGM classes. **HABITAT FUNCTIONS** - Indicators that site functions to provide important habitat H 1.0. Does the site have the potential to provide habitat? H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac if the unit is at least 2.5 ac, or more than 10% of the unit if it is smaller than 2.5 ac. Aquatic bed 4 structures or more: points = 4 X Emergent 3 structures: points = 2 1 Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1 X Forested (areas where trees have > 30% cover) 1 structure: points = 0 If the unit has a Forested class, check if: The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/groundcover) that each cover 20% within the Forested polygon H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland if the unit is < 2.5 ac, or ¼ ac if the unit is at least 2.5 ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated 4 or more types present: points = 3 X Seasonally flooded or inundated 3 types present: points = 2 ____Occasionally flooded or inundated 2 types present: points = 1 ____Saturated only 1 type present: points = 0 _____Permanently flowing stream or river in, or adjacent to, the wetland Intermittently or seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland 2 points Freshwater tidal wetland 2 points H 1.3. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canada thistle 2 If you counted: > 19 species points = 2 5 - 19 species points = 1 < 5 species points = 0 H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. 2 None = 0 points Low = 1 point Moderate = 2 points All three diagrams in this row are High = 3 points

Wetland B

H 1.5. Special habitat features:	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	
\underline{X} Large, downed, woody debris within the wetland (> 4 in. diameter and 6 ft long).	
Standing snags (dbh > 4 in.) within the wetland	
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extend at least 3.3 ft (1 m) over open water or a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	
_Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree	1
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered where wood is exposed)	
$_$ At least $rac{1}{4}$ ac of thin-stemmed persistent plants or woody branches are present in areas that are	
permanently or seasonally inundated (structures for egg-laying by amphibians)	
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 above for the	
list of strata and H 1.5 in the manual for the list of aggressive plant species)	
Total for H 1 Add the points in the boxes above	6

Rating of Site Potential If score is: __15-18 = H ___7-14 = M __X_0-6 = L

Record the rating on the first page

H 2.1. Accessible habitat (include only habitat polygons accessible from the wetla	nd.	
Calculate: % relatively undisturbed habitat 23.9% + [(% moderate and low	intensity land uses)/2] 15.4% = 39.3 %	
Total accessible habitat is:		
$> \frac{1}{3}$ (33.3%) of 1 km Polygon	points = 3	3
20-33% of 1 km Polygon	points = 2	
10-19% of 1 km Polygon	points = 1	
< 10% of 1 km Polygon	points = 0	
H 2.2. Total habitat in 1 km Polygon around the wetland.		
Calculate: % relatively undisturbed habitat 24.8% +[(% moderate and low	intensity land uses)/2] 27.4% = 52.2%	
Total habitat > 50% of Polygon	points = 3	
Total habitat 10-50% and in 1-3 patches	points = 2	3
Total habitat 10-50% and > 3 patches	points = 1	
Total habitat < 10% of 1 km Polygon	points = 0	
H 2.3. Land use intensity in 1 km Polygon:		
> 50% of 1 km Polygon is high intensity land use	points = (- 2)	0
≤ 50% of 1 km Polygon is high intensity	points = 0	
Total for H 2	Add the points in the boxes above	6

Rating of Landscape Potential If score is: X 4-6 = H 1-3 = M <1 = L

Record the rating on the first page

H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score that applies to the wetland being rated. Site meets ANY of the following criteria: points = 2 It has 3 or more Priority Habitats within 100 m (see next page) It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists) It is mapped as a location for an individual WDFW Priority Species. It is a Wetland of High Conservation Value as determined by the Department of Natural Resources data It has been categorized as an important habitat site in a local or regional comprehensive plan, in a Shoreline Master Plan, or in a watershed plan Site has 1 or 2 Priority Habitats (listed on next page) within 100 m points = 1	2
Site does not meet any of the criteria above points = 0	

Rating of Value If score is: $X_2 = H_1 = M_2 = 0$

Record the rating on the first page

WDFW Priority Habitats

See complete descriptions of Priority Habitats listed by WDFW, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008 (current year, as revised). Priority Habitat and Species List. 133 This list was updated for consistency with guidance from WDFW.

This question is independent of the land use between the wetland unit and the Priority Habitat. All vegetated wetlands are by definition a Priority Habitat but are not included in this list because they are addressed by this rating system.

Count how many of the following Priority Habitats are within 330 ft (100 m) of the wetland unit:

- **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various species of
 native fish and wildlife. This habitat automatically counts if mapped on the PHS online map within 100m
 of the wetland. If not mapped, a determination can be made in the field.
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- Fresh Deepwater: Lands permanently flooded with freshwater, including environments where surface water is permanent and often deep, so that water, rather than air, is the principal medium within which the dominant organisms live. Substrate does not support emergent vegetation. Do not select if Instream habitat is also present, or if the entire Deepwater feature is included in the wetland unit being rated (such as a pond with a vegetated fringe).
 - Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.
- Instream: The combination of physical, biological, and chemical processes and conditions that interact
 to provide functional life history requirements for instream fish and wildlife resources. Do not select if
 Fresh Deepwater habitat is also present.
- **Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in. (81 cm) diameter at breast height (dbh) or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in. (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.

http://wdfw.wa.gov/publications/00165/wdfw00165.pdf
 Wetland Rating System for Western WA: 2014 Update
 Rating Form – Version 2, July 2023

Wetland B

- Oregon White Oak: Woodland stands of pure oak or oak/conifer associations where canopy coverage of
 the oak component is important. For single oaks or oak stands <0.4 ha in urban areas, <u>WDFW's</u>
 <u>Management Recommendations for Oregon White Oak</u>¹³⁴ provides more detail for determining if they
 are Priority Habitats
- **Riparian:** The area adjacent to freshwater aquatic systems with flowing or standing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
 - **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in. (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in. (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.
- Talus: Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie.

https://wdfw.wa.gov/publications/00030/wdfw00030.pdf
 Wetland Rating System for Western WA: 2014 Update
 Rating Form – Version 2, July 2023

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS	
Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
— The dominant water regime is tidal,	
 Vegetated, and 	
— With a salinity greater than 0.5 ppt Yes – Go to SC 1.1 No= Not an estuarine wetland	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area	
Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I
Yes = Category I No – Go to SC 1.2	Cuti
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 10% cover of non-native plant species. If non-native species are Spartina, see chapter 4.8 in the manual.	Cat. I
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.	Cat. II
— The wetland has at least two of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. Yes = Category I No = Category II	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Does the wetland overlap with any known or historical rare plant or rare & high-quality ecosystem polygons	Cot I
on the WNHP <u>Data Explorer</u> ? ¹³⁵ Yes = Category I No – Go to SC 2.2	Cat. I
SC 2.2. Does the wetland have a rare plant species, rare ecosystem (e.g., plant community), or high-quality common ecosystem that may qualify the site as a WHCV? Contact WNHP for resources to help determine the presence of these elements.	
Yes – <u>Submit data to WA Natural Heritage Program for determination</u> , ¹³⁶ Go to SC 2.3 No = Not a WHCV SC 2.3. Did WNHP review the site within 30 days and determine that it has a rare plant or ecosystem that meets their	
criteria? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below.</i> If you answer YES, you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in.	
or more of the first 32 in. of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in. deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or	
pond? Yes – Go to SC 3.3 No = Not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 50%	
cover of plant species listed in Table 4? Yes = Category I bog No – Go to SC 3.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16 in. deep. If the pH is less than 5.0 and	
the plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Category I bog No = Not a bog	

¹³⁵ https://www.dnr.wa.gov/NHPdata


¹³⁶ https://www.dnr.wa.gov/Publications/amp_nh_sighting_form.pdf

Wetland B

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as Priority Habitats? <i>If you answer YES, you will still need to rate the wetland based on its functions.</i>	
— Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 in. (81 cm) or more.	
 Mature forests (west of the Cascade Crest): Stands where the largest trees are 80-200 years old OR the species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm). 	
Yes = Category I No = Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
 The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks 	
 The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) 	
 The lagoon retains some of its surface water at low tide during spring tides 	
Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	Cat. I
C 5.1. Does the wetland meet all of the rollowing three conditions?	Cat. 1
 The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species in H 1.5 in the manual). 	
 — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. 	Cat. II
— The wetland is larger than $^{1}/_{10}$ ac (4350 ft 2)	
Yes = Category I No = Category II	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If you answer YES, you will still need to rate the wetland based on its habitat functions. In practical terms that means the following geographic areas: — Long Beach Peninsula: Lands west of SR 103 — Grayland-Westport: Lands west of SR 105 — Ocean Shores-Copalis: Lands west of SR 115 and SR 109 and Ocean Shores Blvd SW, including lands west	Cat I
of E. Oceans Shores Blvd SW. Yes – Go to SC 6.1 No = Not an interdunal wetland for rating	Cat. II
for the three aspects of function)? Yes = Category I No – Go to SC 6.2	
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger? Yes = Category II No – Go to SC 6.3	Cat. II
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac? Yes = Category III No = Category IV	Cat. I\
Category of wetland based on Special Characteristics	Not
If you answered No for all types, enter "Not Applicable" on Summary Form	Applicable

APPENDIX D

ANTECEDENT PRECIPITATION TOOL DATA



Coordinates	45.6198537, -122.4122602
Observation Date	2024-08-15
Elevation (ft)	280.598
Drought Index (PDSI)	Mild drought (2024-07)
WebWIMP H ₂ O Balance	Dry Season

30 Days Ending	30 th %ile (in)	70 th %ile (in)	Observed (in)	Wetness Condition	Condition Value	Month Weight	Product
2024-08-15	0.079134	0.564961	0.153543	Normal	2	3	6
2024-07-16	0.372047	1.743307	0.098425	Dry	1	2	2
2024-06-16	1.979921	3.949213	3.547244	Normal	2	1	2
Result							Normal Conditions - 10



Figures and tables made by the Antecedent Precipitation Tool Version 2.0

Developed by: U.S. Army Corps of Engineers and U.S. Army Engineer Research and Development Center

Weather Station Name	Coordinates	Elevation (ft)	Distance (mi)	Elevation Δ	Weighted Δ	Days Normal	Days Antecedent
TROUTDALE	45.5533, -122.3886	33.136	4.739	247.462	3.305	9243	80
PORTLAND TROUTDALE AP	45.5511, -122.4097	24.934	1.032	8.202	0.473	1693	10
CAMAS 2.4 E	45.5845, -122.374	58.071	2.268	24.935	1.077	3	0
PORTLAND WFO	45.5608, -122.5383	20.997	7.261	12.139	3.356	315	0
PORTLAND INTL AP	45.5958, -122.6092	21.982	11.066	11.154	5.103	98	0



CRITICAL AREAS REPORT

May 19, 2025



Mills Property Camas, Washington

Prepared for HSR Capital, LLC 19120 SE 34th St. Suite #103 Vancouver, WA 98683 (360) 798-6458

Prepared by

Ecological Land Services

1157 3rd Avenue, Suite 220A • Longview, WA 98632 (360) 578-1371 • Project Number 3341.10

SIGNATURE PAGE

The information in this report was compiled and prepared under the supervision and direction of the undersigned.

i

Julianne Blake

Biologist IV

Gabrielle (Gabby) Bender

Biologist IV

Francis Naglich

Principal/Sr. Wetland Biologist

TABLE OF CONTENTS

INTRODUCTION	
SITE DESCRIPTION	
METHODOLOGY	1
VEGETATION	
WETLANDS	
UPLANDS	
OREGON WHITE OAK ASSOCIATED VEGETATION	
SOILS	
WETLANDS	
UPLANDS	
Soil Depth Plots	
HYDROLOGY	
WETLAND B	4
OTHER ONSITE HYDROLOGY	
Precipitation	
CRITICAL AREA INVENTORIES	6
NATIONAL WETLANDS INVENTORY	6
CLARK COUNTY MAPS ONLINE	6
WASHINGTON DEPARTMENT OF FISH AND WILDLIFE PRIORITY HABITATS AND SPECIES	6
CRITICAL AREAS SUMMARY	6
Wetlands	6
Wetland B	6
Wetland Buffers	6
FISH AND WILDLIFE HABITAT CONSERVATION AREAS	
Oregon White Oak	
Herbaceous Bald Habitat	
LIMITATIONS	8
REFERENCES	9
TABLES (IN TEXT)	
Table 1. Mapped Soils	л
• •	
Table 2. Precipitation Data	
Table 3 Wetland Summary	7

FIGURES AND PHOTOPLATES

Vicinity Map
Existing Conditions
Habitat Areas Detail
NRCS Soil Survey
USFWS National Wetlands Inventory
Clark County Critical Areas
WDFW Priority Habitats and Species
Wetland Rating Form – 150' Offset
Wetland Rating Form – 1km Offset
Wetland Rating Form – 303(d) and TMDLs

APPENDICES

Photoplates 1-5

Appendix A	Routine Determination Method and Plant Indicator Rating Definitions

Appendix B Wetland Determination Data Forms

Appendix C Wetland Rating Form for Western Washington

Appendix D Antecedent Precipitation Tool Data

Appendix E Oregon White Oak Inventory

INTRODUCTION

Ecological Land Services, Inc. (ELS) was contracted by HSR Capital, LLC to complete a critical areas report for Clark County Tax Parcel Number 177885000, located at 313 SE Leadbetter Road, in Camas, Washington. The site is approximately 21.02 acres and is located within Section 34, Township 2 North, Range 3 East of the Willamette Meridian (Figure 1). ELS biologists conducted site visits between September 2022 and January 2023, to determine the presence and extent of wetlands and fish and wildlife habitat conservation areas onsite. This critical areas report summarizes ELS findings according to *City of Camas Municipal Code (CMC) Chapter 16.53 Wetlands* and *Chapter 16.61 Fish and Wildlife Habitat Conservation Areas* (March 2025).

SITE DESCRIPTION

The approximately 21-acre site is zoned North Shore Higher Density Residential (HD-NS), North Shore Mixed Use (MX-NS), and North Shore Commercial (C-NS). Surrounding properties consist of undeveloped forested land, single-family residences, and agricultural uses. Access to the site is provided by informal foot trails which extend from Clark County Parcel number 178175000 with no existing vehicle access roads. Topography onsite consists of moderate slopes to the south over the majority of the site, with the presence of several depressional areas to the north and northeast. Shallow bedrock and rock outcroppings are also present in some locations. The site is dominated by a forested canopy with a small area of herbaceous vegetation in the northern portion of the parcel. One wetland (Wetland B), two clusters of Oregon white oak trees (*Quercus garryana*, FACU), and two herbaceous bald areas are present onsite. One wetland (Wetland A) and one stream (Stream A) were observed offsite to the east. The offsite wetland and stream were delineated by ELS biologists on August 15, 2024 and are described in the *Critical Areas Report for ICG 252nd Property* (ELS 2025).

METHODOLOGY

The property was evaluated for the presence of wetlands using the Routine Determination Method according to the U.S. Army Corps of Engineers' 1987 Wetland Delineation Manual and the Regional Supplement to the Corps of Engineers' Wetland Delineation Manual (Environmental Laboratory 1987); Western Mountains, Valleys, and Coast Region (Version 2.0) (Corps 2010). The Routine Determination Method and defining wetland criteria are discussed further in Appendix A. Wetlands are regulated as "Waters of the United States" by the U.S. Army Corps of Engineers (Corps), as "Waters of the State" by the Washington Department of Ecology (Ecology), and locally by the City of Camas (City).

ELS biologists evaluated the property on September 9, September 22, November 11, and December 15, 2022, and January 4, 2023, for the presence of critical areas including streams, wetlands, and priority habitats and species. Due to the site's extensive size and the need to evaluate hydrologic conditions over time, multiple site visits were conducted. The wetland boundaries were delineated on November 11, 2022. An additional site visit was conducted on April 29, 2025 to assess the functions of oaks mapped during prior field work, confirm herbaceous bald boundaries, and confirm Wetland B conditions. Prior to conducting field work, ELS biologists

reviewed current and historic aerial photographs dating back to 1990 and reviewed the Clark County GIS database for information regarding soils, topography, wetlands, and habitat conservation areas. One depressional wetland (Wetland B) was delineated onsite (Figure 2). The offsite wetland and stream are assessed in the *Critical Areas Report for ICG 252nd Property*, and these features were determined not to have buffers that extend to the site.

Vegetation, soil, and hydrology information was collected from eleven test plots (TP) to determine the location and extent of onsite wetlands (Appendix B). Onsite wetland boundaries were flagged with consecutively numbered flagging tape and test plot locations were also flagged. Wetland and test plot flag locations, oak locations, oak driplines, and herbaceous bald areas were mapped using a hand-held global positioning system (GPS) unit capable of submeter accuracy (Figures 2 and 2a). Additional information regarding herbaceous bald mapping is in the Critical Areas Summary section of this report.

VEGETATION

Vegetation onsite is dominated by a mature forested canopy with a dense understory of scrub-shrub and herbaceous vegetation. Two herbaceous balds with two associated clusters of Oregon white oak trees were identified onsite and associated vegetation is detailed below. The plant indicator status following the plant scientific name is defined by the *National Wetland Plant List Indicator Rating Definitions* (Corps 2012) and is in Appendix A.

WETLANDS

Dominant vegetation consists of **trees**: black cottonwood (*Populus balsamifera*, FAC) and Oregon ash (*Fraxinus latifolia*, FACW); **shrubs**: Scouler's willow (*Salix scoulerina*, FAC) and Nootka rose (*Rosa nutkana*, FAC); and **herbs**: longroot smartweed (*Polygonum amphibium*, OBL), reed canarygrass (*Phalaris arundinacea*, FACW), and common duckweed (*Lemna minor*, OBL).

UPLANDS

Dominant vegetation consists of **trees:** bigleaf maple (*Acer macrophyllum*, FACU) and Douglas fir (*Pseudotsuga menziesii*, FACU); **shrubs:** oceanspray (*Holodiscus discolor*, FACU), snowberry (*Symphoricarpos albus*, FACU), vine maple (*Acer circinatum*, FAC), beaked hazelnut (*Corylus cornuta*, FACU), salal (*Gaultheria shallon*, FACU), and Oregon grape (*Mahonia nervosa*, FACU); and **herbs:** western swordfern (*Polysticum minutum*, FACU) and trailing blackberry (*Rubus ursinus*, FACU).

OREGON WHITE OAK AND HERBACEOUS BALD ASSOCIATED VEGETATION

Vegetation associated with herbaceous bald habitat and Oregon white oak clusters includes **trees**: Douglas fir; **shrubs**: Pacific poison oak (*Toxicodendron diversilobum*, FAC); and **herbs**: deer fern (*Blechnum spicant*, FAC), licorice fern (*Polypodium glycyrrhiza*, UPL), Camas lily (*Camassia quamash*, FACW), trailing blackberry, and various grasses.

SOILS

Soils onsite are mapped as Lauren very gravelly loam, 0 to 8 percent slopes (LIB), Olympic stony clay loam, 3 to 30 percent slopes (OmE), Vader silt loam, 3 to 8 percent slopes (VaB), and Lauren loam, 0 to 8 percent slopes (LeB), as referenced on the Natural Resources Conservation Service (NRCS) Web Soil Survey website (2025a; Figure 3).

Lauren very gravelly loam, 0 to 8 percent slopes is classified as a well-drained soil typically found on terraces, with an average depth to water table of greater than 80 inches below ground surface (BGS). Olympic stony clay loam, 3 to 30 percent slopes is classified as a well-drained soil typically found on mountain slopes, with an average depth to water table of greater than 80 inches BGS. Vader silt loam, 3 to 8 percent slopes is classified as a well-drained soil with a depth to water table of greater than 80 inches BGS. A landform is not specified for VaB; however, it can be assumed this soil type exists on terraces because of its slope classification. Lauren loam, 0 to 8 percent slopes is classified as a well-drained soil typically found on terraces, with an average depth to water table of greater than 80 inches BGS. According to the Washington State Hydric Soils List (NRCS 2025b), none of the soils mapped onsite are classified as hydric.¹

WETLANDS

Soils evaluated in TP-2 in the southern portion of Wetland B consisted of mucky loam and loamy clay. The upper portion of the profile, where mucky soils were observed, displayed a black (10YR 2/1) matrix with no redoximorphic features. The central portion of the profile displayed a matrix color of very dark gray (10YR 3/1) with brown redoximorphic features (7.5YR 4/4). The lower portion of the profile displayed a matrix color of very dark grayish brown (10YR 3/2) and strong brown redoximorphic features (7.5YR 4/6). Test Plot 2 met several hydric soil indicators including Depleted Below Dark Surface (A11), Loamy Mucky Mineral (F1), Depleted Matrix (F3), and Redox Dark Surface (F6).

Soils were not evaluated in TP-4 or TP-5 due to the presence of standing water and unconsolidated soils; therefore, hydric soil conditions are assumed. Approximately one foot of standing water was present at TP-5, and approximately 18 inches of standing water was present at TP-4.

UPLANDS

Evaluated soils in upland test plots consisted of loam and clay soils. Matrix colors were identified as 10YR 2/1, 10YR 2/2, 10YR 3/2, 10YR 3/3, and 10YR 4/2. Test Plot 7 had redoximorphic features present in the pore linings, however, these features were not present at the depth and quantity required to meet hydric soil conditions. Refusal was encountered throughout upland and herbaceous bald areas onsite due to shallow soils over bedrock or roots present in the test plot.

Critical Areas Report HSR Capital, LLC

¹Areas mapped with hydric soils do not necessarily mean that the area is a wetland—hydrology, hydrophytic vegetation, and hydric soils must all be present to classify an area as a wetland.

SOIL DEPTH PLOTS

Other notable soil investigations include the non-wetland pool in the northwest corner of the site. ELS biologists revisited this location between November and January to determine the presence or absence of wetland indicators including hydric soils. Soils were evaluated in Soil Depth (SD) Plots 1 through 4 on all sides of the pool location, showing shallow soils were present over bedrock. Soil Depth Plots 1, 2, and 3 showed two inches of soil present over bedrock, primarily consisting of a duff layer with loamy components. Soil Depth Plot 4 showed 5 inches of soil over bedrock with an approximately two-inch layer of duff and gravelly loam in the lower portion of the profile. No redoximorphic features were observed in the SD profiles and the matrix color of the loam component was dark brown (10YR 3/3). These observations indicate that soils on all sides of the pool location do not meet wetland conditions. The hydrologic component of this pool feature will be discussed in the Hydrology section of this report.

ELS does not agree with NRCS mapped hydric soils, as wetlands were observed in areas mapped with non-hydric soils, and uplands were observed in areas with mapped hydric soils. Specific soil information is recorded on the attached wetland determination data forms (Appendix B) and summarized in Table 1.

Table 1. Mapped Soils

Soil Series ¹	Landform ¹	Drainage Class ¹	Hydric Soil ²	Plots per Soil Series
Lauren very gravelly loam, 0-8% slopes (LIB)	Terraces			TP-4 through TP-9
Olympic stony clay loam, 3-30% slopes (OmE)	Mountain slopes	Well	No	TP-1, TP-2, TP-3, TP-10, TP- 11, SD-1, SD-2, SD-3, SD-4
Vader silt loam, 3-8% slopes (VaB)	Terraces ³	drained	No	
Lauren loam, 0 to 8 percent slopes (LeB)	Terraces			

¹NRCS 2024a; ²NRCS 2024b; ³A landform is not specified for VaB; however, it can be assumed this soil type exists on terraces because of its slope classification.

HYDROLOGY

WETLAND B

Wetland B is a seasonally flooded wetland located primarily onsite in a topographical depression in the northeast corner. Surface water was observed in Wetland B during site visits that took place between November 2022 and January 2023, however, it should be noted that no surface hydrology was observed during the September 2022 site visits. During the November 11, 2022 site visit, 12 to 18 inches of surface water was documented in the wetland. Wetland B provides flood storage and delay and groundwater recharge functions. Hydrology is supported by a shallow groundwater table, precipitation, and runoff from adjacent uplands. Wetland B does not have an outlet. According to Ecology's Water Quality Atlas, the site is in the Lacamas Creek 12-

digit hydrologic unit code (HUC) 170800050305 and Watershed Resource Inventory Area (WRIA) 28 Salmon – Washougal.

OTHER ONSITE HYDROLOGY

Potential wetland areas were investigated during several site visits following periods of precipitation from September 2022 to January 2023. A small pool developed in the northwest corner of the site in November 2022 and was observed during subsequent site visits. The pool was inundated with 8 inches of standing water. Although standing water was present, vegetation in and around the pool was not hydrophytic and no hydric soils were present, as described in the Soil Depth Plots subsection of this report. Based on these evaluations, ELS concludes that shallow bedrock prevents infiltration in this area and localized topography prevents water from leaving the depression, resulting in an area of pooling water that does not meet wetland criteria.

The depressional area in the northern portion of the site where TP-7 is located was also investigated as it displayed topographical conditions which could indicate the presence of wetlands. Redoximorphic concentrations were present but did not meet hydric soil criteria. Although hydrophytic vegetation was present in this area, neither hydric soils nor wetland hydrology were observed, and wetland criteria are not met.

PRECIPITATION

Because the wetland boundaries were delineated during the November 11, 2022 site visit, precipitation data relevant to this date only were assessed. The Corps Antecedent Precipitation Tool (APT) indicates normal precipitation conditions were present preceding the November site visit (Corps 2025). Precipitation data were gathered from the NOAA Regional Climate Centers *Multnomah County, Oregon, WETS Station: Troutdale,* which is the closest station to the project site with the most complete set of precipitation data. Precipitation two weeks prior to the site visit in November totaled 7.03 inches. September and October precipitation levels were drier than normal and November precipitation levels were wetter than normal. A copy of the APT data is provided in Appendix D and precipitation data is summarized in Table 2.

Table 2. Precipitation Data

Precipitation (inches)									
Date of Visit	Two	30 Days	Observed	30%	70%	DAREM ¹			
Date of Visit	Weeks Prior	Ending	Observed			Value	Weight	Total	
11/11/2022 0.00		11/11/2022	8.49	3.62	6.70	3	3	9	
	7.03	10/12/2022	0.55	1.61	3.99	1	2	2	
		09/12/2022	0.01	0.22	1.27	1	1	1	
Rainfall 3 months prior was: drier (sum 6-9), normal (sum 10-14), wetter (sum 15-18).							12		
Year to Date Mean Rainfall ^{2,3} : 6.29									
Year to Date A	ctual Rainfall ³ :	8.99			•				

¹Direct Antecedent Rainfall Evaluation Methods (Sumner et al 2009); ²Based on 2002-2022 precipitation data; ³Based on a water year, which starts on October 1.

CRITICAL AREA INVENTORIES

NATIONAL WETLANDS INVENTORY

The National Wetlands Inventory Map (NWI) does not show the presence of wetlands onsite or within 300 feet of the site (Figure 4). ELS field investigations are inconsistent with NWI Mapping as one wetland was delineated in the northeast portion of the site. Critical area inventory maps are typically used to gather information about a region and due to the large scale necessary for regional mapping, are limited in accuracy for localized analyses.

CLARK COUNTY MAPS ONLINE

Clark County Maps Online (CCMO) does not indicate the presence of any critical areas onsite (Figure 5). A permitted wetland is shown offsite to the northeast and was determined to be functionally isolated from the site by existing roads. ELS field investigations are inconsistent with CCMO mapping as a wetland was mapped onsite.

WASHINGTON DEPARTMENT OF FISH AND WILDLIFE PRIORITY HABITATS AND SPECIES

The Washington Department of Fish and Wildlife (WDFW) Priority Habitats and Species (PHS) mapping displays the presence of oak woodlands onsite (Figure 6). ELS field investigations are partially consistent with PHS, as oaks were observed in the vicinity of the mapped oaks. However, ELS biologists identified two herbaceous bald areas onsite, which are also considered priority habitats but were not mapped by WDFW. Additional discussion of oaks and herbaceous balds are in the Critical Areas Summary section of this report.

CRITICAL AREAS SUMMARY

WETLANDS

WETLAND B

Wetland B is a Category III, depressional, emergent (EM), forested (FO), seasonally flooded (SF) wetland with no outlet that extends offsite to the east. The wetland is approximately 0.78 acres onsite with a total area of approximately 0.84 acres. Vegetation in Wetland B is dominated by Oregon ash, black cottonwood, Scouler's willow, Nootka rose, reed canarygrass, and water smartweed. Hydrology is supported by a shallow groundwater table, precipitation, and runoff from adjacent uplands. According to the *Washington State Wetland Rating System for Western Washington: 2014 Update* (Rating System), Wetland B is a Category III wetland, scoring 6 points for water quality functions, 5 points for hydrologic functions, and 7 points for habitat functions, for a total score of 18 points (Appendix C).

WETLAND BUFFERS

Standard wetland buffers are based on wetland category and habitat score from the Rating System, in conjunction with the proposed land use intensity (*CMC 16.53.040(B)(2)*). Wetland B is a Category III wetland with a habitat score of 7 points. According to *CMC Table 16.53.040-3*, the standard buffer widths for Wetland B are 75 feet, 110 feet, and 150 feet for proposed low, moderate, and high land use intensities, respectively. According to *CMC 16.53.040(B)(4)(b)(i)*, functionally isolated buffer areas are areas that do not protect the wetland from adverse impacts,

such as preexisting roads and structures, and shall be excluded from buffer requirements. A portion of the wetland buffer in the northeast corner of the site is functionally isolated due to existing impervious surfaces that extend from adjacent parcels to the north and east (Figure 2). Wetlands and buffers are summarized in Table 3.

Table 3. Wetland Summary

Identifier	HGM Class ¹	Cowardin Class, Hydroperiod ²	Habitat Score/ Category ³	Proposed Land Use Intensity	Buffer Width ^{4,5}
Wetland B (0.78 acres onsite)	Depressional	EM/FO, SF		Low	75 feet
			III/7	Moderate	110 feet
				High	150 feet

¹NRCS 2008; ²FGDC 2013; ³Hruby 2023; ⁴CMC Table 16.53.040-3; ⁵CMC 16.61.040(D).

FISH AND WILDLIFE HABITAT CONSERVATION AREAS

Fish and Wildlife Habitat Conservation Areas are regulated by *CMC Chapter 16.61* and include areas with which state or federally designated endangered, threatened, and sensitive species have a primary association, state priority habitats and areas associated with state priority species, habitats of local importance, naturally occurring ponds under 20 acres, waters of the state, bodies of water planted with game fish by a governmental or tribal entity, and state natural area preserves and natural resource conservation areas. Habitats of local importance include Camas lily of a significant concentration (0.25 acres or greater) and Oregon white oak trees with a diameter at breast height (DBH) of 20 inches or greater (*CMC 16.61.010(A)*).

OREGON WHITE OAK

The Washington Department of Fish and Wildlife (WDFW) identifies which oak communities are considered priority habitats through its Priority Habitats and Species (PHS) program. The Washington Natural Heritage Program (WNHP) defines a North Pacific Oak Woodland as a community dominated or co-dominated by oak and associated with dry, low-elevation sites or those with frequent fires pre-settlement (Nolan and Azerrad 2024). Oregon white oak woodlands are associated with eight different plant communities, including a wide variety of native herbaceous and shrub species. Oak woodlands provide a mix of feeding, resting, and breeding habitat for many wildlife species (Nolan and Azerrad 2024). In addition to oak woodlands, individual oak trees can be considered a priority habitat if they provide considerable value to wildlife. In addition to woodland communities, oaks are also associated with prairies and savannas in Washington. These communities are considered woodled grasslands and are an association of upland grassland and meadows (Rocchio and Crawford 2015).

Two oak clusters were identified onsite, with sixteen oaks in Cluster 1 and four oaks in Cluster 2. Three of the oaks in Cluster 1 are located offsite to the east but form a continuous and contiguous canopy with the rest of the cluster. The total dripline of Cluster 1 is approximately 0.10 acres (4,146 sq. ft.) and the total dripline of Cluster 2 is approximately 0.05 acres (2,169 sq. ft.). Although PHS mapping identifies each cluster as an oak woodland, these areas do not meet woodland size requirements and each oak shall be considered an individual. Several of the oak

trees meet WDFW priority habitat criteria for individual oaks. Oak data is summarized in Appendix E.

HERBACEOUS BALD HABITAT

According to CMC 16.61.010(A)(2), priority habitats and species are identified by WDFW; however, CMC 16.61.010(A)(1) states that lists, categories, and definitions of species promulgated by WDFW are provided to the City to be used for guidance only. According to the WDFW Priority Habitat and Species List (WDFW 2008) herbaceous balds are defined as:

"...variable-sized patches of grass and forb vegetation located on shallow soils over bedrock that commonly is fringed by forest or woodland. Typically consists of low-growing vegetation adapted for survival on shallow soils amid seasonally dry conditions, and is often on steep slopes. Dominant flora includes herbaceous vegetation, dwarf shrubs, mosses, and lichens. Rock outcrops, boulders, and scattered trees are often present, especially Douglas-fir, Pacific madrone, and Oregon white oak. Balds occur within mid-montane to lowland forest zones. On slopes near saltwater shorelines in the northern Puget Trough, herbaceous balds and herbaceous bluffs can sometimes be difficult to differentiate. Balds typically are smaller than 5 ha (12 ac), although some can be up to about 100 ha ($\cong 250 \text{ ac}$)" (WDFW 2008).

ELS biologists identified two areas onsite that meet herbaceous bald criteria (Herbaceous Bald 1 and Herbaceous Bald 2). Herbaceous Bald 1 is approximately 0.15 acres (6,628 sq. ft.) and Herbaceous Bald 2 is approximately 0.06 acres (2,497 sq. ft.) in size. These areas are defined by shallow soils with vegetation dominated by grasses and forbs. Dominant vegetation found on herbaceous bald locations included Camas lily, licorice fern, various grasses, moss, and blackberry species. Although Camas lily was observed on the entirety of both herbaceous balds, it comprises less than 0.25 acres and is not considered a priority habitat itself. Douglas fir trees were rooted near herbaceous bald locations but not directly on the balds. All observed oaks were rooted within herbaceous bald boundaries and many displayed stunted crowns and curled leaves, likely from stress related to shallow soils and shading by Douglas fir trees. Herbaceous bald boundaries were delineated based on vegetation and the presence of bedrock under shallow soils.

LIMITATIONS


ELS bases this report's determinations on standard scientific methodology and best professional judgment. In our opinion, local, state, and federal regulatory agencies should agree with our determinations. However, the information contained in this report should be considered preliminary and used at your own risk until it has been approved in writing by the appropriate regulatory agencies. ELS is not responsible for the impacts of any changes in environmental standards, practices, or regulations after the date of this report.


REFERENCES


- City of Camas. 2025. Camas Municipal Code, *Title 16 Environment, Critical Areas* and *Fish and Wildlife Habitat Conservation Areas*. March 25, 2025.
- Ecological Land Services, Inc. (ELS). 2025. *Critical Areas Report for Enclave Property*. Camas, WA. Revised March 4, 2025.
- Ecological Land Services, Inc. (ELS). 2025. *Critical Areas Report for ICG 252nd Property*. Camas, WA. May 19, 2025.
- Environmental Laboratory. 1987. Corps of Engineers Wetlands Delineation Manual, Technical Report Y-87-1. U.S. Army Corps of Engineer Waterways Experiment Station, Vicksburg, Mississippi.
- Federal Geographic Data Committee (FGDC). 2013. *Classification of Wetlands and Deepwater Habitats of the United States*. FGDC-STD-004-2013. Second Edition. Wetlands Subcommittee, Federal Geographic Data Committee and U.S. Fish and Wildlife Service, Washington, DC.
- Hruby, T. & Yahnke, A. 2023. *Washington State Wetland Rating System for Western Washington:* 2014 Update (Version 2.0). Publication #23-06-009. Washington Department of Ecology.
- Natural Resource Conservation Service (NRCS). 2008. *Hydrogeomorphic Wetland Classification System: An Overview and Modification to Better Meet the Needs of the Natural Resources Conservation Service.* United States Department of Agriculture Technical Note, #190-8-76.
- Natural Resources Conservation Service (NRCS). 2025a. *Web Soil Survey*. https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx. Accessed April 2025.
- Natural Resources Conservation Service (NRCS). 2025b. *State Soil Data Access (SDA) Hydric Soils List*. https://www.nrcs.usda.gov/publications/query-by-state.html. Accessed April 2025.
- Nolan, M. P., and J. M. Azerrad. 2024. *Management recommendations for Washington's priority habitats: Best management practices for mitigating impacts to Oregon white oak priority habitat*. Washington Department of Fish and Wildlife (WDFW), Olympia, Washington. January 2, 2024.
- Rocchio, F. J., and Crawford. R. C. 2015. *Ecological Systems of Washington State: A Guide to Identification*. Washington Department of Natural Resources Natural Heritage Program. Olympia, WA.


- U.S. Army Corps of Engineers (Corps). 2010. Final Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region (Version 2.0), ed. J.S. Wakeley, R.W. Lichvar, and C.V. Noble. ERDC/EL TR-08-13. Vicksburg, Mississippi: U.S. Army Engineer Research and Development Center.
- U.S. Army Corps of Engineers (Corps). 2012. *National Wetland Plant List Indicator Rating Definitions*, ed. R.W. Lichvar, N.C. Melvin, M.L. Butterwick, and W.N. Kirchner. ERDC/CRREL TN-12-1. Vicksburg, Mississippi: U.S. Army Engineer Research and Development Center.
- U.S. Army Corps of Engineers (Corps). *Antecedent Precipitation Tool (APT)*, Troutdale weather station. November 11, 2022.
- U.S. Fish & Wildlife Service (USFWS). 2025. *National Wetlands Inventory*. https://www.fws.gov/wetlands/data/mapper.html. Accessed April 2025.
- Washington Department of Fish and Wildlife (WDFW). 2008 (Rev. March 2022). *State of Washington Priority Habitat and Species List*. Olympia, Washington.
- Washington Department of Fish and Wildlife (WDFW). 2025a. *Priority Habitats and Species (PHS) Online. https://geodataservices.wdfw.wa.gov/hp/phs/.* Accessed April 2025.
- Washington Department of Fish and Wildlife (WDFW). 2025b. Washington State Fish Passage online map. https://geodataservices.wdfw.wa.gov/hp/fishpassage/index.html. Accessed April 2025.
- Washington Department of Natural Resources (WDNR). 2006. Forest Practices Rules, WAC 222 160-1 Interim Water Typing System. December 16, 2006.
- Washington Department of Natural Resources (WDNR). 2025. Forest Practices Application Mapping Tool (FPAMT). https://www.dnr.wa.gov/programs-and-services/forest-practices/forest-practices-application-review-system-fpars. Accessed April 2025.


FIGURES AND PHOTOPLATES




























A view of the herbaceous bald area which is dominated by mosses and licorice fern.



Photo 2

A view of Oak Cluster 1, facing north.



Photo 3

A view of Oak Cluster 2 adjacent to the herbaceous bald showing in Photo 1 above.



1157 3rd Ave., Suite 220A Longview, WA 98632 Phone: (360) 578-1371 Fax: (360) 414-9305

DATE: 1/20/2023 DWN: GB PRJ. MGR: JB PROJ.#: 3341.10 Photoplate 1
Mills Property
Camas, Washington
Section 34, Township 2N, Range 3E, W.M.



A view of the forested portion of Wetland B, facing east.



Photo 5

A view of slough sedge in the southern portion of Wetland B.



Photo 6

A view of standing water at the location of TP-5 within Wetland B.



1157 3rd Ave., Suite 220A Longview, WA 98632 Phone: (360) 578-1371 Fax: (360) 414-9305 DATE: 11/11/2022 DWN: GB PRJ. MGR: JB PROJ.#: 3341.10

Photoplate 2
Mills Property
Camas, Washington
Section 34, Township 2N, Range 3E, W.M.



A view of the non-wetland pool in the northwest corner of the site.



Photo 8

A view of upland conditions in the central portion of the site.



Photo 9

A view of the herbaceous upland area in the northern portion of the site.



1157 3rd Ave., Suite 220A Longview, WA 98632 Phone: (360) 578-1371 Fax: (360) 414-9305

DATE: 1/20/2023 DWN: GB PRJ. MGR: JB PROJ.#: 3341.10 Photoplate 3
Mills Property
Camas, Washington
Section 34, Township 2N, Range 3E, W.M.



A view of upland vegetation in the southwest corner of the site.



Photo 11

A view of upland vegetation in the southeast corner of the site.



Photo 12

A view of upland vegetation in the south central portion of the site.



1157 3rd Ave., Suite 220A Longview, WA 98632 Phone: (360) 578-1371 Fax: (360) 414-9305

DATE: 1/20/2023 DWN: GB PRJ. MGR: JB PROJ.#: 3341.10 Photoplate 4
Mills Property
Camas, Washington
Section 34, Township 2N, Range 3E, W.M.



Photo is of Oak Cluster 1 showing the presence of Camas lily and herbaceous bald habitat



Photo 14

A view of herbaceous bald habitat near Oak Cluster 2.



Photo 15

A view of herbaceous bald habitat near Oak Cluster 2.



1157 3rd Ave., Suite 220A Longview, WA 98632 Phone: (360) 578-1371 Fax: (360) 414-9305

DATE: 4/29/2025 DWN: JB PRJ. MGR: JB PROJ.#: 3341.10 Photoplate 5
Mills Property
Camas, Washington
Section 34, Township 2N, Range 3E, W.M.

APPENDIX A

ROUTINE DETERMINATION METHOD AND PLANT INDICATOR RATING DEFINITIONS

ROUTINE DETERMINATION METHOD

The Routine Determination Method is defined according to the U.S. Army Corps of Engineers' 1987 Wetland Delineation Manual and the Regional Supplement to the Corps of Engineers' Wetland Delineation Manual (Environmental Laboratory 1987); Western Mountains, Valleys, and Coast Region (Version 2.0) (Corps 2010). The Routine Determination Method examines three parameters – vegetation, soils, and hydrology – to determine if wetlands exist in a given area. Hydrology is critical in determining what is a wetland, but if often difficult to assess because hydrologic conditions can change periodically (hourly, daily, or seasonally). Consequently, it is necessary to determine if hydrophytic vegetation and hydric soils are present, which would indicate that water is present for a long enough duration to support a wetland plant community. By definition, wetlands are those areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions.

VEGETATION INDICATOR STATUS

The indicator status, following the scientific names of plant species, indicates the likelihood of the species to be found in wetlands according to the *National Wetland Plant List Indicator Rating Definitions* (Corps 2012). Listed from most likely to least likely to be found in wetlands, the indicator status categories are:

- OBL (obligate wetland) occur almost always under natural conditions in wetlands.
- FACW (facultative wetland) usually occur in wetlands, but occasionally found in nonwetlands.
- **FAC** (facultative) equally likely to occur in wetlands or non-wetlands.
- FACU (facultative upland) usually occur in non-wetlands, but occasionally found in wetlands.
- UPL (obligate upland) occur almost always under natural conditions in non-wetlands.
- NI (no indicator) insufficient data to assign to an indicator category.

APPENDIX B

WETLAND DETERMINATION DATA FORMS

WETLAND DETERMINATION DATA FORM - Western Mountains, Valleys, and Coast Region

Project/Site: Mills Property		City/County: Camas/Clark Sampling Date:						
Applicant/Owner: HSR Capital, LLC				State:	WA	Sampling Poi	nt: TP-1	
Investigator(s): KT Wills; Jess Andrade		Section, T	Township, Rar	nge: S34, T2	2N, R3E			
Landform (hillside, terrace, etc.): Terrace		Local relief (co		Slope (%): _3-30				
Subregion (LRR): LRR A, MLRA 2 Lat: 45.619	90672	Long: -122.4161983 Datum: N						
Soil Map Unit Name: Olympic stony clay loam, 3 to 30		es				cation: None		
Are climatic / hydrologic conditions on the site typical for			Yes x			lain in Remarks	:)	
Are Vegetation , Soil , or Hydrology			Are "Normal C				No No	
Are Vegetation, Soil, or Hydrology SUMMARY OF FINDINGS – Attach site ma			If needed, exp	-		·	eatures, etc.	
Hydrophytic Vegetation Present? Yes No	o X	Is the	Sampled Ar	ea				
Hydric Soil Present? Yes No	o X	withi	n a Wetland?	,	Yes	No X		
Wetland Hydrology Present? Yes No	o <u>X</u>							
Remarks: This test plot is located in the central section of Parce therefore it does not meet the criteria of being a wetla VEGETATION – Use scientific names of p	nd.	at the bottom	of a slope. Th	nis test plot di	d not meet	all wetland indi	cators,	
<u>Tree Stratum</u> (Plot size: 30 ft. radius)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance	Test worl	ksheet:		
1. Pseudotsuga menziesii	30	Yes	FACU	Number of I	Dominant S	Species That		
2. Thuja plicata	20	Yes	FAC	Are OBL, F		•	4 (A)	
3. 4.				Total Numb		nant Species	8 (B)	
	50	=Total Cover		Percent of F	Cominant S	pecies That	``	
Sapling/Shrub Stratum (Plot size: 15 ft. radius)	•		Are OBL, F		•	50.0% (A/B)	
1. Acer circinatum	20	Yes	FAC					
2. Frangula purshiana	20	Yes	FAC	Prevalence	Index wor	rksheet:		
3. Corylus cornuta	20	Yes	FACU	Total %	% Cover of:		iply by:	
4. Mahonia aquifolium	15	No	FACU	OBL specie		x 1 =		
5. Acer macrophyllum (saplings)	5	No	<u>FACU</u>	FACW spec		x 2 =		
(5)	85	=Total Cover		FAC specie		x 3 =		
Herb Stratum (Plot size: 5 ft. radius)	20	V	FACU	FACU spec		x 4 = _		
Polystichum munitum Rubus ursinus	20	Yes	FACU FACU	UPL specie		x 5 = _	(P)	
3.		165	FACU		nce Index =	(A)	(B)	
				i ievalei	ice index =	- 6/4 -		
5.				Hvdrophvti	c Vegetati	on Indicators:		
6.					_	Hydrophytic Ve	getation	
7.					ninance Tes			
8.				3 - Prev	valence Inde	ex is ≤3.0 ¹		
9.				4 - Morp	ohological <i>F</i>	Adaptations ¹ (Pro	ovide supporting	
10						s or on a separa	ate sheet)	
11						acular Plants ¹		
	50	=Total Cover		Problen	natic Hydro	phytic Vegetati	on ¹ (Explain)	
Woody Vine Stratum (Plot size: 15 ft. radius							nydrology must	
1. Clematis sp*	20	Yes	FAC	be present,	unless dist	urbed or proble	matic.	
2.	20	=Total Cover		Hydrophyti Vegetation				
% Bare Ground in Herb Stratum 0				Present?	Yes_	No	X	
Remarks: * Assumed FAC indicator status.								

Sampling Point: TP-1

VEGETATION Continued – Use scientific names of plants.

Tree Stratum	Absolute % Cover	Dominant Species?	Indicator Status	Definitions of Vegetation Strata:
5. 6. 7.				Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
8. 9.				Sapling/Shrub – Woody plants less than 3 in. DBH, regardless of height.
10.				Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size.
12		=Total Cover		Woody Vine – All woody vines, regardless of height.
Sapling/Shrub Stratum		- Total Cover		
6. Holodiscus discolor	5	No	FACU	
7.				
8.				
9.				
10				
11				
12				
13				
	85	=Total Cover		
Herb Stratum				
12.				
13.	-			
14.				
15.				
16.				
17.				
18.				
19				
21	-			
22	-			
23.	-			
	50	=Total Cover		
Woody Vine Stratum		- Total Gover		
3.				
4.				
5.	-			
6.				
7.	-			
	20	=Total Cover		
Remarks:	•			
Tromano.				

SOIL TP-1 Sampling Point: Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Redox Features Depth Loc² Color (moist) % Type (inches) Color (moist) Texture Remarks 10YR 3/3 0-4 100 Loamy/Clayey ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils³: 2 cm Muck (A10) Histosol (A1) Sandy Redox (S5) Histic Epipedon (A2) Stripped Matrix (S6) Red Parent Material (F21) Loamy Mucky Mineral (F1) (except MLRA 1) Black Histic (A3) Very Shallow Dark Surface (F22) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Other (Explain in Remarks) Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thick Dark Surface (A12) Redox Dark Surface (F6) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) 2.5 cm Mucky Peat or Peat (S2) (LRR G) Redox Depressions (F8) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if observed): Type: Depth (inches): **Hydric Soil Present?** Yes No Remarks: **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) Secondary Indicators (2 or more required) Surface Water (A1) Water-Stained Leaves (B9) (except Water-Stained Leaves (B9) (MLRA 1, 2 High Water Table (A2) MLRA 1, 2, 4A, and 4B) 4A, and 4B) Saturation (A3) Salt Crust (B11) Drainage Patterns (B10) Water Marks (B1) Aquatic Invertebrates (B13) Dry-Season Water Table (C2) Sediment Deposits (B2) Hydrogen Sulfide Odor (C1) Saturation Visible on Aerial Imagery (C9) Drift Deposits (B3) Oxidized Rhizospheres on Living Roots (C3) Geomorphic Position (D2) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Shallow Aquitard (D3) Iron Deposits (B5) Recent Iron Reduction in Tilled Soils (C6) FAC-Neutral Test (D5) Surface Soil Cracks (B6) Stunted or Stressed Plants (D1) (LRR A) Raised Ant Mounds (D6) (LRR A) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Depth (inches): No x Depth (inches): Water Table Present? Saturation Present? Depth (inches): Wetland Hydrology Present? Yes No X (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Remarks:

WETLAND DETERMINATION DATA FORM - Western Mountains, Valleys, and Coast Region

Project/Site: Mills Property		City/Cou	nty: Camas/	Clark		Sampling Date	e: <u>11/11/22</u>
Applicant/Owner: HSR Capital, LLC				State	e:WA	Sampling Point	t: <u>TP-2</u>
Investigator(s): KT Wills; Jess Andrade		Section, T	Township, Ra	nge: <u>S34</u>	, T2N, R3E		
Landform (hillside, terrace, etc.): Terrace		Local relief (c	oncave, conv	SI	ope (%): 3-30		
Subregion (LRR): LRR A, MLRA 2 Lat: 45.619	5332		Long:1	22.414561	2	Datum	: NAD83
Soil Map Unit Name: Olympic stony clay loam, 3 to 30	percent slop	es			NWI classif	ication: None	•
Are climatic / hydrologic conditions on the site typical fo	or this time o	of year?	Yes x	No	(If no, exp	olain in Remarks.))
Are Vegetation , Soil , or Hydrology	significantly	disturbed? A	Are "Normal C	Circumstan	ces" present?	Yes x I	No
Are Vegetation, Soil, or Hydrology					answers in Ren		
SUMMARY OF FINDINGS – Attach site ma						,	atures, etc.
Hydrophytic Vegetation Present? Yes X No)	Is the	Sampled A	rea			
Hydric Soil Present? Yes X No		withi	n a Wetland	?	Yes X	No	
Wetland Hydrology Present? Yes X No							
Remarks: This test plot is located in the eastern section of Parce located in a wetland.	el 17788500	0. All three we	tland indicato	ors were me	et within the pr	ofile. Therefore,	TP-2 is
VEGETATION – Use scientific names of p							
<u>Tree Stratum</u> (Plot size: 30 ft. radius)	Absolute % Cover	Dominant Species?	Indicator Status	Domina	nce Test wor	ksheet:	
Fraxinus latifolia	50	Yes	FACW		of Dominant S		
2.					_, FACW, or FA	•	4 (A)
3. 4.					umber of Domi	nant Species	5 (B)
	50	=Total Cover			of Dominant S	—— Species That	(=/
Sapling/Shrub Stratum (Plot size: 15 ft. radius)					_, FACW, or F	•	80.0% (A/B)
1. Rosa nutkana	30	Yes	FAC				
2. Spiraea douglasii	20	Yes	FACW		nce Index wo		
3. Cornus nuttallii	10	No	FACU		tal % Cover of:		oly by:
4				OBL spe			
5	60	=Total Cover		FACW S	species	x 2 =	
Herb Stratum (Plot size: 5 ft. radius)		- Total Cover		FACU sp		x 4 =	
1. Carex obnupta	50	Yes	OBL	UPL spe		x 5 =	
2. Rubus ursinus	20	Yes	FACU		Totals:	(A)	(B)
3. Athyrium filix-femina 4.	5	No	FAC	Preva	alence Index =	= B/A =	<u> </u>
5.				Hydropl	nvtic Vegetati	ion Indicators:	
6.						Hydrophytic Vege	etation
7.					Dominance Te		
8.				3 - F	Prevalence Ind	lex is ≤3.0 ¹	
9					. •	Adaptations ¹ (Prov	
10						s or on a separate	e sheet)
11						/acular Plants ¹	1
Woody Vine Stratum (Plot size: 15 ft. radius)	75	=Total Cover				ophytic Vegetation	
1. Rubus armeniacus	, 1	No	FAC			oil and wetland hy turbed or problem	
2.		110		·		a. Dod or problem	
	1	=Total Cover		Hydropl Vegetat			
% Bare Ground in Herb Stratum 25				Present	? Yes	X No	
Remarks:							

SOIL Sampling Point: TP-2

	-	to the dept		iment th x Featur		tor or c	onfirm the absence	of indicators.)			
Depth (inches)	Matrix Color (moist)	%	Color (moist)	x Featur %	es Type ¹	Loc ²	Texture	D	emarks		
(inches)	Color (moist)		Color (Inoist)	70	Туре				emarks		
0-5	10YR 2/1	100	7.5\/D.4/4				Mucky Loam/Clay	•			
5-10	10YR 3/1	95	7.5YR 4/4	5	<u>C</u>	M	_ · · · · 				
10-16	10YR 4/2	95	7.5YR 4/6	5	С	M	Loamy/Clayey Prominent redox concentration				
								-			
¹Type: C=Co	oncentration, D=De	pletion, RM=	Reduced Matrix, C	S=Cove	red or Co	pated Sa	and Grains. ² Loo	cation: PL=Pore Li	ning, M=Matı	rix.	
	ndicators: (Applic							ors for Problemati			
Histosol	(A1)		Sandy Red	lox (S5)			2 cr	m Muck (A10)			
Histic Ep	ipedon (A2)		Stripped M	atrix (S6	5)		Red	d Parent Material (F	21)		
Black His	stic (A3)		X Loamy Mu	cky Mine	eral (F1)	(except	MLRA 1) Ver	y Shallow Dark Sur	face (F22)		
Hydrogei	n Sulfide (A4)		Loamy Gle	yed Mat	trix (F2)		Oth	er (Explain in Rema	arks)		
	Below Dark Surface	ce (A11)	X Depleted M								
	rk Surface (A12)		X Redox Dar				2				
	ucky Mineral (S1)		Depleted D		, ,			ors of hydrophytic v	•		
	lucky Peat or Peat	(S2) (LRR G)Redox Dep	pression	s (F8)			land hydrology mus	•	,	
	leyed Matrix (S4)						unie	ess disturbed or pro	blematic.		
	.ayer (if observed)):									
Type:	-1 \						Undela Oall Bassas				
Depth (in	icnes):						Hydric Soil Prese	nt? Ye	es	No	
Remarks:											
HYDROLO	GY										
Wetland Hyd	Irology Indicators	:									
-	ators (minimum of		ed; check all that a	apply)			Second	ary Indicators (2 or	more require	ed)	
Surface \	Water (A1)		Water-Stai	ned Lea	ives (B9)	(excep	t Wa	ter-Stained Leaves	(B9) (MLRA	1, 2	
X High Wa	ter Table (A2)		MLRA ²	1, 2, 4A,	and 4B)			4A, and 4B)			
X Saturatio	n (A3)		Salt Crust	(B11)				inage Patterns (B1			
Water Ma			Aquatic Inv		, ,			-Season Water Tab			
	t Deposits (B2)		Hydrogen \$					uration Visible on A		y (C9)	
	osits (B3)		Oxidized R					omorphic Position (D2)		
	t or Crust (B4)		Presence of					allow Aquitard (D3)			
	osits (B5) Soil Cracks (B6)		Recent Iron Stunted or				` '	C-Neutral Test (D5)			
	on Visible on Aerial	Imagany (B7				(D1) (Li		sed Ant Mounds (D st-Heave Hummocl			
	Vegetated Concav			iaiii iii K	terriarks)		F10:	St-neave numinoci	KS (D1)		
		C Odriace (D	<u> </u>				1				
Field Observ Surface Wate		'	No. Y	Depth (i	nchael·						
Water Table		es X		Depth (i	· -	6					
Saturation Pr		es X			nches):	0	Wetland Hydrol	ogy Present? Ye	es X M	No	
(includes cap		<u> </u>		(1					· ·	<u></u>	
` .	corded Data (stream	n gauge, moi	nitoring well, aerial	photos,	previous	inspec	tions), if available:				
Domortos											
Remarks:											

Investigator(s): KT Wills; Jess Andrade Section, Township, Range: S34, T2N, R3E Landform (hillside, terrace, etc.): Terrace Local relief (concave, convex, none): Convex Slope (%): 3-30	Project/Site: Mills Property		City/County: Camas/Clark Sampling Date: 11							
Landform (hillside, terrace, etc.) Terrace Last: 46.6194916 Lost Tellor (concave, convex, none); Convex Slope (%); 330 Subregion (LRR); LRR A, MLRA 2 Last: 46.6194916 Lost: 46.6194918 Lost: 46.619	Applicant/Owner: HSR Capital, LLC									
Submark Communication Co	Investigator(s): KT Wills; Jess Andrade		Section, 7	Township, Ra	nge: S34, T2N, R3E					
Soil Map Unit Name: Olympic story clay loam. 3 to 30 percent slopes	Landform (hillside, terrace, etc.): Terrace		Local relief (c	oncave, conv	ex, none): Convex	Slo	pe (%): <u>3-30</u>			
Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.) Are Vegetation Soil of Hydrology in a strain disturbed? Are "Normal Circumstances" present? Yes X No Are Vegetation or Soil or Hydrology in a naturally problematic? (If needed, explain any answers in Remarks.) SUMMARY OF FINDINGS — Attach site map showing sampling point locations, transects, important features, etc. Hydrophytic Vegetation Present? Yes X No X Wetland Hydrology Present? Yes No X No No X Wetland Hydrology Present? Yes No X No X Wetland Hydrology Present? Yes No X No X Yes FACU Yes No X Yes FACU Yes No Yes No X Yes FACU Yes Yes No X Yes FACU Yes No X Yes FACU Yes No X Yes FACU	Subregion (LRR): LRR A, MLRA 2 Lat: 45.61	94916		Long: -1	22.414523	Datum: NAD83				
Are Vegetation Soil or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes x No Are Vegetation Soil or Hydrology naturally problematic? (If needed, explain any answers in Remarks). SSUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc. Hydrophytic Vegetation Present? Yes X No X within a Wetland? Yes No X Wetland Hydrology Present? Yes No X within a Wetland? Yes No X Wetland Hydrology Present? Yes X No X Yes FACU Hydroly Present? Yes X No X Yes FACU Hydroly Present? Yes X No X Yes FACU Hydroly Present Present Hydrology Present? Yes X No X Yes FACU Hydroly Present Hydrology Present? Yes X No X Yes FACU Hydroly Present? Yes X No X Yes FACU Hydrology Present? Yes X No X Hydrology Present? Yes	Soil Map Unit Name: Olympic stony clay loam, 3 to 30	percent slop	es		NWI classit	fication: None				
Are Vegetation	Are climatic / hydrologic conditions on the site typical f	or this time o	f year?	Yes x	No (If no, exp	olain in Remarks.)				
Are Vegetation, Soil, or Hydrology	Are Vegetation , Soil , or Hydrology	significantly	disturbed? A	Are "Normal C			lo			
SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc. Hydrophytic Vegetation Present? Yes X No X Is the Sampled Area within a Wetland? Yes No X Wetland Hydrology Present? Yes No X Wetland Hydrology Russian Wetland? Yes No No No X Wetland Hydrology Russian Wetland? Yes No No No X Wetland Hydrology Russian Wetland? Yes No No No X Wetland Hydrology Russian Wetland? Yes No No No X Wetland Hydrology Russian Wetland? Yes No No No X Wetland Hydrology Russian Russian Russian Hydrology Russian Russian Russian Hydrology Russian Rus										
No X					·		itures, etc.			
New	Hydrophytic Vegetation Present? Yes X N	0	Is the	e Sampled A	rea					
Remarks: This test plot is located in the eastern section of Parcel 177885000. This test plot did not meet all wetland indicators, therefore it does not meet the criteria of being a wetland. Tree Stratum (Plot size: 30 ft. radius)	· · · · · · · · · · · · · · · · · · ·		withi	n a Wetland	? Yes	No X				
This test plot is located in the eastern section of Parcel 177885000. This test plot did not meet all wetland indicators, therefore it does not meet the criteria of being a wetland. VEGETATION – Use scientific names of plants. Tiee Stratum (Plot size: 30 ft. radius)	Wetland Hydrology Present? Yes N	o_X_								
Tree Stratum	This test plot is located in the eastern section of Parc criteria of being a wetland.). This test plo	ot did not mee	et all wetland indicators,	therefore it does no	ot meet the			
1. Fraxinus latifolia 40 Yes FACW Yes	Tree Stratum (Plot size: 30 ft. radius)				Dominance Test wor	rksheet:				
2		40		FACW	Number of Dominant	Species That				
Across All Stratum Clot size: 15 ft. radius Total Cover Percent of Dominant Species That Are OBL, FACW, or FAC: Tot.4% (A/B)	2. Thuja plicata	30	Yes	FAC		•	5 (A)			
Sapling/Shrub Stratum						inant Species	7 (B)			
1. Rosa nutkana		70	=Total Cover		Percent of Dominant S	Species That				
2.	Sapling/Shrub Stratum (Plot size: 15 ft. radius)			Are OBL, FACW, or F	AC: <u>7</u>	<u>'1.4%</u> (A/B)			
3.										
4. Sambucus racemosa 5 No FACU 5. Sambucus racemosa 35 =Total Cover FACU species x 2 = Herb Stratum (Plot size: 5 ft. radius) 30 Yes FACU species x 4 = 1. Athyrium filix-femina 30 Yes FACU PL species x 5 = 2. Polystichum munitum 15 Yes FACU Column Totals: (A) (B) (A) (B) 3. Carex obnupta 2 No OBL Prevalence Index = B/A = 4. Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% 8. 3 - Prevalence Index is ≤3.0¹ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet) 5 - Wetland Non-Vacular Plants¹ 5 - Wetland Non-Vacular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Woody Vine Stratum (Plot size: 15 ft. radius) 5 - Yes FAC Hydrophytic Vegetation Present? Yes X No										
5. 35 =Total Cover FACW species x 2 = Herb Stratum (Plot size: 5 ft. radius) 30 Yes FAC UPL species x 4 = 1. Athyrium filix-femina 30 Yes FACU UPL species x 5 = Column Totals: (A) (B) 2. Polystichum munitum 15 Yes FACU Column Totals: (A) (B) 3. Carex obnupta 2 No OBL Prevalence Index = B/A = Hydrophytic Vegetation Indicators: 6. 4 Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% 3 - Prevalence Index is ≤3.0¹ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet) 5 - Wetland Non-Vacular Plants¹ 5 - Wetland Non-Vacular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 9. 5 Yes FAC Hydrophytic Vegetation Yes X No No						 -				
Herb Stratum			INU	FACU						
Herb Stratum (Plot size: 5 ft. radius) 30 Yes FAC FACU species x 4 =	·	35	=Total Cover		· · · · · · · · · · · · · · · · · · ·					
1. Athyrium filix-femina 30 Yes FAC UPL species x 5 = 2. Polystichum munitum 15 Yes FACU Column Totals: (A) (B) 3. Carex obnupta 2 No OBL Prevalence Index = B/A = 4. For a provide supporting to the stratum Hydrophytic Vegetation Indicators: 6. 1 - Rapid Test for Hydrophytic Vegetation X. 2 - Dominance Test is >50% 3 - Prevalence Index is ≤3.0¹ 9. 10. 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet) 5 - Wetland Non-Vacular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) 1 - Rubus armeniacus 5 Yes FAC Hydrophytic vegetation for problematic. 2. 5 = Total Cover Hydrophytic Vegetation Yes X No	Herb Stratum (Plot size: 5 ft. radius)									
3. Carex obnupta 2 No OBL Prevalence Index = B/A = 4. 5. 6. 7. 8. 9. 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% 3 - Prevalence Index is ≤3.0¹ 4 - Morphological Adaptations¹(Provide supporting data in Remarks or on a separate sheet) 11. 47 =Total Cover Woody Vine Stratum (Plot size: 15 ft. radius) 1 Rubus armeniacus 5 Yes FAC Bare Ground in Herb Stratum Remarks:	1. Athyrium filix-femina	30	Yes	FAC	UPL species	x 5 =				
4.	2. Polystichum munitum	15	Yes	FACU	Column Totals:	(A)	(B)			
Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation			No	OBL	Prevalence Index	= B/A =				
6	5				Hydrophytic Vegetat	ion Indicators:				
8					1 - Rapid Test for	Hydrophytic Vege	tation			
9	7.				X 2 - Dominance Te	est is >50%				
data in Remarks or on a separate sheet) 5 - Wetland Non-Vacular Plants 5 - Wetland Non-Vacular Plants Problematic Hydrophytic Vegetation 1 Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 1 Hydrophytic Yegetation Remarks: Hydrophytic Vegetation Problematic Hydrophytic vegetation (Explain)	8									
11	9					•				
Moody Vine Stratum (Plot size: 15 ft. radius) 5 Yes FAC Problematic Hydrophytic Vegetation¹ (Explain) 1 Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation¹ (Explain) 1 Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation Present? Yes X No No No No No No No						•	sheet)			
Woody Vine Stratum (Plot size: 15 ft. radius) 1. Rubus armeniacus	11	47	T-1-1-0				1 (=			
1. Rubus armeniacus 5 Yes FAC be present, unless disturbed or problematic. 2. Hydrophytic Vegetation Present? Yes X No Remarks:	Woody Vino Stratum (Plot size: 15 ft radius		= Fotal Cover			-				
8 Bare Ground in Herb Stratum Remarks: Total Cover Present? Yes X No	,		Yes	FAC						
% Bare Ground in Herb Stratum Present? Yes X No Remarks:	2		-Total Cover							
	% Bare Ground in Herb Stratum		- i otai Govel			X No	<u> </u>			
		f the herbace	ous stratum.							

SOIL Sampling Point: TP-3 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Redox Features Loc² Color (moist) % Type (inches) Color (moist) Texture Remarks See below. 0-16 10YR 2/2 100 Loamy/Clayey ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soils³: Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Histosol (A1) Sandy Redox (S5) 2 cm Muck (A10) Histic Epipedon (A2) Red Parent Material (F21) Stripped Matrix (S6) Black Histic (A3) Loamy Mucky Mineral (F1) (except MLRA 1) Very Shallow Dark Surface (F22) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Other (Explain in Remarks) Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thick Dark Surface (A12) Redox Dark Surface (F6) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) 2.5 cm Mucky Peat or Peat (S2) (LRR G) Redox Depressions (F8) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if observed): Type: Depth (inches): **Hydric Soil Present?** Yes No Remarks: This layer also had 40% gravel. **HYDROLOGY**

Wetland Hydrology Indicators:							
Primary Indicators (minimum of one is required	d; check all that apply)	Secondary Indicators (2 or more required)					
Surface Water (A1)	Surface Water (A1) Water-Stained Leaves (B9) (except						
High Water Table (A2)	4A, and 4B)						
Saturation (A3)	Drainage Patterns (B10)						
Water Marks (B1)	Dry-Season Water Table (C2)						
Sediment Deposits (B2)	Saturation Visible on Aerial Imagery (C9)						
Drift Deposits (B3)	ots (C3) Geomorphic Position (D2)						
Algal Mat or Crust (B4)	Presence of Reduced Iron (C4)	Shallow Aquitard (D3)					
Iron Deposits (B5)	Recent Iron Reduction in Tilled Soils	(C6) FAC-Neutral Test (D5)					
Surface Soil Cracks (B6)	R A) Raised Ant Mounds (D6) (LRR A)						
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Remarks)	Frost-Heave Hummocks (D7)					
Sparsely Vegetated Concave Surface (B8)) 	_					
Field Observations:							
Surface Water Present? Yes	No x Depth (inches):						
Water Table Present? Yes	No x Depth (inches):						
Saturation Present? Yes	No x Depth (inches):	Wetland Hydrology Present? Yes No _X_					
(includes capillary fringe)							
Describe Recorded Data (stream gauge, monit	toring well, aerial photos, previous inspection	ons), if available:					
Remarks:							

Project/Site: Mills Property		City/Cou	nty: Camas/	Clark	Sampling Date:	11/11/22
Applicant/Owner: HSR Capital, LLC				State: WA	Sampling Point:	TP-4
Investigator(s): KT Wills; Jess Andrade		Section, T	ownship, Ra	nge: S34, T2N, R3E		
Landform (hillside, terrace, etc.): Terrace		 Local relief (c	oncave, conv	rex, none): Concave	Slop	oe (%): 0-8
Subregion (LRR): LRR A, MLRA 2 Lat: 45.619	8613		Long: -1	22.4147568	<u> </u>	NAD83
Soil Map Unit Name: Lauren very gravelly loam, 0 to 8 i	percent slop	es		NWI classi		
Are climatic / hydrologic conditions on the site typical fo			Yes x	•	•	
Are Vegetation , Soil , or Hydrology s	ignificantly)
Are Vegetation, Soil, or Hydrologyn				plain any answers in Re		
SUMMARY OF FINDINGS – Attach site ma						ures, etc.
Hydric Soil Present? Yes X No			e Sampled A n a Wetland		No	
Wetland Hydrology Present? Yes X No						
Remarks: This test plot is located in the northeastern section of F does meet the criteria of being a wetland. VEGETATION – Use scientific names of pl		35000 in a dep	oression. This	s test plot did meet all we	etland indicators, th	erefore it
VEGETATION – Use scientific flames of pr	Absolute	Dominant	Indicator			
<u>Tree Stratum</u> (Plot size: <u>30 ft. radius</u>)	% Cover	Species?	Status	Dominance Test wor	rksheet:	
1				Number of Dominant	•	
2.				Are OBL, FACW, or F		2 (A)
3. 4.				Total Number of Dom Across All Strata:	inant Species	2 (B)
···		=Total Cover		Percent of Dominant S	Snecies That	(=)
Sapling/Shrub Stratum (Plot size: 15 ft. radius)				Are OBL, FACW, or F	•	0.0% (A/B)
1						
2.				Prevalence Index wo		
3				Total % Cover of		
4				OBL species FACW species	x 1 = x 2 =	
·		=Total Cover		FAC species	x 3 =	
Herb Stratum (Plot size: 5 ft. radius)				FACU species	x 4 =	
Phalaris arundinacea	40	Yes	FACW	UPL species	x 5 =	
2. Persicaria amphibia	40	Yes	OBL	Column Totals:	(A)	(B)
3				Prevalence Index	= B/A =	
4				Undrambatic Venetat	ion Indicators	
5 6.				Hydrophytic Vegetat	Hydrophytic Veget	ation
7				X 2 - Dominance Te		111011
8.				3 - Prevalence Inc		
9.				4 - Morphological	Adaptations ¹ (Providence)	de supporting
10					s or on a separate	sheet)
11				5 - Wetland Non-		
	80	=Total Cover			ophytic Vegetation ¹	
Woody Vine Stratum (Plot size: 15 ft. radius)				¹ Indicators of hydric so be present, unless dis		
1 2.					turbed or problema	.10.
		=Total Cover		Hydrophytic Vegetation		
% Bare Ground in Herb Stratum0				_	XNo	<u> </u>
Remarks: 20% open water and trace presence of Salix sitchensis	s (sitka willo	w).				

SOIL TP-4 Sampling Point: Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Redox Features Depth Loc² Color (moist) (inches) Color (moist) Type Texture Remarks ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils³: 2 cm Muck (A10) Histosol (A1) Sandy Redox (S5) Histic Epipedon (A2) Stripped Matrix (S6) Red Parent Material (F21) Loamy Mucky Mineral (F1) (except MLRA 1) Black Histic (A3) Very Shallow Dark Surface (F22) Hydrogen Sulfide (A4) Other (Explain in Remarks) Loamy Gleyed Matrix (F2) Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thick Dark Surface (A12) Redox Dark Surface (F6) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) Redox Depressions (F8) 2.5 cm Mucky Peat or Peat (S2) (LRR G) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if observed): Type: Depth (inches): **Hydric Soil Present?** Yes No Remarks: 18+ inches of water depth at this test plot. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) Secondary Indicators (2 or more required) X Surface Water (A1) Water-Stained Leaves (B9) (except Water-Stained Leaves (B9) (MLRA 1, 2 High Water Table (A2) MLRA 1, 2, 4A, and 4B) 4A, and 4B) Saturation (A3) Salt Crust (B11) Drainage Patterns (B10) Water Marks (B1) Aquatic Invertebrates (B13) Dry-Season Water Table (C2) Sediment Deposits (B2) Hydrogen Sulfide Odor (C1) Saturation Visible on Aerial Imagery (C9) Drift Deposits (B3) Oxidized Rhizospheres on Living Roots (C3) Geomorphic Position (D2) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Shallow Aquitard (D3) Recent Iron Reduction in Tilled Soils (C6) X FAC-Neutral Test (D5) Iron Deposits (B5) Surface Soil Cracks (B6) Stunted or Stressed Plants (D1) (LRR A) Raised Ant Mounds (D6) (LRR A) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Depth (inches): Water Table Present? Х Depth (inches): Saturation Present? Depth (inches): Wetland Hydrology Present? Yes X (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: 18+ inches of water depth at this test plot.

Project/Site: Mills Property		City/Cou	nty: Camas/	Clark	Sampling Date:	11/11/22
Applicant/Owner: HSR Capital, LLC				State: WA	Sampling Point:	TP-5
Investigator(s): KT Wills; Jess Andrade		Section, T	ownship, Ra	nge: S34, T2N, R3E		
Landform (hillside, terrace, etc.): Terrace		 Local relief (co	oncave, conv	rex, none): Concave	Slop	oe (%): 0-8
Subregion (LRR): LRR A, MLRA 2 Lat: 45.620	2391		Long: -1	22.4146616		NAD83
Soil Map Unit Name: Lauren very gravelly loam, 0 to 8	percent slop	es	_	NWI classif	ication: None	
Are climatic / hydrologic conditions on the site typical fo			Yes x		olain in Remarks.)	
Are Vegetation , Soil , or Hydrology s	significantly of			Circumstances" present?)
Are Vegetation, Soil, or Hydrologyr				plain any answers in Rer		
SUMMARY OF FINDINGS – Attach site ma						ures, etc.
Hydric Soil Present? Yes X No Wetland Hydrology Present? Yes X No			e Sampled A n a Wetland		No	
Remarks: This test plot is located in the northeastern section of I criteria of being a wetland.	Parcel 17788	35000. This te	st plot did me	eet all wetland indicators	, therefore it does n	neet the
VEGETATION – Use scientific names of p	lants.					
The Obstacle (District Office)	Absolute	Dominant	Indicator	Danis Tark	lask and	
Tree Stratum (Plot size: 30 ft. radius) 1. Fraxinus latifolia	% Cover 5	Species? Yes	Status FACW	Dominance Test wor		
2.		162	TACV	Number of Dominant S Are OBL, FACW, or F	•	6 (A)
3.	-			Total Number of Domi		(/
4.				Across All Strata:		6 (B)
	5	=Total Cover		Percent of Dominant S	Species That	
Sapling/Shrub Stratum (Plot size: 15 ft. radius)				Are OBL, FACW, or F	AC: <u>10</u>	0.0% (A/B)
1. Rosa nutkana 2. Ropulus beleamifara (caplings)	10	Yes	FAC FAC	Prevalence Index wo	rkahaati	
Populus balsamifera (saplings) Salix scouleriana	10	Yes Yes	FAC	Total % Cover of		, hv.
4.		100	17.0	OBL species	x 1 =	
5.				FACW species		
	30	=Total Cover		FAC species	x 3 =	
Herb Stratum (Plot size: 5 ft. radius)				FACU species	x 4 =	
1. Phalaris arundinacea	20	Yes	FACW	UPL species	x 5 =	
Persicaria amphibia 3.	10	Yes	OBL	Column Totals: Prevalence Index	(A)	(B)
				Prevalence index	= b/A =	
5.				Hydrophytic Vegetat	ion Indicators:	
6.					Hydrophytic Vegeta	ation
7.				X 2 - Dominance Te	st is >50%	
8				3 - Prevalence Inc		
9.				<u> </u>	Adaptations ¹ (Provid	
10					s or on a separate	sneet)
11	30	=Total Cover		5 - Wetland Non-\	phytic Vegetation ¹	(Evolain)
Woody Vine Stratum (Plot size: 15 ft. radius)		= Total Covel		¹ Indicators of hydric so		
1.				be present, unless dis		
2.				Hydrophytic		
		=Total Cover		Vegetation		
% Bare Ground in Herb Stratum 0				Present? Yes	X No	_
Remarks: 70% open water						

SOIL TP-5 Sampling Point: Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Redox Features Loc² Color (moist) (inches) Color (moist) Type Texture Remarks See below. ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils³: 2 cm Muck (A10) Histosol (A1) Sandy Redox (S5) Histic Epipedon (A2) Stripped Matrix (S6) Red Parent Material (F21) Loamy Mucky Mineral (F1) (except MLRA 1) Very Shallow Dark Surface (F22) Black Histic (A3) Hydrogen Sulfide (A4) X Other (Explain in Remarks) Loamy Gleyed Matrix (F2) Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thick Dark Surface (A12) Redox Dark Surface (F6) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) 2.5 cm Mucky Peat or Peat (S2) (LRR G) Redox Depressions (F8) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if observed): Type: Depth (inches): **Hydric Soil Present?** Yes No Remarks: 12 inches of surface water depth at this test plot. **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) Secondary Indicators (2 or more required) X Surface Water (A1) Water-Stained Leaves (B9) (except Water-Stained Leaves (B9) (MLRA 1, 2 High Water Table (A2) MLRA 1, 2, 4A, and 4B) 4A, and 4B) Saturation (A3) Salt Crust (B11) Drainage Patterns (B10) Water Marks (B1) Aquatic Invertebrates (B13) Dry-Season Water Table (C2) Sediment Deposits (B2) Hydrogen Sulfide Odor (C1) Saturation Visible on Aerial Imagery (C9) Drift Deposits (B3) Oxidized Rhizospheres on Living Roots (C3) Geomorphic Position (D2) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Shallow Aquitard (D3) Recent Iron Reduction in Tilled Soils (C6) X FAC-Neutral Test (D5) Iron Deposits (B5) Surface Soil Cracks (B6) Stunted or Stressed Plants (D1) (LRR A) Raised Ant Mounds (D6) (LRR A) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Depth (inches): Depth (inches): Water Table Present? Х Saturation Present? Depth (inches): Wetland Hydrology Present? Yes X (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Remarks:

Project/Site: Mills Property		City/Cou	nty: Camas/	Clark		Sampling Da	ate: 11/11/22
Applicant/Owner: HSR Capital, LLC				State:	WA	Sampling Po	int: TP-6
Investigator(s): KT Wills; Jess Andrade		Section, T	Township, Rai	nge: <u>S34, T</u>	⁻ 2N, R3E		
Landform (hillside, terrace, etc.): Terrace		Local relief (c	oncave, conv	ex, none):	Convex		Slope (%): <u>0-8</u>
Subregion (LRR): LRR A, MLRA 2 Lat: 45.620)2862		Long:	122.4146177		Datu	ım: NAD83
Soil Map Unit Name: Lauren very gravelly loam, 0 to 8	percent slop	oes			NWI classif	fication: None	
Are climatic / hydrologic conditions on the site typical for	or this time o	of year?	Yes x	No	(If no, exp	olain in Remark	s.)
Are Vegetation, Soil, or Hydrology	significantly	disturbed? A	Are "Normal C	ircumstance	s" present?	Yes x	No
Are Vegetation, Soil, or Hydrology			If needed, ex	olain any ans	wers in Rer	marks.)	
SUMMARY OF FINDINGS – Attach site ma				-			features, etc.
Hydrophytic Vegetation Present? Yes X No	0	Is the	e Sampled A	rea			
Hydric Soil Present? Yes No		withi	n a Wetland	?	Yes	No X	
Wetland Hydrology Present? Yes No	о <u>X</u>						
Remarks: This test plot is located in the northeastern section of therefore it does not meet the criteria of being a wetla	nd.	85000 upland	of Wetland A	. This test plo	ot did not m	eet all wetland	indicators,
VEGETATION – Use scientific names of p	Absolute	Dominant	Indicator				
<u>Tree Stratum</u> (Plot size: <u>30 ft. radius</u>)	% Cover	Species?	Status	Dominand	e Test wor	ksheet:	
Populus balsamifera	30	Yes	FAC			Species That	
2. Fraxinus latifolia	20	Yes	FACW	Are OBL, I	FACW, or F	AC: _	3 (A)
3				Total Num Across All		inant Species	4 (B)
T	50	=Total Cover				- Species That	(D)
Sapling/Shrub Stratum (Plot size: 15 ft. radius					FACW, or F	•	75.0% (A/B)
Populus balsamifera (saplings)	30	Yes	FAC				
2. Fraxinus latifolia	5	No	FACW	Prevalenc	e Index wo	rksheet:	
3					% Cover of		Itiply by:
4				OBL speci			
5		Total Cover		FACW spe			
Herb Stratum (Plot size: 5 ft. radius)	35	=Total Cover		FAC speci FACU spe		x 3 = _ x 4 =	
1. Rubus ursinus	50	Yes	FACU	UPL speci		x 5 =	
2. Phalaris arundinacea	15	No	FACW		otals:	(A)	(B)
3. Carex deweyana	15	No	FAC	Prevale	ence Index	= B/A =	
5.				Hydronby	tic Vegetat	ion Indicators:	
					_	Hydrophytic Ve	
7.					minance Te		,gotalion
8.	· ·	· · · · · · · · · · · · · · · · · · ·			evalence Inc		
9.				4 - Mo	rphological	Adaptations ¹ (P	rovide supporting
10				data	in Remark	s or on a separ	ate sheet)
11						Vacular Plants ¹	
W 1 1 1 2 2 4 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	80	=Total Cover				ophytic Vegetat	
Woody Vine Stratum (Plot size: 15 ft. radius 1.						oil and wetland turbed or proble	hydrology must
2.				· · · · · · · · · · · · · · · · · · ·		turbed or proble	anauc.
-·		=Total Cover		Hydrophy Vegetation			
% Bare Ground in Herb Stratum 0				Present?		X No	
Remarks:							

SOIL Sampling Point: TP-6 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Redox Features Depth Loc² Color (moist) Type (inches) % Color (moist) Texture Remarks 10YR 2/1 0-10 100 Loamy/Clayey See below. ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils³: 2 cm Muck (A10) Histosol (A1) Sandy Redox (S5) Histic Epipedon (A2) Stripped Matrix (S6) Red Parent Material (F21) Loamy Mucky Mineral (F1) (except MLRA 1) Black Histic (A3) Very Shallow Dark Surface (F22) Hydrogen Sulfide (A4) Other (Explain in Remarks) Loamy Gleyed Matrix (F2) Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thick Dark Surface (A12) Redox Dark Surface (F6) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) Redox Depressions (F8) 2.5 cm Mucky Peat or Peat (S2) (LRR G) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if observed): Root refusal Type: Depth (inches): 10 **Hydric Soil Present?** Yes No Remarks: Root refusal at 10". **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) Secondary Indicators (2 or more required) Surface Water (A1) Water-Stained Leaves (B9) (except Water-Stained Leaves (B9) (MLRA 1, 2 High Water Table (A2) MLRA 1, 2, 4A, and 4B) 4A, and 4B) Saturation (A3) Salt Crust (B11) Drainage Patterns (B10) Water Marks (B1) Aquatic Invertebrates (B13) Dry-Season Water Table (C2) Sediment Deposits (B2) Hydrogen Sulfide Odor (C1) Saturation Visible on Aerial Imagery (C9) Drift Deposits (B3) Oxidized Rhizospheres on Living Roots (C3) Geomorphic Position (D2) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Shallow Aquitard (D3) Recent Iron Reduction in Tilled Soils (C6) x FAC-Neutral Test (D5) Iron Deposits (B5) Surface Soil Cracks (B6) Stunted or Stressed Plants (D1) (LRR A) Raised Ant Mounds (D6) (LRR A) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Depth (inches): Water Table Present? Yes ____ No x Depth (inches): Saturation Present? Depth (inches): Wetland Hydrology Present? Yes No X (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Remarks:

Project/Site: Mills Property		City/Cou	nty: Camas/	/Clark	Sampling Date:	11/11/22
Applicant/Owner: HSR Capital, LLC				State: WA	Sampling Point:	TP-7
Investigator(s): KT Wills; Jess Andrade		Section, T	Township, Ra	nge: S34, T2N, R3E		
Landform (hillside, terrace, etc.): Terrace		Local relief (c	oncave, conv	vex, none): Concave	Slop	oe (%): 3-30
Subregion (LRR): LRR A, MLRA 2 Lat: 45.620	403		Long: -1	122.4158555	Datum:	NAD83
Soil Map Unit Name: Olympic stony clay loam, 3 to 30 p				NWI classif		
Are climatic / hydrologic conditions on the site typical fo				No (If no, exp		
Are Vegetation, Soil, or Hydrologys)
Are Vegetation, Soil, or Hydrologyr						
SUMMARY OF FINDINGS – Attach site ma						ures, etc.
Hydrophytic Vegetation Present? Yes X No Hydric Soil Present? Yes No Wetland Hydrology Present? Yes No			e Sampled A n a Wetland		No X	
Remarks: This test plot is located in the northeastern section of F does meet the criteria of being a wetland.	Parcel 17788	85000 in a dep	oression. This	s test plot did meet all we	etland indicators, the	erefore it
VEGETATION – Use scientific names of pl	lants.					
Trac Stratum (Distaire: 20 ft radius)	Absolute	Dominant	Indicator	Deminance Test wer	ekahaat.	
Tree Stratum (Plot size: 30 ft. radius) 1.	% Cover	Species?	Status	Dominance Test wor		
2.				Number of Dominant : Are OBL, FACW, or F	'	1 (A)
3.				Total Number of Dom	inant Species	
4				Across All Strata:	·	1 (B)
		=Total Cover		Percent of Dominant S	•	0.00/ (4/5)
Sapling/Shrub Stratum (Plot size: 15 ft. radius)				Are OBL, FACW, or F	AC: 10	0.0% (A/B)
1				Prevalence Index wo	 orksheet:	
3.				Total % Cover of	: Multiply	by:
4.				OBL species		
5				FACW species		
(5)		=Total Cover		FAC species	x 3 =	
Herb Stratum	80	Yes	FACW	FACU species UPL species	x 4 = x 5 =	
2. Ranunculus repens	10	No	FAC	Column Totals:	(A)	(B)
3.				Prevalence Index	`` /	(=)
4.					<u>, </u>	
5.				Hydrophytic Vegetat	ion Indicators:	
6					Hydrophytic Vegeta	ation
7				X 2 - Dominance Te		
9.				3 - Prevalence Inc	aex is ≤3.0 Adaptations¹(Provic	le supporting
40					s or on a separate	
11				5 - Wetland Non-		
		=Total Cover		Problematic Hydro	ophytic Vegetation ¹	(Explain)
Woody Vine Stratum (Plot size: 15 ft. radius) 1.			FAC	¹ Indicators of hydric so be present, unless dis		
2.				Hydrophytic		
% Bare Ground in Herb Stratum 10		=Total Cover		Vegetation	X No	
Remarks:						

SOIL Sampling Point: TP-7

Profile Desc	ription: (Describe	to the depti	n needed to docu	ıment th	ne indica	tor or o	confirm the	absence c	of indicators.)	
Depth	Matrix		Redox							
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Text	ure	Rema	arks
0-12	10YR 2/2	100					Loamy/0	Clayey		
12-16	10YR 3/2	75	5YR 3/4	5	С	PL	Loamy/0	Clayey	See be	elow.
			5YR 3/4	20	С	М			Prominent redox	concentrations
			3111 6/ 1							
	-								-	
¹ Type: C=Co	oncentration, D=Dep	oletion, RM=F	Reduced Matrix, C	S=Cove	red or Co	oated S	and Grains.	² Loca	ation: PL=Pore Lining	g, M=Matrix.
Hydric Soil	ndicators: (Applica	able to all Li	RRs, unless othe	rwise n	oted.)			Indicator	s for Problematic H	ydric Soils³:
Histosol	(A1)		Sandy Red	lox (S5)				2 cm	Muck (A10)	
Histic Ep	oipedon (A2)		Stripped M	atrix (S6	6)			Red F	Parent Material (F21))
Black Hi	stic (A3)		Loamy Mu	cky Mine	eral (F1) (except	t MLRA 1)	Very	Shallow Dark Surface	e (F22)
Hydroge	n Sulfide (A4)		Loamy Gle	yed Mat	rix (F2)			Other	r (Explain in Remarks	3)
Depleted	Below Dark Surfac	e (A11)	Depleted N	latrix (F	3)					
Thick Da	ark Surface (A12)		Redox Dar	k Surfac	e (F6)					
Sandy M	lucky Mineral (S1)		Depleted D	ark Sur	face (F7)			³ Indicator	s of hydrophytic vege	etation and
2.5 cm N	Mucky Peat or Peat ((S2) (LRR G	Redox Dep	ression	s (F8)			wetla	nd hydrology must be	e present,
Sandy G	leyed Matrix (S4)							unles	s disturbed or proble	matic.
Restrictive I	_ayer (if observed):	:								
Type:										
Depth (ir	nches):		_				Hydric So	il Present	? Yes_	No x
Remarks:										
Some gravel	and charcoal near t	he bottom of	the soil sample ra	ange.						
HYDROLO	GY									
Wetland Hyd	drology Indicators:									
Primary India	cators (minimum of	one is require	ed; check all that a	apply)				Secondar	y Indicators (2 or mo	re required)
Surface	Water (A1)		Water-Stai	ned Lea	ves (B9)	(ехсер	ot	Wate	r-Stained Leaves (B9	9) (MLRA 1, 2
High Wa	ter Table (A2)		MLRA ²	1, 2, 4A,	and 4B)			4/	A, and 4B)	
Saturation	on (A3)		Salt Crust	(B11)				Drain	age Patterns (B10)	
Water M	arks (B1)		Aquatic Inv	ertebrat	es (B13)			Dry-S	Season Water Table	(C2)
Sedimer	nt Deposits (B2)		Hydrogen S					Satur	ation Visible on Aeria	al Imagery (C9)
Drift Dep	oosits (B3)		Oxidized R			_	oots (C3)	Geon	norphic Position (D2)	l
	t or Crust (B4)		Presence of						ow Aquitard (D3)	
	osits (B5)		Recent Iro						Neutral Test (D5)	
	Soil Cracks (B6)		Stunted or			(D1) (L	RR A)		ed Ant Mounds (D6) (
	on Visible on Aerial			lain in R	emarks)			Frost	-Heave Hummocks (D7)
Sparsely	Vegetated Concave	e Surface (B	8)							
Field Obser	vations:									
Surface Wat		es			nches): _					
Water Table		es			nches): _					
Saturation P		es	No <u>x</u>	Depth (i	nches): _		Wetland	Hydrolog	gy Present? Yes _	No_X
(includes cap			Market II	- l 1		•	· ('\ '/	1-1-1		
Describe Red	corded Data (stream	gauge, mor	nitoring well, aerial	pnotos,	previous	inspec	ctions), if avai	iable:		
Remarks:										
iveillaiks.										

Project/Site: Mills Property		City/Cour	nty: Camas/	Clark	Sampling Date:	12/15/22
Applicant/Owner: HSR Capital, LLC				State: WA	Sampling Point:	TP-8
Investigator(s): KT Wills; Jess Andrade		Section, T	ownship, Ra	nge: S34, T2N, R3E		
Landform (hillside, terrace, etc.): Terrace		Local relief (co	oncave, conv	ex, none): Convex	Slop	oe (%): 0-8
Subregion (LRR): LRR A, MLRA 2 Lat: 45.62	05959		Long: -1	22.414489		NAD83
Soil Map Unit Name: Lauren very gravelly loam, 0 to 8		es		NWI classi	fication: None	
Are climatic / hydrologic conditions on the site typical f			Yes x			
Are Vegetation, Soil, or Hydrology		-				0
Are Vegetation, Soil, or Hydrology	=			plain any answers in Re		
SUMMARY OF FINDINGS – Attach site m	_			-		ures, etc.
<u> </u>	lo	Is the	Sampled A	rea		
	lo X	withi	n a Wetland	? Yes	No X	
Wetland Hydrology Present? Yes N	lo X					
Remarks: This test plot is located in the northeastern section of does not meet the criteria of being wetland.	Parcel 17788	35000 on a ter	race. This te	st plot did not meet all w	retland indicators, th	nerefore it
VEGETATION – Use scientific names of p	olants.					
	Absolute	Dominant	Indicator			
Tree Stratum (Plot size: 30 ft. radius)	% Cover	Species?	Status	Dominance Test wo	rksheet:	
1.				Number of Dominant Are OBL, FACW, or F	•	2 (A)
2. 3.				•		2 (A)
3. 4.				Total Number of Dom Across All Strata:	inant Species	2 (B)
	·	=Total Cover		Percent of Dominant	Species That	`` ′
Sapling/Shrub Stratum (Plot size: 15 ft. radius	_)			Are OBL, FACW, or F	•	0.0% (A/B)
1						
2				Prevalence Index wo		
3.	· ——			Total % Cover of		
4				OBL species FACW species	x 1 =	
5		=Total Cover		FAC species	x 2 = x 3 =	
Herb Stratum (Plot size: 5 ft. radius)		_		FACU species	x 4 =	
1. Carex obnupta	80	Yes	OBL	UPL species	x 5 =	
2. Plantago lanceolata	5	No	FACU	Column Totals:	(A)	(B)
3. Rumex crispus	5	No	FAC	Prevalence Index	= B/A =	
4. Hypochaeris radicata	5	No	FACU			
5.				Hydrophytic Vegetat		-4:
6				X 2 - Dominance Te	· Hydrophytic Veget	ation
0				3 - Prevalence In		
9.					Adaptations ¹ (Provid	de supporting
10.					s or on a separate	
11.				5 - Wetland Non-	Vacular Plants ¹	
	95	=Total Cover		Problematic Hydr	ophytic Vegetation ¹	(Explain)
Woody Vine Stratum (Plot size: 15 ft. radius	•			¹ Indicators of hydric s		
1. Rubus armeniacus	5	Yes	FAC	be present, unless dis	sturbed or problema	tic.
2		-Total Cause		Hydrophytic		
% Bare Ground in Herb Stratum5	5	=Total Cover		Vegetation Present? Yes	X No	_
Remarks:						

SOIL TP-8 Sampling Point: Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Redox Features Depth Loc² Color (moist) Type (inches) % Color (moist) Texture Remarks 0-6 10YR 3/3 100 Loamy/Clayey Restrictive layer at 6" ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils³: 2 cm Muck (A10) Histosol (A1) Sandy Redox (S5) Histic Epipedon (A2) Stripped Matrix (S6) Red Parent Material (F21) Loamy Mucky Mineral (F1) (except MLRA 1) Black Histic (A3) Very Shallow Dark Surface (F22) Hydrogen Sulfide (A4) Other (Explain in Remarks) Loamy Gleyed Matrix (F2) Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thick Dark Surface (A12) Redox Dark Surface (F6) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) 2.5 cm Mucky Peat or Peat (S2) (LRR G) Redox Depressions (F8) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if observed): Bedrock Type: Depth (inches): **Hydric Soil Present?** Yes No Remarks: **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) Secondary Indicators (2 or more required) Surface Water (A1) Water-Stained Leaves (B9) (except Water-Stained Leaves (B9) (MLRA 1, 2 High Water Table (A2) MLRA 1, 2, 4A, and 4B) 4A, and 4B) Saturation (A3) Salt Crust (B11) Drainage Patterns (B10) Water Marks (B1) Aquatic Invertebrates (B13) Dry-Season Water Table (C2) Sediment Deposits (B2) Hydrogen Sulfide Odor (C1) Saturation Visible on Aerial Imagery (C9) Drift Deposits (B3) Oxidized Rhizospheres on Living Roots (C3) Geomorphic Position (D2) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Shallow Aquitard (D3) Iron Deposits (B5) Recent Iron Reduction in Tilled Soils (C6) X FAC-Neutral Test (D5) Surface Soil Cracks (B6) Stunted or Stressed Plants (D1) (LRR A) Raised Ant Mounds (D6) (LRR A) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Depth (inches): Water Table Present? No x Depth (inches): Saturation Present? Depth (inches): Wetland Hydrology Present? Yes No X (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Investigator(s): KT Wills; Jess Andrade Section, Township, Range: S34, T2N, R3E	Project/Site: Mills Property		City/Cour	nty: Camas/	Clark	Sampling Date:	12/15/22
Landform (hillside, terrace, etc.): Terrace	Applicant/Owner: HSR Capital, LLC				State: WA	Sampling Point:	TP-9
Solid Map Num Name: Larre very gravely loam, 0 to 8 percent slopes	Investigator(s): KT Wills; Jess Andrade		Section, T	ownship, Ra	nge: S34, T2N, R3E		
Soil Map Unit Name: Lauren very gravelly loam, 0 to 8 percent slopes Ner climatic / hydrologic conditions on the site typical for this time of year? Yes x No (If no, explain in Remarks.) Are Vegetation, Soil, or Hydrology	Landform (hillside, terrace, etc.): Terrace		 Local relief (co	oncave, conv	ex, none): Convex	Slop	e (%): 0-8
Soil Map Unit Name: Lauren very gravelly loam, 0 to 8 percent slopes New climatic / hydrologic conditions on the site typical for this time of year? Yes x No (if no, explain in Remarks.) New Cyceptation, Soil, or Hydrology	Subregion (LRR): LRR A, MLRA 2 Lat: 45.620	02053		Long: -1	22.4157401	Datum:	NAD83
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No (If no, explain in Remarks.) Are Vegetation	Soil Map Unit Name: Lauren very gravelly loam, 0 to 8	percent slop	es				
Are Vegetation							
Are Vegetation, Soil, or Hydrology)
SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc. Hydrophytic Vegetation Present? Yes X No X within a Wetland? Yes No X Remarks: This test plot is located in the northern central section of Parcel 177885000 on a terrace. This test plot did not meet all wetland indicators, therefore it does not meet the criteria of being wetland. VEGETATION – Use scientific names of plants. Tee Stratum (Plot size: 30 ft. radius) Absolute Species? Status (Plot size: 30 ft. radius) Species? Status (Plot size: 30 ft. radius) Absolute Species? Status (Plot size: 30 ft. radius) Species? Status (Plot size: 15 ft. radius) Species? Status Species? Status (Plot size: 15 ft. radius) Species? Status Species Status						<u></u>	
Hydric Soil Present? Yes No X within a Wetland? Yes No X Wetland Hydrology Present? Yes No X within a Wetland? Yes No X Wetland Hydrology Present? Yes No X within a Wetland? Yes No X No X Wetland Hydrology Present? Yes No X within a Wetland? Yes No X No X within a Wetland? Yes No X within a Wetland indicators, therefore it does not need the within a Wetland indicators, therefore it does not need the within a Wetland? Yes No X worksheet: Trace Stratum (Plot size: 15 ft. radius) 1. Agrosof within a Wetland? Yes No X yes FACU Prevalence Index worksheet: Total % Cover of North Number of Dominant Species That Are OBL FACW, or FAC: Yes No X yes FACU Prevalence Index worksheet: Total % Cover of Number of Dominant Species That Are OBL FACW, or FAC: Yes No X yes No X yes FACU Prevalence Index worksheet: Total % Cover of Number of Dominant Species That Are OBL FACW, or FAC: Yes No X yes No X yes FACU Yes FACU Species Yes Ye					-		ures, etc.
Hydric Soil Present? Yes	Hydrophytic Vegetation Present? Yes X N	0	Is the	Sampled A	rea		
Remarks: This test plot is located in the northern central section of Parcel 177885000 on a terrace. This test plot did not meet all wetland indicators, therefore it does not meet the criteria of being wetland. VEGETATION – Use scientific names of plants. Tree Stratum (Plot size: 30 ft. radius)		o X		-		No X	
This test plot is located in the northern central section of Parcel 177885000 on a terrace. This test plot did not meet all wetland indicators, therefore it does not meet the criteria of being wetland. VEGETATION – Use scientific names of plants. VEGETATION – Use scientific names of plants. Absolute Dominant Indicator Species? Status Dominant Indicator Species? Status Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A) Total Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A) Total Number of Dominant Species That Are OBL, FACW, or FAC: 3 (B) Percent of Dominant Species That Are OBL, FACW, or FAC: 4 (A/B) Perce	Wetland Hydrology Present? Yes N	o X					
VEGETATION – Use scientific names of plants. Tree Stratum (Plot size: 30 ft. radius)			·				
Absolute		of Parcel 17	7885000 on a	terrace. This	s test plot did not meet a	II wetland indicators	, therefore it
Tree Stratum	VEGETATION – Use scientific names of p						
1. 2. Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A) 3. 4. Total Number of Dominant Species Across All Strata: 3 (B) Sapling/Shrub Stratum (Plot size: 15 ft. radius) Percent of Dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B) 2. Prevalence Index worksheet: Total % Cover of: Multiply by: 3. 4. Seption of Species Seption Septi	Tree Stratum (Plot size: 30 ft radius)				Dominance Test wo	rkshoot:	
2.		70 OOVC1	Орссісз:	Otatus			
3.						•	2 (A)
Across All Strata: 3 (B) Percent of Dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)	2				Total Number of Dom	inant Species	
Are OBL, FACW, or FAC: 66.7% (A/B)	4					·	3 (B)
Prevalence Index worksheet: Total % Cover of:			=Total Cover			•	
Total % Cover of: Multiply by:	Sapling/Shrub Stratum (Plot size: 15 ft. radius)			Are OBL, FACW, or F	AC: 66	i.7% (A/B)
Total % Cover of: Multiply by:	1.				Provalence Index w	arkshoot:	
4.							bv.
FACW species x 2 = FAC species x 3 = FACU species x 4 = UPL species x 4 = UPL species x 5 = Column Totals: (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B							
FAC species	5.						
1. Agrostis capillaris 55 Yes FAC UPL species x 5 = 2. Hypochaeris radicata 20 Yes FAC Column Totals:			=Total Cover				
2. Hypochaeris radicata 20 Yes FAC Column Totals: (A) (B) 3. Ranunculus repens 20 Yes FAC 4. Cirsium arvense 5 No FAC 5. (Cirsium arvense) 5 No FAC 6. (Cirsium arvense) 1 - Rapid Test for Hydrophytic Vegetation Indicators: (A) (B) 7. (Cirsium arvense) 1 - Rapid Test for Hydrophytic Vegetation (A) (B) 8. (Cirsium arvense) 2 - Dominance Test is >50% 8. (Circium Totals: (A) (D) (B) 2 - Dominance Test is >50% 9. (Circium Totals: (A) (D) (D) (D) (D) (D) (D) (D) (D) (D) (D							
3. Ranunculus repens 4. Cirsium arvense 5 No FAC 5. Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% 8. 3 - Prevalence Index is ≤3.0¹ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet) 11. 5 - Wetland Non-Vacular Plants¹ Problematic Hydrophytic Vegetation¹ 11. 5 - Wetland Non-Vacular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) 1 - Hydrophytic Vegetation¹ 1 - Hydrophytic Vegetation¹ 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% 3 - Prevalence Index = B/A = Hydrophytic Vegetation 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% 3 - Prevalence Index = B/A = 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% 3 - Prevalence Index = B/A = 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% 3 - Prevalence Index = B/A = 1 - Rapid Test for Hydrophytic Vegetation Yesent's Hydrophytic Vegetation 1 - Rapid Test for Hydrophytic Vegetation Provide supporting data in Remarks or on a separate sheet) 5 - Wetland Non-Vacular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation Provide Stratum							
4. Cirsium arvense 5 No FAC Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% 8. 3 - Prevalence Index is ≤3.0¹ 4 - Morphological Adaptations¹(Provide supporting data in Remarks or on a separate sheet) 11. 5 - Wetland Non-Vacular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) 100 =Total Cover Woody Vine Stratum (Plot size: 15 ft. radius) 1. =Total Cover Bare Ground in Herb Stratum 0						` ′	(B)
Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation	· · · · · · · · · · · · · · · · · · ·				Prevalence index	= D/A =	
6.	_			<u> </u>	Hydrophytic Vegetat	ion Indicators:	
7. X 2 - Dominance Test is >50% 8. 3 - Prevalence Index is ≤3.0¹ 9. 4 - Morphological Adaptations¹(Provide supporting data in Remarks or on a separate sheet) 10. 5 - Wetland Non-Vacular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) 1. 100 =Total Cover Woody Vine Stratum (Plot size: 15 ft. radius) 1. 1 Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 2. Hydrophytic Vegetation Present? Yes X No							ation
8. 3 - Prevalence Index is ≤3.0¹ 9. 4 - Morphological Adaptations¹(Provide supporting data in Remarks or on a separate sheet) 11. 5 - Wetland Non-Vacular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) 10. 100 =Total Cover Woody Vine Stratum (Plot size: 15 ft. radius) 1. 100 =Total Cover Hydrophytic vegetation¹ (Explain) 1Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation Present? Yes X No	7				X 2 - Dominance Te	est is >50%	
data in Remarks or on a separate sheet) 5 - Wetland Non-Vacular Plants 5 - Wetland Non-Vacular Plants Problematic Hydrophytic Vegetation¹ (Explain) 100 =Total Cover Problematic Hydrophytic vegetation¹ (Explain) Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation Present? Yes X No	0				3 - Prevalence In	dex is ≤3.0 ¹	
11	9						
Moody Vine Stratum (Plot size: 15 ft. radius) 100 =Total Cover Problematic Hydrophytic Vegetation¹ (Explain) 1 1 1 1 1 1 1 1 1	10						sheet)
Woody Vine Stratum (Plot size: 15 ft. radius) 1.	11						
1 be present, unless disturbed or problematic. 2 =Total Cover	Woody Vino Ctratum (Diot size, 45 ft radius		=Total Cover			-	
2							
#ydrophytic Vegetation % Bare Ground in Herb Stratum 0 Present? Yes X No						and or problema	10.
% Bare Ground in Herb Stratum 0 Present? Yes X No		-	=Total Cover				
Remarks:	% Bare Ground in Herb Stratum 0				•	XNo	<u>-</u>
	Remarks:						

SOIL Sampling Point: TP-9 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Redox Features Depth Loc² Color (moist) Type (inches) % Color (moist) Texture Remarks 0-16 10YR 3/3 100 Loamy/Clayey ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils³: 2 cm Muck (A10) Histosol (A1) Sandy Redox (S5) Histic Epipedon (A2) Stripped Matrix (S6) Red Parent Material (F21) Loamy Mucky Mineral (F1) (except MLRA 1) Black Histic (A3) Very Shallow Dark Surface (F22) Hydrogen Sulfide (A4) Other (Explain in Remarks) Loamy Gleyed Matrix (F2) Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thick Dark Surface (A12) Redox Dark Surface (F6) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) 2.5 cm Mucky Peat or Peat (S2) (LRR G) Redox Depressions (F8) wetland hydrology must be present, Sandy Gleyed Matrix (S4) unless disturbed or problematic. Restrictive Layer (if observed): Type: Depth (inches): **Hydric Soil Present?** Yes No Remarks: **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) Secondary Indicators (2 or more required) Surface Water (A1) Water-Stained Leaves (B9) (except Water-Stained Leaves (B9) (MLRA 1, 2 High Water Table (A2) MLRA 1, 2, 4A, and 4B) 4A, and 4B) Saturation (A3) Salt Crust (B11) Drainage Patterns (B10) Water Marks (B1) Aquatic Invertebrates (B13) Dry-Season Water Table (C2) Sediment Deposits (B2) Hydrogen Sulfide Odor (C1) Saturation Visible on Aerial Imagery (C9) Drift Deposits (B3) Oxidized Rhizospheres on Living Roots (C3) Geomorphic Position (D2) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Shallow Aquitard (D3) Iron Deposits (B5) Recent Iron Reduction in Tilled Soils (C6) FAC-Neutral Test (D5) Surface Soil Cracks (B6) Stunted or Stressed Plants (D1) (LRR A) Raised Ant Mounds (D6) (LRR A) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Depth (inches): Water Table Present? Yes ____ No x Depth (inches): Saturation Present? Depth (inches): Wetland Hydrology Present? Yes No X (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Remarks:

Project/Site: Mills Property		City/Cou	nty: Camas/	'Clark	Samp	oling Date:	12/15/22
Applicant/Owner: HSR Capital, LLC				State:	WA Samp	ling Point:	TP-10
Investigator(s): KT Wills; Jess Andrade		Section, 7	Γownship, Ra	nge: S34, T2N,	, R3E		
Landform (hillside, terrace, etc.): Terrace		Local relief (c	oncave, conv	ex, none): Con	ivex	Slop	oe (%): 0-8
Subregion (LRR): LRR A, MLRA 2 Lat: 45.620)4896		Long: -1	122.4163951			
Soil Map Unit Name: Lauren loam, 0 to 8 percent slope	es			NW			
Are climatic / hydrologic conditions on the site typical for		f year?	Yes x		f no, explain in R		
Are Vegetation, Soil, or Hydrology:)
Are Vegetation, Soil, or Hydrology				plain any answer	·-		
SUMMARY OF FINDINGS – Attach site ma						rtant feat	ures, etc.
			e Sampled A n a Wetland		sNo	X	
Remarks: This test plot is located in the northwestern section of does not meet the criteria of being a wetland.	Parcel 1778	85000 on a te	rrace. This te	est plot did not me	eet all wetland ir	ndicators, th	erefore it
VEGETATION – Use scientific names of p	lants.				,		
<u>Tree Stratum</u> (Plot size: 30 ft. radius)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance T	est worksheet:		
1				Number of Do	minant Species	That	1 (A)
3.				· ·	of Dominant Sp	ecies	(' '
4				Across All Stra	ata:		1 (B)
Sapling/Shrub Stratum (Plot size: 15 ft. radius)		=Total Cover		Percent of Dor Are OBL, FAC	minant Species CW, or FAC:		0.0% (A/B)
1. 2.				Prevalence In	ndex worksheet	 t:	
3.				Total % 0	Cover of:	Multiply	by:
4.				OBL species		x 1 =	
5				FACW species		x 2 =	
(5)		=Total Cover		FAC species		x 3 =	
Herb Stratum (Plot size: 5 ft. radius) 1. Agrostis capillaris	100	Yes	FAC	FACU species UPL species		x 4 =	
2.	100	165	TAC	Column Totals		A)	(B)
3.					Index = B/A =	<i>'</i>	
4							
5.					Vegetation Indi		ation
6 7.					Test for Hydroph ance Test is >50		ition
0					ence Index is ≤3		
9.					ological Adaptati		le supporting
10				data in	Remarks or on a	a separate s	sheet)
11				5 - Wetlan	nd Non-Vacular l	Plants ¹	
		=Total Cover		Problemat	tic Hydrophytic \	√egetation ¹	(Explain)
Woody Vine Stratum (Plot size: 15 ft. radius) 1.					nydric soil and w lless disturbed o		
2.				Hydrophytic			
% Bare Ground in Herb Stratum0		=Total Cover		Vegetation Present?	Yes X	No	_
Remarks:							

SOIL Sampling Point: TP-10

Profile Desc Depth	ription: (Describe Matrix	to the dept		ıment tl x Featur		ator or o	confirm the	absence of	ındicators	.)	
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Tex	ture		Remarks	
0-5	10YR 3/3	100				-	Loamy		Res	strictive layer	at 5"
	10111 0/0						Louiny	Olayey	1100	othotive layer	ui o
	•							-			
	-					-	-				
	oncentration, D=De					oated S	and Grains.			re Lining, M=	
-	ndicators: (Applic	able to all L			-					matic Hydric	Soils":
Histosol			Sandy Red	, ,					Muck (A10)	:-1 (504)	
	ipedon (A2)		Stripped M			lovooni	MIDA 1		arent Mater	` ,	2)
Black His	n Sulfide (A4)		Loamy Mu Loamy Gle	-		(excep	I WILKA I)		Explain in f	(Surface (F2	2)
	l Below Dark Surfac	·Δ (Δ11)	Depleted N	-				Other	(Explain in i	veillaiks)	
	rk Surface (A12)	<i>(</i> A11)	Redox Dar	`	,						
	ucky Mineral (S1)		Depleted D		` ')		³ Indicators	of hydrophy	ytic vegetatio	n and
	lucky Peat or Peat	(S2) (LRR G			,	,				must be pre	
	leyed Matrix (S4)	· / ·	´ 		` ,				, ,,	r problemation	•
Restrictive L	ayer (if observed)	:									
Type:	Bedro	ck									
Depth (in	nches):	5	_				Hydric So	oil Present?	•	Yes	No X
Remarks:											
	OV										
HYDROLO		-									
-	drology Indicators ators (minimum of		ed: check all that a	annly)				Secondari	Indicators	(2 or more re	auired)
-	Water (A1)	one is requir	Water-Sta		ives (B9)	(excen	ıt	-		aves (B9) (M	
	ter Table (A2)				and 4B		•		and 4B)	avoo (Bo) (III	
Saturatio	` ,		Salt Crust			,			ge Patterns	(B10)	
Water Ma	arks (B1)		Aquatic Inv	ertebra	tes (B13))				r Table (C2)	
Sedimen	t Deposits (B2)		Hydrogen	Sulfide (Odor (C1)		Satura	tion Visible	on Aerial Ima	agery (C9)
Drift Dep	osits (B3)		Oxidized R	hizosph	eres on	Living R	oots (C3)	Geom	orphic Posit	ion (D2)	
Algal Ma	t or Crust (B4)		Presence	of Reduc	ced Iron	(C4)		Shallo	w Aquitard	(D3)	
	osits (B5)		Recent Iro						leutral Test	. ,	
	Soil Cracks (B6)		Stunted or				RR A)			ds (D6) (LRR	A)
	on Visible on Aerial	• • •	· · · ·	lain in F	Remarks))		Frost-l	Heave Hum	mocks (D7)	
Sparsely	Vegetated Concav	e Surface (B	8)								
Field Observ											
Surface Wate		es	No x		nches):						
Water Table Saturation Pr		es	No <u>x</u>		nches):		Wetlen	d Hydrology	, Brocont?	Yes	No V
(includes cap		es	No <u>x</u>	Deptii (i	nches):		vveilan	a nyarology	/ Fresent?	162	No <u>X</u>
	corded Data (strear	n dalide moi	nitoring well aeria	nhotos	previou	s insper	tions) if ava	ailahle:			
DOSCING IVE	o. aca Data (streat	. gaago, mo	morning woll, acila	PHOTOS	, proviou	o mopet	orioj, ii ave	andolo.			
Remarks:											

Project/Site: Mills Property		City/Cou	nty: Camas/C	lark		Sampling Date:	12/15/22
Applicant/Owner: HSR Capital, LLC				State:	WA	Sampling Point:	TP-11
Investigator(s): KT Wills; Jess Andrade		Section, 7	Γownship, Ran	ge: S34, T	2N, R3E		
Landform (hillside, terrace, etc.): Hillslope		Local relief (c	oncave, conve	x, none):	Convex	Slo	pe (%): <u>3-20</u>
Subregion (LRR): LRR A, MLRA 2 Lat: 45.618	9702		Long: -12	22.4143748		Datum:	NAD83
Soil Map Unit Name: Onlympic stony clay loam, 3 to 20	percent slo	pes			NWI classifi	ication: None	
Are climatic / hydrologic conditions on the site typical fo			Yes_x_			lain in Remarks.)	
Are Vegetation, Soil, or Hydrologys							10
Are Vegetation, Soil, or Hydrologyr			If needed, exp				
SUMMARY OF FINDINGS – Attach site ma			•	•		,	tures, etc.
Hydrophytic Vegetation Present? Yes No	X	Is the	e Sampled Ar				
Hydric Soil Present? Yes No	X		n a Wetland?		Yes	No X	
	X						
Remarks:	· <u>·</u>	<u> </u>					
This test plot is located in the western section of Parce not meet the criteria of being a wetland.	el 17788500	0 on a terrace	. This test plot	did not mee	et all wetland	l indicators, theref	fore it does
VEGETATION – Use scientific names of pl	ants.						
	Absolute	Dominant	Indicator				
Tree Stratum (Plot size: 30 ft. radius)	% Cover	Species?	Status		e Test work		
1					Dominant S ACW, or FA	Species That	1 (A)
3.						nant Species	(A)
4.				Across All		iant opecies	2 (B)
		=Total Cover		Percent of	Dominant S	Species That	
Sapling/Shrub Stratum (Plot size: 15 ft. radius)					FACW, or FA	•	60.0% (A/B)
1. Mahonia nervosa	10	Yes	FACU				
2					e Index wor		
3.					% Cover of:		
4				OBL specie	ecies	x 1 = x 2 =	
·	10	=Total Cover		FAC specie		x 3 =	
Herb Stratum (Plot size: 5 ft. radius)				FACU spec	-	x 4 =	
Agrostis capillaris	90	Yes	FAC	UPL specie	es	x 5 =	
2.				Column To	tals:	(A)	(B)
3				Prevale	nce Index =	= B/A =	
4							
5. 6.						on Indicators:	tation
7					minance Tes	Hydrophytic Vege	lalion
					valence Ind		
9.						Adaptations ¹ (Provi	ide supporting
10.						s or on a separate	
11				5 - We	tland Non-V	acular Plants ¹	
	90	=Total Cover		Proble	matic Hydro	phytic Vegetation	¹ (Explain)
Woody Vine Stratum (Plot size: 15 ft. radius)						il and wetland hyd	
1.			—— 	be present.	, unless dist	urbed or problema	atic.
2		=Total Cover		Hydrophyt			
% Bare Ground in Herb Stratum10		- Total Cover		Vegetation Present?	n Yes_	No _X	_
Remarks:							

SOIL Sampling Point: TP-11

Profile Desc	ription: (Describe	to the depti	n needed to docu	ıment th	ne indica	tor or c	confirm the	absence of	indicators.)	
Depth	Matrix		Redo	x Featur	es					
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Tex	ture	Remarks	;
0-3	10YR 2/1	100					Loamy/	/Clayey		
3-11	10YR 3/3	100					Loamy	/Clayey		
	-						-			
							-			
	-									
¹ Type: C=Ce	oncentration, D=De	oletion, RM=F	Reduced Matrix, C	S=Cove	ered or Co	oated S	and Grains.	² Locat	ion: PL=Pore Lining, N	l=Matrix.
Hydric Soil	Indicators: (Applic	able to all LI	RRs, unless othe	rwise n	oted.)			Indicators	for Problematic Hydi	ic Soils ³ :
Histosol	(A1)		Sandy Red	dox (S5)				2 cm N	Muck (A10)	
Histic Ep	oipedon (A2)		Stripped M	latrix (S6	6)			Red P	arent Material (F21)	
Black Hi	stic (A3)		Loamy Mu	cky Mine	eral (F1) (except	MLRA 1)	Very S	Shallow Dark Surface (F	22)
Hydroge	n Sulfide (A4)		Loamy Gle	eyed Mat	trix (F2)			Other	(Explain in Remarks)	
Depleted	d Below Dark Surfac	ce (A11)	Depleted N	∕latrix (F	3)					
Thick Da	ark Surface (A12)		Redox Dar		` ,					
Sandy M	lucky Mineral (S1)		Depleted D	Dark Sur	face (F7)				of hydrophytic vegetat	
	Mucky Peat or Peat	(S2) (LRR G)	Redox Dep	oression	s (F8)			wetlan	d hydrology must be p	esent,
Sandy G	Gleyed Matrix (S4)							unless	disturbed or problema	tic.
Restrictive I	Layer (if observed)									
Type:	Bedro	ck								
Depth (ir	nches):	11					Hydric So	oil Present?	Yes	NoX
Remarks:										
HYDROLO	GY									
Wetland Hy	drology Indicators	:								
Primary India	cators (minimum of	one is require	ed; check all that a	apply)				Secondary	Indicators (2 or more	equired)
Surface	Water (A1)		Water-Stai	ined Lea	ives (B9)	(excep	t	Water	-Stained Leaves (B9) (VILRA 1, 2
	iter Table (A2)				and 4B)				, and 4B)	
Saturation			Salt Crust						age Patterns (B10)	
	larks (B1)		Aquatic Inv						eason Water Table (C2	,
	nt Deposits (B2)		Hydrogen				. (00)		ation Visible on Aerial Ir	nagery (C9)
	posits (B3)		Oxidized R			-	oots (C3)		orphic Position (D2)	
	at or Crust (B4)		Presence of				lo (CC)		w Aquitard (D3)	
	osits (B5)		Recent Iro						Neutral Test (D5)	D A)
	Soil Cracks (B6) on Visible on Aerial	Imagany (B7)	Stunted or			(D1) (L 1	KK A)		d Ant Mounds (D6) (LR Heave Hummocks (D7)	
	Vegetated Concav	• • • •		naiii iii r	terriarks)				neave numinocks (D7)	
		e Surface (De								
Field Obser Surface Wat			No. v	Donth (i	inches):					
		es	No <u>x</u> No x		inches):					
	Water Table Present? Yes No x Depth (inches): Wetland Hydrology Present? Yes No x Saturation Present? Yes No x Depth (inches): Wetland Hydrology Present? Yes No X									
(includes cap			110 <u>x</u>	Dopuii (i			Wettan	a riyarolog	y 1 1050iii 105	_ 110
	corded Data (strear	n gauge, mor	nitoring well. aerial	photos	, previous	inspec	tions), if ava	ailable:		
	(2.1.30.	5 5.,	<u> </u>	,	. ,	- 1 0	.,,	-		
Remarks:										

APPENDIX C

WETLAND RATING FORM FOR WESTERN WASHINGTON

RATING SUMMARY – Western Washington

Name of Wetland (or i	D#): <u>wetiand</u>	В	Da	te of site visi	t: <u>11/11/2022</u>	
Rated by: <u>Julianne Bla</u>	ke	_Trained by Eco	ology? <u>X</u> Ye	sNo Date	e of training: <u>6/2022</u>	<u>2</u>
HGM Class used for ra	ating: <u>Depressi</u>	onal V	/etland has mu	ıltiple HGM d	classes?Y_X_N	
	-	without the re o/map: <u>Google</u>		(figures can	be combined).	
OVERALL WETLANI 1. Category of we		`		ns <u>X</u> or speci	al characteristics	_)
• ,						
Ca1	t egory I – Total	score = 23 - 27			Score for each	
Cat	t egory II – Tota	l score = 20 - 2	2		function based	
<u> X</u> Ca	t egory III – Tota	al score = 16 - :	19		on three ratings	
Ca	_	(order of ratings is not important)				
FUNCTION	Improving	Hydrologic	Habitat		9 = H, H, H	

FUNCTION	Improving Water Quality		Ну	/drolo	gic	Habitat				
Circle the appropriate ratings										
Site Potential	Н	M	L	Н	M	L	Н	М		
Landscape Potential	Н	M	L	Н	M	L	\oplus	М	Ĺ	
Value	Н	M	L	Н	M		$\widehat{\oplus}$	М	L	TOTAL
Score Based on Ratings		6			5			7		18

Score for each function based on three ratings (order of ratings is not important)

9 = H, H, H
8 = H, H, M
7 = H, H, L
7 = H, M, M
6 = H, M, L
6 = M, M, M
5 = H, L, L
5 = M, M, L
4 = M, L, L
3 = L, L, L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY		
Estuarine	- 1	II	
Wetland of High Conservation Value		I	
Bog		I	
Mature Forest		I	
Old Growth Forest		1	
Coastal Lagoon	ı	11	
Interdunal	1	III IV	
None of the above	Not A	pplicable	

Wetland B

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	7
Hydroperiods	D 1.4, H 1.2	7
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	7
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	7
Map of the contributing basin	D 4.3, D 5.3	8
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	8
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	9
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	9

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands


Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense , rigid trees, shrubs, and herbaceous plants (can be added to figure above)	S 4.1	
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

Are the water levels in the entire unit usually controlled by tides except during floods?



YES – the wetland class is **Tidal Fringe** – go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

NO – Saltwater Tidal Fringe (Estuarine)

YES – Freshwater Tidal Fringe

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe, it is an **Estuarine** wetland and is not scored. This method **cannot** be used to score functions for estuarine wetlands.

2. The entire wetland unit is flat, and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

NO – go to 3

YES - The wetland class is Flats


If your wetland can be classified as a Flats wetland, use the form for **Depressional** wetlands.

- 3. Does the entire wetland unit **meet all** of the following criteria?
 - __The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size,
 - ___At least 30% of the open water area is deeper than 6.6 ft (2 m).



YES – The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 4. Does the entire wetland unit **meet all** of the following criteria?
 - The wetland is on a slope (slope can be very gradual),
 - ____The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheet flow, or in a swale without distinct banks,
 - ____The water leaves the wetland without being impounded.



YES – The wetland class is **Slope**


NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

Wetland B

5.	Does the entire wetland unit meet all of the followin	g criteria?
	The unit is in a valley, or stream channel, where	it gets inundated by overbank flooding from that
	stream or river,	
	The overbank flooding occurs at least once ever	y 2 years.
(NO – go to 6 NOTE: The Riverine unit can contain depressions that	YES – The wetland class is Riverine
	NOTE. The Riverine unit can contain depressions that	are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? This means that any outlet, if present, is higher than the interior of the wetland.

NO - go to 7



7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched but has no obvious natural outlet.

NO - go to 8

YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream within boundary of depression	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS						
Water Quality Functions - Indicators that the site functions to improve water quality						
D 1.0. Does the site have the potential to improve water quality?						
D 1.1. Characteristics of surface water outflows from the wetland:						
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet).						
points = 3 Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet.	3					
points = 2						
Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1						
Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1						
D 1.2. The soil 2 in. below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No = 0	0					
D 1.3. <u>Characteristics and distribution of persistent plants</u> (Emergent, Scrub-shrub, and/or Forested Cowardin classes):						
Wetland has persistent, ungrazed plants > 95% of area points = 5						
Wetland has persistent, ungrazed plants > ½ of area points = 3	3					
Wetland has persistent, ungrazed plants $\geq 1/10$ of area points = 1						
Wetland has persistent, ungrazed plants $< \frac{1}{10}$ of area points = 0						
D 1.4. Characteristics of seasonal ponding or inundation:						
This is the area that is ponded for at least 2 months. See description in manual.	_					
Area seasonally ponded is > ½ total area of wetland points = 4 Area seasonally ponded is ≥ ¼ total area of wetland points = 2	4					
Area seasonally ponded is ≥ ¼ total area of wetland points = 2 Area seasonally ponded is < ¼ total area of wetland points = 0						
·	10					
Total for D 1 Add the points in the boxes above						
Rating of Site Potential If score is:12-16 = HX_6-11 = M0-5 = L	first page					
D 2.0. Does the landscape have the potential to support the water quality function of the site?	,					
D 2.1. Does the wetland unit receive stormwater discharges? Yes = 1 No = 0	0					
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? Yes = 1 No = 0	1					
D 2.3. Are there septic systems within 250 ft of the wetland? Yes = 1 No = 0	0					
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3?	0					
Source: Yes = 1 No = 0						
Total for D 2 Add the points in the boxes above	1					
Rating of Landscape Potential If score is:3 or 4 = HX _1 or 2 = M 0 = L Record the rating on the	first page					
D 3.0. Is the water quality improvement provided by the site valuable to society?						
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the	0					
303(d) list? Yes = 1 No = 0	0					
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list? Yes = 1 No = 0	1					
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? (Answer YES if there is a TMDL in development or in effect for the basin in which the unit is found.) Yes = 2 No = 0	0					
Total for D 3 Add the points in the boxes above	1					
Rating of Value If score is:2-4 = H _X_1 = M0 = L Record the rating on the	first page					

DEPRESSIONAL AND FLATS WETLANDS						
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradation						
D 4.0. Does the site have the potential to reduce flooding and erosion?						
D 4.1. Characteristics of surface water outflows from the wetland: Wetland is a depression or flat depression with no surface water leaving it (no outlet) Wetland has an intermittently flowing stream/ditch, OR highly constricted permanently flowing outlet points = 2 Wetland is a flat depression (question 7 on key), whose outlet is a permanently flowing ditch Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 0	4					
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part. Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 The wetland is a "headwater" wetland points = 3 Wetland is flat but has small depressions on the surface that trap water points = 1 Marks of ponding less than 0.5 ft (6 in) points = 0	3					
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the area of the wetland unit itself. The area of the basin is less than 10 times the area of the unit points = 5 The area of the basin is 10 to 100 times the area of the unit points = 3 The area of the basin is more than 100 times the area of the unit points = 0 Entire wetland is in the Flats class	0					
Total for D 4 Add the points in the boxes above	7					
Rating of Site Potential If score is:12-16 = HX 6-11 = M0-5 = L	irst page					
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?						
D 5.1. Does the wetland receive stormwater discharges? Yes = 1 No = 0	0					
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1 No = 0	1					
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)? Yes = 1 No = 0	1					
Total for D 5 Add the points in the boxes above	2					
Rating of Landscape Potential If score is:3 = HX_1 or 2 = M0 = L Record the rating on the f	irst page					
D 6.0. Are the hydrologic functions provided by the site valuable to society?						
D 6.1. Is the unit in a landscape that has flooding problems? Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow downgradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds): • Flooding occurs in a sub-basin that is immediately downgradient of unit. • Surface flooding problems are in a sub-basin farther downgradient. • Flooding from groundwater is an issue in the sub-basin. • The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. Explain why • There are no problems with flooding downstream of the wetland. points = 0	0					
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0					
Total for D 6 Add the points in the boxes above	0					

Rating of Value If score is: ___2-4 = H ___1 = M __X_0 = L

Record the rating on the first page

These questions apply to wetlands of all HGM classes. **HABITAT FUNCTIONS** - Indicators that site functions to provide important habitat H 1.0. Does the site have the potential to provide habitat? H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac if the unit is at least 2.5 ac, or more than 10% of the unit if it is smaller than 2.5 ac. Aquatic bed 4 structures or more: points = 4 X Emergent 3 structures: points = 2 1 Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1 X Forested (areas where trees have > 30% cover) 1 structure: points = 0 If the unit has a Forested class, check if: The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/groundcover) that each cover 20% within the Forested polygon H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland if the unit is < 2.5 ac, or ¼ ac if the unit is at least 2.5 ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated 4 or more types present: points = 3 X Seasonally flooded or inundated 3 types present: points = 2 ____Occasionally flooded or inundated 2 types present: points = 1 ____Saturated only 1 type present: points = 0 _____Permanently flowing stream or river in, or adjacent to, the wetland Intermittently or seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland 2 points Freshwater tidal wetland 2 points H 1.3. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canada thistle 2 If you counted: > 19 species points = 2 5 - 19 species points = 1 < 5 species points = 0 H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. 2 None = 0 points Low = 1 point Moderate = 2 points All three diagrams in this row are High = 3 points

Wetland B

H 1.5. Special habitat features:	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	
\underline{X} Large, downed, woody debris within the wetland (> 4 in. diameter and 6 ft long).	
Standing snags (dbh > 4 in.) within the wetland	
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extend at least 3.3 ft (1 m) over open water or a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	
_Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree	1
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered where wood is exposed)	
$_$ At least $rac{1}{4}$ ac of thin-stemmed persistent plants or woody branches are present in areas that are	
permanently or seasonally inundated (structures for egg-laying by amphibians)	
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 above for the	
list of strata and H 1.5 in the manual for the list of aggressive plant species)	
Total for H 1 Add the points in the boxes above	6

Rating of Site Potential If score is: __15-18 = H ___7-14 = M __X_0-6 = L

Record the rating on the first page

H 2.1. Accessible habitat (include only habitat polygons accessible from the wetla	nd.	
Calculate: % relatively undisturbed habitat 23.9% + [(% moderate and low	intensity land uses)/2] 15.4% = 39.3 %	
Total accessible habitat is:		
$> \frac{1}{3}$ (33.3%) of 1 km Polygon	points = 3	3
20-33% of 1 km Polygon	points = 2	
10-19% of 1 km Polygon	points = 1	
< 10% of 1 km Polygon	points = 0	
H 2.2. Total habitat in 1 km Polygon around the wetland.		
Calculate: % relatively undisturbed habitat 24.8% +[(% moderate and low	intensity land uses)/2] 27.4% = 52.2%	
Total habitat > 50% of Polygon	points = 3	
Total habitat 10-50% and in 1-3 patches	points = 2	3
Total habitat 10-50% and > 3 patches	points = 1	
Total habitat < 10% of 1 km Polygon	points = 0	
H 2.3. Land use intensity in 1 km Polygon:		
> 50% of 1 km Polygon is high intensity land use	points = (- 2)	0
≤ 50% of 1 km Polygon is high intensity	points = 0	
Total for H 2	Add the points in the boxes above	6

Rating of Landscape Potential If score is: X 4-6 = H 1-3 = M <1 = L

Record the rating on the first page

H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score that applies to the wetland being rated. Site meets ANY of the following criteria: points = 2 It has 3 or more Priority Habitats within 100 m (see next page) It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists) It is mapped as a location for an individual WDFW Priority Species. It is a Wetland of High Conservation Value as determined by the Department of Natural Resources data It has been categorized as an important habitat site in a local or regional comprehensive plan, in a Shoreline Master Plan, or in a watershed plan Site has 1 or 2 Priority Habitats (listed on next page) within 100 m points = 1	2
Site does not meet any of the criteria above points = 0	

Rating of Value If score is: $X_2 = H_1 = M_2 = 0$

Record the rating on the first page

WDFW Priority Habitats

See complete descriptions of Priority Habitats listed by WDFW, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008 (current year, as revised). Priority Habitat and Species List. 133 This list was updated for consistency with guidance from WDFW.

This question is independent of the land use between the wetland unit and the Priority Habitat. All vegetated wetlands are by definition a Priority Habitat but are not included in this list because they are addressed by this rating system.

Count how many of the following Priority Habitats are within 330 ft (100 m) of the wetland unit:

- **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various species of
 native fish and wildlife. This habitat automatically counts if mapped on the PHS online map within 100m
 of the wetland. If not mapped, a determination can be made in the field.
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- Fresh Deepwater: Lands permanently flooded with freshwater, including environments where surface water is permanent and often deep, so that water, rather than air, is the principal medium within which the dominant organisms live. Substrate does not support emergent vegetation. Do not select if Instream habitat is also present, or if the entire Deepwater feature is included in the wetland unit being rated (such as a pond with a vegetated fringe).
 - Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.
- Instream: The combination of physical, biological, and chemical processes and conditions that interact
 to provide functional life history requirements for instream fish and wildlife resources. Do not select if
 Fresh Deepwater habitat is also present.
- **Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in. (81 cm) diameter at breast height (dbh) or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in. (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.

http://wdfw.wa.gov/publications/00165/wdfw00165.pdf
 Wetland Rating System for Western WA: 2014 Update
 Rating Form – Version 2, July 2023

Wetland B

- Oregon White Oak: Woodland stands of pure oak or oak/conifer associations where canopy coverage of
 the oak component is important. For single oaks or oak stands <0.4 ha in urban areas, <u>WDFW's</u>
 <u>Management Recommendations for Oregon White Oak</u>¹³⁴ provides more detail for determining if they
 are Priority Habitats
- **Riparian:** The area adjacent to freshwater aquatic systems with flowing or standing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
 - **Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in. (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in. (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.
- Talus: Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie.

https://wdfw.wa.gov/publications/00030/wdfw00030.pdf
 Wetland Rating System for Western WA: 2014 Update
 Rating Form – Version 2, July 2023

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS	1-
Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
— The dominant water regime is tidal,	
 Vegetated, and 	
— With a salinity greater than 0.5 ppt Yes – Go to SC 1.1 No= Not an estuarine wetland	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area	
Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I
Yes = Category I No – Go to SC 1.2	Cuti
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 10% cover of non-native plant species. If non-native species are Spartina, see chapter 4.8 in the manual.	Cat. I
 At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. 	Cat. II
— The wetland has at least two of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. Yes = Category I No = Category II	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Does the wetland overlap with any known or historical rare plant or rare & high-quality ecosystem polygons	Cot 1
on the WNHP <u>Data Explorer</u> ? ¹³⁵ Yes = Category I No – Go to SC 2.2	Cat. I
SC 2.2. Does the wetland have a rare plant species, rare ecosystem (e.g., plant community), or high-quality common ecosystem that may qualify the site as a WHCV? Contact WNHP for resources to help determine the presence of these elements.	
Yes – <u>Submit data to WA Natural Heritage Program for determination</u> , ¹³⁶ Go to SC 2.3 No = Not a WHCV SC 2.3. Did WNHP review the site within 30 days and determine that it has a rare plant or ecosystem that meets their	•
criteria? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below.</i> If you answer YES, you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in.	
or more of the first 32 in. of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in. deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or	
pond? Yes – Go to SC 3.3 No = Not a bog	>
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	1
cover of plant species listed in Table 4? Yes = Category I bog No – Go to SC 3.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16 in. deep. If the pH is less than 5.0 and	
the plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Category I bog No = Not a bog	

¹³⁵ https://www.dnr.wa.gov/NHPdata

¹³⁶ https://www.dnr.wa.gov/Publications/amp_nh_sighting_form.pdf


Wetland B

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as Priority Habitats? <i>If you answer YES, you will still need to rate the wetland based on its functions.</i>	
— Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 in. (81 cm) or more.	
 Mature forests (west of the Cascade Crest): Stands where the largest trees are 80-200 years old OR the species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm). 	
Yes = Category I No = Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
 The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks 	
 The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) 	
 The lagoon retains some of its surface water at low tide during spring tides 	
Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	Cat. I
C 5.1. Does the wetland meet all of the rollowing three conditions?	Cat. 1
 The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species in H 1.5 in the manual). 	
 — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. 	Cat. II
— The wetland is larger than $^{1}/_{10}$ ac (4350 ft 2)	
Yes = Category I No = Category II	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If you answer YES, you will still need to rate the wetland based on its habitat functions. In practical terms that means the following geographic areas: — Long Beach Peninsula: Lands west of SR 103 — Grayland-Westport: Lands west of SR 105 — Ocean Shores-Copalis: Lands west of SR 115 and SR 109 and Ocean Shores Blvd SW, including lands west	Cat I
of E. Oceans Shores Blvd SW. Yes – Go to SC 6.1 No = Not an interdunal wetland for rating	Cat. II
for the three aspects of function)? Yes = Category I No – Go to SC 6.2	
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger? Yes = Category II No – Go to SC 6.3	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac? Yes = Category III No = Category IV	Cat. I\
Category of wetland based on Special Characteristics	Not
If you answered No for all types, enter "Not Applicable" on Summary Form	Applicable

APPENDIX D


ANTECEDENT PRECIPITATION TOOL DATA

Antecedent Precipitation vs Normal Range based on NOAA's Daily Global Historical Climatology Network Climatology



Coordinates	45.619781, -122.416341
	,
Observation Date	2022-11-11
Elevation (ft)	322.65
Drought Index (PDSI)	Mild drought
WebWIMP H ₂ O Balance	Wet Season

30 Days Ending	30 th %ile (in)	70 th %ile (in)	Observed (in)	Wetness Condition	Condition Value	Month Weight	Product
2022-11-11	3.621654	6.700394	8.488189	Wet	3	3	9
2022-10-12	1.614961	3.990158	0.551181	Dry	1	2	2
2022-09-12	0.220472	1.269685	0.011811	Dry	1	1	1
Result							Normal Conditions - 12



Weather Station Name	Coordinates	Elevation (ft)	Distance (mi)	Elevation Δ	Weighted Δ	Days Normal	Days Antecedent
TROUTDALE	45.5533, -122.3886	33.136	4.785	289.514	3.539	9310	83
PORTLAND TROUTDALE AP	45.5511, -122.4097	24.934	1.032	8.202	0.473	1610	7
CAMAS 2.4 E	45.5845, -122.374	58.071	2.268	24.935	1.077	3	0
PORTLAND WFO	45.5608, -122.5383	20.997	7.261	12.139	3.356	315	0
PORTLAND INTL AP	45.5958, -122.6092	21.982	11.066	11.154	5.103	115	0

APPENDIX E

OREGON WHITE OAK INVENTORY

Oregon White Oak Inventory

Identifier	DBH (inches)	Notes
Oak 1	8	Low hanging leaves, broken/dead branches, full crown
Oak 2	8	Low hanging leaves, broken/dead branches, suppressed crown
Oak 3	8	Low hanging leaves, broken/dead branches, suppressed crown
Oak 4	6	Low hanging leaves, broken/dead branches, suppressed crown
Oak 5	6	Low hanging leaves, broken/dead branches, suppressed crown
Oak 6	5	Low hanging leaves, broken/dead branches, suppressed crown
Oak 7	9	Low hanging leaves, broken/dead branches, suppressed crown
Oak 8	10	Low hanging leaves, broken/dead branches, suppressed crown
Oak 9	8	Low hanging leaves, broken/dead branches, suppressed crown
Oak 10	10	Low hanging leaves, broken/dead branches, suppressed crown
Oak 11	5	Low hanging leaves, broken/dead branches, suppressed crown
Oak 12	10	Low hanging leaves, broken/dead branches, suppressed crown
Oak 13	9	Suppressed crown
Oak 14	8	Low hanging leaves, broken/dead branches, suppressed crown
Oak 15	8	Low hanging leaves, broken/dead branches, suppressed crown
Oak 16	9	Low hanging leaves, broken/dead branches, suppressed crown
Oak 17	6	Low hanging leaves, leaves, full crown
Oak 18	10	Low hanging leaves, broken/dead branches, galls, suppressed crown
Oak 19	15	Low hanging leaves, broken/dead branches, galls, suppressed crown
Oak 20	15, 25	Split trunk, broken/dead branches, suppressed crown

^{*}All oaks produce acorns. Insects and cavities are absent in all oaks.



WETLAND BUFFER MODIFICATION & MITIGATION PLAN

July 8, 2025



Village at North Shore Camas, Washington

Prepared for

HSR Capital, LLC 19120 SE 34th St. #103 Vancouver, WA 98683 (360) 798-6458

Prepared by

Ecological Land Services, Inc.

1157 3rd Avenue, Suite 220A • Longview, WA 98632 (360) 578-1371 • Project Number 3341.26

SIGNATURE PAGE

The information and data in this report was compiled and prepared under the supervision and direction of the undersigned.

i

Ju<mark>l</mark>ianne Blak

Biologist IV

TABLE OF CONTENTS

Introduction	
Responsible Parties	
Project Description	2
PROPOSED DEVELOPMENT	
Existing Conditions	3
Existing and Surrounding Land Uses	3
Existing Critical Areas	3
Wetland A	3
Wetland B	
Wetland Buffers	
Stream A	
Stream Buffers	
Ditch A	
Landscape Position	
Oregon White Oak	
Herbaceous Bald Habitat	
Standard Wetland Buffer Modifications	
WETLAND BUFFER REDUCTION	
Lower Impact Land Uses	
Restoration	8
Wetland Buffer Averaging	9
Avoidance and Minimization	10
BEST MANAGEMENT PRACTICES	10
Unavoidable Impacts	11
Oak Mitigation Discussion	12
Oak Mitigation Requirements	12
Oak Woodland Determination	12
Physical Impacts	12
Temporal Impacts	13
Oregon White Oak Mitigation Bank Selection Rationale	14
Functions Provided at Oak Bank	15
WILDLIFE HABITAT	15
Anticipated Functional Lift	15
Proposed Mitigation Credits	16
Credit Purchase or Transfer Timing	16
Confirmation of Mitigation Credit Availability	
Onsite Enhancement Plan	17
MITIGATION GOALS AND DISCUSSION	17
Wetland Buffers	17

Oak a	and Herbaceous Bald Habitat	18
Овјестіу	/es and Performance Standards	
PLANTING	g Specifications	20
PLANTING	G PLAN	22
Монто	RING, MAINTENANCE, AND CONTINGENCY MEASURES	23
Limitatio	ns	24
Reference	es	25
TABLECIU	N Teval	
TABLES (II	•	-
	Wetland and Stream Summary	
	mpact Summary	
	Oak Woodland Determination	
	Dak Mitigation to Offset Physical Impacts	
	Proposed Credit Purchase Summary	
	Proposed Impacts and Onsite Mitigation	
	Wetland Buffer Planting Specifications	
	Seed Mix Specifications	
Table 6. 5	accu with Specifications	22
F IGURES		
Figure 1	Vicinity Map	
Figure 2	Existing Conditions	
Figure 3	Habitat Areas Detail	
Figure 4	Proposed Conditions	
Figure 5	Impact Detail – Habitat Areas	
Figure 6	Mitigation Plan	
Figure 7	Planting Plan	
Figure 8	Terrace Oak Mitigation Bank Service Area	
Figure 9	Terrace Oak Mitigation Bank Site Design	

APPENDIX

Appendix A – WDFW Functional Assessments for Individual Oaks and Mitigation Calculations Appendix B – Offsite Protected Wetland Area

INTRODUCTION

Ecological Land Services, Inc. (ELS) was contracted by the applicant, HSR Capital, LLC, to address impacts to the buffers of two Category III wetlands and impacts to Oregon white oak (*Quercus garryana*; oak) and herbaceous bald habitat associated with the proposed Village at North Shore (VANS) subdivision. The project will include 102 single-family lots, 4 multi-family buildings with 96 apartment units, and 3 mixed-use building(s) with 30,250 square feet of commercial use and 44 apartment units, within Clark County parcel numbers 177885000 and 178175000. The approximately 36-acre site is located just south of the terminus of NE 252nd Avenue in Camas, Washington within a portion of Section 34, Township 2 North, Range 3 East of the Willamette Meridian (Figure 1). This wetland buffer modification and mitigation plan has been prepared in accordance with *City of Camas Municipal Code (CMC) Title 16 – Environment* (June 2025) and *Management recommendations for Washington's priority habitats: Best management practices for mitigating impacts to Oregon white oak priority habitat* (Guidance; Nolan and Azerrad 2024).

RESPONSIBLE PARTIES

APPLICANT & PROPERTY OWNER

HSR Capital, LLC Andy Swanson 19120 SE 34th St. Suite #120 Vancouver, Washington 98683 (360) 513-6516 Andy@hsr-capital.com

MITIGATION BANK

Terrace Oak Bank, LLC Cornell Rotschy 9210 NE 62nd Avenue Vancouver, Washington 98665 (360) 334-3100 cornellr@rotschyinc.com

PROJECT ENGINEER

AKS Engineering and Forestry, LLC Bryce Hanson 13504 NE 84th St. Suite 103-295 Vancouver, WA 98682 (360) 882-0419 BryceH@aks-eng.com

BIOLOGICAL CONSULTANT

Ecological Land Services, Inc.
Julianne Blake, Biologist
1157 3rd Avenue, Suite 220A
Longview, Washington 98632
(360) 578-1371
Julianne@eco-land.com

PROJECT DESCRIPTION

PROPOSED DEVELOPMENT

The project will include 102 single-family lots, 4 multi-family buildings with 96 apartment units, and 3 mixed-use building(s) with 30,250 square feet of commercial use and 44 apartment units, over the approximately 36.03-acre site. Residential lot sizes range from approximately 2,280 to 6,500 square feet. Construction of the subdivision will include clearing, grading, lot preparation, and construction of supporting infrastructure including parking areas, stormwater facilities, interior circulation roads, sidewalks, utilities, streetlights, and open space areas (Figure 4). All interior roads will be designed to meet minimum emergency vehicle circulation requirements and City of Camas North Shore Subarea design standards. Access to the subdivision will be provided by extending NE 252nd Avenue southerly at the northern site boundary. Construction of a new arterial road (North Shore Blvd.) extending northwest from the eastern boundary of the site is required to comply with the mandated public road alignment. This roadway supports broader City transportation goals established in the municipal code and has been closely coordinated with City staff. Several alignment alternatives were evaluated, including the City's initial proposal to route the boulevard through Wetland B. The final proposed alignment was selected by the City to avoid critical areas, meet long-term transportation objectives, and comply with roadway design standards for this higher classification roadway to ensure the safe and efficient movement of traffic. While the City may complete construction of the roadway as part of a larger transportation improvement project, the development will, at a minimum, dedicate the necessary right-of-way to accommodate future construction. If the City does not proceed with its transportation project, the applicant will construct the roadway as shown in the proposed plans.

Stormwater generated from new impervious surfaces will be managed according to the 2019 Stormwater Management Manual for Western Washington and City of Camas stormwater design requirements. Stormwater runoff from the western and southwestern portions of the site will be collected and directed to an onsite mechanical water quality treatment facility, where it will receive basic treatment for pollutants and phosphorous treatment prior to being discharged to Lacamas Lake, which has a large water body direct discharge exemption. Runoff from the eastern portion of the site will be collected and conveyed to water quality treatment facilities prior to entering detention facilities for flow control management. Three stormwater detention facilities will be located in low-lying areas in the eastern and north-central portions of the site for detaining stormwater prior to discharge to Wetland A and Stream A and eventually Lacamas Lake.

The proposed project will remove eleven Oregon white oak trees in Oak Cluster 1, each with a diameter at breast height (DBH) of 10 inches or less for a combined dripline impact of 0.048 acres (2,077 sq. ft.). Approximately 0.088 acres (3,852 sq. ft.) of herbaceous bald habitat and 0.184 acres (8,001 sq. ft.) of Wetland B's buffer will also be impacted (Figure 5). All direct wetland impacts will be avoided and impacts to wetland buffers will be minimized through the use of low impact strategies, combined with buffer averaging. Wetland buffer impacts will be mitigated by enhancing approximately 0.184 acres (8,001 sq. ft.) of wetland buffer onsite. Herbaceous bald impacts and a portion of temporal oak impacts will be mitigated by preserving and enhancing

approximately 0.15 acres (6,522 sq. ft.) of existing oak and herbaceous bald habitat onsite. The remaining oak impacts will be mitigated by purchasing 1.063 credits from Terrace Oak Mitigation Bank (Terrace). Additionally, two vegetated corridors will be established and protected in perpetuity to offset wetland impacts, achieve an overall net gain in ecological functions onsite, and further protect critical areas from the surrounding developments.

EXISTING CONDITIONS

EXISTING AND SURROUNDING LAND USES

The approximately 36-acre site consists of Clark County Tax Parcel Numbers 177885000 and 178175000 and is accessed by a gravel road off SE 252nd Avenue from the north. The site is zoned as North Shore Lower Density Residential (LD-NS), North Shore Higher Density Residential (HD-NS), Mixed Use (MX-NS), and North Shore Commercial (C-NS). The properties surrounding the site consist of single-family homes, farmland, undeveloped forested land, and two subdivisions with construction in progress. The northwest portion of the site has a single-family residence and fenced area for livestock. Topography on parcel 178175000 is generally level in the north and northeast, with a depressional area in the northwest corner of the parcel that corresponds to the location of Wetland B. Topography in the remainder of the parcel consists of moderate to steep slopes that descend towards the onsite portions of Wetland A and Stream A. Topography on parcel 177885000 consists of moderate slopes downward to the south, undulating hills throughout the parcel, and several low-lying areas to the north and northeast. Shallow bedrock and rock outcroppings are also present in some locations. General vegetation consists of grasses, weedy herbs, and forbs in the northern portions of each parcel, and the remainder of the site consists of a forested canopy containing a mix of coniferous and deciduous trees with a multilayered subcanopy. Two wetlands (Wetlands A and B), one stream (Stream A), two oak clusters consisting of a total of 20 oak trees, and two herbaceous balds (Herbaceous Bald 1 and Herbaceous Bald 2; HB-1 and HB-2) are located onsite. An agricultural ditch (Ditch A) was also mapped onsite (Figure 2).

EXISTING CRITICAL AREAS

The site was assessed for critical areas by ELS in 2022, 2023, and 2024. The *Critical Areas Report* for ICG 252nd Property was completed by ELS on May 19, 2025, and addresses critical areas on parcel 178175000 (ELS 2025a). The *Critical Areas Report for Mills Property* was also completed by ELS on May 19, 2025, and addresses critical areas on parcel 17885000 (ELS 2025b).

WETLAND A

Wetland A is Category III, depressional, emergent (EM), forested (FO), seasonally flooded (SF) and saturated only (SO) wetland with a seasonally flowing stream (SFS) within the wetland, with approximately 2.26 acres onsite and a total area of approximately 10.06 acres (Figure 2). Portions of Wetland A's offsite boundary were approximated using lidar and topographic maps along with visual observations of noticeable changes in elevation and vegetation. Wetland A's onsite vegetation is dominated by Oregon ash (*Fraxinus latifolia*), common rush (*Juncus effusus*), and reed canarygrass (*Phalaris arundinacea*). Hydrology is supported by seasonal overbank flooding from Stream A, which serves as Wetland A's outlet, a shallow groundwater table, precipitation,

and surface runoff. According to the *Washington State Wetland Rating System for Western Washington: 2014 Update* (Rating System), Wetland A is a Category III wetland, scoring 7 points for water quality functions, 4 points for hydrologic functions, and 7 points for habitat functions, for a total score of 18 points.

WETLAND B

Wetland B is a Category III, depressional, EM, FO, SF wetland, with approximately 0.81 acres onsite and a total area of approximately 0.84 acres. Wetland B's vegetation is dominated by Oregon ash, black cottonwood (*Populus trichocarpa*), Scouler's willow (*Salix scouleriana*), Nootka rose (*Rosa nutkana*), reed canarygrass, and water smartweed (*Persicaria amphibia*). Hydrology is supported by a shallow groundwater table, precipitation, and runoff from adjacent uplands. Wetland B does not have an outlet. According to the Rating System, Wetland B is a Category III wetland, scoring 6 points for water quality functions, 5 points for hydrologic functions, and 7 points for habitat functions, for a total score of 18 points.

WETLAND BUFFERS

Standard wetland buffers are based on wetland category and habitat score from the Rating System, in conjunction with the proposed land use intensity (*CMC 16.53.040(B)(2)*). Wetland A and Wetland B are both Category III wetlands, each with a habitat score of 7 points. According to *CMC Table 16.53.040-3*, the standard buffer widths for both wetlands adjacent to proposed high land use intensity is 150 feet. According to *CMC 16.53.040(B)(4)(b)(i)*, functionally isolated buffer areas are areas that do not protect the wetland from adverse impacts, such as preexisting roads and structures, and shall be excluded from buffer requirements. Portions of the wetland buffers are functionally isolated due to existing impervious surfaces (Figure 2). Wetlands and buffers are summarized in Table 1.

STREAM A

Stream A is mapped as Type-U by Washington Department of Natural Resources (WDNR 2025). According to WAC 222-16-031, Stream A meets the definition of a Type 3 water based on a defined channel of 2 feet or greater within the bankfull width, a gradient of 16 percent or less, and the absence of any fish passage barriers (WDFW 2025a). As such, Stream A is considered a Type-F (fish-bearing) stream. Onsite hydrology is supported by a shallow groundwater table, precipitation, and runoff from upslope areas.

STREAM BUFFERS

According to Washington State Fish Passage online mapping, Stream A may have the potential presence of resident fish (WDFW 2025a). According to *CMC 16.61.040(D)*, non-anadromous Type-F streams require a 75-foot stream buffer. The buffer of Stream A is primarily vegetated with reed canarygrass, slough sedge, and a mixture of mature coniferous and deciduous trees with a multi-layered subcanopy. Stream A is summarized in Table 1.

Table 1. Wetland and Stream Summary

Identifier	Classification	Cowardin, Hydroperiod ⁴	Habitat Score/ Category ⁵	Proposed Land Use Intensity	Buffer Width ^{6,7}
Wetland A		EM/FO,			
(2.26 acres onsite)	Donrossional ¹	SF/SO/SFS	III/7	High	150 foot
Wetland B	Depressional ¹	EM/FO,			150 feet
(0.81 acres onsite)		SF			
Stream A	Type F, non-				75 feet
Su eam A	anadromous ²		75 reet		

¹NRCS 2008; ²WAC 222-16-031; ³WDNR 2025b; ⁴FGDC 2013; ⁵Hruby and Yahnke 2023; ⁶CMC Table 16.53.040-3; ⁷CMC 16.61.040(D).

DITCH A

Ditch A is an agricultural ditch that appears to have been created within uplands for the purpose of diverting upslope runoff into Stream A (Figure 2). According to *CMC 16.53.010(C)(2)(b),* Ditch A is exempt from buffers as detailed below:

Artificial. Wetlands created from non-wetland sites including, but not limited to, irrigation and drainage ditches, grass-lined swales, canals, detention facilities, wastewater treatment facilities, stormwater facilities, farm ponds, and landscape amenities; provided, that wetlands created as mitigation shall not be exempted.

Ditch A is not classified as a fish and wildlife habitat conservation area per CMC 16.61.010(A)(5) which defines "Water of the State" as omitting, "man-made ditches or bio-swales that have been created from areas not meeting the definition of waters of the state."

LANDSCAPE POSITION

According to the Washington State Department of Ecology's Water Quality Atlas, the site is in the Lacamas Creek 12-digit hydrologic unit code (HUC) 170800050305 and Watershed Resource Inventory Area (WRIA) 28 Salmon – Washougal. Onsite hydrology generally flows downslope to the east into the wetlands and stream.

OREGON WHITE OAK

The Washington Department of Fish and Wildlife (WDFW) identifies which oak communities are considered priority habitats through its Priority Habitats and Species (PHS) program. The Washington Natural Heritage Program (WNHP) defines a North Pacific Oak Woodland as a community dominated or co-dominated by oak and associated with dry, low-elevation sites or those with frequent fires pre-settlement. Oregon white oak woodlands are associated with eight different plant communities, including a wide variety of native herbaceous and shrub species. Oak woodlands provide a mix of feeding, nesting, and breeding habitat for many wildlife species (Nolan and Azerrad 2024). In addition to oak woodlands, individual oak trees can be considered a priority habitat if they provide considerable value to wildlife. In addition to woodland communities, oaks are also associated with prairies and savannas in Washington. These

communities are considered wooded grasslands and are an association of upland grassland and meadows (Rocchio and Crawford 2015).

Two oak clusters were identified onsite, with sixteen oaks in Cluster 1 and four oaks in Cluster 2. The total dripline of Cluster 1 is approximately 0.10 acres and the total dripline of Cluster 2 is approximately 0.05 acres. Although PHS mapping identifies each cluster as an oak woodland, these areas do not meet woodland size requirements, and each oak shall be considered an individual (Figure 3). Details for Oaks 2-12 will be discussed in this report, as these oaks will be impacted by the proposed project. For more details on other oaks onsite, see the *Critical Areas Report for Mills Property* (ELS 2025b).

HERBACEOUS BALD HABITAT

According to CMC 16.61.010(A)(2), priority habitats and species are identified by WDFW; however, CMC 16.61.010(A)(1) states that lists, categories, and definitions of species promulgated by WDFW are provided to the City to be used for guidance only. According to the WDFW Priority Habitat and Species Program (WDFW 2025b) herbaceous balds are defined as:

"...variable-sized patches of grass and forb vegetation located on shallow soils over bedrock that commonly is fringed by forest or woodland. Typically consists of low-growing vegetation adapted for survival on shallow soils amid seasonally dry conditions, and is often on steep slopes. Dominant flora includes herbaceous vegetation, dwarf shrubs, mosses, and lichens. Rock outcrops, boulders, and scattered trees are often present, especially Douglas-fir, Pacific madrone, and Oregon white oak. Balds occur within mid-montane to lowland forest zones. On slopes near saltwater shorelines in the northern Puget Trough, herbaceous balds and herbaceous bluffs can sometimes be difficult to differentiate. Balds typically are smaller than 5 ha (12 ac), although some can be up to about 100 ha (\cong 250 ac)" (WDFW 2008).

ELS biologists identified two areas onsite that meet herbaceous bald criteria (HB-1 and HB-2). These areas are defined by shallow soils with vegetation dominated by grasses and forbs. Dominant vegetation found on herbaceous bald locations included Camas lily (*Camassia quamash*), licorice fern (*Polypodium glycyrrhiza*), various grasses, moss, and blackberry species. Although Camas lily was observed on the entirety of both herbaceous balds, it comprises less than 0.25 acres and is not considered a priority habitat itself. Douglas fir (*Pseudotsuga menziesii*) trees were rooted near herbaceous bald locations but not directly on the balds. All observed oaks were rooted within herbaceous bald boundaries and many displayed stunted crowns and curled leaves, likely from stress related to shallow soils and shading by Douglas fir trees. Herbaceous bald boundaries were delineated based on vegetation and the presence of bedrock under shallow soils.

STANDARD WETLAND BUFFER MODIFICATIONS

According to CMC 16.53.050.C(1), standard wetland buffer widths may be reduced under certain conditions, provided the project results in no net loss or a net gain in ecological functions and values provided by the wetland. The section also specifies that buffer width reductions allowed

under subsections (C)(1)(a) and (C)(1)(b) may be combined, provided that minimum buffer widths shall never be less than fifty feet for Category III wetlands. In *italic* font are excerpts from CMC detailing the criteria required to utilize the buffer reductions, with a description of how this project will meet the criteria in regular font.

WETLAND BUFFER REDUCTION

LOWER IMPACT LAND USES

According to $CMC\ 16.53.050.C(1)(a)$, buffer widths recommended for proposed land uses with high-intensity impacts to wetlands can be reduced to those recommended for moderate-intensity impacts if both the following criteria are met:

i. A relatively undisturbed, vegetated corridor at least one hundred feet wide is protected between the wetland and any other priority habitats that are present as defined by the Washington State Department of Fish and Wildlife.

Wetland A: Wetland A extends onto the adjacent parcel to the east (parcel 178171000), which was permitted for the Enclave development in June 2025 (NWS-2025-263). A vegetated corridor, ranging in width between approximately 141 feet to 491 feet from Wetland A's eastern boundary to the eastern parcel boundary, will be established and protected in perpetuity through a conservation covenant or similar (Figure 6). Protection and enhancement of Wetland A and its buffer on the Enclave parcel are mandated by the permit (NWS-2025-263), providing an additional corridor width of approximately 300 feet to the adjacent development (Appendix B). This additional corridor width will increase the ecological functions of critical areas on- and offsite and further minimize impacts caused by the proposed project. The *Buffer Modification and Onsite Mitigation Plan for Enclave Property* (ELS 2025) details the offsite mitigation and protection measures.

Wetland B: A corridor ranging between approximately 66 feet and 260 feet will be established between Wetland B and the location of HB-1 and Oak Cluster 1. Wetland B's buffer will be increased and enhanced in this area to provide more protection for nearby habitats and to create continuity between the wetland and other priority habitat areas in the vicinity.

ii. Measures to minimize the impacts of the land use adjacent to the wetlands are applied, such as infiltration of stormwater, retention of as much native vegetation and soils as possible, direction of noise and light away from the wetland, and other measures that may be suggested by a qualified wetland professional.

Wetland A and B: Infiltration is not feasible due to the shallow soils present over solid bedrock; however, runoff impacts to wetlands and buffers from the development will be minimized by collecting stormwater for detention and treatment prior to regulated discharge toward the wetlands, to maintain hydrologic input to the wetlands. Where possible, disturbed vegetated areas will be restored by placing topsoil that meets Ecology standards on top of the grading slopes to allow for reestablishment of native vegetation. Many areas onsite are composed of shallow soils over solid bedrock. If solid bedrock is present as anticipated, cut slopes will be minimized to

the greatest extent practicable by control blasting near vertical slopes to limit disturbance from the development toward the wetland. These near vertical slopes will not be suitable for revegetation; however, disturbance beyond the top of the cuts will be minimized.

Stormwater facilities proposed within the buffers are designed to meet city and state standards for managing stormwater runoff prior to discharge towards the critical areas. The discharge locations will be placed as far from the critical areas as feasible to allow for the greatest flow path through the wetland buffers. No untreated stormwater will be discharged from the project. Streetlights will be directed down and away from the wetland to the greatest extent practicable to reduce light pollution. Increases to ambient noise after construction is complete are expected, as the proposed subdivision is in a growing mixed-use residential area with commercial uses required by City zoning standards. However, noise generated by the completed project will be comparable to surrounding land uses and is not anticipated to exceed standard acceptable levels. The project will retain a significant amount of heavily vegetated areas which will reduce noise disturbances to the wetlands and stream. Additionally, the buffers for both wetlands will be enhanced by controlling invasive species to provide an overall higher ecological function than currently exists onsite (Figure 6). A full description of buffer enhancement activities can be found in the *Onsite Mitigation Plan* section of this report.

The above design measures will be implemented to reduce the land use intensity of the project and reduce adverse impacts. Therefore, the project meets the required criteria, and this buffer reduction should be allowed. As such, the buffers for Wetland A and Wetland B are reduced from 150 feet to 110 feet per *CMC Table 16.53.040-3* (Figure 4).

RESTORATION

The following is an excerpt from CMC 16.53.050.C(1)(b): Buffer widths may be reduced up to twenty-five percent if the buffer is restored or enhanced from a pre-project condition that is disturbed (e.g., dominated by invasive species), so that functions of the post-project wetland and buffer are equal or greater. To the extent possible, restoration should provide a vegetated corridor of a minimum one hundred feet wide between the wetland and any other priority habitat areas as defined by the Washington State Department of Fish and Wildlife. The habitat corridor must be protected for the entire distance between the wetland and the priority habitat area by some type of permanent legal protection such as a covenant or easement. The restoration plan must meet requirements in subsection D of this section for a mitigation plan, and this section for a critical area report.

Wetland A and B: Invasive species such as reed canarygrass and Himalayan blackberry are present in the wetland and buffer areas of both wetlands and are prolific in some areas. The buffers of both Wetland A and Wetland B will be enhanced by removing invasive vegetation, which will allow native species to reestablish and provide an overall net gain in ecological functions. Two vegetated corridors, one for each wetland, will be established and protected as described in the *Lower Impact Land Uses* section of this report. The vegetated corridors will be protected in perpetuity through a conservation covenant or similar legal mechanism and the restoration plan will follow all applicable guidelines outlined in the *CMC*. As such, the buffers for

Wetland A and Wetland B are reduced further from 110 feet to 82.5 feet per *CMC* 16.53.050.C(1)(b) (Figure 4).

WETLAND BUFFER AVERAGING

According to $CMC\ 16.53.050(C)(2)$, averaging buffers is allowed in conjunction with any of the other provisions for reductions in buffer width listed in subsection (C)(1), provided that minimum buffer widths listed in subsection (C)(1)(c) are adhered to. This project proposes buffer averaging to further avoid and minimize wetland buffer impacts caused by construction of the subdivision, and will adhere to the following criteria:

a. The total area contained in the buffer after averaging is no less than that contained within the buffer prior to averaging.

Wetland A: A total of 0.015 acres (661 sq. ft.) of the buffer will be decreased in the southwestern portion of the wetland and correspondingly increased in the northwest portion of the wetland. **Wetland B:** A total of 0.216 acres (9,388 sq. ft.) of the buffer will be decreased along the northeast and western portions of the wetland and correspondingly increased in the southeast portion of the wetland (Figure 4).

b. Decreases in width are generally located where wetland functions may be less sensitive to adjacent land uses, and increases are generally located where wetland functions may be more sensitive to adjacent land uses, to achieve no net loss or a net gain in functions.

Wetland A and Wetland B: The buffer areas proposed for decrease generally provide equal or less ecological function than the areas proposed for increase, resulting in no net loss of function. Native vegetation is less dense, and invasive species are present in higher quantities in decreased areas than increased areas. Thus, no net loss is achieved, and this criterion is met.

c. The averaged buffer width at its narrowest point shall not result in a width less than seventy-five percent of the required width, provided that minimum buffer widths shall never be less than fifty feet for all Category 1, 2, and 3 wetlands and twenty-five feet for all Category IV wetlands.

Wetland A and Wetland B: The standard wetland buffer width, after applying the allowed reduction, is 82.5 feet. The averaged buffer width at its narrowest point is approximately 62 feet, which meets the requirement of being no less than 75 percent of the standard width. Buffer averaging is shown on Figure 4.

d. Effect of Mitigation. If wetland mitigation occurs such that the rating of the wetland changes, the requirements for the category of the wetland after mitigation shall apply.

Wetland A and Wetland B: It is not anticipated that onsite mitigation will result in a change to the wetland ratings, as mitigation will take place in the wetland buffers. Functions of the wetland buffers will increase, but the ratings are expected to remain the same.

AVOIDANCE AND MINIMIZATION

The preferred mitigation sequencing of first avoidance, then minimization, and finally compensation for unavoidable impacts was taken into consideration during the project design process. The proposed subdivision has been designed to completely avoid direct impacts to Wetland A, Wetland B, Oak Cluster 2, and Herbaceous Bald 2, by utilizing lower impact development strategies in conjunction with buffer enhancement and averaging as described in the *Standard Wetland Buffer Modifications* section of this report. Several layouts were tested during the project design process to locate the majority of development outside of critical areas boundaries. Grading impacts to Oak Cluster 2 and HB-2 have been completely avoided by incorporating a 2:1 slope up to the proposed open space in which they are located. This area also appears to be solid rock based on site observations and the project geotechnical findings; therefore, the 2:1 slopes may be steeper and thus minimize the grading impact around the oak cluster and herbaceous bald even further.

Impacts to the buffer for Wetland A, Wetland B, Oak Cluster 1, and HB-1 could not be entirely avoided due to the City mandated location of North Shore Blvd., topographical and environmental constraints onsite, as well as required roadway circulation, density requirements, stormwater paths, and parking lots to support the residential and commercial uses as required by *CMC*. However, impacts will be minimized to the greatest extent practicable by applying the buffer reductions described above, retaining and protecting oaks and herbaceous balds to the maximum extent possible, and establishing and protecting two vegetated corridors onsite. Impacts will be further minimized by utilizing best management practices (BMPs) as described in the *Best Management Practices* subsection of this report.

BEST MANAGEMENT PRACTICES

Before work begins, a construction entrance will be established and clearing and grading will occur within the project area. All construction and tree removal will strictly adhere to the designated construction area. BMPs utilized prior to, during, and after construction to further minimize impacts to critical areas are as follows:

- Install silt fencing or similar measures to control sedimentation and general ground disturbance.
- Locate construction access and staging and stockpile areas within uplands.
- Limit ground disturbance to only those areas necessary to construct project elements.
- Grading will occur during the dry season to minimize surface runoff.
- Maintain stable construction access per the 2019 Stormwater Management Manual for Western Washington.
- Use a water truck as needed during construction to control fugitive dust.
- Maintain, repair, and service vehicles and equipment outside of any critical area onsite.
- Maintenance, service, and repair operations include, but are not limited to:
 - Prohibiting discharge of wastewaters into stormwater drains or hose down work areas.
 - Removing the buildup of oils and grease on equipment.

- Removing construction maintenance waste materials from work site and dispose and/or recycle.
- Having a spill kit onsite.
- Stabilize exposed soil with straw mulch or other suitable BMP if left exposed and unworked according to the 2019 Stormwater Management Manual for Western Washington.

UNAVOIDABLE IMPACTS

The project will result in approximately 0.184 acres (8,001 sq. ft.) of wetland buffer impact and approximately 0.088 acres (3,852 sq. ft.) of herbaceous bald impact. The project will also remove Oaks 2-12, resulting in approximately 0.048 acres (2,077 sq. ft.) of oak canopy dripline impact from clearing and grading for construction of North Shore Blvd. (Figures 4 and 5, Table 2).

Table 2. Impact Summary

Oregon White Oak Trees							
Name	S	ize	Impact Type	Impact Area			
Oak 2	8-ind	ch DBH					
Oak 3	8-ind	ch DBH					
Oak 4	6-ind	ch DBH					
Oak 5	6-ind	ch DBH		0.048 acres			
Oak 6	5-ind	ch DBH	Individual Oak	0.0.0			
Oak 7	9-ind	ch DBH	Removal	(2,077 sq. ft.) Combined Dripline			
Oak 8	10-in	ch DBH	Removal	Impact ¹			
Oak 9	8-ind	ch DBH		impact			
Oak 10	10-in	ch DBH					
Oak 11	1 5-inch DBH		5-inch DBH				
Oak 12	2 10-inch DBH						
			Total Oak Impact	0.048 acres			
			Total Oak Impact	(2,077 sq. ft.)			
		Herbaceous Bal	ds				
Name	S	ize	Impact Type	Impact Area			
HB-1	0.15	acres	Permanent	0.088 acres			
UD-1	(6,628	3 sq. ft.)	reilliallelli	(3,852 sq. ft.)			
Wetlands							
Critical Area	Impact Type	HGM ²	Ecology Rating ³	Impact Area			
Wetland B	Buffer	Depressional	Category III	0.184 acres			
vvecialia b	Dullel	Depressional	Category III	(8,001 sq. ft.)			

¹The driplines for Oaks 2-12 are contiguous and shall be combined for the purpose of mitigation calculations. ²NRCS 2008. ³Hruby & Yahnke 2023.

OAK MITIGATION DISCUSSION

OAK MITIGATION REQUIREMENTS

According to the Guidance, compensatory mitigation should ideally take place onsite or as close to the site as possible when options for onsite mitigation are limited, and any plan for compensatory mitigation must address both the physical loss of oak habitat and the temporal loss in ecological function (Nolan and Azerrad 2024). This mitigation plan accounts for both the physical and temporal losses from the project, as described later in this section. Because North Shore Blvd. construction is still under discussion between the applicant and the City, oak habitat will be retained as long as possible and will not be impacted until road construction begins. Suitable area for oak mitigation is limited onsite due to the densely forested canopy and subcanopy, which interfere with the potential for oak establishment as they require ample sunlight and open area. Use of open spaces that may be suitable for oak mitigation is undetermined, and these areas may not be available in the future due to *CMC* requirements and potential changes to North Shore Blvd. design and construction. Because of this, a portion of temporal impacts will be offset by enhancing retained oak habitat onsite and the remainder will be offset by purchasing 1.063 credits from Terrace.

OAK WOODLAND DETERMINATION

Mitigation for impacts to oak woodlands differs from mitigation for impacts to individual oaks. As such, an assessment must be completed to determine whether the project impacts an oak woodland or individual oaks. Each oak on- and offsite is assigned a habitat area with a 118-foot radius, which produces an area of approximately one acre per oak. If two or more of these habitat areas overlap, further investigation is required to determine if they meet the definition of an oak woodland. To be considered an oak woodland, there must be a minimum density of five large oaks per acre and the oak component must be no less than 25 percent of the total canopy cover. The habitat areas for all oaks in Cluster 1 overlap; however, the oak component of the canopy comprises approximately 7.46 percent of the total canopy. The habitat areas for all oaks in Cluster 2 also overlap; however, the oak component of the canopy comprises approximately 4.16 percent of the total canopy. The habitat areas for Cluster 1 and Cluster 2 do not overlap and the oak component of each cluster comprises less than 25 percent of the total canopy. As such, all oaks onsite are considered individuals, and project impacts will be calculated according to the WDFW process for individual oak trees (Nolan and Azerrad 2024). Table 3 summarizes the completed oak woodland assessment, which is also depicted on Figure 3.

Table 3. Oak Woodland Determination

Identifier	Habitat Area Total	Oak Dripline Total	Oak Canopy Coverage		
Oak Cluster 1	1.34 acres	0.10 acres	7.46 percent		
Oak Cluster 2	1.20 acres	0.05 acres	4.16 percent		

PHYSICAL IMPACTS

After it has been determined whether the project will impact oak woodland or individual oaks, mitigation to offset project impacts must be calculated. Physical mitigation is designed to offset

the physical losses of an impacted oak and is determined by the DBH of the impacted oak. Table 4 summarizes the mitigation needed to offset physical impacts of the proposed project. No mitigation is required for removal of Oak 6 or Oak 11, as both oaks have a DBH of approximately 5 inches; therefore, these oaks are excluded from mitigation calculations.

Table 4. Oak Mitigation to Offset Physical Impacts

Name	Mitigation Ratio ¹	Oak Quantity
Oak 2		50
Oak 3		50
Oak 4		50
Oak 5		50
Oak 7	50:1	50
Oak 8		50
Oak 9		50
Oak 10		50
Oak 12		50
	Total Oak Quantity	450
	Total Area for Physical Loss	0.90 acres
	(Oak Quantity x Spacing ² = Total Area)	(39,150 sq. ft.)

¹Nolan and Azerrad 2024. ²Spacing = 87 square feet (Nolan and Azerrad 2024).

TEMPORAL IMPACTS

Because oaks are slow-growing trees, temporal mitigation is designed to offset the temporal functional losses of an impacted oak by enhancing and/or preserving existing oak habitat. An assessment must be completed for the functions of each impacted oak prior to and after development and will determine the mitigation ratios to be used. Because the oaks will be removed entirely, a post-development assessment will not completed and post-development functions shall be considered minimal. After mitigation ratios have been established, the dripline of each oak is used to determine how much area is needed to offset temporal impacts. This information is summarized in Table 5. Functional assessments and mitigation calculations are in Appendix A.

Table 5. Mitigation for Temporal Impacts

Name	Baseline Functions	Functions After Development	Mitigation Ratio ¹	Combined Dripline ²																
Oak 2																				
Oak 3																				
Oak 4																				
Oak 5		Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal	Minimal		0.048 22722
Oak 7	High																		Minimal	Minimal
Oak 8									(2,077 sq. ft.)											
Oak 9																				
Oak 10		l						l												
Oak 12																				
	Total Area R	0.477 acres (20,770 sq. ft.)																		
	Temporal	0.150 acres (6,522 sq. ft.)																		
Temporal	Mitigation Rem	naining after Onsite	Enhancement	0.327 acres (14,248 sq. ft.)																

¹Nolan and Azerrad 2024. ²The driplines for Oaks 2-12 are contiguous and the assigned mitigation ratio is consistent for each oak; therefore, the combined dripline shall be used for mitigation calculations. ³Dripline x Ratio = Area Required.

OREGON WHITE OAK MITIGATION BANK SELECTION RATIONALE

The Oregon white oaks proposed for removal are located in the service area for the Terrace Oak Bank (Bank). The oak trees are approximately 5 miles southeast of the Bank which is in the southeastern portion of the service area (Figure 7). The proposed oak removal will be mitigated by purchasing credits from the Bank at ratios specified in the Terrace Oak Bank's Mitigation Banking Instrument (MBI).

Rationale for selecting this mitigation bank is as follows:

- There is not adequate space available onsite to fully compensate for oak habitat losses utilizing onsite mitigation. The use of the Bank will ensure that habitat functions common to urban areas can be fully replaced.
- The habitat functions lost from the proposed oak removal correspond directly with the habitat creation purpose, goals, and objectives at the Bank which identifies 13.93 acres of existing Oregon white oak woodland WDFW Priority Habitat that will be restored to pre-agricultural conditions through creation, enhancement, and preservation. Creation and enhancement will be accomplished through planting oak saplings and/or native understory plantings, removing of Douglas-fir, and establishing a conservation easement over the entire 13.93 acres.
- The use of Terrace Oak Bank credits will provide immediate compensation for the accrued oak impacts.

The 2008 Compensatory Mitigation for Losses of Aquatic Resources, Final Rule (Corps) recommends purchasing mitigation bank credits for ecological considerations (lower risk of failure and lower temporal loss of resources and services) and to avoid the maintenance and

contingency issues and outright failures that often accompany permittee-responsible mitigation sites. As such, use of the Terrace Oak Bank substantially lowers the risk of failure and temporal loss of resource functions and services over newly established, permittee-responsible mitigation sites and offsite mitigation is anticipated to be more meaningful and beneficial to the watershed's habitat functions.

FUNCTIONS PROVIDED AT OAK BANK

The general goal of the Bank is to restore the approximately 13.93 acres to a state similar to its pre-agricultural condition through creation, enhancement, and preservation of an existing Oregon white oak woodland. All functions related to oak habitat are expected to increase as a result of design implementation. The primary ecological goals of the Bank are as follows:

- Removal of all existing impervious surfaces, including buildings, large equipment, gravel and paved areas, and debris, followed by replanting oak saplings and native understory species.
- Removal of invasive species in creation, enhancement, and preservation areas, primarily English ivy (Hedera helix) and Himalayan blackberry (Rubus armeniacus).
- Removal of Douglas-fir (Pseudotsuga menziesii) overstory as recommended by WDFW to reduce competition and further degradation of the Oregon white oak woodland from shading.
- Replanting of both creation and enhancement areas with oak saplings and native understory species to augment and expand existing Oregon white oak habitat.
- Preserve the Bank through a conservation easement.

WILDLIFE HABITAT

The proposed development site plan will provide diverse habitat for a variety of large and small mammals, songbirds, waterfowl, amphibians, and insects by improving the condition of the existing Oregon White Oak habitat through creation and enhancement that includes replanting of oaks and native understory, removing invasive species, non-native debris, and impervious surfaces, and eliminating Douglas-fir encroachment.

ANTICIPATED FUNCTIONAL LIFT

The creation, enhancement, and Douglas-fir stand release activities proposed in the Bank will provide a variety of benefits lifting overall habitat functions. Invasive species eradication and installing oak trees and native understory in open areas will increase the site's potential to provide habitat by providing improved and increased diversity of plant species, structure, and interspersion of habitat. Removing Douglas-fir competition will allow the existing oaks to increase branching and smaller oak trees to become better established. The changes will increase acorn production, provide additional food for wildlife, and support a greater diversity of wildlife species as will removing impervious surfaces and debris. All functions impacted by removing an oak tree at the project site will be fully mitigated at the Bank.

PROPOSED MITIGATION CREDITS

The mitigation credits required for oak impacts will be determined using calculations described in the Guidance (Nolan and Azerrad 2024). Because the Guidance recommends physical impacts be mitigated by planting new oaks, and temporal impacts be mitigated by enhancing or preserving existing oak habitat, physical impacts shall be treated as creation and temporal impacts shall be treated as enhancement and preservation. As such, physical impacts shall be assigned a 2:1 creation ratio and temporal impacts shall be assigned a 1:1 enhancement and preservation ratio. Because mitigating at the bank increases the likelihood of mitigation success and impacts can be mitigated immediately, the total credit amount shall be multiplied by a "risk reduction factor" of 50 percent (0.5). Table 9 summarizes the impact type, mitigation ratio, and total credits proposed for compensation.

Table 6. Proposed Credit Purchase Summary

Impact Type ¹	Impact Area	Credit Type	Ratio	Multiplier	Credits
Physical	0.899 acres (39,150 sq. ft.)	Creation	2:1	0.5	0.899
Temporal	0.327 acres ² (14,248 sq. ft.)	Enhancement/ Preservation	1:1	0.5	0.164
	1.063				

¹Nolan and Azerrad ²024. ²Remaining mitigation required after onsite enhancement.

CREDIT PURCHASE OR TRANSFER TIMING

Following permit issuance, HSR Capital, LLC, as the applicant, will enter into a Buy/Sell Agreement with Terrace Oak Bank, for purchase of mitigation credits (in the quantity specified in Table 9) that would appropriately mitigate for the proposed project impacts. The actual purchase of credits will occur upon permit issuance. Prior to impacting the project oak, the applicant will submit proof of transfer of mitigation credits to project managers for the City of Camas. Proof of the mitigation transfer will be provided in the form of a notification letter to the approving agencies. Upon service of this notification, the mitigation requirement to purchase 1.063 mitigation credits will be fully satisfied.

CONFIRMATION OF MITIGATION CREDIT AVAILABILITY

Proof of the current number of available mitigation credits at the Terrace Oak Bank site will be confirmed by the approving agency, City of Camas and through the advising members of the Oak Bank Review Team.

Chair:

Brent Davis, Wetland and Habitat Review Program Manager Clark County Community Development P.O. Box 9810 Vancouver, WA 98666-9810 (360) 397-2375 ext. 4152 brent.davis@clark.wa.gov

Advisory Members:

Dave Howe, Area Habitat Biologist Washington Department of Fish and Wildlife 5525 S 11th Street Ridgefield, WA 98642 (360) 906-6729 david.howe@dfw.wa.gov Carlo Abbruzzese, Pacific Cascade Region Natural Areas Manager Washington Department of Natural Resources 2508 NW 126th Circle Vancouver, WA 98685 (360) 577-2025 carlo.abbruzzese@dnr.wa.gov

ONSITE ENHANCEMENT PLAN

MITIGATION GOALS AND DISCUSSION

The goal of this onsite mitigation plan is to fully compensate for wetland buffer and herbaceous bald impacts, partially compensate for oak temporal impacts associated with the proposed development, and to satisfy the aforementioned buffer reduction requirements.

WETLAND BUFFERS

To compensate for wetland buffer impacts, approximately 0.184 acres (8,001 sq. ft.) of the buffer for Wetland A will be enhanced by removing invasive species and installing native species, for an overall buffer enhancement ratio of 1:1. Although the majority of buffer impacts are associated with Wetland B, the buffer planting area will be located entirely within the buffer for Wetland A. The majority of Wetland B's buffer is densely forested with a diverse sub-canopy, providing ample protection for the wetland from the surrounding development, while the portions of Wetland A's buffer proposed for planting consist of regularly mowed grasses and provide very little protection for the wetland. As such, mitigating impacts within Wetland A's buffer will provide a higher ecological lift than mitigating within Wetland B's buffer.

Additionally, a vegetated corridor will be established within each wetland buffer, and the entirety of both buffers will be enhanced through invasive species removal to satisfy buffer reduction criteria, further contributing to the functional gain onsite. Enhancing the buffers will improve wetland protection from surrounding human activity, helping to preserve important habitat and

water quality functions. This enhancement will offset for any loss to functions or values and ensure no net loss of ecological function. Furthermore, the enhancement areas will be protected in perpetuity by installing protective fencing and signage, and by establishing a conservation covenant or similar legal mechanism. The legal mechanism shall protect the Existing Oak Habitat and Herbaceous Bald Enhancement Areas and the entirety of the vegetated corridors, which include all other critical areas required for protection. Temporary impacts to Wetland A's buffer will be restored to pre-project conditions by applying a native seed mix to disturbed areas and will not require further mitigation or monitoring.

OAK AND HERBACEOUS BALD HABITAT

Approximately 0.15 acres (6,522 sq. ft.) of retained oak and HB habitat areas will be utilized to compensate for HB impacts and a portion of oak temporal impacts. This approach is ecologically appropriate due to the correlation between oak habitat and HB habitat, and because all oaks present onsite were near or within HB boundaries. According to WDFW's HB priority area description, dominant flora found on HBs includes herbaceous vegetation, dwarf shrubs, mosses, and lichens. Rock outcrops, boulders, and scattered trees are often present, especially Douglas fir, Pacific madrone (*Arbutus menziesii*), and Oregon white oak (WDFW 2025b). These conditions were present within the oak and HB areas, which further supports utilizing retained habitat as mitigation for oak temporal impacts and HB impacts. Oak physical impacts and the remaining temporal impacts will be offset by purchasing 1.063 credits from Terrace, as described in the *Proposed Mitigation Credits* section of this report.

There is currently no guidance that details management recommendations for herbaceous bald habitat. To ensure no net loss is achieved and impacts are adequately compensated for, ELS recommends HB impacts be mitigated at a 1:1 ratio. Enhancement will consist of removing invasive species and seeding native herbaceous species commonly associated with oak and HB habitat (Table 7).

OBJECTIVES AND PERFORMANCE STANDARDS

Monitoring and maintenance of the enhancement areas will occur for a 5-year period with annual monitoring and reporting occurring in Years 1, 2, 3, and 5. Monitoring and maintenance will ensure the mitigation area is meeting the mitigation plan's goals, objectives, and performance standards. To meet this goal, the following objectives and performance standards are proposed:

Objective 1: Control invasive plant species including, but not limited to, English ivy (Hedera helix),
Himalayan blackberry (Rubus armeniacus), reed canarygrass, and Canada thistle
(Cirsium arvense) throughout the Wetland Buffer Enhancement Area, Existing Oak
Habitat and Herbaceous Bald Enhancement Areas, and Wetland Buffer Planting
Area.

<u>Performance Standard 1a:</u> Remove existing invasive species in the enhancement areas. Document the removal in the as-built report.

<u>Performance Standard 1b:</u> In all years, invasive plant species (not including reed canarygrass) will not exceed 20 percent aerial cover within the enhancement areas.

Objective 2: Enhance the buffers for Wetland A and Wetland B by installing native vegetation within the Wetland Buffer Planting Area.

<u>Performance Standard 2a:</u> Install native species according to the specifications in Table 7. Document installation in the as-built report.

<u>Performance Standard 2b:</u> In Year 1, planted species will achieve 90 percent survival. If dead plants are replaced, this performance standard will be met. Volunteers will be included in species counts. Document in annual monitoring report.

<u>Performance Standard 2c</u>: In Year 2, planted species will achieve 85 percent survival. If dead plants are replaced, this performance standard will be met. Volunteers will be included in species counts. Document in annual monitoring report.

<u>Performance Standard 2d</u>: In Year 3, planted species will achieve a minimum of 25 percent aerial cover OR 75 percent survival. If dead plants are replaced, this performance standard will be met. Volunteers will be included in species counts. Document in annual monitoring report.

<u>Performance Standard 2e</u>: In Year 5, planted species will achieve 35 percent aerial cover. If dead plants are replaced, this performance standard will be met. Volunteers will be included in cover estimates. Document in annual monitoring report.

Objective 3: Enhance the retained oak and herbaceous bald habitat by seeding native herbaceous species in the Existing Oak Habitat Enhancement and Herbaceous Bald Enhancement Areas.

<u>Performance Standard 3a:</u> Spread native seed according to specifications in Table 8. Document in the as-built report.

<u>Performance Standard 3b:</u> In Year 1, native herbaceous species will achieve 15 percent aerial cover. If the areas are reseeded to meet cover requirements, this performance standard will be met. Document in annual monitoring report.

<u>Performance Standard 3c:</u> In Year 2, native herbaceous species will achieve 20 percent aerial cover. If the areas are reseeded to meet cover requirements, this performance standard will be met. Document in annual monitoring report.

<u>Performance Standard 3d:</u> In Year 3, native herbaceous species will achieve 25 percent aerial cover. If the areas are reseeded to meet cover requirements, this performance standard will be met. Document in annual monitoring report.

<u>Performance Standard 3e:</u> In Year 5, native herbaceous species will achieve 35 percent aerial cover. If the areas are reseeded to meet cover requirements, this performance standard will be met. Document in annual monitoring report.

Objective 4: Provide long-term protection for the enhancement areas.

<u>Performance Standard 4a:</u> Record a conservation covenant or similar legal mechanism protecting the Vegetated Corridors in perpetuity. This performance standard will be met when the protection mechanism is recorded by the City, and a copy will be provided in the as-built report.

<u>Performance Standard 4b:</u> Permanent fencing and logs salvaged from trees removed onsite will be installed along the boundary of the enhancement area. This performance standard will be met when the logs and fencing are reported to be in place in the final monitoring report.

<u>Performance Standard 4c:</u> Restrictive signage meeting *CMC* requirements will be posted every 100 feet along the fencing and will remain in legible condition. Signs will be replaced if they become missing or illegible. This performance standard will be met when signs are reported to be in place in the final monitoring report.

PLANTING SPECIFICATIONS

The enhancement areas will be cleared of invasive species, planted with native trees and shrubs, and seeded with herbaceous species, providing greater habitat diversity, refuge, and forage opportunities than currently exist onsite. Planting native trees and shrubs in the wetland buffers will improve their ability to trap sediments and pollutants, reduce stormwater surface flows, and protect the wetlands from the surrounding development. The proposed species were selected due to their hardy and fast-growing nature, ensuring quick establishment and a timely net gain in functions (Table 7). Actual planting locations will be determined in the field, with consideration to the listed spacing and density to produce the most natural appearance possible. The enhancement will also create more habitat interspersion adjacent to Wetland A, increase its value to a greater variety of animal species, and increase screening from the proposed development, resulting in an overall net gain in ecological functions. Impacts and proposed mitigation measures are summarized in Table 6.

Table 7. Proposed Impacts and Onsite Mitigation

Critical Area	Impact Type	Mitigation Ratio	Impact Area	Mitigation Total	Mitigation Activities
Wetland B	Buffer	1:1	0.184 acres (8,001 sq. ft.)	0.184 acres (8,001 sq. ft.)	Remove invasive species Install native species
Herbaceous Bald 1	Removal	1:1	0.088 acres (3,852 sq. ft.)	0.150 acres	 Protect with fencing, signage, and a conservation covenant
Oak Cluster 1	Removal	1	0.048 acres (2,077 sq. ft.)	(6,522 sq. ft.) ^{2,3}	Maintain and monitor for 5 years

¹See the Oak Mitigation Requirements section of this report for required oak mitigation discussion. ²Remaining oak impacts will be mitigated at Terrace Oak Bank. ³Oak and HB impacts will be mitigated together due to their similar habitat conditions.

Table 8. Wetland Buffer Planting Specifications

Species Name and Facultative Status ¹	Spacing ²	Stock ³	Quantity				
Trees	Trees						
Red alder (Alnus rubra, FAC)	10 feet	One-gallon	10				
Black cottonwood (Populus trichocarpa, FAC)	on-center	Container	10				
Total Trees							
Shrubs	Shrubs						
Red flowering currant (Ribes sanguineum, FACU)			45				
Nootka rose (<i>Rosa nutkana,</i> FAC)	6 feet	One-gallon	45				
Common snowberry (Symphoricarpos albus, FACU)	on-center	Container	45				
Scouler's willow (Salix scouleriana, FAC)							
		Total Shrubs	180				
	Total	Woody Species	200				

¹Corps 2012. ²Actual planting locations will be determined in the field. ³Actual plant stock will be determined based on nursery availability.

Table 9. Seed Mix Specifications

Sunmark Seeds International, Inc – Native Pollinator Mix							
Species	Composition	Rate	Quantity				
Baby Blue Eyes (Nemophila menziesii)	20.00%						
Meadow Barley (Hordeum brachyantherum)	18.50%						
Blanketflower (Gaillardia aristata)	18.00%						
Coastal Tidytips (Layia platyglossa)	13.00%						
Riverbank Lupine (Lupinus rivularis)	10.0%						
Small Camas (Camassia quamash)	7.00%	1	7				
Tufted Hairgrass (Deschampsia cespitosa)	4.50%	1 pound per	7 pounds				
Black-Eyed Susan (Rudbeckia hirta)	3.50%	1,000 sq. ft.	(6,522 sq. ft.)				
Sweet Alyssum (<i>Lobularia maritima</i>)	2.00%						
Common Yarrow (Achillea millifolium)	1.75%						
Aspen Fleabane (Erigeron speciosus)	1.25%						
Oceanspray (Holodiscus discolor)	0.50%						
Total	100%						

^{*}An alternate seed mix may be used in the Existing Oak and Herbaceous Bald Enhancement Areas, provided it is appropriate for the local habitat type and comprised entirely of native species.

PLANTING PLAN

Site Specifications

- Stake or flag the enhancement area.
- Investigate for and remove invasive and competing species from the mitigation area.
- Install mitigation plantings according to plant specifications.

Planting Implementation

- Install plants and spread seed in late fall (October-November) or early spring (February-March) at the intervals listed in Table 7 and Table 8.
- Space plants somewhat irregularly to encourage heterogeneity in the density and appearance of the mitigation area.
- Place plants so that their roots can extend down entirely and do not bend upward or circle inside the hole (no "J" or "U" roots).
- Position the root crowns so that they are at or slightly below the level of surrounding soil.
- Compact the soil around the planted species to eliminate air spaces.
- Irrigate all installed plants as site and weather conditions warrant.

Potted Stock

- Potted species will be purchased from a native plant nursery.
- Potted plants will be a minimum size of one-gallon.
- Potted stock will be kept cool and moist prior to being planted.
- Potted stock will have well-developed roots and sturdy stems, with an appropriate root-to-shoot ratio.
- Unplanted potted stock will be properly stored at the end of each day.

• The planting technician will be responsible for inspecting potted plant stock prior to and during planting, culling unacceptable plant materials.

MONITORING, MAINTENANCE, AND CONTINGENCY MEASURES

Monitoring and maintenance of the enhancement areas will occur for a 5-year period and annual monitoring and reporting will be conducted in Years 1, 2, 3, and 5. Plant counts will be conducted in Years 1, 2, and 3, to determine percent survival of installed species. Native volunteers may be included. Percent of aerial cover will be assessed in Year 5 using visual estimation. At least six monitoring plots will be established in the Wetland Buffer Enhancement Areas, one plot in the Wetland Buffer Planting Area, and one plot in each Existing Oak Habitat and Herbaceous Bald Enhancement Area during as-built activities to assess performance standards. Additionally, a photostation will be established at each monitoring plot to photo-document vegetation establishment. Photostation locations and the direction in which the picture is taken will also be recorded in the as-built report.

The goal of monitoring will be to determine if the previously stated performance standards are being met. Monitoring reports will be submitted no later than December 31st of each monitoring year to the City of Camas. Year 1 monitoring will begin a minimum of one year after plant installation.

At minimum, the following items will be included in the annual report:

- Location map and as-built drawing, including any changes.
- Historic description of the project, including dates of plant installation, current year of monitoring, and remedial actions taken (if any).
- Description of monitoring methods.
- Documentation of vegetative performance standards and overall development of plant communities.
- Assessment of invasive plant species and recommendations for management.
- Photographs from established photo stations.
- Observations of wildlife, including amphibians, invertebrates, reptiles, birds, and mammals. If photographs are taken, they will be included.
- Summary of the maintenance and contingency measures completed for the past year and proposed for the next year.

Monitoring

Monitoring will occur annually during the growing season, preferably during the same two-week period to better compare data. The following information will be gathered in the mitigation area:

- Percent survival of native species in Years 1, 2, and 3.
- Percent cover of native species in Year 5.
- Percent cover of non-native, invasive species in all monitoring years.

- General health of plants in the mitigation area, noting specific problems and potential causes.
- Photo documentation of vegetative changes over time from photo station established after plant installation.

Maintenance

Maintenance will include the following:

- Irrigating planting areas every other week or as needed in the dry season for the first three years. Taper watering in Years 2 and 3, watering approximately every 3 to 4 weeks in the dry season, or as needed.
- Remove competing herbaceous species at least three times yearly within a 3-foot radius of planted species and re-apply mulch, as needed.
- Weed-eat, spray, or mow invasive species as needed during the growing season.
- Replace dead or failed plants as described for the original installation to meet the minimum performance standards.

Contingency Measures

If the performance criteria are not met, steps will be taken to correct the situation in a timely manner. The following steps will be implemented when an area is identified as failing or potentially failing:

- Identify the cause(s) of the failure or potential failure.
- Identify the extent of the failure or potential failure.
- Implement corrective actions such as irrigating, fertilizing, and replanting.
- Document the activities and include this data in the monitoring reports.
- If a routine corrective action will not correct the problem, immediately consult with the appropriate agencies.
- Evaluate recommendations from resource agency staff and implement recommendations in a timely manner.

Funding for corrective actions will be the responsibility of the applicant.

LIMITATIONS


ELS bases this report's determinations on standard scientific methodology and best professional judgment. In our opinion, local, state, and federal regulatory agencies should agree with our determinations. However, the information contained in this report should be considered preliminary and used at your own risk until it has been approved in writing by the appropriate regulatory agencies. ELS is not responsible for the impacts of any changes in environmental standards, practices, or regulations after the date of this report.


REFERENCES


- City of Camas. 2024. City of Camas Municipal Code (CMC) Title 16 Environment. Camas, Washington. June 17, 2024.
- Davis, B. 2017. *Large Stock Stem Equivalence Ratios for Oak Mitigation*. Clark County. Email sent on September 12, 2017.
- Ecological Land Services, Inc. (ELS). 2025a. *Critical Areas Report for ICG 252nd Property*. Camas, WA. May 19, 2025.
- Ecological Land Services, Inc. (ELS). 2025b. *Critical Areas Report for Mills Property*. Camas, WA. May 19, 2025.
- Ecological Land Services, Inc. (ELS). 2025c. *Critical Areas Report for Enclave Property*. Camas, WA. Revised March 4, 2025.
- Ecological Land Services, Inc. (ELS). 2025d. *Buffer Modification and Onsite Mitigation Plan for* Enclave Property. Camas, WA. Revised March 4, 2025.
- Hruby, T. & Yahnke, A. 2023. Washington State Wetland Rating System for Western Washington: 2014 Update (Version 2.0). Publication #23-06-009. Washington Department of Ecology.
- Nolan, M. P., and J. M. Azerrad. 2024. *Management recommendations for Washington's priority habitats: Best management practices for mitigating impacts to Oregon white oak priority habitat*. Washington Department of Fish and Wildlife (WDFW), Olympia, Washington. January 2, 2024.
- Natural Resource Conservation Service (NRCS). 2008. *Hydrogeomorphic Wetland Classification System: An Overview and Modification to Better Meet the Needs of the Natural Resources Conservation Service.* United States Department of Agriculture Technical Note, #190-8-76.
- Rocchio, F. J., and Crawford. R. C. 2015. Ecological Systems of Washington State: A Guide to Identification. Washington Department of Natural Resources Natural Heritage Program. Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW). 2025a. *Washington State Fish Passage online map*. https://geodataservices.wdfw.wa.gov/hp/fishpassage/index.html. Accessed May 2025.
- Washington Department of Fish and Wildlife (WDFW). 2025b. *Priority Habitats and Species Program*. https://geodataservices.wdfw.wa.gov/hp/phs/. Accessed May 2025.


Washington Department of Natural Resources (WDNR). 2025. Forest Practices Application Mapping Tool (FPAMT). https://www.dnr.wa.gov/programs-and-services/forestpractices/forest-practices-application-review-system-fpars. Accessed July 2025.


FIGURES




















APPENDIX A

WDFW FUNCTIONAL ASSESSMENTS FOR INDIVIDUAL OAKS AND MITIGATION CALCULATIONS

WDFW Functional Assessments for Individual Oaks to be Impacted

Oregon White Oak Functional Assessments -	Pregon White Oak Functional Assessments - HSR Capital, Village at North Shore - April 29, 2025									
Metric	Multiplier	Oak 2	Oak 3	Oak 4	Oak 5	Oak 7	Oak 8	Oak 9	Oak 10	Oak 12
Size of Oak Trees (Choose one)										
>76 cm (30 in) DBH	6									
50-76 cm (20-30 in) DBH	5									
30-50 cm (12-20 in) DBH	3									
<30 cm (12 in) DBH	1	>	>	>	>	>	>	V	\	>
Condition of Crown (Choose one)										
Well-formed/dominant	3									
Suppressed/stunted	2	Y	Y		\	ightharpoons	Y	ightharpoons	K	K
Seedling/Sapling	1									
Wildlife Value (Choose all that apply)										
Acorn production	2	>	~	ightharpoons	Y	~	~	~	Y	~
Leaves available for wildlife browsing	1	>	>	V	>	~	>	V	\	<
Presence of cavities	2									
Presence of dead branches	1	>	>	V	>	~	>	V	\	<
Presence of galls or fungi	1									
Presence of heart rot or carpenter ants	1									
Located near other OWO trees (<118 ft)	3	Y	Y		~	~	Y		V	>
	Total	10	10	10	10	10	10	10	10	10
Fu	inction Score	High	High	High	High	High	High	High	High	High

^{*}Oak 6 and Oak 11 were not assessed due to DBH < 6 inches.

Score	Function
0	Minimal
1	Minimal
2	Minimal
3	Minimal
4	Low
5	Low
6	Low
7	Medium
8	Medium
9	Medium
10	High
11	High
12	High
13	High
14	High
15	High
16	High
17	High
18	High
19	High
20	High
21	High
22	High
23	High

APPENDIX B

OFFSITE PROTECTED WETLAND AREA

