

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: AT&T MOBILITY SPECTRUM, LLC

ATTN: FCC GROUP
 AT&T MOBILITY SPECTRUM, LLC
 208 S. AKARD ST. 20F
 DALLAS, TX 75202

Call Sign KNKA265	File Number
Radio Service CL - Cellular	
Market Numer CMA030	Channel Block A
Sub-Market Designator 0	

FCC Registration Number (FRN): 0014980726

Market Name Portland, OR-WA				
Grant Date 09-03-2014	Effective Date 01-18-2023	Expiration Date 10-01-2024	Five Yr Build-Out Date	Print Date

Site Information:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
16	45-27-58.7 N	123-55-16.4 W	407.8	51.8	

Address: 1500 NETARTS HIGHWAY WEST (11031)
City: TILLAMOOK **County:** TILLAMOOK **State:** OR **Construction Deadline:** 09-01-2011

Antenna: 7

Maximum Transmitting ERP in Watts: 140.820
 Azimuth(from true north) **0 45 90 135 180 225 270 315**
Antenna Height AAT (meters) 346.000 262.600 395.900 396.000 320.800 434.600 426.900 423.600
Transmitting ERP (watts) 370.600 349.600 62.500 8.900 1.400 1.300 6.100 66.300

Antenna: 8

Maximum Transmitting ERP in Watts: 140.820
 Azimuth(from true north) **0 45 90 135 180 225 270 315**
Antenna Height AAT (meters) 346.000 262.600 395.900 396.000 320.800 434.600 426.900 423.600
Transmitting ERP (watts) 17.200 174.800 416.900 183.000 26.000 3.900 0.833 2.700

Antenna: 9

Maximum Transmitting ERP in Watts: 140.820
 Azimuth(from true north) **0 45 90 135 180 225 270 315**
Antenna Height AAT (meters) 346.000 262.600 395.900 396.000 320.800 434.600 426.900 423.600
Transmitting ERP (watts) 1.100 4.900 50.800 333.900 379.200 77.900 10.800 1.800

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

Licensee Name: AT&T MOBILITY SPECTRUM, LLC

Call Sign: KNKA265

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
18	45-51-20.9 N	123-33-46.0 W	304.5	49.7	

Address: 42287 SPORTS ACRES (14708)

City: SEASIDE County: CLATSOP State: OR Construction Deadline: 09-01-2011

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	77.100	121.500	30.000	30.000	30.000	62.500	94.500	68.400
Transmitting ERP (watts)	553.100	234.300	11.500	1.106	1.106	1.106	4.500	103.600

Antenna: 4

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	77.100	121.500	30.000	30.000	30.000	62.500	94.500	68.400
Transmitting ERP (watts)	4.500	103.600	553.100	234.300	11.500	1.106	1.106	1.106

Antenna: 5

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	77.100	121.500	30.000	30.000	30.000	62.500	94.500	68.400
Transmitting ERP (watts)	37.800	1.300	0.827	0.827	1.600	38.000	413.900	412.600

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
19	45-13-01.8 N	121-39-59.3 W	1615.4	25.3	

Address: ON TOP OF FROG LAKE BUTTE (13732)

City: MAUPIN County: WASCO State: OR Construction Deadline: 09-01-2011

Antenna: 5

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	202.900	274.100	510.000	606.900	434.600	587.300	628.000	506.900
Transmitting ERP (watts)	246.200	99.700	5.500	0.500	0.500	0.500	0.900	39.900

Antenna: 6

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	202.900	274.100	510.000	606.900	434.600	587.300	628.000	506.900
Transmitting ERP (watts)	1.027	1.027	1.027	17.100	289.500	513.800	66.600	1.400

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
20	45-51-33.1 N	122-27-17.4 W	538.3	28.6	1056056

Address: 30200 NE MYSTIC DR (11020)

City: YACOLT County: CLARK State: WA Construction Deadline: 09-01-2011

Antenna: 7

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	305.600	278.100	76.800	201.700	390.700	452.600	419.500	390.000
Transmitting ERP (watts)	158.000	374.900	61.100	1.700	0.749	0.749	0.749	7.600

Licensee Name: AT&T MOBILITY SPECTRUM, LLC

Call Sign: KNKA265

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
20	45-51-33.1 N	122-27-17.4 W	538.3	28.6	1056056

Address: 30200 NE MYSTIC DR (11020)

City: YACOLT County: CLARK State: WA Construction Deadline: 09-01-2011

Antenna: 8

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	305.600	278.100	76.800	201.700	390.700	452.600	419.500	390.000
Transmitting ERP (watts)	0.600	0.600	26.300	280.400	259.800	23.300	0.600	0.600
Antenna: 9								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	305.600	278.100	76.800	201.700	390.700	452.600	419.500	390.000
Transmitting ERP (watts)	8.300	2.500	0.848	0.848	0.848	94.400	424.100	169.800

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
21	45-12-51.3 N	123-45-20.3 W	965.0	22.2	

Address: 7 MILES EAST OF HEBO (11033)

City: CLOVERDALE County: YAMHILL State: OR Construction Deadline: 09-01-2011

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	692.900	568.800	506.300	643.200	640.200	673.900	853.700	750.300
Transmitting ERP (watts)	456.200	322.400	49.600	5.900	0.912	0.912	11.100	122.100
Antenna: 2								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	692.900	568.800	506.300	643.200	640.200	673.900	853.700	750.300
Transmitting ERP (watts)	1.100	26.600	222.600	489.800	198.400	22.600	2.400	1.000
Antenna: 3								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	692.900	568.800	506.300	643.200	640.200	673.900	853.700	750.300
Transmitting ERP (watts)	11.600	0.900	0.900	3.900	59.700	345.400	435.700	103.900

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
22	44-31-36.2 N	122-52-28.7 W	366.4	41.2	

Address: 37888 EAST GRANT STREET (45860)

City: LEBANON County: LINN State: OR Construction Deadline: 09-01-2011

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	298.600	253.200	152.900	224.500	98.000	274.700	309.100	313.100
Transmitting ERP (watts)	1.800	31.800	227.900	481.700	233.200	31.800	3.200	1.000

Licensee Name: AT&T MOBILITY SPECTRUM, LLC

Call Sign: KNKA265

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
22	44-31-36.2 N	122-52-28.7 W	366.4	41.2	

Address: 37888 EAST GRANT STREET (45860)

City: LEBANON County: LINN State: OR Construction Deadline: 09-01-2011

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	298.600	253.200	152.900	224.500	98.000	274.700	309.100	313.100
Transmitting ERP (watts)	1.100	0.500	0.500	2.900	15.000	243.000	50.100	1.500

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	298.600	253.200	152.900	224.500	98.000	274.700	309.100	313.100
Transmitting ERP (watts)	1.200	1.200	0.500	0.500	2.800	6.800	230.900	74.500

Antenna: 4

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	298.600	253.200	152.900	224.500	98.000	274.700	309.100	313.100
Transmitting ERP (watts)	76.300	45.500	7.600	1.000	0.400	0.500	6.500	38.700

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
23	46-02-58.0 N	122-55-11.3 W	347.5	49.1	

Address: 73438 NEER CITY RD (10931)

City: RAINIER County: COLUMBIA State: OR Construction Deadline: 09-01-2011

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	366.700	325.500	255.700	349.700	261.400	101.200	173.700	306.900
Transmitting ERP (watts)	1.600	55.600	20.500	0.400	0.500	0.111	0.111	1.300

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	366.700	325.500	255.700	349.700	261.400	101.200	173.700	306.900
Transmitting ERP (watts)	0.200	0.600	36.800	86.200	55.400	6.100	3.300	0.500

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	366.700	325.500	255.700	349.700	261.400	101.200	173.700	306.900
Transmitting ERP (watts)	4.500	2.400	0.500	0.417	1.000	80.800	208.900	84.600

Licensee Name: AT&T MOBILITY SPECTRUM, LLC

Call Sign: KNKA265

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
25	44-43-09.9 N	122-13-03.4 W	1339.3	36.9	

Address: 13 MILES UP FRENCH CREEK ROAD (15395)

City: DETROIT County: MARION State: OR Construction Deadline: 09-01-2011

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	307.200	313.700	645.200	644.500	365.900	569.400	577.200	487.000
Transmitting ERP (watts)	0.500	27.700	177.500	129.400	13.100	0.400	0.400	0.400

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	307.200	313.700	645.200	644.500	365.900	569.400	577.200	487.000
Transmitting ERP (watts)	0.300	0.300	0.300	6.400	77.900	130.800	23.600	0.600

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	307.200	313.700	645.200	644.500	365.900	569.400	577.200	487.000
Transmitting ERP (watts)	36.500	1.500	0.343	0.343	0.343	5.800	81.700	171.800

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
26	44-53-47.3 N	123-17-56.7 W	255.4	31.4	

Address: TOP OF MOUNT PISGAH (11131)

City: DALLAS County: POLK State: OR Construction Deadline: 09-01-2011

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	191.900	203.500	221.800	221.400	170.600	113.300	30.000	52.300
Transmitting ERP (watts)	195.000	89.100	12.300	1.900	0.600	1.100	8.300	83.200

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	191.900	203.500	221.800	221.400	170.600	113.300	30.000	52.300
Transmitting ERP (watts)	4.700	52.900	196.500	127.800	19.300	2.800	0.700	0.900

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	191.900	203.500	221.800	221.400	170.600	113.300	30.000	52.300
Transmitting ERP (watts)	31.700	4.600	0.800	1.000	4.800	54.100	244.500	193.500

Licensee Name: AT&T MOBILITY SPECTRUM, LLC

Call Sign: KNKA265

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
27	45-44-31.6 N	121-34-46.4 W	788.5	36.3	

Address: TOP OF UNDERWOOD MOUNTAIN AT END OF 2932 ROAD (11054)
City: UNDERWOOD County: SKAMANIA State: WA Construction Deadline: 09-01-2011

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	61.300	580.000	386.800	535.300	487.700	224.600	295.700	255.700
Transmitting ERP (watts)	0.605	3.600	12.800	302.500	103.300	1.500	1.900	0.605

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	61.300	580.000	386.800	535.300	487.700	224.600	295.700	255.700
Transmitting ERP (watts)	11.200	0.748	1.000	6.600	71.100	319.300	374.400	95.700

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	61.300	580.000	386.800	535.300	487.700	224.600	295.700	255.700
Transmitting ERP (watts)	294.000	411.300	97.000	13.500	2.100	0.900	4.100	39.000

Antenna: 4

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	61.300	580.000	386.800	535.300	487.700	224.600	295.700	255.700
Transmitting ERP (watts)	3.600	26.100	315.700	69.900	2.400	1.700	0.631	0.631

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
28	45-43-50.9 N	123-15-05.3 W	427.6	46.6	

Address: 29350 NORTHWEST RIDGE ROAD (11100)
City: BUXTON County: WASHINGTON State: OR Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.800	139.600	133.900	367.900	221.200	83.500	30.000	110.800
Transmitting ERP (watts)	43.300	362.400	233.500	15.700	0.724	0.724	0.724	0.724

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.800	139.600	133.900	367.900	221.200	83.500	30.000	110.800
Transmitting ERP (watts)	0.500	5.500	16.200	6.800	6.400	12.600	4.600	0.900

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.800	139.600	133.900	367.900	221.200	83.500	30.000	110.800
Transmitting ERP (watts)	114.200	4.600	0.900	0.900	0.900	3.300	111.600	436.500

Licensee Name: AT&T MOBILITY SPECTRUM, LLC

Call Sign: KNKA265

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
31	45-07-52.0 N	122-17-29.9 W	1303.0	52.1	

Address: 28050 SOUTH WILLIAMS LAKE ROAD (11075)

City: COLTON County: CLACKAMAS State: OR Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	905.000	703.400	455.700	269.900	314.400	605.600	801.900	901.500
Transmitting ERP (watts)	50.800	291.400	21.100	2.000	0.900	0.600	0.600	2.000

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	905.000	703.400	455.700	269.900	314.400	605.600	801.900	901.500
Transmitting ERP (watts)	0.900	11.500	123.000	436.500	309.000	46.800	5.500	0.900

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
32	45-12-40.9 N	122-34-05.0 W	183.8	36.3	1226323

Address: 14600 S. Cinnamon Hill Lane (14707)

City: Mulino County: CLACKAMAS State: OR Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	76.600	30.000	30.000	30.000	51.400	139.700	157.000	148.900
Transmitting ERP (watts)	14.500	154.900	416.900	166.000	20.400	2.800	0.833	2.500

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	76.600	30.000	30.000	30.000	51.400	139.700	157.000	148.900
Transmitting ERP (watts)	1.600	0.700	3.000	28.900	217.900	304.900	71.900	10.000

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	76.600	30.000	30.000	30.000	51.400	139.700	157.000	148.900
Transmitting ERP (watts)	228.200	37.200	5.300	0.900	1.200	5.600	64.100	298.000

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
33	45-28-37.4 N	123-13-55.0 W	155.8	60.7	

Address: 54000 SW Hankins Rd (114768)

City: Gaston County: WASHINGTON State: OR Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	30.000	98.600	106.100	113.700	93.600	30.000	30.000	30.000
Transmitting ERP (watts)	67.500	102.400	51.300	8.100	1.000	0.800	1.400	13.400

Licensee Name: AT&T MOBILITY SPECTRUM, LLC

Call Sign: KNKA265

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
33	45-28-37.4 N	123-13-55.0 W	155.8	60.7	

Address: 54000 SW Hankins Rd (114768)

City: Gaston County: WASHINGTON State: OR Construction Deadline:

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	30.000	98.600	106.100	113.700	93.600	30.000	30.000	30.000
Transmitting ERP (watts)	0.500	7.400	119.300	201.100	27.800	0.900	0.402	0.402
Antenna: 3								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	30.000	98.600	106.100	113.700	93.600	30.000	30.000	30.000
Transmitting ERP (watts)	205.700	16.000	0.627	0.627	0.627	2.200	41.400	313.800

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
35	44-52-53.7 N	123-04-15.7 W	160.9	22.0	

Address: 5121 SKYLINE VILLAGE LOOP SOUTH (79603)

City: Salem County: MARION State: OR Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	125.300	115.900	50.000	47.600	71.000	57.500	110.600	121.300
Transmitting ERP (watts)	190.300	373.200	248.600	44.000	14.100	0.746	8.800	25.500
Antenna: 2								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	125.300	115.900	50.000	47.600	71.000	57.500	110.600	121.300
Transmitting ERP (watts)	0.800	1.700	9.700	104.500	399.600	232.200	26.500	4.800
Antenna: 3								
Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	125.300	115.900	50.000	47.600	71.000	57.500	110.600	121.300
Transmitting ERP (watts)	189.100	20.100	4.200	0.816	2.400	12.500	131.300	408.200

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
36	45-59-27.9 N	122-31-39.7 W	208.5	56.7	

Address: 158 FERNMEADOW (15334)

City: Ariel County: COWLITZ State: WA Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	30.000	30.000	96.900	30.000	54.400	129.200	30.000	30.000
Transmitting ERP (watts)	774.600	102.200	3.600	1.549	1.549	1.549	18.500	515.200

Licensee Name: AT&T MOBILITY SPECTRUM, LLC

Call Sign: KNKA265

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
36	45-59-27.9 N	122-31-39.7 W	208.5	56.7	

Address: 158 FERNMEADOW (15334)

City: Ariel **County:** COWLITZ **State:** WA **Construction Deadline:**

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)

0

45

90

135

180

225

270

315

Antenna Height AAT (meters)

30.000

30.000

96.900

30.000

54.400

129.200

30.000

30.000

Transmitting ERP (watts)

2.300

230.400

767.400

241.300

10.000

4.100

1.534

1.534

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)

0

45

90

135

180

225

270

315

Antenna Height AAT (meters)

30.000

30.000

96.900

30.000

54.400

129.200

30.000

30.000

Transmitting ERP (watts)

0.905

0.905

0.905

15.100

255.100

452.700

58.700

1.200

Control Points:

Control Pt. No. 1

Address: 9TH & STARK STREETS

City: PORTLAND **County:** **State:** OR **Telephone Number:**

Waivers/Conditions:

Special Condition for AU/name change (6/4/2016): Grant of the request to update licensee name is conditioned on it not reflecting an assignment or transfer of control (see Rule 1.948); if an assignment or transfer occurred without proper notification or FCC approval, the grant is void and the station is licensed under the prior name.

This license is conditioned upon compliance with the provisions of Applications of AT&T Wireless Services, Inc. and Cingular Wireless Corporation For Consent to Transfer Control of Licenses and Authorizations, Memorandum Opinion and Order, FCC 04-255 (rel. Oct. 26, 2004).

Commission approval of this application and the licenses contained therein are subject to the conditions set forth in the Memorandum Opinion and Order, adopted on December 29, 2006 and released on March 26, 2007, and revised in the Order on Reconsideration, adopted and released on March 26, 2007. See AT&T Inc. and BellSouth Corporation Application for Transfer of Control, WC Docket No. 06-74, Memorandum Opinion and Order, FCC 06-189 (rel. Mar. 26, 2007); AT&T Inc. and BellSouth Corporation, WC Docket No. 06-74, Order on Reconsideration, FCC 07-44 (rel. Mar. 26, 2007).