
THE BLUFFS AT 44TH

4401 CAPITOLA ROAD, CAPITOLA, CA 95010 PLANNING RESUBMITTAL SET 11/30/2022



VICINITY MAP	DENSITY & UNIT MIX	ZONING COMPLIANCE SUMMARY				
	PROPOSED DENSITY:		REQUIRED	PROPOSED		_
CA STATE ROUTE 1	36 UNITS PROPOSED (44 DU/AC)	DENSITY	N/A	44 DU/AC		
I CA SIAIE INSECT		FAR HEIGHT (FT) & STORIES	1 27 FT PER ZONING	0.8 UP TO 36 FT / 3 STORIES		
	UNIT MIX TYPE V RESIDENTIAL BUILDING A SUMMARY TYPE V RESIDENTIAL BUILDING B SUMMARY	SETBACK	27 FT PER ZONING	UP TO 36 FT / 3 STORIES		
	NAME COUNT # OF BEDS AVERAGE UNIT AREA UNIT MIX NAME AREA NAME AREA 1A 15 1 BEDROOM 605 41.7% RESIDENTIAL AREA 18,000 RESIDENTIAL AREA 10,100	FRONTAGE	MIN: 0 FT. FROM PROPERTY LINE OR 10 FT.	8 FT		_
	2A 6 2 BEDROOM 765 / 825 16.7% CORRIDORS / STAIR 1,560 CORRIDORS / STAIR 780		FROM CURB, WHICHEVER IS GREATER. MAX: 25FT		CT	E L
	28 3 2 BEDROOM 790 8.3% ELECTRICAL ROOM AND OTHERS 215 ELECTRICAL ROOM AND OTHERS 110 3A 12 3 BEDROOM 975 / 1,050 33.3% TOTAL 19,775 TOTAL 10,990	STREET SIDE	MIN: 0 FT. FROM PROPERTY LINE OR 10 FT.	10 FT	21	U
	TOTAL 36 780 100%		FROM CURB, WHICHEVER IS GREATER. MAX: 25FT		TS	
		SIDE	MAX: 25FT MIN: 10% OF LOT WIDTH (12 FT)	5 FT	10	~~
CAPITOLA ROAD	* 100% OF UNITS TO BE VERY-LOW OR LOW INCOME AFFORDABLE UNITS	LOT DIMENSIONS			: Archit	
	UNIT MIX PER TCAC FAMILY PROJECT STANDARDS: UNIT SIZE MIN. PER TCAC: 25% MIN. 3 BEDROOM OR LARGER, PLUS 1 BEDROOM 450 SF. MIN.	MINIMUM SIZE MINIMUM WIDTH / DEPTH	3,200 SF 40 FT / 80 FT	35,600 SF 120 FT / 300 FT	: Plann : Urbar	
	25% MIN. 2 BEDROOM OR LARGER 2 BEDROOM 700 SF. MIN.	LOT COVERAGE			: 1970 Br	
	REQUIRED 3 BEDROOM 900 SF. MIN.	OPEN SPACE PERCENT LANDSCAPE COVERAGE	NO REQUIREMENT FOR OPEN SPACE MINIMUM N/A	/ N/A N/A	: Oakland	d, Calife
PROJECT SUMMARY	MANAGER'S UNIT PER TCAC:	GROUND FLOOR TRANSPARENCY	N/A N/A	N/A N/A	: (510) 4	51 - 28
HE BLUFFS AT 44TH, LOCATED ON A 0.82-ACRE SITE ON THE NORTH-EAST CO	16 OR MORE, UP TO 160 AFFORDABLE AND MARKET RATE UNITS MUST HAVE 1 ON-SITE MANAGER'S UNIT IRR 1 MANAGER'S UNIT PROVIDED, AS A PART OF 36 UNITS OVERALL	FRONT SETBACK LANDSCAPE	N/A	N/A	THIS DOCUMENT OF	ONTAINS INP
E CAPITOLA ROAD AND 44TH AVENUE IN CAPITOLA, CA WILL FEATURE 36 L		PARKING BICYCLE PARKING	2.5 CARS PER UNIT (1 COVERED) SHORT-TERM SPACES: 10% OF REQUIRED	36 PARKING SPACES, 1 CAR PER UNIT 36 LONG-TERM BICYCLE PARKING	PROPRIETARY TO ST IN CONFIDENCE FOR EVALUATION OR RE	AUDIO T-SQ. R THE LIMITE VIEW. THIS D
OF AFFORDABLE FAMILY HOUSING IN TWO SEPARATE 3-STORY BUILDINGS EAUTIFULLY LANDSCAPED SITE. THE UNITS ARE A MIX OF 1-BEDROOM, 2-BEDR	A <u>MOBILITY UNIT REQUIREMENT PER TCAC:</u> 15% MIN. MOBILITY UNITS * 36 UNITS = 6 UNITS MIN.		AUTOMOBILE SPACES; MINIMUM OF 4 SPACES		PURPOSE AND MAY DISCLOSED TO OTH	NOT BE REF
AND 3-BEDROOM APARTMENTS, AND ARE CONFIGURED IN TWO 3-STORY I	NI- 10% MIN. COMMUNICATIONS UNITS * 36 UNITS = 4 UNITS MIN.	EV PARKING MINIMUM	LONG-TERM SPACES: 1 PER UNIT	2 EV PARKING (INCLUDE 1 EV VAN)	COPYRIGHT 2020.	31-9Q, INC
LEVATOR BUILDINGS. ALL UNITS ARE TO BE FOR RENT ONLY AND AFFORD JNITS AS DEFINED BY CALIFORNIA GOVERNMENT CODE SECTIONS 65915-6		EV PARKING MINIMUM	N/A	13 FUTURE EV PARKING	· · · · · · · · · · · · · · · · · · ·	-
FORDABILITY LEVELS WILL BE AT THE INCOME LEVELS SHOWN BELOW:	18. OTHER REQUIREMENTS PER TCAC: LAUNDRY ROOM: TYPE V COMMUNITY BUILDING SUMMARY	TCAC COMPLIANCE		· · · · · · · · · · · · · · · · · · ·		
0 UNITS AT "LOW-INCOME"	NO FEWER THAN ONE WASHER/DRYER PER 10 UNITS NAME AREA	ICAC COMPLIANCE	SUMMARY			
25 UNITS AT "EXTREMELY LOW-INCOME" I MANAGER UNIT	4 WASHER/DRYERS MIN. REQUIRED RESIDENTIAL SERVICE / RECEPTION 110		REQUIRED	PROPOSED		1
		BEDROOMS	25% TWO BEDROOMS OR LARGER 25% THREE BEDROOMS OR LARGER	25% TWO BEDROOMS OR LARGER 33.3% THREE BEDROOMS OR LARGER		
ALL GROUND FLOOR UNITS WILL BE ACCESSIBLE OR ADAPTABLE FOR PER: WITH DISABILITIES AND THE UPPER TWO FLOORS ARE SERVED BY THREE	NS COMMON AREA: L088Y 220 MIR. COMMON AREA: MIR. COMMON AREA AMENITIES MAIL PROVIDE 1,000 SF MIN. COMMON AREA AMENITIES REST ROOM 77	UNIT SIZES	1 BEDROOM - 450 SF MIN	1 BEDROOM - 605 SF MIN		
TAIRS. THERE IS ON-GRADE PARKING FOR 36 CARS LOCATED IN WEST AND	AST 1,710 SF COMMUNITY BUILDING - 100 SF LAUNDRY ROOM - 270 SF BIKE SHELTER STORAGE 85		2 BEDROOM - 700 SF MIN 3 BEDROOM - 900 SF MIN	2 BEDROOM - 765 / 790 / 825 SF MIN 3 BEDROOM - 975 / 1.050 SF MIN		
ARKING LOTS WITH ACCESS DRIVES FROM BOTH 44TH AVENUE AND CAPI ROAD. THE BUILDINGS SERVE TO FRAME A PROTECTED CENTRAL OPEN SPACE	JAN 25	PLAY/RECREATIONAL FACILITIES	AREA FOR 2-12 YRS OUTDOOR			
COMMUNITY SOCIAL "CORE". THE PROJECT FEATURES RESIDENTIAL AME	TY DISHWASHERS: BIRE SHELLER 2/0		600 SF MIN. 13-17 YRS AVAILABILITY	930 SF PROVIDED		9
PACE ON THE FULLY-ACCESSIBLE GROUND LEVEL INCLUDING A COMMU CENTER WITH KITCHEN, ADMINISTRATIVE OFFICES, RESIDENTIAL SERVICES.	TY DISH WASHESS BE PROVIDED IN ALL ON ITS	COMMON AREA	13-17 YRS AVAILABILITY 1,000 SF MIN.	1,340 SF		5 0
CENTER WITH KITCHEN, ADMINISTRATIVE OFFICES, RESIDENTIAL SERVICES, ROOM AND CENTRAL LAUNDRY ROOM. THERE IS A LANDSCAPED EXTERIOR P	AIL PLAY/RECREATIONAL FACILITY: ZA 600 SF MIN. PLAY/RECREATIONAL AREA REQUIRED FOR CHILDREN AGES 2-12.	LAUNDRY FACILITIES	1 W/D PER 10 UNITS REQUIRED EXCEPT STUDIOS/SRO	4 W/D PROVIDED IN ALL UNITS	는 문 🖗	
WITH ADJACENT DEDICATED CHILDREN'S PLAY AREA. THE SITE WILL EM	OY 930 SF PLAY AREA PROVIDED	DISHWASHERS	REQUIRED EXCEPT STUDIOS/SRO	PROVIDED IN ALL UNITS	44TH	śι
SUSTAINABLE GREEN FEATURES INCLUDING DRIP IRRIGATION, LOW-W/ JSE LANDSCAPING, ON-SITE STORM-WATER BIOSWALES, AND SHADE TREE	AT PARKING SUMMARY	PROJECT TEAM				5 i
PARKING AND DRIVES. THE BUILDINGS WILL BE ENERGY-EFFICIENT AND GF	N-				AT	÷
HOUSE-GAS-REDUCING ALL-ELECTRIC DESIGN WITH ENERGY STAR APPLIAI LED LIGHTING AND GENEROUS ROOF AREA AVAILABLE FOR SOLAR PHOTO-VO	IES, ALC PARKING REQUIREMENT PER AFFORDABLE HOUSING REGS, PARKING SHALL BE PROVIDED 1.5 SPACES PER UNIT	CRP AFFORDABLE HOUSING AND	DEVELOPER: SURVEYOR / CIVIL CRP AFFORDABLE HOUSING AND COM- BKF ENGINEERS			5 (
PANELS. THE ARCHITECTURAL STYLE REFLECTS A TRADITIONAL RESIDEN	USING A WAIVER TO REDUCE PARKING TO 1 SPACE PER UNIT. PARKING WILL BE MANAGED / ASSIGNED.	MUNITY DEVELOPMENT	1730 N. FIRST STR	REET, SUITE 600	<u><u> </u></u>	i i
CHARACTER WITH PITCHED GABLE ROOFS AND WELL-ARTICULATED PATIOS BALCONIES TO ACTIVATE THE MAIN CAPITOLA ROAD ELEVATION. THE ATTAK	ND FD RESIDENTIAL ACCESSIBLE PARKING	4455 MORENA BLVD., SUITE 107 SAN DIEGO, CA 92117	SAN JOSE, CA 951 CONTACT: JEREM	112 IV MARFILO		ź į
SALCONIES TO ACTIVATE THE MAIN CAPITOLA ROAD ELEVATION. THE ATTAC COMMUNITY BUILDING MODULATES DOWN TO A SINGLE-STORY MAS	PER CBC 11B-208.2.3.1 & 208.2.3.2:	CONTACT: GARRETT BASCOM	408.606.6674		BLUFFS	
ALONG THE PROJECT FRONTAGE TO CREATE A WELCOMING, ACTIVE PRES		909.206.9177 GBASCOM@CRPAFFORDABLE.CO	JMARELLO@BKF.C	COM		į,
ON THE STREET. THE PROJECT SEEKS TO PROVIDE MUCH-NEEDED AFFORD FAMILY HOUSING LOCATED NEAR TRANSIT AND TO FIT RESPECTFULLY INTO	AN AN		LANDSCAPE:		THE THE	4401 CAPI
ESTABLISHED RESIDENTIAL / COMMERCIAL NEIGHBORHOOD IN CAPITOLA.	36 UNITS X 15% MIN. MOBILITY UNIT REQUIRED PER TCAC = 5.4 OR 6 MOBILITY UNITS	ARCHITECT: STUDIO T-SQ., INC. 1970 BROADWAY, SUITE 615	SSA LANDSCAPE 303 POTRERO STI	ARCHITECTS	H \$	į (
	6 ACCESSIBLE STALLS REQUIRED	1970 BROADWAY, SUITE 615	SANTA CRUZ, CA	95060		
	RESIDENTIAL EV PARKING	OAKLAND, CA 94612 CONTACT: ROBERT LINDLEY	CONTACT: CHRIS	TIAN HARRIS		
SITE ZONE SUMMARY	PER CALGREEN 4.106.4.2.2 FOR NEW MULTIFAMILY DWELLINGS WITH MORE THAN 20 UNITS:	510.451.2850	831.459.0455 CHRISTIAN HARR	RIS@SSALA.COM		
PROJECT ADDRESS: 4401 CAPITOLA RD,	10% OF THE TOTAL NUMBER OF PARKING SPACES SHOULD BE EV CAPABLE (FUTURE EV). 25% SHOULD BE EV READY (FUTURE EV). 5 % SHOULD BE PROVIDED EV CHARGERS.	RLINDLEY@STUDIOT-SQ.COM				
CAPITOLA, CA 95010 APN: 034-124-021	36 RESIDENTIAL STALLS PROVIDED X 5% = 1.8 OR 2 EV CHARGERS REQUIRED	FIRE CONSULTING:	TARRAR UTILITY	CONSULTANTS, INC.		
DCCUPANCY: R2		CW FIRE CONSULTING, INC. 19392 UNION SCHOOL RD.	813 FIRST STREET BRENTWOOD, CA			
CONSTRUCTION TYPE: TYPE V-A PROPOSED ZONING: MIXED USE NEIGHBORHOOD ()	PROVIDED PARKING SCHEDULE MIN. PARKING STALL SIZE : (PER CMC 17.76.060) STANDARD STALL: 9'-0" X 18'-0"	REDDING, CA 96003	CONTACT: ANTH			
PROPOSED ZONING: MIXED USE NEIGHBORHOOD (1 5ITE AREA: 0.82 AC / 35,600 SF	DESCRIPTION COUNT ACCESSIBLE STALL: 9'-0" X 18'-0"	CONTACT: BRIAN WILLIAMS BRIAN@CWFIRECONSULTING.COI	925.240.2595 M ANTHONY@TAR			
TOTAL BUILDING AREA: 32,475 SF	ACCESSIBLE STANDARD 9%18' 5 ACCESSIBLE VAN (INCLUDE 1 EV VAN) 9%18' 1 COMPACT STALL: 8'-0" X 14'-0" (+2' OVERRUN)	BRIAN@CWTRECONSOLTING.COM	ANTHONY@TAR	RAR.COM	4	
PROPOSED FAR: 0.88 PROPOSED DENSITY: 44 DU/AC	EV STANDARD 9'X18' 1 STANDARD (INCLUDE 13 FUTURE EV) 9'X18' 14 DRIVE AISLE SIZE: 2-WAY DRIVE AISLE WIDTH: 22'-0" (WEST PARKIN	SHEET INDEX				
JNIT COUNT: 36	COMPACT 8/14 (+2/ OVERRUN) 15 2-WAY DRIVE AISLE WIDTH: 24'-0" (EAST PARKING	ARCHITECTURE	CIVIL C1.0 EXIST		Sheet Title:	
BUILDING HEIGHT: 36FT, 3-STORY PARKING COUNT: 36 (6 ACCESSIBLE STALLS)	TOTAL 36	G0.0 COVER PAGE G1.0 PROJECT INFORMATIO	C1.0 EXIST DN C2.0 GRAD	TING CONDITIONS DING AND DRAINAGE PLAN	PROJE	
SIKE PARKING COUNT: 36 (6 ACCESSIBLE STALLS) 14 SHORT-TERM BIKE PARKINGS		G2.0 SITE CONTEXT	C2.1 GRAD	DING AND DRAINAGE PLAN	INFOR	MAT
36 LONG-TERM BIKE PARKINGS		G3.0 SURVEY A1.0 SITE PLAN	C2.2 SECTI C3.0 UTILI	IONS TY PLAN		
AFFORDABLE HOUSING INCENTIVES / WAIVE	RS BICYCLE PARKING SUMMARY	A1.1 BUILDING A - 1ST FLOO	OR PLAN C4.0 STOR	MWATER CONTROL PLAN		
•		A1.2 BUILDNIG A - 2ND FLC	OOR PLAN C5.0 FIRE A	ACCESS EXHIBIT	Job No. Date:	2104
CONCESSIONS: PARKING (2.5 SPACES PER UNIT), AND	BICYCLE PARKING REQUIREMENT : (PER CMC 17.76.080) SHORT-TERM SPACES: 10% OF REQUIRED AUTOMOBILE SPACES; MINIMUM OF 4 SPACES.	A1.3 BUILDING A - 3RD FLO A1.4 BUILDING A - ROOF PL			Scale:	11/0
DAYLIGHT PLANE TRANSITION, AND	10% * 36 UNITS = 4 SHORT-TERM SPACES REQUIRED	A1.5 BUILDING B - 1ST & 2N	D FLOOR PLAN L-1.0 TREE	INVENTORY PLAN	Drawn By:	
THE ADA SIDEWALK EXTENDING BEYOND THE PROPERTY FRONTAGE.	LONG-TERM SPACES: 1 SPACES PER UNIT 1* 36 UNITS = 36 LONG-TERM SPACES REQUIRED	A1.6 BUILDING B - 3RD & RO A2.0 BUILDING A FLEVATIO	OOF FLOOR PLAN L-2.0 LAND	DSCAPE CONCEPT PLAN DSCAPE MATERIAL BOARD	I I	
WAIVERS:		A2.0 BUILDING A ELEVATIO A2.1 BUILDING B ELEVATIO	INS L-3.0 HYDR	ROZONE PLAN	Sheet No:	
REDUCED 11.8 FOOT SETBACK TO 5 FOOT AT NORTH PROPERTY LINE;	BICYCLE PARKING PROVIDED: SHORT-TERM SPACES: 14 SHORT-TERM BIKE PARKING SPACES PROVIDED	A4.0 RENDERING	L-4.0 CONC	CEPTUAL LANDSCAPE DETAILS		
HEIGHT OF 36 FEET WHERE 27 IS THE MAXIMUM; ROOF PITCH MINIMUM 5:12:	LONG-TERM SPACES: 36 LONG-TERM BIKE PARKING SPACES PROVIDED	A4.1 RENDERING A4:2 MATERIAL AND COLO		CEPTUAL LANDSCAPE DETAILS	ſ	31
SIDEWALK SETBACK TO ALLOW 10 FOOT SIDEWALK;		A5.0 UNIT PLANS		LEI TOAL LANDSCAPE DE IAILS		וכ
MAX 30% COMPACT PARKING; ALLOW REDUCTION OF MASSING RELIEF.		A6.0 TRASH ENCLOSURE D	ESIGN LIGHTING LTG-1 SITE L	UGHTING		
					1	




G2.0

T

SCALE: 1" = 150'

21041 11/30/2022

CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BLVD. SUITE 100, SMUDIEGO, CA 02117 4401 CAPITOLA ROAD, CAPITOLA, CA 95010 THE BLUFFS AT 44TH



- SEE SURVEY FOR DISTANCE TO NEAREST INTERSECTING STREET.
- THERE WAS NO DESERVED EVIDENCE OF RECENT EARTH MOVING WORK, BUILDING CONSTRUCTION OR BUILDING ADDITIONS ON THE DAY OF THE FIELD SURVEY. 16
- PROFESSIONAL LUBRITY INSURANCE POLICY OBTAINED BY THE SURVEYOR IN THE MINIMUM AMOUNT OF \$1,00,000,00 TO BE IN STREET THROUGHOUT THE CONTRACT TERM. CERTIFICATE OF INSURANCE TO BE DEMONSTOL TO REPORT 10

G3.0



THE FIELDWORK WAS COMPLETED ON MARCH 29, 2022.






STUDIO SSUDIA SAChitecture Planning Urban Design Urban Design Urban Design Sudiand, California 94012 Califor

THE BLUFFS AT 44TH 4401 CAPITOLA ROAD, CAPITOLA, CA 95000 CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BUVD. SUITE 108, SAN DIEGO, CA 2017

Sheet Title: SITE PLAN

Job No. 21041 Date: 11/30/2022 Scale: Drawn By:

Sheet No:



Sheet Title: BUILDING A -1ST FLOOR PLAN (BUILDING A)

0

SCALE: 1/8" = 1'-0"

8' ---- 8'

16' 32'



1ST FLOOR PLAN


STUDIO t square

Architecture Planning Urban Design

1970 Broadway #615 Oakland, California 94612 (510) 451 - 2850

CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BLVD. SUITE 108, SAN DEGO, CA 2017

4401 CAPITOLA ROAD, CAPITOLA, CA 95010 THE BLUFFS AT 44TH



2ND FLOOR PLAN (BUILDING A)

16' 32'

0

SCALE: 1/8" = 1'-0"

8' 8'

Job No. Date: Scale: Drawn By: 21041 11/30/2022

2ND FLOOR PLAN

Sheet Title: BUILDING A -

STUDIO T SQUARE Architecture Planning Urban Design


1970 Broadway #615 Oakland, California 94612 (510) 451 - 2850

CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BLVD. SUITE 108, SAN DEGO, CA 2017

4401 CAPITOLA ROAD, CAPITOLA, CA 95010 THE BLUFFS AT 44TH

Sheet No:


T SG : Archited : Plannin : Urban I : 1970 Broad : Oakland, C : (510) 451	g Design
THE BLUFFS AT 44TH 4401 CAPITOLA ROAD, CAPITOLA, CA 98010	CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4455 MOREW BUYD SUITE 108, SWI DEGO, CA 2017
Job No. 2 Date: 1 Scale: Drawn By: Sheet No:	3 A- OR PLAN 1041 1/30/2022




3RD FLOOR PLAN (BUILDING A)





 Archited Plannin Urban I 1970 Broad Oakland, C (510) 451 	cture g
THE BLUFFS AT 44TH 4401 CAPITOLA ROAD, CAPITOLA CA 505010	CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4455 MORENM BLVD, SUITE 193, SAN DEGO, CA 22117
Scale: Drawn By: Sheet No:	



(BUILDING A)







0

SCALE: 1/8" = 1'-0"

8' C

8'

16' 32'



THE BLUFFS AT 44TH 4401 CAPITOLA ROAD, CAPITOLA, CA 95000 CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BUVD. SUITE 108, SAN DIEGO, CA 9217

Sheet Title: BUILDING B -1ST & 2ND FLOOR PLAN Job No. 21041 Date: 11/30/2022 Scale: Drawn By:

Sheet No:


STUDIO T SQUARE Architecture Planning Urban Design 1970 Broadway #615 Oakland, California 94612 (510) 451 - 2850 PROPRETARY CONVENSION BECOMMENDE PROPRETARY TO STUDIO 7-00, KN, AND G FUNKHEED IN CONFERENCE FOR THE LIMITED PURPOSE OF ENDERTON FOR THE LIMITED PURPOSE OF PURPOSE AND MAY NOT BE LEEP RODUCED OR DISCLOSED FOR DISER BETHODUSED OR DISCLOSED FOR DISCLOSED OR DISCLOSED OR DISCLOSED FOR DISCLOSED OR DISCLOSED FOR DISCLOSED OR DISCLOSED OR DISCLOSED FOR DISCLOSED OR DISCLOSED FOR DISCLOSED OR DISCLOSED OR DISCLOSED OR DISCLOSED OR DISCLOSED OR DISCLOSED OR CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BLVD SUITE 108, SAN DIEGO CA 2017

4401 CAPITOLA ROAD, CAPITOLA, CA 95010 THE BLUFFS AT 44TH

Sheet Title: BUILDING B -3RD & ROOF FLOOR PLAN Job No. Date: Scale: Drawn By: 21041 11/30/2022

Sheet No:

A1.6




0

SCALE: 1/8" = 1'-0"

8' ---- 8'

16' 32'







CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BLVD. SUITE 100, SMN DIEGO, CA 02117 CAPITOLA, CA 95010 4401 CAPITOLA ROAD,

THE BLUFFS AT 44TH



6A

F

3A 4A



COMPOSITE SHINGLE ROOF

CORRUGATED METAL ROOF (TRASH ENCLOSURE)

WOOD PLASTIC COMPOSITE BRISE-SOLEIL COMPOSITE RAILING

6C. PERFORATED METAL PANEL WOOD FENCE (SITE FENCE)

6D. CHIAN LINK FENCE (PLAY AREA FENCE) 6E

SCALE: 1/8" = 1'-0"





Sheet Title:

BUILDING A

ELEVATIONS

Scale: Drawn By: Sheet No:

A2.0

3RD FLR.

2ND FLR.

1ST FLR.

ò

.98



2A

F

ROOF MAX.

36'-

è

ò

ò

č

ò

5A

1B



Π

EAST ELEVATION | 4



CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREW BUD SUITE TOR, SANDEGO, CA 18717 CAPITOLA, CA 95010 THE BLUFFS AT 44TH 4401 CAPITOLA ROAD,



3B 3A 4B

1A





WEST ELEVATION | 3

2ND FLR.

1ST FLR.

NORTH ELEVATION | 4 MATERIAL LEGEND (SEE SHEET A4.2)

 \square

2A


5A

- 1A. STUCCO FINISH 9240 IVORY 1B. STUCCO FINISH 9222 OYSTER SHELL 1C. STUCCO FINISH 9222 CHINCHILLA 2A. FIBER CEMENT PANEL KM 4539 CIGAR BOX 3A. FIBER CEMENT SIDING KM 325 WISS COFFEE B. FIBER CEMENT SIDING KM 305 IRONWOOD

- HIER CONFICT AND A TAM SO TROVING
 VINYL WINDOW, TYP. WHITE
 STOREFRONT, TYP. DARK BRONZE
 TRASH ENCLOSURE GATE DARK GRAY
- STOKEFRONT, TYP. DARK BK.
 TRASH ENCLOSURE GATE D/ SA. COMPOSITE SHINGLE ROOF
 CORRUGATED METAL ROOF (
 CORDO PLASTIC COMPOSITE
 COMPOSITE RAILING
 COMPOSITE RAILING
- CORRUGATED METAL ROOF (TRASH ENCLOSURE)
- WOOD PLASTIC COMPOSITE BRISE-SOLEIL COMPOSITE RAILING

6E

6C. PERFORATED METAL PANEL 6D. WOOD FENCE (SITE FENCE) CHIAN LINK FENCE (PLAY AREA FENCE)



SCALE: 1/8" = 1'-0"

Sheet Title: BUILDING B ELEVATIONS



Sheet No:

A2.1



CONCEPTUAL RENDERING | 1





THE BLUFFS AT 44TH 4401 CAPTICLA ROAD, CAPTICLA, CA 95000 CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BLVD. SUITE 100, SANDEGO, CA 52117

Sheet Title: RENDERING

Job No. 21041 Date: 11/30/2022 Scale: Drawn By: Sheet No:

t No:

A4.0



CONCEPTUAL RENDERING | 1





THE BLUFFS AT 44TH 4401 CAPTICLA ROAD, CAPTICLA, CA 95000 CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BLVD. SUITE 100, SANDEGO, CA 52117

Sheet Title: RENDERING

Job No. 21041 Date: 11/30/2022 Scale: Drawn By: Sheet No:

et No:

A4.1



Omega Products Color: 9240 Ivory



STUCCO FINISH 1C. Omega Products Color: 9222 Oyster Shell

1C. STUCCO FINISH Omega Products Color: 9225 Chinchilla (Trash Enclosure)



2A. FIBER CEMENT PANEL Kelly Moore Color: KM4539 Cigar Box



3A. FIBER CEMENT LAP SIDING James Hardie - HardiePlank Color: KM 23 Swiss Coffee



3B. FIBER CEMENT LAP SIDING James Hardie - HardiePlank Color: KM 305 Ironwood



4A VINYL WINDOW, TYP. Milgard, Style Line Series Color: White



4B STOREFRONT Color: Dark Bronze



4C TRASH ENCLOSURE GATE Color: Dark Grey



5A COMPOSITE SHINGLE ROOF Certainteed, Landmark Series Color: Weathered Wood



5B CORRUGATED METAL ROOF AEP SPAN Color: Slate Gray (Trash Enclosure)



6A WOOD PLASTIC COMPOSITE BRISE-SOLEIL LongBoard, Link & Lock Series / Trex TBD



6B COMPOSITE RAILING Trex, Transcend Series 6" Horizontal Composite Board Color: Tiki Torch



6C PERFORATED METAL PANEL



6D WOOD FENCE Color: Natural Cedarv (Site Fence)



6E CHAIN LINK FENCE Color: Black (Children Play Area Fence)





THE BLUFFS AT 44TH 4401 CAPITOLA ROAD, CAFITOLA, CA 95010 CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BLVD. SUITE 106, SM DEGO, CA 20117

Sheet Title: MATER COLOF	IALS AND
Job No. Date: Scale: Drawn By:	21041 11/30/2022

Sheet No:

A4.2





4C

4C

1C

1C

1C

2 🕨 🗖 🕇

CAPITOLA RE

BUILDING

JII DING

1C

ROOF

1ST FLR.

ROOF

1ST FLR.

ROOF

1ST FLR. -+

ROOF

1ST FLR.

5B


5B

5B

5B


2' 0


SCALE: 1/4" = 1'












2\220428_4401_Capitoia_Rd_Affordabio\ENG-L\PLANNII


DRAWING NAME: \\BAC-6J\vol4\2022\220428_4401_Co PLOT DATE: 11-20-22 PLOTTED BY: erem





14\2022\22042 PI 0TTFD BV

\\B07-SJ\vi


RANTING NAME:














THROUGH CURB DRAIN DETAIL

CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4455 MOREMA BLYD SUITE 108, SMIDEGO, CA 8217

4401 CAPITOLA ROAD, CAPITOLA, CA 95010

BKF

1730 N. FIRST STREET SUITE 600 SAN JOSE, CA 95112 (408) 467-9100 www.bkf.com Sheet Title:

Job No.

Sheet No:


Date: 11/30/ Scale: AS SI Drawn By: BE 11/30/2022

SECTIONS


20220426

AS SHOWN

C2.2



powning Nuve: _per-s/voiv2002/20488.4401.50914016.84.110164616.10424421515151.51.0. Profibite: 11-20-22 Profibite: 91-11-00-22 Profibite: 91-11-00-2014



REQUIREMENT_CRITERIA

TER I, RUNGER ERDUCTION = STEL MEREVOLUTY TREATURH = BIORCTENTION REAL IS POPULADE UNINAM 4% OF NEW IMPERVIOUS SURFACE) TER J, EREVINION REQUIREMENT = SEE CALCULATION TO THE RIGHT. TER A, EAK FLOG WANAGEDENT = EXEMPL, LOGATED IN WINTERSHED MANAGEMENT ZONE 4 AND PROJECT DISCHARGES TO CCEAN.

TIER 2 WATER QUALTITY TREATMENT SUMMARY

DRAINAGE AREA	IMPERVIOUS SURFACE (S.F.)	SCM AREA REQUIRED (4% OF NEW IMPERVIOUS SURFACE, S.F.)	SCM AREA PROVIDED (S.F.)
SCM-1	6521	261	314
SCM-2	4648	186	370
SCM-3	7203	288	370
SCM-4	2910	116	166
SCM-5	3375	135	191
SCM-6	2727	109	139
SCM-7	2073	83	120
TOTAL	20457		

TIER 3. RETENTION REQUIREMENT


TOTAL PROJECT AREA, 35,500 SF REPORTED REACT FARMOR AREA, 6,133 SF PROPOSED PROJECT IMPERVOUS AREA: 20,457 SF BASED ON THE CENTRAL COAST STORM WATER CONTROL SZING CALCULATOR VERSION 3/28/2017 THIS PROJECT FUUFILLS THE RETURNION ARE REQUIREMENTS THE RETURNION REQUIREMENT IS AS FOLLOWS.

SCM NAME	MIN. REQUIRED STORAGE VOLUME (FT^3)	DEPTH BELOW UNDERDRAIN (FT)
SCM-1	157	1.25
SCM-2	48	1.00
SCM-3	268	1.81
SCM-4	123	1.86
SCM-5	80	1.04
SCM-6	186	3.35
SCM-7	48	1.00




GRAPHIC SCALE

(IN FEST) 1 inch = 20 ft.



powing inver. \\per-ei\voi4\2022\20464_4401_50pitoia_Ra_Attoreabie\End-L\PLANING\SHEETS\(2).\ PLOT DATE: 11-30-22 PLOTED BYTE: 11-30-22











MOVEABLE STEEL CHAIRS: LANDSCAPE FORMS -CHAIR 21



6FT BACKLESS BENCH: DUMOR BENCH 472







TEMPORARY BIKE PARKING: STAINLESS STEEL TUBING - LANDSCAPE FORMS 'BOLA'



PLANTING POT: ARCHIPOT 'LEGACY ROUND TALL PLANTER'



BOARD FORM FINISH CONCRETE SEAT WALL



BLUFFS AT 44TH 4401 CAPITOLA ROAD, CAPITOLA CA 95010 CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BUVD SUITE 108, SAN DEGOL CA 02117

 Sheet Title:

 LANDSCAPE MATERIAL BOARD

 Job No.
 21041


 Date:
 11/30/2022

 Scale:
 11/6" = 1-0"

 Drawn By:
 JB

Sheet No:

L-2.1




HYDROZONE SCHEDULE


HYDROZONE	PLANT WATER USE	IRRIGATION METHOD	PLANT FACTOR (PF)	HYDROZONE AREA (SQ. FT.) (HA)	PF X HA (SQ.FT)	IRRIGATION EFFICIENCY (IE)	PF X HA / (IE)
1	LOW	DRIP	0.3	1,140	342	0.81	422.22
2	LOW	DRIP	0.3	482	144.6	0.81	178.52
3	MOD	BUBBLERS	0.5	175	87.5	0.81	108.02
4	MOD	DRIP	0.5	1,663	831.5	0.81	1,026.54
5	LOW	DRIP	0.3	859	257.7	0.81	318.15
6	MOD	BUBBLERS	0.5	175	87.5	0.81	108.02
7	LOW	DRIP	0.3	2,377	713.1	0.81	880.37
8	LOW	DRIP	0.3	450	135	0.81	166.67
9	MOD	BUBBLERS	0.5	300	150	0.81	185.19
TOTALS				7,621			3,393.70


IRRIGATION STATEMENT


CONTRACTOR TO PROVIDE AN AUTOMATIC REVISITION SYSTEM TO EFFECTIVE. Y WATER ALL PANTS SHOWN ON LANDEAME PANT HIS ESENSIO THE INBRAITON INFORMENTS SHALL CONSIST OF REP REPARTION AND LOW TOW ROTARY NOZZE THAT WILL SHFERING THE THE PROPOSED PLANT MATERIAL IN COMPLIANCE WITH CALFORMAS UPDATED MODEL WATER EFFICIENT LANDEAME ORANICE AN 1881 MOD CITY O CAPITOLA REQUIREMENTS MOROCOMES WILL DESIGNATED BASED ON SULR EXPOSIBLE, PLANT WATER ENDIREDIMENTS, DAIL TOW DIRACIONALTE.




IRRIGATION	SCHEDULE					
SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	<u>QTY</u>	PSI	DETAIL		
te adul 14 F	RAIN BIRD R-VAN14 1812-SAM-P45 SHRUB ROTARY, 8-14' 45-270 DEGREES AND 360 DEGREES. HAND ADJUSTABLE MULTI-STREAM ROTARY W1800 SHRUB SPRAY BODY ON 12' POP-UP, WITH CHECK VALVE AND 45 PSII.INSTEM PRESSURE REGULATOR. 1/2" NPT FEMALE THREADED INLET.		45	H/L-4.1		
1401 1402 1404 1408	RAIN BIRD RWS-B-C 1400 SERIES ROOT WATERING SYSTEM WITH 4.0" DIAMETER X 36.0" LONG WITH LOCKING GRATE, SEMI-RIGID MESH TUBE, AND CHECK VALVE. RAIN BIRD BUBBLER OPTION AS INDICATED. 1401 0.25 GPM, 1402 0.5 GPM, 1404 1.0 GPM, 1408 2.0 GPM.		45	I/L-4.1	STU	
SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY		DETAIL	: Archite	
5	RAIN BIRD XCZ-100-PRB-COM WIDE FLOW ROIP CONTROL KIT FOR COMMERCIAL APPLICATIONS. 1° BALL VALVE WITH 1° PESB VALVE AND 1° PRESSURE REGULATING 40PSI QUICK-CHECK BASKET FLTER. 0.3 GPM-20 GPM			A/L-4.2	: Plannin : Urban [g Design
	AREA TO RECEIVE DRIP EMITTERS RAIN BIRD XB-PC SINGLE OUTLET, PRESSURE COMPENSATING DRIP EMITTERS, FLOW RATES OF 0.5 GPH+BILUE, 1.0 GPH+BLACK, AND 2.0 GPH+RED. COMES WITH A SELF-PIERCING BARB INLET X BARB OUTLET.			B/L-4.2	: (510) 451	alifornia 94612 - 2850
SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY		DETAIL	IN CONFIDENCE FOR THE EVALUATION OR REVIEW. CONTENTS MAY NOT BE U	IS INFORMATION T-SQ, INC. AND IS FURNISHED UNITED PURPOSE OF THIS DOCUMENT OR ITS ISED FOR ANY OTHER IS DEPRODUCED OR ITHOUT THE PROR WRITTEN 2, INC. ALL RIGHTS RESERVED,
•	RAIN BIRD PESB-PRS-D 1", 1-1/2", 2" PLASTIC INDUSTRIAL VALVES. LOW FLOW OPERATING CAPABILITY, GLOBE CONFIGURATION. WITH PRESSURE REGULATING MODULE, AND SCRUBBER TECHNOLOGY FOR RELIABLE PERFORMANCE IN DIRTY WATER IRRIGATION APPLICATIONS.			E/L-4.1	DISCLOSED TO OTHERS V CONSENT OF STUDIO T-SI COPYRGHT 2020.	INTROUT THE PROR WRITTEN 2, INC. ALL RIGHTS RESERVED,
	RAIN BIRD 44-LRC 1° BRASS QUICK-COUPLING VALVE, WITH CORROSION-RESISTANT STAINLESS STEEL SPRING, LOCKING THERMOPLASTIC RUBBER COVER, AND 2-PIECE BODY.			G/L-4.1		Ω
×	SHUT OFF VALVE KBI BTU-E PVC BLOCKED TRUE UNION BALL VALVE 1/2" TO 2" SAME SIZE AS PIPE	•		F/L-4.1		NA 2
MV	GRISWOLD DWS 2" BRASS, IN-LINE, ON-OFF, SOLENOID CONTROL VALVE, NORMALLY COSED, AVAILABLE IN 3/4", 1", 1-1/4", 1-1/2", AND 2", IDEAL FOR USE WITH RECLAIMED OR "DIRTY" WATER, SELF-CLEANING, SLOW-CLOSING AND OPENING FEATURE.			D/L-4.1		LE HOUSINC VELOPMEN ^T san diego, ca 92117
BF	FEBCO 825YLF 1* REDUCED PRESSURE BACKFLOW PREVENTER	-		B/L-4.1	5010	우명합
C	RAIN BIRD ESPLXME2P-LXMMSS W (3) ESPLXMSM12 48 STATION, TRADITIONALLY-WIRED, PRO SMART, COMMERCIAL CONTROLLER (1) ESPLXME2P 12-STATION, PRO SMART, (MODULE INCLUDED) INDOOR/OUTDOOR, PLASTIC WALL-MOUNT ENCLOSURE W (3) ESPLXMSM12 - 12-STATION EXPLANSION MODULES.			C/L-4.2	UFFS AT 44TH capitola Road, capitola, ca 95010	DE DE
ß	CREATIVE SENSOR TECHNOLOGY FSI-T15-001 1.5° PVC TEE TYPE FLOW SENSOR WISOCKET ENDS, CUSTOM MOUNTING TEE AND ULTRA LIGHTWBIGHT IMPELLER ENHANCES LOW FLOW MEASUREMENT. 2 WIRE DIGITAL OUTPUT COMPATIBLE WIALL IRRIGATION CONTROLLERS. FLOW RANGE 1.8 GPM. 108 GPM.			D/L-4.1	UFFS AT 44TH CAPITOLA ROAD, CAPITOL	CRP AFFORD COMMUNITY 4455 MORENA BLVD. SUIT
	IRRIGATION LATERAL LINE: PVC SCHEDULE 40	-			L I	A M N
	IRRIGATION MAINLINE: PVC SCHEDULE 40	-	-	A/L-4.1	BLI 4401	CRP COM
	PIPE SLEEVE: PVC CLASS 315 SDR 13.5	-				
	Vide Gland Vide Vide Vide Size					
WATER L	JSE CALCULATION					
MAWA = (ETo) = (36.6) = (22.69 =95,106	(0.62) [(0.55 X LA) + (0.3 X SLA)] (0.62)[(0.55 X 7,621) + (0.3 X 0)])(4,191.55) .27				Sheet Title:	OZONE
= (36.6)	(0.62) [(PF X HA)/IE + SLA] (0.62) [3,393.70+ 0])(3,393.70) .05				PL	-AN
MAWA	= 95,106.27 GAL/YEAR				Date: 1 Scale: 1	1/30/2022 /16" = 1'-0"
ETWU	= 77,003.05 GAL/YEAR				Drawn By: J	В
		(North			3.0
		0 8	16	32		











THE BLUFFS AT 44TH 4401 CAPITOLA ROAD, CAPITOLA, CA 95010 CRP AFFORDABLE HOUSING AND COMMUNITY DEVELOPMENT 4456 MOREM BUYD, SUITE 108, SAN DEGO, CA 2017

Sheet Title: SITE LIGHTING

Job No. 21041 Date: 11/30/2022 Scale: Drawn By:

Sheet No:

LTG-1

