

CAPITOLA COMMUNITY CENTER REMODEL

4400 JADE STREET, CAPITOLA, CA 95010



THE ARCHITECT MUST BE NOTIFIED OF ANY DISCREPANCY IN DIMENSIONS, FIELD CONDITIONS OR OTHER INFORMATION THAT IS CONTAINED IN AND/OR DIFFERS FROM THESE DOCUMENTS.

THESE DOCUMENTS ARE THE PROPERTY OF THE ARCHITECT AND MAY NOT BE USED OR REPRODUCED WITHOUT WRITTEN DISCLAIMS ANY RESPONSIBILITY RESULTING FROM UNAUTHORIZED

2837 MISSION ST | SANTA CRUZ CA 95060

COPYRIGHT STARTS FROM THE DATE OF THE EARLIEST CONTRACT THROUGH CONSTRUCTION DOCUMENTS.

THE ABOVE DIMENSION DO XACTLY THIS DRAWING WILL HAV BEEN ENLARGED OR REDUCE FECTING ALL LABELED SCALES.

REVISIONS | DATE 0% CD SET 5% CD SET 2/7/24 AS NOTED

PROJECT TEAM SHEET INDEX PROJECT DATA

A-3 WITH B OCCUPANCY OFFICES, KITCHEN \$ SUPPORT AREA

PROPOSED BUILDING AREA: 5,192 SQ.FT. (NO PROPOSED CHANGE)

PROPOSED REMODEL OF AN EXISTING 5,792 SQ.FT. SINGLE-STORY

WORK IS DIVIDED INTO SCOPE A, SCOPE B AND INCLUDES ONE

SCOPE A: INCLUDES REPLACEMENT \$ REPAIR OF BUILDING'S

THE ENTRY. SCOPE A WORK IS NOTED ON THE DRAWINGS.

ACCESSIBILITY IMPROVEMENTS AT THE EXTERIOR. INTERIOR

COMMUNITY CENTER BUILDING (BUILT IN 1985). SCOPE OF PROPOSED

EXTERIOR ENVELOPE INCLUDING (N) ROOF, (N) SIDING AND REPAIRS

AND/ OR REPLACEMENT OF EXTERIOR RAFTERS CONCRETE PIERS

AND STUCCO WALLS, ADDITION OF 3 NEW WINDOWS, REPLACEMENT OF

ALL (E) EXTERIOR DOORS AND WINDOWS AND A (N) SHED ROOF AT

SCOPE B: INCLUDES ALL REMAINING WORK TO THE BUILDING AND

1PROVEMENTS INCLUDE AN ADDITION OF A SINGLE USER NON:

TO (E) OFFICES, RECEPTION, RESTROOMS AND KITCHEN AND NEW

PERMANENT SEPARATION BETWEEN TWO MEETING AREAS, UPGRADES

FINISHES THROUGHOUT. THERE IS A (N) HYAC SYSTEM, WATER HEATER

UPGRADES ARE PROPOSED THROUGHOUT THE BUILDING AND AT THE

EXTERIOR, INCLUDING ACCESSIBLE PARKING AND PATH OF TRAVEL

DEDUCT ALTERNATE: INCLUDES CIVIL \$ LANDSCAPING IMPROVEMENTS

AT THE THREE (E) PATIOS, ENTRY AND SURROUNDING LANDSCAPED

AREA. DEDUCT ALTERNATE WORK IS INDICATED BY A 'D' AT THE END

HAZARDOUS MATERIALS ASBESTOS ABATEMENT TO BE CARRIED OUT

PER RECOMMENDATIONS IN REPORTS: BENCHMARK ENVIRONMENTAL

THERE IS NO PROPOSED INCREASE IN THE HEATED AREA OR

AND (N) ELECTRICAL, LIGHTING \$ OUTLETS INCLUDING A PROPOSED

ELECTRICAL SERVICE UPGRADE TO THE BUILDING. ACCESSIBILITY

IMPROVEMENTS TO MEET CURRENT CODE.

OF THE SHEET NUMBER.

ADDITIONAL NOTES:

FOOTPRINT OF THE CENTER.

ENGINEERING #E23-2476-ASU.

GENDER ACCESSIBLE RESTROOM, ADDITION OF A NEW OFFICE,

CONSTRUCTION TYPE: VB

DEDUCT ALTERNATE.

ZONING: CF COMMUNITY FACILITY

TOTAL LOT AREA: 419,483 SQ.FT.

AREA (E) BUILDING: 5,792 SQ.FT.

AREA (E) COVERED PORCHES: 1,446 SQ,FT,

TOTAL LOT COVERAGE = 3.3 % OF LOT

PROPOSED AREA COVERED PORCHES: 2,125 SQ.FT.

SCOPE OF WORK

I.ARCHITECT ASSUMES NO RESPONSIBILITY FOR THE COMPLETENESS OF PLANS FOR BID PURPOSES PRIOR TO ISSUANCE OF THE BUILDING PERMIT. THE GENERAL CONTRACTOR AND ALL SUBCONTRACTORS SHALL YERIFY ALL DIMENSIONS AND CONDITIONS ON THE JOB SITE PRIOR TO BEGINNING OF CONSTRUCTION.

THE INTENT OF THESE DRAWINGS AND SPECIFICATIONS IS TO INCLUDE ALL LABOR, MATERIALS AND SERVICES NECESSARY FOR THE COMPLETION OF ALL WORK SHOWN PRESCRIBED OR REASONABLY IMPLIED, BUT NOT LIMITED TO THAT EXPLICITLY INDICATED IN THE CONTRACT DOCUMENTS.

3. THE ARCHITECT'S APPROVAL OF SUCH SHOP DRAWINGS SHALL NOT RELIEVE THE GENERAL CONTRACTOR OR SUBCONTRACTOR FROM RESPONSIBILITY FOR

SUBMISSIONS, NOR SHALL IT RELIEVE HIM OR HER OF RESPONSIBILITY FOR ERRORS OF ANY SORT IN THE SHOP DRAWINGS.

DEVIATIONS FROM DRAWINGS OR SPECIFICATIONS UNLESS HE OR SHE HAS (IN WRITING) CALLED THE ARCHITECT'S ATTENTION TO SUCH DEVIATIONS AT THE TIME OF

4. ARCHITECT OR DESIGNER AS USED IN THESE DOCUMENTS REFERS TO BOONE LOW RATLIFF ARCHITECTS, 151 VAN NESS AVENUE, SANTA CRUZ, CA 95060. (831)

5. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES HAVING JURISDICTION.

6. CONTRACTOR IS RESPONSIBLE FOR EXAMINING ALL CONTRACT DOCUMENTS, FIELD CONDITIONS, AND CONFIRMING THAT WORK IS BUILDABLE AS SHOWN BEFORE PROCEEDING WITH CONSTRUCTION IF THERE ARE ANY QUESTIONS REGARDING THESE OR OTHER COORDINATION ITEMS, THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING A CLARIFICATION FROM THE ARCHITECT OR TENANT CONSTRUCTION COORDINATOR BEFORE PROCEEDING WITH WORK IN QUESTION OR RELATED WORK.

I. PRIOR TO THE ISSUANCE OF A BUILDING PERMIT, THE APPLICANT SHALL HAVE EVIDENCE OF CURRENT WORKMAN'S COMPENSATION INSURANCE COVERAGE ON FILE, IN COMPLIANCE WITH SECTION 3800 OF THE CALIFORNIA LABOR CODE.

8. DIMENSIONS ON DRAWINGS ARE SHOWN TO FACES OF WALLS AND PARTITIONS OR FINISHED FACE OF EXISTING WALLS UNLESS NOTED OTHERWISE.

9. ALL VERTICAL DIMENSIONS SHOWN ARE TO FLOOR SLAB, UNLESS OTHERWISE INDICATED.

GENERAL NOTES

10. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCIES IMMEDIATELY BEFORE COMMENCING ANY WORK.

II. CONTRACTOR SHALL CHECK AND VERIFY SIZE AND LOCATIONS OF DUCT OPENINGS AND PLUMBING RUNS WITH MECHANICAL CONTRACTOR BEFORE FRAMING WALLS,

12. INSTALL ALL MANUFACTURED ITEMS, MATERIALS AND EQUIPMENT IN STRICT ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS.

13. "ALIGN" AS USED IN THESE DOCUMENTS SHALL MEAN TO ACCURATELY LOCATE FINISH FACES IN THE SAME PLANE

14. "TYPICAL" OR "TYP" AS USED IN THESE DOCUMENTS SHALL MEAN THAT THE CONDITION IS THE SAME OR REPRESENTATIVE FOR ALL SIMILAR CONDITIONS THROUGHOUT, UNLESS NOTED OTHERWISE.

15. DETAILS ARE USUALLY KEYED AND NOTED "TYPICAL" ONLY ONCE, WHEN THEY FIRST OCCUR AND ARE REPRESENTATIVE OF ALL SIMILAR CONDITIONS THROUGHOUT,

16. DO NOT SCALE DRAWINGS. DIMENSIONS GOVERN. LARGE SCALE DETAILS GOVERN OVER SMALL SCALE DETAILS.

IT. CONTRACTOR SHALL BE RESPONSIBLE FOR THE GENERAL CLEANING OF A JOB AFTER ITS COMPLETION. UNUSED MATERIALS TO BE DONATED.

18. ALL REQUESTS FOR SUBSTITUTIONS OR ITEMS SPECIFIED SHALL BE APPROVED BY ARCHITECT

19. GLASS DOORS, ADJACENT PANELS, AND ALL GLAZED OPENINGS, WITHIN 18 INCHES OF THE ADJACENT FLOOR SHALL BE OF GLASS APPROVED FOR IMPACT

20. CENTER OF SWITCHES SHALL BE NO MORE THAN 48" ABOVE FLOOR.

21. CENTERLINE OF 15, 20 AND 30 AMP RECEPTACLES SHALL (EXCEPT PERMANENTLY INSTALLED BASEBOARD HEATERS) NOT TO BE LESS THAN 15" ABOVE FLOOR. FLOOR OUTLETS ACCEPTABLE NEXT TO SLIDING PANELS OR WALLS AND OTHER SPECIAL CONVENIENCE LOCATIONS. BASEBOARD OUTLETS ACCEPTABLE IN RELOCATABLE PARTITIONS, WINDOW WALLS.

22. FOUNDATION CONSTRUCTION SHALL INCORPORATE RECYCLED FLY ASH IN CONCRETE UP TO 15%-20%. RETAIN CONCRETE MIX TAG FOR INSPECTOR.

23. FORM BOARDS SHALL BE REUSED. V.O.C. FREE PLANT BASED RELEASE AGENT TO BE APPLIED (RAPESEED, SOYBEAN OR VEGETABLE OIL) WHEN POSSIBLE METAL FORMS TO BE PROVIDED BY A SPECIALTY CONTRACTOR AND REUSED ON OTHER PROJECTS.

24. JOINTS AND OTHER OPENINGS IN THE BUILDING ENVELOPE THAT ARE POTENTIAL SOURCES OF AIR LEAKAGE SHALL BE CAULKED, GASKETED, WEATHERSTRIPPED, OR OTHERWISE SEALED TO LIMIT INFILTRATION AND EXFILTRATION.

25. INSTALL INSULATION AFTER BUILDING IS WEATHERTIGHT AND OUTSIDE OF RAINY SEASON. INSTALL INSULATION TO COMPLY WITH CALIFORNIA STATE REQUIREMENTS (SEE FORM CF2R-ENV-23-H). CONTRACTOR TO CHECK MOISTURE CONTENT OF MATERIALS FOR WALLS AND FLOORS BEFORE ENCLOSURE, FOR COMPLIANCE WITH

26. USE EXTERIOR GRADE PLYWOOD FOR ALL INTERIOR APPLICATIONS.

27. DOCUMENTS FOR DEFERRED SUBMITTAL SHALL BE SUBMITTED TO THE REGISTERED DESIGN PROFESSIONAL IN RESPONSIBLE CHARGE WHO SHALL REVIEW THEM AND FORWARD THEM TO THE BUILDING DEPARTMENT WITH A NOTATION INDICATING THAT THE DEFERRED SUBMITTAL DOCUMENTS HAVE BEEN REVIEWED AND FOUND TO BE IN GENERAL CONFORMANCE TO THE DESIGN OF THE BUILDING. THE DEFERRED SUBMITTAL ITEMS SHALL NOT BE INSTALLED UNTIL THE DESIGN AND SUBMITTAL DOCUMENTS HAVE BEEN APPROVED BY THE BUILDING DEPARTMENT.

28. AT TIME OF FINAL INSPECTION, CONTRACTOR TO PLACE IN BUILDING AN OPERATION AND MAINTENANCE MANUAL IN THE FORMAT OF A MANUAL, COMPACT DISC, WEB-BASED REFERENCE OR OTHER MEDIA ACCEPTABLE TO THE ENFORCING AGENCY, COVERING 10 SPECIFIC SUBJECT AREAS.

29. DONATE UNUSED MATERIALS TO THE HABITAT FOR HUMANITY RESTORE.

30. MINIMIZE DISRUPTION OF EXISTING PLANTS AND TREES.

31. PROTECT ANNULAR SPACES AROUND OPENINGS IN PLATES AT EXTERIOR WALL WITH CEMENT MORTAR, CONCRETE, OR SIMILAR MATERIAL.

ABBREVIATIONS CONT.

32. A MINIMUM OF 10% OF CONSTRUCTION AND DEMOLITION WASTE IS TO BE RECYCLED.

33. WASTE DISPOSAL: RETAIN ALL WASTE HAULING RECEIPTS FOR INSPECTOR. RECEIPTS MUST INDICATE 10% SEPARATED, RECYCLABLE MATERIALS.

FINISH GRADE

FLOOR

GAUGE

CLIENT: CITY OF CAPITOLA

(831) 423 1316

CITY OF CAPITOLA PUBLIC WORKS DEPARTMENT PROJECT MANAGER: JESSICA KAHN: JKAHN@CI.CAPITOLA.CA.US 420 CAPITOLA AVENUE, CAPITOLA CA 95010 (831) 475 7300

SHEET INDEX

CØ.ØD

CI.OD

C4.0D

C6.0D

TITLE SHEET / PROJECT DATA

TOPOGRAPHICAL SURVEY

DRAINAGE \$ GRADING PLAN (W)

DRAINAGE \$ GRADING PLAN (N)

DRAINAGE \$ GRADING PLAN (SE)

DRAINAGE & GRADING PLAN (NE)

EROSION CONTROL PLAN

COVER SHEET

UTILITY PLAN

NOTES

DETAILS

STORMWATER CONTROL PLAN

GRADING \$ DRAINAGE PLAN

GRADING \$ DRAINAGE PLAN

EROSION CONTROL PLAN

LANDSCAPE TITLE SHEET

TREE PROTECTION PLAN

LANDSCAPE TITLE SHEET

STORMWATER CONTROL PLAN

LANDSCAPE MATERIALS PLAN

LANDSCAPE MATERIALS PLAN

LANDSCAPE MATERIALS DETAILS

LANDSCAPE MATERIALS DETAILS

LANDSCAPE MATERIALS DETAILS

LANDSCAPE MATERIALS DETAILS

PLANTING NOTES \$ PLANT SCHEDULE

AS-BUILT \$ DEMO ATTIC \$ ROOF PLAN

EXITING AND FIRE PROTECTION PLAN

ACCESSIBILITY \$ SIGNAGE DETAILS

ACCESSIBILITY \$ SIGNAGE DETAILS

ENLARGED PLANS | KITCHEN, OFFICES \$ RESTROOMS

PROPOSED FIRST FLOOR PLAN

PROPOSED ATTIC PLAN

REFLECTED CEILING PLAN

PROPOSED BUILDING ELEVATIONS

PROPOSED BUILDING SECTIONS

PROPOSED BUILDING SECTIONS

PROPOSED BUILDING SECTIONS

INTERIOR ELEVATIONS INTERIOR ELEVATIONS

WALL \$ ROOF ENLARGED SECTIONS

PROPOSED BUILDING ELEVATIONS (CONT)

KITCHEN PLAN

AS-BUILT \$ DEMO FLOOR PLAN

AS-BUILT \$ DEMO ELEVATIONS

ENLARGED SITE PLAN

ACCESSIBILITY \$ SIGNAGE

IRRIGATION LEGEND \$ NOTES

IRRIGATION PLAN

IRRIGATION DETAILS

IRRIGATION DETAILS

PLANTING PLAN

PLANTING DETAILS

STAGE ELEVATIONS \$ SECTIONS

LANDSCAPE MATERIALS DETAILS

TREE REMOVAL \$ PROTECTION PLAN

EROSION CONTROL NOTES \$ DETAILS

EROSION CONTROL NOTES \$ DETAILS

COVER SHEET

DETAILS

DETAILS

CALGREEN NONRESIDENTIAL MANDATORY MEASURES 2022 | 1

CALGREEN NONRESIDENTIAL MANDATORY MEASURES 1.2

CALGREEN NONRESIDENTIAL MANDATORY MEASURES 13

CITY OF CAPITOLA RECREATIONS DEPARTMENT NIKKI BRYANT: NBRYANT@CI.CAPITOLA.CA.US 420 CAPITOLA AVENUE, CAPITOLA CA 95010

(831) 475 7300 ARCHITECT: BOONE LOW RATLIFF ARCHITECTS, INC. JACQUELYN LOW, AIA: JL@SANTACRUZGREENARCHITECTS.COM KATE RHEIN, AIA: KR@SANTACRUZGREENARCHITECTS.COM 2831 MISSION STREET, SANTA CRUZ CA 95060

ELECTRICAL ENGINEER: AURUM CONSULTING ENGINEERS MONTEREY

BAY, INC. ELDRIDGE O. BELL, P.E.: ELDRIDGE@ACEMB.COM 404 W. FRANKLIN ST., SUITE 100, MONTEREY, CA 93940 (831) 646 3330

MECHANICAL ENGINEER: COLEBREIT + AXIOM ENGINEERS

SEAN L. RING, PE: SEAN@AXIOMENGINEERS.COM 303 POTRERO ST, SUITE 43-108, SANTA CRUZ CA 95060

STRUCTURAL ENGINEER: ANDREW RADOYAN CIVIL ENGINEERING

ANDREW RADOVAN: ANDREW@RADOVAN.US 2815 MISSION STREET, SANTA CRUZ CA 95060 (831) 459 7296

LANDSCAPE ARCHITECT: JONI L JANECKI \$ ASSOCIATES JONI L. JANECKI: JLJ@JLJA.COM ERICA DREW: EDREW@JLJA.COM (PROJECT MANAGER) 515 SWIFT ST, SANTA CRUZ CA 95060

CIVIL ENGINEER: IFLAND ENGINEERS

(831) 423 6040

(916) 716 4627


JON IFLAND: JONIFLAND@IFLANDENGINEERS.CON 1509 SEABRIGHT AVE, SUITE IB, SANTA CRUZ CA 95062 O (831) 426 5313 X206 D (831) 316 3573

ACOUSTIC CONSULTANT: SONICS ESD

JIM BARATH, PH.D., INCE: JIM@SONICSESD.COM 40 RAGSDALE DRIVE SUITE 130, MONTEREY CA 93940 (831) 646 9711

COST ESTIMATOR: LELAND SAYLOR ASSOCIATES JEFF SAYLOR: JSAYLOR@LELANDSAYLOR.COM 1777 OAKLAND BLVD, SUITE 103, WALNUT CREEK CA 94596 (925) 330 2642

KITCHEN DESIGNER: EAST BAY RESTAURANT SUPPLY, INC. KEVIN MANLEY: KEVINM@EBRS.NET 49 4TH STREET, OAKLAND CA 94601



VICINITY MAP

APPLICABLE CODES

STATE OF CALIFORNIA AND LOCAL JURISDICTION. 2022 CALIFORNIA BUILDING CODE 2022 CALIFORNIA RESIDENTIAL CODE

2022 CALIFORNIA GREEN BUILDING CODE 2022 CALIFORNIA MECHANICAL CODE 2022 CALIFORNIA PLUMBING CODE 2022 CALIFORNIA FIRE CODE 2022 CALIFORNIA ELECTRICAL CODE 2022 CALIFORNIA ENERGY CODE, PART 6

THESE PLANS ARE IN COMPLIANCE WITH CALIFORNIA BUILDING AND FIRE CODES (2022 EDITION) AND SANTA CRUZ COUNTY AMENDMENTS

ALL CODES REFERENCED ARE TO BE USED AS AMENDED BY THE

WINDOW \$ STOREFRONT SCHEDULE FINISH PLAN EXTERIOR COLORS \$ FINISHES NTERIOR COLORS \$ FINISHES ARCHITECTURAL INTERIOR DETAILS ARCHITECTURAL INTERIOR DETAILS EXTERIOR STOREFRONT DETAILS EXTERIOR WINDOW NAIL FIN \$ STOREFRONT DETAILS TYPICAL EXTERIOR ROOF DETAILS TYPICAL TPO RE-ROOF DETAILS TYPICAL METAL EXTERIOR ROOF DETAILS SHEET INDEX, DESIGN LOADS, LEGEND, SPECS AND SCHEDULES ROOF CEILING FRAMING PLAN DETAILS DETAILS LEGENDS, NOTES \$ SCHEDULES - MECHANICAL LEGENDS, NOTES \$ SCHEDULES - MECHANICAL TITLE 24 - MECHANICAL ROOF PLAN - MECHANICAL DEMOLITION ROOF PLAN - MECHANICAL FLOOR PLAN - MECHANICAL DETAILS - MECHANICAL LEGENDS, NOTES \$ SCHEDULES - PLUMBING ROOF PLANS - PLUMBING FLOOR PLAN - PLUMBING DEMOLITION FLOOR PLAN - PLUMBING DETAILS - PLUMBING ELECTRICAL TITLE SHEET CALIFORNIA ENERGY COMPLIANCE T24 BUILDING INTERIOR CALIFORNIA ENERGY COMPLIANCE T24 BUILDING EXTERIOR ELECTRICAL SINGLE LINE DIAGRAM \$ DETAILS ELECTRICAL PANEL SCHEDULES ELECTRICAL DEMOLITION - FIRST FLOOR ELECTRICAL DEMOLITION PLAN - ROOF PLAN POWER \$ SYSTEMS PLAN - FIRST FLOOR POWER \$ SYSTEMS PLAN - ATTIC POWER \$ SYSTEMS PLAN - ROOF JGHTING PLAN - FIRST FLOOR LIGHTING PLAN - ATTIC IGHTING PLAN - ROOF ELECTRICAL DETAILS ELECTRICAL DETAILS ELECTRICAL DETAILS ELECTRICAL SPECIFICATIONS GENERAL NOTES, LEGEND, ABBR. \$ COVER SHEET IST FLOOR ACOUSTICAL PLAN IST FLOOR REFLECTIVE CEILING PLAN \$ SECTIONS 1ST FLOOR MEETING RM B \$ C ELEVATIONS

PRODUCT SPECIFICATION SHEETS

NTERIOR ELEVATIONS

DOOR SCHEDULE

ITERIOR ELEVATIONS @ RESTROOMS & RESTROOM EQUIPMENT

19T FLOOR MEETING RM A \$ RECEPTION ELEVATIONS CEILING ACOUSTICAL TREATMENT DETAIL

ABBREVIATIONS

ABBREVIATIONS

DW

ELEY.

ABOVE FINISH FLOOR AFG ABOVE FINISH GRADE BD. BOARD BTTM BOTTOM C.B.C. CALIFORNIA BLDG. CODE CENTER LINE CLG CEILING CLEARANCE CONC. CONCRETE CONT. CONTINUOUS DBL DOUBLE DIMENSION DIM. PT DIMENSION POINT DN

F.O.S.

HORIZ. NFPA

DOWN DOWNSPOUT DISHWASHER ELEVATION

FINISH FLOOR

OPP. HAND OPPOSITE SIMILAF STL STEEL

FACE OF STUD FINISH FLOOR LEVEL GENERAL CONTRACTOR GYPSUM BOARD

HYDRONIC MANIFOLD

KITCHEN MANUFACTURED METAL MOUNTED NATIONAL FIRE PROTECTION ASS.

REFRIGERATOR

HORIZONTAL

ABBREVIATIONS CONT.

TOP OF SUBFLOOR TOP OF PLATE T.O.P. TYPICAL TYPICAL MOUNTING HEIGHT VERTICAL WATER HEATER

WATER

CONSTRUCTION NOTES:

CONTRACTOR TO COORDINATE DELIVERIES TO SITE, SITE ACCESS AND STORAGE LOCATIONS WITH CLIENT.

A. CONSTRUCTION BEST MANAGEMENT PRACTICES (BMPS)-PROJECT CONSTRUCTION AND DEMOLITION ACTIVITIES SHALL COMPLY WITH THE CITY'S STORM WATER BEST MANAGEMENT PRACTICES FOR CONSTRUCTION.

SEE THE CITY WEBSITE AT:

HTTPS://WWW.CITYOFSANTACRUZ.COM/GOVERNMENT/CITY-DEPARTMENTS/ PUBLIC-WORKS/STORMWATER/BEST-MANAGEMENT-PRACTICES

B. MATERIALS STORAGE: OPEN BAGS OF PARTICULATE, GRANULAR OR POWDER MATERIALS (SUCH AS PLASTER OR CONCRETE) SHOULD BE STORED INSIDE IF POSSIBLE. IF STORED OUTSIDE, THEY MUST BE COVERED OR CLOSED, AND DURING THE RAINY SEASON KEPT WITHIN SECONDARY CONTAINMENT.

C. PAINT \$ CHEMICAL STORAGE: PAINTS, CHEMICALS, AND SOLVENTS MUST BE PROPERLY STORED INSIDE OR WITHIN A SHED WITH DOUBLE CONTAINMENT.

D. REFUSE: DUMPSTERS LIDS MUST BE KEPT CLOSED AND SECURED WHEN NOT IN USF

E. CHECK THE SIDEWALK AND STREET DAILY DURING THE DEMOLITION AND CONSTRUCTION PHASES FOR SOIL OR SEDIMENT DRAG-OUT, AND SWEEP IF NEEDED.


F. REGULARLY MAINTAIN PROJECT EROSION CONTROL MEASURES. CHECK REGULARLY FOR DAMAGE DURING CONSTRUCTION WORK. ALL EROSION CONTROL MEASURES SHALL BE INSPECTED AFTER EACH SIGNIFICANT RAIN EVENT AND NEEDED REPAIRS MADE IMMEDIATELY UPON DETECTION.

G. THE CALGREEN MANDATORY REQUIREMENTS ARE LOCATED ON SHEET CAI


PATH OF TRAVEL GENERAL COMPLIANCE NOTES:


(E) ACCESSIBLE PATH OF TRAVEL IS PROVIDED ON SITE. IF THERE IS ANY NON-COMPIANCE IN (E) P.O.T, IT MUST BE UPGRADED AS NEEDED TO COMPLY:

ACCESSIBLE PATH OF TRAVEL AS INDICATED ON THE PLAN IS A BARRIER FREE ACCESS ROUTE WITHOUT ANY ABRUPT LEVEL CHANGES EXCEEDING 1/2" IF BEVELED AT 1:2 MAXIMUM SLOPE, OR VERTICAL LEVEL CHANGES NOT EXCEEDING 1/4" MAXIMUM AND AT LEAST 48" IN WIDTH. SURFACE IS STABLE, FIRM, AND SLIP RESISTANT. CROSS SLOPE SHALL NOT BE STEEPER THAN 1:48 AND SLOPE IN THE DIRECTION OF TRAVEL SHALL NOT BE STEEPER THAN 1:20. ACCESSIBLE PATH OF TRAVEL SHALL BE MAINTAINED FREE OF OVERHANGING OBSTRUCTIONS TO 80" MINIMUM AND PROTRUDING OBJECTS GREATER THAN 4" PROJECTION FROM WALL AND ABOVE 21" AND LESS THAN 80". ARCHITECT SHALL VERIFY THAT THERE ARE NO BARRIERS IN THE PATH OF TRAVEL.



DETAIL D: ACCESSIBLE PATH OF TRAVEL MAX. SLOPE





JADE STREET

LANDSCAPE \$ CIVIL SHEETS

(E) CROSSING

O JADE STREET

2837 MISSION ST | SANTA CRUZ CA 95060

THE ARCHITECT MUST BE NOTIFIED

DIMENSIONS, FIELD CONDITIONS OR

OTHER INFORMATION THAT IS CONTAINED IN AND/OR DIFFERS

THESE DOCUMENTS ARE THE

CONSENT. THE ARCHITECT DISCLAIMS ANY RESPONSIBILITY RESULTING FROM UNAUTHORIZED

PROPERTY OF THE ARCHITECT AND

REPRODUCED WITHOUT WRITTEN

COPYRIGHT STARTS FROM THE DATE OF THE EARLIEST CONTRACT

THROUGH CONSTRUCTION

EXACTLY, THIS DRAWING WILL HAV BEEN ENLARGED OR REDUCEI

AFFECTING ALL LABELED SCALES.

50% CD SET

5% CD SET

NUMBER OF ACCESSIBLE PARKING SPACES PER CBC 2022 TABLE 11B-208.2 = 4

NUMBER OF VAN ACCESSIBLE SPACES REQUIRED = 1. NUMBER PROVIDED = 2

SHORT TERM SPACES = 10% OF REQUIRED PARKING SPACES = 9

LONG TERM SPACES NOT REQUIRED (40,000 SQ.FT.)

BICYCLE PARKING

REVISIONS DATE

2/7/24

AS NOTED


DOCUMENTS.


FROM THESE DOCUMENTS.


MAY NOT BE USED OR

OF ANY DISCREPANCY IN

2







THE ARCHITECT MUST BE NOTIFIED OF ANY DISCREPANCY IN DIMENSIONS, FIELD CONDITIONS OR OTHER INFORMATION THAT IS CONTAINED IN AND/OR DIFFERS FROM THESE DOCUMENTS.


THESE DOCUMENTS ARE THE
PROPERTY OF THE ARCHITECT AND
MAY NOT BE USED OR
REPRODUCED WITHOUT WRITTEN
CONSENT. THE ARCHITECT
DISCLAIMS ANY RESPONSIBILITY
RESULTING FROM UNAUTHORIZED


COPYRIGHT STARTS FROM THE DATE OF THE EARLIEST CONTRACT THROUGH CONSTRUCTION

L	FECTING ALL LABELED SCALES.				
_	DATE	SIONS	REVIS	Υ	
C	7/31/23		CONCEPT DESIGN S		
_	10/03/23	MINOR DESIGN PERMIT SET			
=	10/30/23	ET	50% CD S		
L	01/31/24	ET	95% CD S		
C					
C					
ב					
	4	ate: 2/7/24			
_					

Date:		2/7/24	
Scale:		AS NOTED	
Orav	vn:		
Job:			
Shee	et		

A8.2





2837 MISSION ST | SANTA CRUZ CA 95060

THE ARCHITECT MUST BE NOTIFIED OF ANY DISCREPANCY IN DIMENSIONS, FIELD CONDITIONS OR OTHER INFORMATION THAT IS CONTAINED IN AND/OR DIFFERS FROM THESE DOCUMENTS.

THESE DOCUMENTS ARE THE PROPERTY OF THE ARCHITECT AND MAY NOT BE USED OR REPRODUCED WITHOUT WRITTEN CONSENT. THE ARCHITECT DISCLAIMS ANY RESPONSIBILITY RESULTING FROM UNAUTHORIZED

COPYRIGHT STARTS FROM THE DATE OF THE EARLIEST CONTRACT THROUGH CONSTRUCTION DOCUMENTS.

NOT MEASURE ONE INCH (1"
EXACTLY, THIS DRAWING WILL HAVE
BEEN ENLARGED OR REDUCED

AFFECTING ALL LABELED SCALES.					
BY	REVIS	DATE			
	CONCEPT DESIGN S	7/31/23			
	MINOR DE PERMIT S	10/03/23			
	50% CD S	10/30/23			
	95% CD SET		01/31/24		
Date	Date: 2/7/2		4		
Scal	Scale:		OTED		
Drav	Drawn:				

BUILDING

PROP(

PROPOSED EXTERIOR VIEWS





SCOPE A: EXTERIOR COLOR & FINISHES SUMMARY:

*COLORS AND FINISHES SHOWN ON THIS SHEET RELATE TO WORK INCLUDED IN SCOPE A








EXISTING EXTERIOR VIEWS








COLOR BOARD & MATERIALS









EXTERIOR FRAME COLOR



AS NOTED

COPYRIGHT STARTS FROM THE DATE OF THE EARLIEST CONTRACT THROUGH CONSTRUCTION

2837 MISSION ST | SANTA CRUZ CA 95060

THE ARCHITECT MUST BE NOTIFIED OF ANY DISCREPANCY IN DIMENSIONS, FIELD CONDITIONS OR

OTHER INFORMATION THAT IS CONTAINED IN AND/OR DIFFERS

THESE DOCUMENTS ARE THE PROPERTY OF THE ARCHITECT AND MAY NOT BE USED OR

REPRODUCED WITHOUT WRITTEN

DISCLAIMS ANY RESPONSIBILITY RESULTING FROM UNAUTHORIZED

IF THE ABOVE DIMENSION DOES NOT MEASURE ONE INCH (1") EXACTLY, THIS DRAWING WILL HAVE BEEN ENLARGED OR REDUCED, AFFECTING ALL LABELED SCALES.

0% CD SET

