Sec. 40-74. Dimensional standards for lots and principal structures.

Dimensional Standards for Lots and Principal Structures, Residential Districts

Zo	Pr im ar y Pe	∑ : 2 .	≥ .⊑	≥ :	≥ :	∑ <u>:</u> i∑ -	Re Si de nt	ă Z	Σ×
R-1	Single-Family	5,000 sq.	50 ft.	20	10	7.5 ft.	15	50	40%
	Two-Family	ft.		ft.	ft.		units/acre	ft. ^{1, <u>5</u>}	
R-	Single-Family	5,000 sq.	50 ft.	20	10	7.5 ft.	8.7	50	40%
1B		ft.		ft.	ft.		units/acre	ft. ^{1<u>,5</u>}	
R-2	Single-Family	7,000 sq.	70 ft.	25	10	7.5 ft.	6.2	45 ⁵	40%
		ft.		ft.	ft.		units/acre	ft.	
R-3	Single-Family	12,000	80 ft.	25	10	7.5 ft.	3.6	40_5	40%
		sq. ft.		ft.	ft.		units/acre	ft.	
С	Conservation	80,000	200 ft.	30	20	20 ft.	0.5	50	15%
	District Single-	sq. ft.		ft.	ft.		units/acre	ft.1	
	Family								
МН	Manufactured	5,000 sq.	50 ft.	20	10	7.5 ft.	15	50	40%
	Homes Single-	ft.		ft.	ft.		units/acre	ft. ^{1<u>, 5</u>}	
	Family/Two-								
	Family								
MF	Multi-Family	5,000 sq.	50 ft.	10	10	7.5 ft.	17	50	40%
	Single-	ft.		ft.	ft.		units/acre	ft. <u>5</u>	
	Family/Two-								
	Family								
MX	Mixed Use	5,000 sq.	50 ft.	20	10	7.5 ft. ³	17	50	40%
		ft.		ft.	ft. ³		units/acre	ft.	

Table footnotes:

- 1. Portions of this district may be located in an overlay district as shown on the Town's official zoning map and listed as part of this section. Maximum height of this district may be different than listed.
- 2. See section 40-73(9), yard requirements, for structures exceeding maximum height regulations.
- 3. Front yard setback is 50 feet if abutting a major thoroughfare.
- 4. Landscaping buffer requirements in article VI of this chapter may be greater than the required side yard setbacks.
- 5. The standard building height limitation may be exceeded by up to 10 feet when renovating an existing residential structure that is three stories or more when the height is directly attributable to the addition of an elevator.

Dimensional Standards for Lots and Principal Structures, Other Districts

Zo ni	Prim ar A Y Pee Pre Lt Lt Lt Lt Pre Pre Lt	∑ :	M in.	M in.	M in. Re ar	M in. Si	. aX ⊠	Σ	ă×≤
CBD	Commercial Uses and	None	None	None	None, or	None, or	NA	50	None
	Services,				same as	same as		ft.4	
	Entertainment				abutting	abutting			
					residential	residential			

Created: 2023-12-12 15:35:16 [EST]

					use or	use or			
					district	district			
NB	Neighborhood Goods	5,000	50 ft.	20 ft.	10 ft.	7.5 ft.	8.7	50	40%
	and Services	sq. ft.					units/acre	ft. ²	
НВ	Highway Commercial	10,000	100	30 ft.	15 ft., or	10 ft.	NA	50	60%
		sq. ft.	ft.		20 ft. if			ft. ²	
					abutting a				
					residential				
					district				
MB	Water-Oriented	10,000	100	30 ft.	10 ft.	10 ft.	N/A ⁶	50	40%
	Businesses, Single-	sq. ft.	ft.					ft. ²	
	Family/Two-Family								
T-1	Hotels and Motels 15	20.000	100	20 ft.	10 ft. ³	7.5 ft.	32	50	40%
	units or less	sq. ft.	ft.				units/acre	ft. ²	
	Hotels and Motels	25,000	50 ft.				60		
	Greater than 15 units	sq. ft.					units/acre		
	Restaurants/Businesses	6,000	50 ft						
		sq. ft.							
	Single/Multi-Family	6,000	50 ft.				29		
		sq. ft.					units/acre		
I-1	Industrial	None.	None	30	None. *20	None *20	None	50	None
		(Min.		ft. ³	ft. if lot	ft. if lot		ft. ²	
		district			line abuts	line abuts			
		size: 5			а	а			
		acres)			residential	residential			
					lot or use ³	lot or use ³			
HOD	See underlying districts	N/A	N/A	N/A	N/A	N/A	N/A	45	N/A
	for use and							ft.	
	dimensional								
	requirements								

Table footnotes:

- 1. Portions of this district may be located in an overlay district as shown on the Town's official zoning map and listed as part of this section. Maximum height of this district may be different than listed.
- 2. See section 40-73(9), yard requirements, for structures exceeding maximum height regulations.
- 3. Front yard setback is 50 feet if abutting a major thoroughfare.
- 4. In this district, the standard 50-foot building limitation may be exceeded for sprinklered structure and maximum building height shall be solely based on conditional zoning review.
- 5. Landscaping buffer requirements in article VI of this chapter may be greater than the required side yard setbacks.

(Code 1986, app. A, § 3.9-1; Ord. No. 00-436, 10-10-2000; Ord. No. 02-523, 11-12-2002; Ord. No. 04-558, 7-13-2004; Ord. No. 04-573, 11-9-2004; Ord. No. 06-634, 5-9-2006; Ord. No. 06-643, 6-13-2006; Ord. No. 07-664, 1-9-

Created: 2023-12-12 15:35:16 [EST]

2007; Ord. No. 07-673, 1-9-2007; Ord. No. 08-725, 2-12-2008; Ord. No. 12-894, 6-12-2012; Ord. No. 15-977, 6-9-2015; Ord. No. 21-1153 , 6-8-2021)