Culvert and Access Permit

Culvert/Access Location/Address:	Tax ID #:
Town of Clayton Town Hall 8348 Hickory Ave Larsen, WI 54947 Phone: 920-836-2007 Email: buildinsp@claytonwinnebagowi.gov Website: https://www.townofclayton.net/	CLAYTON WI
Culvert TYPE:	Culvert SIZE:
Besidential 1 Family Residential 2 Family □ Agricultural □ Temporary	Length: 30 ft. Diameter: 18 in.
PLEASE BE ADVISED: The Property Owner will be SPECIAL Infrastructure as a result of the installation of any culvert or col	ASSESSED for the actual cost of repairing any damage that occurs to the Town's Public estruction of a new home in the Town of Clayton.
Applicant's NAME:	Chunden Troy Dishly of Assigns
Applicant's ADDRESS:	9618 Lind Lan Neevel, wx 54956
Applicant's EMAIL:	try & rachnedics con
Applicant's PHONE:	920 810 2319
Applicant's SIGNATURE & Date:	(my) 6/04/24
SLOPES TO BE SEEDED OR SODDED TOP OF DRIVEWAY	
2:15	Shope
DITCH LINE	
 Culverts must be new corrugated metal pipes with end walls. Culverts minimum length: 30' X 18" or 30' X 15" X 21". Culverts for a single access (12' lane) driveway may be 20' X 18" or 20' X 15" X 21". When the upstream and downstream culverts are larger than 18" in diameter, the diameter of the new culvert shall be the average of the two upstream and two downstream culverts. All culverts shall be installed with the flow line of the culvert at the flow line of the stormwater management ditch. All culverts shall be bedded in 12 inches of ³/₄ inch clear stone with the clear stone extended 3- feet past the end of the pan of the culvert end wall. All culverts shall have a minimum of 12 inches of cover. All driveways shall be constructed or reconstructed to have sloped sides. Such construction shall be accomplished using only soil materials. The side slopes of the driveway shall be sloped no more than a length-to-height ration of 2:1. All slopes shall be seeded or sodded by the property owner. Existing single lane driveways may use a minimum of a 22-foot culvert with end walls. 	
Approved By:	Date:
Permit Charge: In	spection Date: □Pass □Fail
Notes:	