

CITY OF COACHELLA 53-990 ENTERPRISE WAY COACHELLA CA 92236

CODE ENFORCEMENT,
ANIMAL CONTROL, &
GRAFFITI

**QUARTERLY REPORT** 

Jan. 1, 2023 to Mar. 31, 2023

Prepared By: Jessica Navarro

## Code Enforcement Summary Report

Status	Assigned To	Census Tract	Violation	Initiation	Open Date Range	Follow up Date Range	Close Date Range
All	All		All	All	From 01/01/2023 To 03/31/2023	From To	From To

#### **CE Totals**

	Total	Closed Cases	Open Cases
Totals	189	103	86

#### **CE Cases by Violation**

Violation	Total Violations	Closed Violations	Open Violations
	2	2	0
10.08.060 - Working on parked vehicles	1	0	1
10.20.010(18)Abandoned/Inoperable/Dismantled vehicle(s).	26	18	8
12.12.050 - Duty to maintain sidewalks.	0	0	0
12.16.030 - Permit required/CURB CUTS AND DRIVEWAYS	0	0	0
12.42.030 - Unlawful camping.	9	6	3
12.42.040 - Storage of personal property on public property.	1	1	0
13.03.044 Wasting water prohibited.	2	1	1
13.03.208 - Access to water meter.	1	0	1
13.03.306 Expiration or Extension of Permit	0	0	0
15.04.020 (A) Concrete Flat Work, Shades & Storage Containers	12	3	9
15.44.010 Building Numbering/Required	1	1	0
15.60.010 Building Permit Required	26	4	22
15.60.050 - Substandard buildings and housing.	2	1	1
15.66.010 Seizmic Hazard Mitiagtion	0	0	0
17.16.020 - Permitted uses.	0	0	0
17.16.030(C)(5)-Property development standards. Walls/Fences	1	1	0
17.48.020 Display of merchandised out of doors.	0	0	0
17.54.010 (N)(2) Parking and Storage in Residential Zones.	17	16	1
17.54.010.(N)(3)	0	0	0
17.54.020 - Permitting of certain garage conversions to residential living space ("garage conversions").	0	0	0
17.56.010(J)(2)(B) - Signs	2	0	2
17.58.010 - Home occupations	1	1	0
17.60.010 (F)(4) Accessory structures	1	1	0
17.60.010 (G) - Trailers Outside Camps	0	0	0

17.60.010 - Property development standards. (Fence) 17.60.010 Property Development Standards 9D)(3)(a) Yards 17.60.010(3)(e) Development Standards 17.74.010 (D)(3) Conditional Uses 17.84 Medical Cannabis Dispensaries.	0 1 1 1 0	0 0 0	1 1
17.60.010(3)(e) Development Standards 17.74.010 (D)(3) Conditional Uses 17.84 Medical Cannabis Dispensaries.	1 1 0	0	1
17.74.010 (D)(3) Conditional Uses 17.84 Medical Cannabis Dispensaries.	1		
17.84 Medical Cannabis Dispensaries.	0	0	
-			1
47.04 M 15 1.0 15 15 17 17 17 17 17 17 17 17 17 17 17 17 17	0	0	0
17.84 Medical Cannabis Dispensaries. 17.84.030 - Prohibited activities.	U	0	0
17.84 Medical Cannabis Dispensaries. 17.84.040 - Prohibited activities declared a public nuisance.	0	0	0
17.84 Medical Cannabis Dispensaries. 17.84.050 Penalties for Violations	0	0	0
2.08.060 (A) - Political sign regulations.	0	0	0
2.08.060 (B) - Political sign regulations	0	0	0
2.08.060 (C) - Political sign regulations	0	0	0
2.08.060 (D) - Political sign regulations	0	0	0
2.08.060 (E) - Political sign regulations	0	0	0
3.10.010 (D) (16) Visibility Hazard	2	2	0
3.10.010 (D) (27) Public Burning	0	0	0
3.10.010 (D)(10) Termites, Insects, Vermin or Rodents.	1	1	0
3.10.010 (D)(12) Abandon or Vacated Building/Structure	2	1	1
3.10.010 (D)(13) Offensive Odors	0	0	0
3.10.010 (D)(15) Hazardous Substances and Waste	1	1	0
3.10.010 (D)(18)	0	0	0
3.10.010 (D)(19)	0	0	0
3.10.010 (D)(20) Swmng Pools, Ponds and Other Bodies of Wtr.	1	0	1
3.10.010 (D)(23)Public Nuisances/Safety Hazard	11	7	4
3.10.010 (D)(24) Disruptive Activities	4	2	2
3.10.010 (D)(25) Land Use Entitlements.	1	0	1
3.10.010 (D)(3) Weeds	2	0	2
3.10.010 (D)(31) Animal Manure	0	0	0
3.10.010 (D)(36) Signs	1	0	1
3.10.010 (D)(38) - Maintenance and abatement of nuisances.	1	1	0
3.10.010 (D)(4) - Trees and Shrubs	15	12	3
3.10.010 (D)(44)Public Nuisances/Rubbish, Refuse and Dirt	15	5	10
3.10.010 (D)(8) -Maintenance of Private Driveways	0	0	0
3.10.010(35) Water Disp[osal	0	0	0
3.10.010(D)(11)-Sewage.	0	0	0
3.10.010(D)(15)-Hazardous Substances and Waste.	1	0	1
3.10.010(D)(16)-Visibility Hazard.	0	0	0

3.10.010(D)(19)-Visual Blight	31	15	16
3.10.010(D)(20)-Swmng Pools, Ponds and Other Bodies of Wtr.	0	0	0
3.10.010(D)(21)-Public Toilets.	0	0	0
3.10.010(D)(22)-Privies.	0	0	0
3.10.010(D)(25)-Land Use Entitlements.	0	0	0
3.10.010(D)(27)-Public Burning.	0	0	0
3.10.010(D)(28)-Air Pollution.	0	0	0
3.10.010(D)(29) Mosquito Breeding Places.	2	0	2
3.10.010(D)(30)Discharge of Sewage	0	0	0
3.10.010(D)(31)-Animal Manure	0	0	0
3.10.010(D)(32)-Hauling of Offensive Substances	0	0	0
3.10.010(D)(33)-Clothes Lines.	0	0	0
3.10.010(D)(34)Stormwater Drainage	1	1	0
3.10.010(D)(35)-Water Disposal.	0	0	0
3.10.010(D)(36)-Signs.	0	0	0
3.10.010(D)(37)-Encroachment.	0	0	0
3.10.010(D)(38)-Municipal Code Violations.	0	0	0
3.10.010(D)(39)-California Civil Code.	0	0	0
3.10.010(D)(40)-California Red Light Abatement Act.	0	0	0
3.10.010(D)(41)-California Drug Abatement Act.	0	0	0
3.10.010(D)(42)-State Housing Law.	0	0	0
3.10.010(D)(43)-Weed Abatement.	0	0	0
3.10.010(D)(6)Parking on Yard Off Driveway	11	10	1
3.10.010(D)(7) Occupied Vehicles	7	6	1
3.16.090 - Failure to comply with notice of violation.	12	2	10
5.80.100 - Operational requirements and performance standards established. (Short Term Rentals)	0	0	0
7.04.040 - Prohibited noise generally.	4	2	2
8.20.040(C)Dust Control requirements	5	3	2
8.44.010 - Collection by city or agent only.	0	0	0
8.44.070 Commercial Garbage Collection and Disposal	2	0	2
8.48.030 (B)Graffiti Prohibted	3	1	2
8.60 - REGISTRATION AND MAINTENANCE OF ABANDONED PROPERTIES	0	0	0
8.60.040 Registration of Abandoned Property	0	0	0
8.60.050 - Abandoned Property Maintenance requirements.	1	0	1
8.60.060 - Security requirements	1	0	1
8.64.050 - Vacant Property Maintenance Requirements	0	0	0

Abandoned/Inoperable/Dismantled vehicle(s)	2	1	1
Business License Required	6	4	2
Business Subject to Miscellaneous Tax Rates/Transportation, Trucking and Towing	0	0	0
Display of merchandise out of Door	0	0	0
Garbage Containers	12	4	8
Illegal Dumping	0	0	0
Illegal, Nonconform. Building or Structure(s)	9	2	7
Manner of Parking /Parallel Parking	0	0	0
Manner of Parking/Angle Parking	0	0	0
Manner of Parking/Commercial Vehicles Prohibited from Parking on Private Property and Public Rights-of-Ways	0	0	0
NEC 380-9 Electrical, (e) Outlet faceplates/covers in place	0	0	0
NFPA 13-4-2.5.1 Automatic Fire Sprinklers Systems,(c) 18" clearance below heads	0	0	0
Parking on yard/off driveway	5	1	4
Parking Requirements/General Provisions	0	0	0
Parking Requirements/Surface of Parking Area	1	0	1
Permit for Outdoor Advertising Signs	0	0	0
Prkg. Lot Striping/Handicap Markings	1	0	1
Prohibited Stopping, Standing or Parking/On a Crosswalk	0	0	0
Prohibited Stopping, Standing or Parking/Within an Intersection	0	0	0
Property Development Standards/Maintenance	1	0	1
Public Nuisances / Animals	7	4	3
Public Nuisances / Attractive Nuisances	8	3	5
Public Nuisances / Fire Hazard	1	0	1
Public Nuisances / Landscaping	7	1	6
Public Nuisances / Trees and Shrubs	7	4	3
Service Stations/Intent and Purpose	0	0	0
Service Stations/Landscaping	0	0	0
Service Stations/Parking	0	0	0
Set up Temporary Sales Location	0	0	0
Signs-All signs and sign programs shall be subject to review and approval	0	0	0
Special Event/Sales Permit Required	2	1	1
Special Event/Sales Signs	1	1	0
Stopping, Standing and Parking/Public or Private Driveway	0	0	0
Stopping, Standing or Parking/Sidewalk	4	2	2

Termites, Insects, Vermin or Rodents         0         0         0           Termites, Insects, Vermin or Rodents         0         0         0           Title 19, Subchapter 5-Hood and Duct Systems, (a) Serviced within 6 months         0         0         0           Trimming palm treesRequired         4         0         4           UBC 3304(c)-"This Door To Remain Unlocked During Business Hours"         0         0         0           UBC 3314(c)- (b) Illuminated EXIT sign operable         0         0         0           UBC 3315(b)- (c) 44" clear access aisle width to exits         0         0         0           UFC 10.206(a)- (b) Obstruction         0         0         0           UFC 10.206(b)-Hydrant, (c) Red curb-15" each side         0         0         0           UFC 10.206(b)-Hydrant, (c) Red curb-15" each side         0         0         0         0           UFC 10.208(a)-(b) Obstruction         0         0         0         0         0         0           UFC 10.208(a)-Premises Identification,         0         0         0         0         0         0         0           UFC 10.301(a)-Fire Extinguishers, (a) Minimum 2A10BC         0         0         0         0         0         0         0         0 <th></th> <th></th> <th></th> <th>_</th>				_
Title 19, Subchapter 5-Hood and Duct Systems,(a)Serviced within 6 months	Termites, Insects, Vermin or Rodents	0	0	0
Trimming palm treesRequired         4         0         4           UBC 3304(c)-"This Door To Remain Unlocked During Business Hours"         0         0         0           UBC 3313(b)-(f) Emergency lighting operable         0         0         0           UBC 3314(c)-(b) Illuminated EXIT sign operable         0         0         0           UBC 3315(b)-(c) 44" clear access alsle width to exits         0         0         0           UFC 10.206(b)-Hydrant, (c) Red curb-15" each side         0         0         0           UFC 10.206(b)-Hydrant, (c) Red curb-15" each side         0         0         0           UFC 10.207(1)-Fire Apparatus Access Roads, (a) Red curb on signs         0         0         0           UFC 10.208(a)-Premises Identification,         0         0         0         0           UFC 10.301(a)-Fire Apparatus Access Roads, (b) Obstruction         0         0         0         0           UFC 10.301(a)-Fire Extinguishers, (e) Commercial kitchen 40BC.         0         0         0         0           UFC 10.331(b)-Hood and Duct Systems, (b) Servicing due         0         0         0         0           UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0         0           UFC 10.401         0         <	Termites, Insects, Vermin or Rodents	0	0	0
UBC 3304(c)-"This Door To Remain Unlocked During Business Hours"         0         0         0           UBC 3313(b)-(f) Emergency lighting operable         0         0         0           UBC 3314(c)-(b) Illuminated EXIT sign operable         0         0         0           UBC 3315(b)-(c) 44' clear access aisle width to exits         0         0         0           UFC 10.206(a)-(b) Obstruction         0         0         0           UFC 10.206(b)-Hydrant, (c) Red curb-15' each side         0         0         0           UFC 10.207(1)-Fire Apparatus Access Roads, (a) Red curb on signs         0         0         0           UFC 10.207(1)-Fire Apparatus Access Roads, (b) Obstruction         0         0         0           UFC 10.208(a)-Premises Identification,         0         0         0           UFC 10.301(a)-Fire Extinguishers, (a) Minimum 2A10BC         0         0         0           UFC 10.301(a)-Fire Extinguishers, (b) Servicing due         0         0         0           UFC 10.301(a)-Fire Extinguishers, (b) Proper nozzle position, caps, coverage         0         0         0           UFC 10.313(b)-Hood and Duct Systems, (b) Proper nozzle position, caps, coverage         0         0         0           UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0	Title 19, Subchapter 5-Hood and Duct Systems, (a) Serviced within 6 months	0	0	0
UBC 3313(b)-(f) Emergency lighting operable         0         0         0           UBC 3314(c)-(b) Illuminated EXIT sign operable         0         0         0           UBC 3315(b)-(c) 44' clear access aisle width to exits         0         0         0           UFC 10.206(a)-(b) Obstruction         0         0         0           UFC 10.207(1)-Fire Apparatus Access Roads.(a) Red curb on signs         0         0         0           UFC 10.207-Fire Apparatus Access Roads.(b) Obstruction         0         0         0         0           UFC 10.208-Premises Identification,         0         0         0         0         0           UFC 10.301(a)-Fire Extinguishers.(a) Minimum 2A10BC         0         0         0         0         0         0           UFC 10.301(a)-Fire Extinguishers.(b) Servicing due         0	Trimming palm treesRequired	4	0	4
UBC 3314(c)-(b) Illuminated EXIT sign operable         0         0         0           UBC 3315(b)-(c) 44' clear access aisle width to exits         0         0         0           UFC 10.206(a)-(b) Obstruction         0         0         0           UFC 10.206(b)-Hydrant, (c) Red curb-15' each side         0         0         0           UFC 10.207(1)-Fire Apparatus Access Roads, (a) Red curb on signs         0         0         0           UFC 10.207-Fire Apparatus Access Roads, (b) Obstruction         0         0         0           UFC 10.208(a)-Premises Identification,         0         0         0           UFC 10.301(a)-Fire Extinguishers, (a) Minimum 2A10BC         0         0         0           UFC 10.301(a)-Fire Extinguishers, (b) Servicing due         0         0         0           UFC 10.313(b)-Hood and Duct Systems, (b) Proper nozzle position, caps, coverage         0         0         0           UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0         0           UFC 10.313(e)-Hood and Duct Systems, (d) Fuseable links, cables, conduits         0         0         0           UFC 10.401         0         0         0         0           UFC 10.402(a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware         0	UBC 3304(c)-"This Door To Remain Unlocked During Business Hours"	0	0	0
UBC 3315(b)-(c) 44' clear access aisle width to exits         0         0         0           UFC 10.206(a)-(b) Obstruction         0         0         0           UFC 10.206(b)-Hydrant, (c) Red curb-15' each side         0         0         0           UFC 10.207(1)-Fire Apparatus Access Roads. (a) Red curb on signs         0         0         0           UFC 10.207-Fire Apparatus Access Roads. (b) Obstruction         0         0         0           UFC 10.208(a)-Premises Identification,         0         0         0           UFC 10.301(a)-Fire Extinguishers. (a) Minimum 2A10BC         0         0         0           UFC 10.301(a)-Fire Extinguishers, (b) Commercial kitchen 40BC.         0         0         0           UFC 10.313(b)-Hood and Duct Systems, (c) Oscillated and Extractinguishers, (b) Servicing due         0         0         0           UFC 10.313(b)-Hood and Duct Systems, (b) Proper nozzle position, caps, coverage         0         0         0           UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0         0           UFC 10.313(e)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0         0           UFC 10.401         0         0         0         0           UFC 10.402(a)-Exits, (e) Maintain fire rated doors, win	UBC 3313(b)-(f) Emergency lighting operable	0	0	0
UFC 10.206(a)-(b) Obstruction         0         0           UFC 10.206(b)-Hydrant, (c) Red curb-15' each side         0         0           UFC 10.207(1)-Fire Apparatus Access Roads, (a) Red curb on signs         0         0           UFC 10.207-Fire Apparatus Access Roads, (b) Obstruction         0         0           UFC 10.208(a)-Premises Identification,         0         0           UFC 10.301(a)-Fire Extinguishers, (a) Minimum 2A10BC         0         0           UFC 10.301(a)-Fire Extinguishers, (b) Servicing due         0         0           UFC 10.313(b)-Hood and Duct Systems, (b) Proper nozzle position, caps, coverage         0         0           UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0           UFC 10.313(e)-Hood and Duct Systems, (d) Fuseable links, cables, conduits         0         0           UFC 10.401         0         0         0           UFC 10.401-Walls and Ceilings, (a) Holes sealed         0         0         0           UFC 10.402(a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware         0         0         0           UFC 11.203(b)-General Housekeeping, (d) Storage not within 24" of ceiling         0         0         0           UFC 11.203(c)-General Housekeeping, (d) Storage in boiler, mech., elect. panel rooms prohibited         0	UBC 3314(c)-(b) Illuminated EXIT sign operable	0	0	0
UFC 10.206(b)-Hydrant, (c) Red curb-15' each side	UBC 3315(b)-(c) 44' clear access aisle width to exits	0	0	0
UFC 10.207(1)-Fire Apparatus Access Roads, (a) Red curb on signs         0         0           UFC 10.207-Fire Apparatus Access Roads, (b) Obstruction         0         0           UFC 10.208(a)-Premises Identification,         0         0           UFC 10.301(a)-Fire Extinguishers, (a) Minimum 2A10BC         0         0           UFC 10.301(a)-Fire Extinguishers, (e) Commercial kitchen 40BC.         0         0           UFC 10.302(a)-Fire Extinguishers, (b) Servicing due         0         0           UFC 10.313(b)-Hood and Duct Systems, (b) Proper nozzle position, caps, coverage         0         0           UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0           UFC 10.313(e)-Hood and Duct Systems, (d) Fuseable links, cables, conduits         0         0           UFC 10.313(e)-Hood and Duct Systems, (d) Fuseable links, cables, conduits         0         0           UFC 10.401         0         0         0           UFC 10.402 (a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware         0         0         0           UFC 11.201(b)-General Housekeeping, (a) Storage not within 24" of ceiling         0         0         0           UFC 11.203(c)-General Housekeeping, (b) Storage in boiler, mech., elect. panel rooms prohibited         0         0         0           UFC 12.103(a)-Exi	UFC 10.206(a)-(b) Obstruction	0	0	0
UFC 10.207-Fire Apparatus Access Roads.(b) Obstruction         0         0         0           UFC 10.208(a)-Premises Identification,         0         0         0           UFC 10.301(a)-Fire Extinguishers,(e) Commercial kitchen 40BC.         0         0         0           UFC 10.302(a)-Fire Extinguishers,(b) Servicing due         0         0         0           UFC 10.313(b)-Hood and Duct Systems,(b) Proper nozzle position, caps, coverage         0         0         0           UFC 10.313(c)-Hood and Duct Systems,(c) Automatic gas/electric shut off         0         0         0           UFC 10.313(e)-Hood and Duct Systems,(d) Fuseable links, cables, conduits         0         0         0           UFC 10.313(e)-Hood and Duct Systems,(d) Fuseable links, cables, conduits         0         0         0           UFC 10.401         0         0         0         0           UFC 10.402 (a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware         0         0         0           UFC 11.201(b)-General Housekeeping,(a) Rubbish/trash buildup         0         0         0           UFC 11.203(c)-General Housekeeping,(d) Storage not within 24" of ceiling         0         0         0           UFC 11.203(c)-General Housekeeping,(g) Storage in boiler, mech., elect. panel rooms prohibited         0         0         0 <td>UFC 10.206(b)-Hydrant,(c) Red curb-15' each side</td> <td>0</td> <td>0</td> <td>0</td>	UFC 10.206(b)-Hydrant,(c) Red curb-15' each side	0	0	0
UFC 10.208(a)-Premises Identification,         0         0         0           UFC 10.301(a)-Fire Extinguishers, (a) Minimum 2A10BC         0         0           UFC 10.301(a)-Fire Extinguishers, (e) Commercial kitchen 40BC.         0         0           UFC 10.302(a)-Fire Extinguishers, (b) Servicing due         0         0         0           UFC 10.313(b)-Hood and Duct Systems, (b) Proper nozzle position, caps, coverage         0         0         0           UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0         0           UFC 10.313(e)         0         0         0         0           UFC 10.313(e)-Hood and Duct Systems, (d) Fuseable links, cables, conduits         0         0         0           UFC 10.401         0         0         0         0           UFC 10.402 (a)-Exits, (d) Holes sealed         0         0         0           UFC 10.402 (a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware         0         0         0           UFC 11.201 (b)-General Housekeeping, (a) Rubbish/trash buildup         0         0         0           UFC 11.203 (b)-General Housekeeping, (d) Storage in boiler, mech., elect. panel rooms prohibited         0         0         0           UFC 12.103 (a)-Exits, (d) Exit obstruction         0	UFC 10.207(1)-Fire Apparatus Access Roads, (a) Red curb on signs	0	0	0
UFC 10.301(a)-Fire Extinguishers, (a) Minimum 2A10BC         0         0         0           UFC 10.301(a)-Fire Extinguishers, (e) Commercial kitchen 40BC.         0         0         0           UFC 10.302(a)-Fire Extinguishers, (b) Servicing due         0         0         0           UFC 10.313(b)-Hood and Duct Systems, (b) Proper nozzle position, caps, coverage         0         0         0           UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0         0           UFC 10.313(e)         0         0         0         0           UFC 10.313(e)-Hood and Duct Systems, (d) Fuseable links, cables, conduits         0         0         0           UFC 10.401-Walls and Ceillings, (a) Holes sealed         0         0         0           UFC 10.402(a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware         0         0         0           UFC 11.201(b)-General Housekeeping, (a) Rubbish/trash buildup         0         0         0           UFC 11.203(b)-General Housekeeping, (d) Storage not within 24" of ceiling         0         0         0           UFC 11.203(c)-General Housekeeping, (g) Storage in boiler, mech., elect. panel rooms prohibited         0         0         0           UFC 12.103(a)-Exits, (d) Exit obstruction         0         0         0 <td< td=""><td>UFC 10.207-Fire Apparatus Access Roads.(b) Obstruction</td><td>0</td><td>0</td><td>0</td></td<>	UFC 10.207-Fire Apparatus Access Roads.(b) Obstruction	0	0	0
UFC 10.301(a)-Fire Extinguishers, (e) Commercial kitchen 40BC.         0         0         0           UFC 10.302(a)-Fire Extinguishers, (b) Servicing due         0         0         0           UFC 10.313(b)-Hood and Duct Systems, (b) Proper nozzle position, caps, cooverage         0         0         0           UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0         0           UFC 10.313(e)         0         0         0         0           UFC 10.313(e)-Hood and Duct Systems, (d) Fuseable links, cables, conduits         0         0         0           UFC 10.401         0         0         0         0           UFC 10.402-Hood and Duct Systems, (d) Fuseable links, cables, conduits         0         0         0           UFC 10.401         0         0         0         0           UFC 10.402 (a)-Evalts, (e) Maintain fire rated doors, windows, dampers, and hardware         0         0         0           UFC 11.201(b)-General Housekeeping, (a) Rubbish/trash buildup         0         0         0           UFC 11.203(b)-General Housekeeping, (d) Storage not within 24" of ceilling         0         0         0           UFC 11.203(c)-General Housekeeping, (f) Candles used in approved manner         0         0         0           UFC 12.103(a)	UFC 10.208(a)-Premises Identification,	0	0	0
UFC 10.302(a)-Fire Extinguishers,(b) Servicing due         0         0         0           UFC 10.313(b)-Hood and Duct Systems,(b) Proper nozzle position, caps, coverage         0         0         0           UFC 10.313(c)-Hood and Duct Systems,(c) Automatic gas/electric shut off         0         0         0           UFC 10.313(e)         0         0         0         0           UFC 10.313(e)-Hood and Duct Systems,(d) Fuseable links, cables, conduits         0         0         0           UFC 10.401         0         0         0         0           UFC 10.401-Walls and Ceilings,(a) Holes sealed         0         0         0           UFC 10.402(a)-Exits,(e) Maintain fire rated doors, windows, dampers, and hardware         0         0         0           UFC 11.201(b)-General Housekeeping,(a) Rubbish/trash buildup         0         0         0           UFC 11.203(b)-General Housekeeping,(d) Storage not within 24" of ceiling         0         0         0           UFC 11.203(c)-General Housekeeping,(g) Storage in boiler, mech., elect. panel rooms prohibited         0         0         0           UFC 12.103(a)-Exits,(d) Exit obstruction         0         0         0           UFC 12.203(a)-Cocupant Limit/Sign,(e) Storage under stairs prohibited         0         0         0           UFC 12.	UFC 10.301(a)-Fire Extinguishers,(a) Minimum 2A10BC	0	0	0
UFC 10.313(b)-Hood and Duct Systems,(b) Proper nozzle position, caps, coverage  UFC 10.313(c)-Hood and Duct Systems,(c) Automatic gas/electric shut off  0 0 0  UFC 10.313(e) 0 0 0  UFC 10.313(e)-Hood and Duct Systems,(d) Fuseable links, cables, conduits 0 0 0  UFC 10.313(e)-Hood and Duct Systems,(d) Fuseable links, cables, conduits 0 0 0  UFC 10.401 0 0 0  UFC 10.401-Walls and Ceilings,(a) Holes sealed 0 0 0 0  UFC 10.402-Exits,(e) Maintain fire rated doors, windows, dampers, and hardware 0 0 0  UFC 11.201(b)-General Housekeeping,(a) Rubbish/trash buildup 0 0 0  UFC 11.203(c)-General Housekeeping,(d) Storage not within 24" of ceiling 0 0 0  UFC 11.203(c)-General Housekeeping,(g) Storage in boiler, mech., elect. panel rooms prohibited 0 0 0  UFC 11.205(a)-General Housekeeping,(h) Candles used in approved manner 0 0 0  UFC 12.103(a)-Exits,(d) Exit obstruction 0 0 0  UFC 12.203(a)-Occupant Limit/Sign,(a) Occupant load sign(s) posted 0 0 0  UFC 12.207-General Housekeeping,Storage in attic space prohibited 0 0 0  UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs 0 0 0  UFC 74.107(a) 0 0	UFC 10.301(a)-Fire Extinguishers,(e) Commercial kitchen 40BC.	0	0	0
UFC 10.313(c)-Hood and Duct Systems, (c) Automatic gas/electric shut off         0         0         0           UFC 10.313(e)         0         0         0           UFC 10.313(e)-Hood and Duct Systems, (d) Fuseable links, cables, conduits         0         0         0           UFC 10.401         0         0         0         0           UFC 10.401-Walls and Ceilings, (a) Holes sealed         0         0         0         0           UFC 10.402(a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware         0         0         0         0           UFC 11.201(b)-General Housekeeping, (a) Rubbish/trash buildup         0         0         0         0           UFC 11.203(c)-General Housekeeping, (d) Storage not within 24" of ceiling         0         0         0           UFC 11.203(c)-General Housekeeping, (g) Storage in boiler, mech., elect. panel rooms prohibited         0         0         0           UFC 11.205(a)-General Housekeeping, (h) Candles used in approved manner         0         0         0           UFC 12.103(a)-Exits, (d) Exit obstruction         0         0         0           UFC 12.203(a)-Occupant Limit/Sign, (a) Occupant load sign(s) posted         0         0         0           UFC 12.207-General Housekeeping, Storage in attic space prohibited         0         0	UFC 10.302(a)-Fire Extinguishers,(b) Servicing due	0	0	0
UFC 10.313(e)       0       0       0         UFC 10.313(e)-Hood and Duct Systems, (d) Fuseable links, cables, conduits       0       0       0         UFC 10.401       0       0       0       0         UFC 10.401-Walls and Ceilings, (a) Holes sealed       0       0       0       0         UFC 10.402(a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware       0       0       0       0         UFC 11.201(b)-General Housekeeping, (a) Rubbish/trash buildup       0       0       0       0         UFC 11.203(b)-General Housekeeping, (d) Storage not within 24" of ceiling       0       0       0         UFC 11.203(c)-General Housekeeping, (g) Storage in boiler, mech., elect. panel rooms prohibited       0       0       0         UFC 11.205(a)-General Housekeeping, (h) Candles used in approved manner       0       0       0         UFC 12.103(a)-Exits, (d) Exit obstruction       0       0       0         UFC 12.203(a)-General Housekeeping, (e) Storage under stairs prohibited       0       0       0         UFC 12.203(a)-Occupant Limit/Sign, (a) Occupant load sign(s) posted       0       0       0         UFC 13.103-Occupant Limit/Sign, (b) Required NO SMOKING signs       0       0       0         UFC 74.107(a)       0       0       0		0	0	0
UFC 10.313(e)-Hood and Duct Systems,(d) Fuseable links, cables, conduits  0 0 0 0 UFC 10.401 0 0 0 0 UFC 10.401-Walls and Ceilings,(a) Holes sealed 0 0 0 0 UFC 10.402(a)-Exits,(e) Maintain fire rated doors, windows, dampers, and hardware 0 UFC 11.201(b)-General Housekeeping,(a) Rubbish/trash buildup 0 0 0 0 UFC 11.203(b)-General Housekeeping,(d) Storage not within 24" of ceiling 0 0 0 0 UFC 11.203(c)-General Housekeeping,(g) Storage in boiler, mech., elect. panel rooms prohibited 0 0 0 0 UFC 11.205(a)-General Housekeeping,(h) Candles used in approved manner 0 0 0 0 UFC 12.103(a)-Exits,(d) Exit obstruction 0 0 0 UFC 12.203(a)-Occupant Limit/Sign,(e) Storage under stairs prohibited 0 0 0 0 UFC 12.207-General Housekeeping, Storage in attic space prohibited 0 0 0 0 UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	UFC 10.313(c)-Hood and Duct Systems,(c) Automatic gas/electric shut off	0	0	0
UFC 10.401  UFC 10.401-Walls and Ceilings, (a) Holes sealed  0 0 0  UFC 10.402(a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware  UFC 11.201(b)-General Housekeeping, (a) Rubbish/trash buildup  0 0 0  UFC 11.203(b)-General Housekeeping, (d) Storage not within 24" of ceiling  0 0 0  UFC 11.203(c)-General Housekeeping, (g) Storage in boiler, mech., elect. panel rooms prohibited  UFC 11.205(a)-General Housekeeping, (h) Candles used in approved manner  0 0 0  UFC 12.103(a)-Exits, (d) Exit obstruction  0 0 0  UFC 12.203(a)-Occupant Limit/Sign, (a) Occupant load sign(s) posted  0 0 0  UFC 12.207-General Housekeeping, Storage in attic space prohibited  0 0 0  UFC 13.103-Occupant Limit/Sign, (b) Required NO SMOKING signs  0 0 0	UFC 10.313(e)	0	0	0
UFC 10.401-Walls and Ceilings,(a) Holes sealed  UFC 10.402(a)-Exits,(e) Maintain fire rated doors, windows, dampers, and hardware  UFC 11.201(b)-General Housekeeping,(a) Rubbish/trash buildup  UFC 11.203(b)-General Housekeeping,(d) Storage not within 24" of ceiling  UFC 11.203(c)-General Housekeeping,(g) Storage in boiler, mech., elect. panel rooms prohibited  UFC 11.205(a)-General Housekeeping,(f) Candles used in approved manner  UFC 12.103(a)-Exits,(d) Exit obstruction  UFC 12.103(a)-Exits,(d) Exit obstruction  UFC 12.203(a)-Occupant Limit/Sign,(a) Occupant load sign(s) posted  UFC 12.207-General Housekeeping,Storage in attic space prohibited  UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs  UFC 74.107(a)	UFC 10.313(e)-Hood and Duct Systems,(d) Fuseable links, cables, conduits	0	0	0
UFC 10.402(a)-Exits, (e) Maintain fire rated doors, windows, dampers, and hardware  UFC 11.201(b)-General Housekeeping, (a) Rubbish/trash buildup  UFC 11.203(b)-General Housekeeping, (d) Storage not within 24" of ceiling  UFC 11.203(c)-General Housekeeping, (g) Storage in boiler, mech., elect. panel rooms prohibited  UFC 11.205(a)-General Housekeeping, (g) Storage in boiler, mech., elect. panel rooms prohibited  UFC 12.103(a)-Exits, (d) Exit obstruction  UFC 12.103(a)-Exits, (d) Exit obstruction  UFC 12.106(c)-General Housekeeping, (e) Storage under stairs prohibited  UFC 12.203(a)-Occupant Limit/Sign, (a) Occupant load sign(s) posted  UFC 12.207-General Housekeeping, Storage in attic space prohibited  UFC 13.103-Occupant Limit/Sign, (b) Required NO SMOKING signs  O  O  UFC 74.107(a)	UFC 10.401	0	0	0
hardware  UFC 11.201(b)-General Housekeeping,(a) Rubbish/trash buildup  UFC 11.203(b)-General Housekeeping,(d) Storage not within 24" of ceiling  UFC 11.203(c)-General Housekeeping,(g) Storage in boiler, mech., elect. panel rooms prohibited  UFC 11.205(a)-General Housekeeping,(h) Candles used in approved manner  UFC 12.103(a)-Exits,(d) Exit obstruction  UFC 12.106(c)-General Housekeeping,(e) Storage under stairs prohibited  UFC 12.203(a)-Occupant Limit/Sign,(a) Occupant load sign(s) posted  UFC 12.207-General Housekeeping,Storage in attic space prohibited  UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs  UFC 74.107(a)	UFC 10.401-Walls and Ceilings,(a) Holes sealed	0	0	0
UFC 11.203(b)-General Housekeeping, (d) Storage not within 24" of ceiling 0 0 0 0 UFC 11.203(c)-General Housekeeping, (g) Storage in boiler, mech., elect. panel rooms prohibited 0 0 0 0 UFC 11.205(a)-General Housekeeping, (h) Candles used in approved manner 0 0 0 0 UFC 12.103(a)-Exits, (d) Exit obstruction 0 0 0 0 UFC 12.106(c)-General Housekeeping, (e) Storage under stairs prohibited 0 0 0 UFC 12.203(a)-Occupant Limit/Sign, (a) Occupant load sign(s) posted 0 0 0 UFC 12.207-General Housekeeping, Storage in attic space prohibited 0 0 0 UFC 13.103-Occupant Limit/Sign, (b) Required NO SMOKING signs 0 0 0 UFC 74.107(a) 0 0 0		0	0	0
UFC 11.203(c)-General Housekeeping,(g) Storage in boiler, mech., elect. panel rooms prohibited  UFC 11.205(a)-General Housekeeping,(h) Candles used in approved manner  UFC 12.103(a)-Exits,(d) Exit obstruction  UFC 12.106(c)-General Housekeeping,(e) Storage under stairs prohibited  UFC 12.203(a)-Occupant Limit/Sign,(a) Occupant load sign(s) posted  UFC 12.207-General Housekeeping,Storage in attic space prohibited  UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs  UFC 74.107(a)  O  O  O  O  O  O  O  O  O  O  O  O  O	UFC 11.201(b)-General Housekeeping,(a) Rubbish/trash buildup	0	0	0
rooms prohibited  UFC 11.205(a)-General Housekeeping, (h) Candles used in approved manner  0 0 0 0 UFC 12.103(a)-Exits, (d) Exit obstruction  0 0 0 0 UFC 12.106(c)-General Housekeeping, (e) Storage under stairs prohibited  0 0 0 0 UFC 12.203(a)-Occupant Limit/Sign, (a) Occupant load sign(s) posted  0 0 0 UFC 12.207-General Housekeeping, Storage in attic space prohibited  0 0 0 0 UFC 13.103-Occupant Limit/Sign, (b) Required NO SMOKING signs  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	UFC 11.203(b)-General Housekeeping,(d) Storage not within 24" of ceiling	0	0	0
UFC 12.103(a)-Exits,(d) Exit obstruction 0 0 0 0 UFC 12.106(c)-General Housekeeping,(e) Storage under stairs prohibited 0 0 0 0 UFC 12.203(a)-Occupant Limit/Sign,(a) Occupant load sign(s) posted 0 0 0 UFC 12.207-General Housekeeping,Storage in attic space prohibited 0 0 0 0 UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs 0 0 0 UFC 74.107(a) 0 0 0	· · · · · · · · · · · · · · · · · · ·	0	0	0
UFC 12.106(c)-General Housekeeping,(e) Storage under stairs prohibited 0 0 0 0 UFC 12.203(a)-Occupant Limit/Sign,(a) Occupant load sign(s) posted 0 0 0 UFC 12.207-General Housekeeping,Storage in attic space prohibited 0 0 0 UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs 0 0 0 0 UFC 74.107(a) 0 0 0	UFC 11.205(a)-General Housekeeping,(h) Candles used in approved manner	0	0	0
UFC 12.203(a)-Occupant Limit/Sign,(a) Occupant load sign(s) posted 0 0 0  UFC 12.207-General Housekeeping,Storage in attic space prohibited 0 0 0  UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs 0 0 0  UFC 74.107(a) 0 0 0	UFC 12.103(a)-Exits,(d) Exit obstruction	0	0	0
UFC 12.207-General Housekeeping, Storage in attic space prohibited 0 0 0 UFC 13.103-Occupant Limit/Sign, (b) Required NO SMOKING signs 0 0 0 UFC 74.107(a) 0 0 0	UFC 12.106(c)-General Housekeeping, (e) Storage under stairs prohibited	0	0	0
UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs       0       0       0         UFC 74.107(a)       0       0       0	UFC 12.203(a)-Occupant Limit/Sign,(a) Occupant load sign(s) posted	0	0	0
UFC 74.107(a) 0 0 0	UFC 12.207-General Housekeeping, Storage in attic space prohibited	0	0	0
	UFC 13.103-Occupant Limit/Sign,(b) Required NO SMOKING signs	0	0	0
UFC 79-201(e)-Flammable Liquids -(a) Approved safety cans under 10 gal. 0 0	UFC 74.107(a)	0	0	0
	UFC 79-201(e)-Flammable Liquids -(a) Approved safety cans under 10 gal.	0	0	0

UFC 79.107-Flammable Liquids,(c) Legible labeling	0	0	0
UFC 79.201(e)-Flammable Liquids,(b) Approved cabinet exceeding 10 gal.	0	0	0
UFC 85.104 (c)-Electrical,(c) Abatement of electrical hazards	2	1	1
UFC 85.104 (f)-Electrical,(f) Cover open space in circuit breaker panel	0	0	0
UFC 85.106-Electrical,(d) Exten. cords not allowed as permanent wiring	2	2	0
UFC 85.107-Electrical,(a) Zip cords/cube adapters not allowed	0	0	0
UFC 85.108-Electrical,(b) Min. 30" clear access to circuit breaker	0	0	0
UFC Stand. No. 10-1-6.9-Fire Extinguishers,(c) Mounted 3-5 feet from floor	0	0	0
UFC Standard No. 10-1-6.5-Fire Extinguishers, (d) Obstruction	0	0	0
UMC 504(a)-General Housekeeping,(c) 36" clearance around water heater	0	0	0
Weed Abatement	10	2	8
Totals	338	161	177

# **Commercial Center clean ups**

Walmart	compliance
Smart & Final	On-going
Victory Liquor	On-going On-going
Verde Valle Plaza	On-going On-going
El Valle Auto	On-going On-going
Family Dollar	On-going
Center for Employment Training	On-going On-going
CVS Pharmacy	On-going
Auto Zone	Compliance
Plaza del Sol	On-going
AM/PM	On-going
Food 4 Less	On-going
KFC	On-going
Family Furniture	On-going

#### **Code Enforcement:**

### **Graffiti Department Quarterly Report**

### January 1, 2023 to March 31, 2023

Gallons used	335 gallons
Gallons purchased	285 gallons
Cover ups	1,600
Pressure Washing	13,000 sq. ft.
Community perimeter walls	3 communities







# County of Riverside Department of Animal Services Coachella City Monthly Report for 3rd Quarter Field Services

Field Services Impound Statistics	Mar-23	YTD 1/1/2023 - 3/31/2023)
Total Canines Impounded	32	102
Owner Turn-Ins	1	9
Stray	29	86
Dead on Arrival	2	7
Total Felines Impounded	32	111
Owner Turn-Ins		15
Stray	20	
Dead on Arrival	12	34
Total Other Animals Impounded	0	8
Owner Turn-Ins	0	0
_	0	0
Stray	0	8
Dead on Arrival	0	0

Field Services Activities	Mar-23	YTD 1/1/2023 - 3/31/2023)
Number of Requests for Service	80	252
Number of Animal Bite Calls	7	24
Number of sick/injured animal calls	8	27
Vicious Animal (imminent danger)	4	24
Cruelty/Neglect Calls	6	13
Total Citations	6	15
Total Licenses	65	185
Number of Nuisance animal Complaints	1	2

compiled on: 4/11/2023 as of 4/11/2023 11:29 AM