

Posted 4-1-26.

March 1 3:38 p.m.

The Columbus Fire Department responded to assist the Sun Prairie Fire Department for a barn on fire with Water Tender 95. We dumped one time at the scene.

March 4 3:52 p.m.

The Columbus Fire Department responded to 1500 West James Street for a vehicle that struck the outside wall of Walgreens.

March 5 8:25 p.m.

The Columbus Fire Department responded to Folsom Street to assist EMS.

March 8 11:36 a.m.

The Columbus Fire Department responded to 779 Maple Avenue for a fire alarm activation.

March 15 3:38 p.m.

The Columbus Fire Department responded to assist the Sun Prairie Fire Department for a house on fire with Ladder Truck 93.

March 16 5:38 p.m.

The Columbus Fire Department responded to 1515 Park Avenue for a two-vehicle accident with no injuries.

March 20 12:30 p.m.

The Columbus Fire Department responded to Hwy 151 by MM123 for a two-vehicle accident with injuries.

March 23 8:03 p.m.

The Columbus Fire Department was dispatched and cancelled while enroute.

March 25 7:07 a.m.

The Columbus Fire Department responded to Parkview Circle to assist EMS.

March 25 12:38 p.m.

The Columbus Fire Department responded to Parkview Circle to assist EMS.

March 25 12:45 p.m.

The Columbus Fire Department responded to N3562 River Road for a controlled burn that got out of control and started a field on fire.

March 27 1:25 p.m.

The Columbus Fire Department responded to Hwy 151 by MM114 for a one vehicle accident with no injuries.

March 27 10:47 p.m.

The Columbus Fire Department responded to Williams Street for a Carbon Monoxide alarm. During the investigation we found a gas leak in the basement.

March 29 6:55 a.m.

The Columbus Fire Department responded to North Ludington Street for the smell of gas. No levels were found in the home, but their furnace was not working. They were advised to call someone to get it looked at.

March 29 11:29 a.m.

The Columbus Fire Department responded to W1101 Highway 60 for a controlled burn that got out of control and started a marsh on fire. The DNR was called in with their Low Ground unit and brush truck, along with the Fall River Fire Department UTV to help us put out this fire.

March 30 2:50 p.m.

The Columbus Fire Department responded to Parkview Drive to assist EMS.

March 30 3:10 p.m.

The Columbus Fire Department responded to Nina Drive to assist EMS.

March 30 4:06 p.m.

The Columbus Fire Department responded to Hwy 89 to assist EMS.

March 31 10:48 p.m.

The Columbus Fire Department responded to West Mill Street for a Carbon Monoxide alarm. During the investigation we found 35-60PPM in the basement.

Total calls for 2026- 67