

COLUMBUS WATER & LIGHT CUSTOMER OUTAGE REPORT

SUBSTATION 3 CIRCUIT # 302 DATE 10/12/25
 LOCATION OF FUSE OR RECLOSER 30/30/79
 CUSTOMER NAME OR LOCATION commercial
 REMARKS Animal Interference

PART THAT FAILED

0 None
 1 Numerous
 2 Other-note in remarks
 3 Transmission equipment
 4 Substation equipment
O.H. DISTRIBUTION
 10 Anchor or guy
 11 Arrester
 12 Conductor - Primary
 13 " - Secondary
 14 Connector
 21 Insulator
 24 Metering equipment
 25 Pole
 26 Recloser
 27 Riser or Jumper
 28 Splice
 29 Switch - GOAB
 30 " - Disc.
 21 Cutout - Fused
 Transformer - Line
 33 Transformer - Potential
U.G. DISTRIBUTION
 50 Arrester
 51 Conductor - Primary
 52 " - Secondary
 53 Connector - Bolted
 54 " - Comp.
 55 " - Elbow
 56 " - Splice
 59 Terminator
 60 Transformer - Pad Mount
 61 Transformer - Bayonet Fuse
 62 Metering Equipment

WEATHER

1 Normal
 2 Wind
 3 Thunderstorm
 4 Rain
 5 Rain and wind
 6 Fog
 7 Ice
 8 Ice and wind
 9 Low
 10 Extreme cold
 11 Extreme heat
 12 Extreme storm

CAUSE

0 Unknown
 1 Loss of supply
 2 Operating error
 3 Circuit overload
 4 Mis-coordination
 5 Faulty installation
 6 Lightning
 7 Wind
 8 Ice
 9 Cold weather
 10 Hot Weather
 11 Moisture
 12 Contamination
 13 Fire
 14 Extreme storm

FOREIGN OBJECTS

20 Vehicles
 22 Trees - tore down
 23 Trees - shorted
 24 Animals
 25 Birds
 26 Underground dig in
 27 Vandalism
 28 Other

EQUIPMENT

30 Manufacturing defect
 31 Equipment overload
 32 Electrical failure
 33 Worn out

(use 24 hour time)

TIME OFF 730 ON 830Number of Calls 1

Number of Customers	Minutes Duration
------------------------	---------------------

<u>15</u>	<u>60</u>
-----------	-----------

TRANSFORMER FAILURE

CWL# _____ KVA _____

MFG _____ AGE (est) _____

Serial # _____

Arrester ON / OFF Tank (circle one)

ARRESTOR FAILURE

MFR _____ Porc Polymer
 Riser Line Transformer
 (circle all that apply)

DEVICE THAT OPENED

Distribution
Main Feeder

Breaker _____ Counter _____

Targets _____

Branch Line

O.C.R. _____ Size _____
 Fuse b Size 80 Amperes

Transformer

Fuse _____ Transf. Size _____

ROUTING (initial)Responded By 713Line Assisted By —Assisted By —Manager PH

Outage File