

RESOLUTION NO. 23-

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COLUSA TO CERTIFY AND ADOPT AN ADDENDUM TO THE MITIGATED NEGATIVE DECLARATION (ISMND) FOR THE CITY OF COLUSA WASTEWATER TREATMENT PLANT UPGRADE/ WATER RECYCLE PROJECT. THE ADDENDUM PRESENTS A SUMMARY OF CHANGES TO THE PROJECT AND ADDITIONAL ENVIRONMENTAL REVIEW REQUIRED UNDER CEQA

WHEREAS, the Colusa City Council certified and adopted a CEQA Initial Study Mitigated Negative Declaration (ISMND) and Mitigation Monitoring and Reporting Plan in March 2015 for various upgrades to the City's sewer system, wastewater treatment plant, and recycled water system. The City's Notice of Determination was filed and posted on March 24, 2015

WHEREAS, the City Council will be considering the adoption of certain amendments to the Colusa Wastewater Upgrade / Water Recycle Project (the "Project"), and

WHEREAS an Addendum to the certified ISMND has been prepared to analyze the potential environmental consequences of the Project, and

WHEREAS the Addendum was noticed in the newspaper in on January 5 and was circulated via the State Clearinghouse between January 4th and January 18th, 2023, and

WHEREAS the City of Colusa gave full and legal notice of a public hearing to consider and act upon the Addendum, and

WHEREAS on February 7, the Colusa City Council held a public hearing to consider the Addendum and Project, and recommended to adopt the Addendum, and

NOW THEREFORE, THE CITY COUNCIL OF THE CITY OF COLUSA DOES HEREBY RESOLVE:

1. There is no substantial evidence in the record as a whole that the Project may have a significant effect on the environment. The Project will not result in any new or additional significant adverse impacts. An addendum is the proper and appropriate environmental document for the Project in accordance with the provisions of the California Environmental Quality Act ("CEQA"--Public Resources Code section 21000 et seq.).
2. The Project will not result in substantial changes that would lead to the identification of new or previously unidentified significant environmental effects that would require revisions of the March 2015 City of Colusa WWTP ISMND and Mitigation Monitoring and Reporting Plan.
3. The Council hereby adopts the Addendum to the March 2015 City of Colusa WWTP ISMND and Mitigation Monitoring and Reporting Plan as complete, adequate and in full compliance with CEQA as a basis for considering and acting upon the Project. The

Addendum has been prepared as required by law and the document as adopted reflects the independent judgment and analysis of the City of Colusa, which has exercised overall control and direction of its preparation.

4. BE IT FURTHER RESOLVED: That the Planning Department is directed to file a Notice of Determination with the City Clerk within five (5) working days of approval of the Project in accordance with Public Resources Code section 21152(a) and CEQA Guidelines section 15094.
5. The City Clerk shall certify the passage and adoption of this Resolution and enter it into the book of original resolutions.

PASSED AND ADOPTED THIS 7TH DAY OF FEBRUARY 2023 BY THE FOLLOWING VOTE:

AYES:

NOES:

ABSENT:

ABSTAIN:

GREG PONCIANO, MAYOR

Attest:

Shelly Kittle, City Clerk