



AJV 1515

Quote Date: 2/26/2025

Buyer: City of Cooper City Utilities
11791 SW 49th Street
Cooper City, FL 33330
Sourcewell Acct# 26859

Quote: 24850

PWO: TBD

Sales Order: TBD

Estimated Ship Date: TBD

Ship To: City of Cooper City Utilities
11791 SW 49th Street
Cooper City, FL 33330
USA

Distributor: Great Southern Equipment, LLC

Customer PO: TBD

Chassis Description: Vacall Supplied, New, Freightliner, 450 HP, Auto, BOC TB, Non-CARB, 211" CA H2

Chassis Arrival Date: TBD

Chassis Make: Freightliner

Chassis Model: 114SD/SFA

Chassis Year: 2025

Chassis VIN#: TBD

GVW: 66,000

Supplied By: Vacall Supplied

Chassis Paint Code: L0006EB White Elite BC ; 14405143

Spec Code: H2 25 1 295" WB 211" CA

HP: 450 @ 1625 RPM

Vacall Part#: _____

Transmission: Allison 4000 RDS Automatic 6-Speed

Engine Model: Detroit DD13 12.8L 450 HP

The following is the quote confirmation for a AVJ 1515. Please review the specification carefully and advise me if there are any discrepancies.

Model	Quantity	Description
AJV 1515	1	15 CUBIC YARD/1500 GALLON
Chassis		
_____	1	Electric Back Up Alarm
_____	1	Fenders
_____	1	Mud Flaps Behind Rear Tires
_____	1	Rear Dot Under Ride Protection (Bumper)
_____	1	Tow Hooks - Front
_____	1	Factory Mounting Tandem Axle
_____	1	Tow Hooks - Rear
Paint		
_____	1	Powder Coat Subframe, Power Frame, Hose Reel Mount And Base, And Exhaust Silencer Black
_____	1	Air/Water Separator Exterior Only Powder Coated Black
_____	1	Debris Tank Galvanized With The Supreme Finish
14405143	1	Powder Coat Unit Gradall STD White Dupont N0006 Pt# 14405143 (Excludes Cab / Chassis)
Power Module		
_____	1	Direct Drive For Vacuum Pump
_____	1	Hydraulic Temp / Level Sight Eye
_____	1	Shut-Off Valve(S) On Suction Side
_____	1	Transfer Case
_____	1	Variable Volume 2.7 Cir Hydraulic Piston Pump Direct Mounted To Omsi Tc For Hydraulic Functions
_____	1	Hydrostatic Drive For Water Pump Flows To 100gpm@2000psi (133 HP Max)
_____	1	Platform And Steps On Power Frame
_____	1	Transfer Case Remote Sight Glass And Fill
Debris Tank		
_____	1	Single Hoist Cylinder
_____	1	Stainless Steel Float Ball Shut-Off

	1	Tailgate Power Up / Down, Hydraulic Locks
	1	Single Debris Body Safety Prop
	1	Single Rear Door Safety Prop
	1	Stainless Steel Float Ball Cage
	1	Carbon Steel Splash Shield
	1	Float Level Indicator With Stainless Steel Ball (Not Used With Recycler Option)
	1	Internal Tank Flusher-Full Flow (Not Required with Recycler Option)
Debris Tank Decant		
	1	6" Decant Port On Rear Door With 6" X 20'-0" Layflat Hose & Storage Basket
	1	3" Decant Line (Clear Hose) To Front With Valve At Bumper
	1	4" Valve On Sludge Pump Inlet - Brass Slide Gate
	1	6" Drain Valve - Brass Slide Gate
	1	6" Male Camlock On Decant Valve With Camlock Cap & Lanyard Also Includes 6" Layflat Hose With Camlock
	1	Sludge Pump Port Screen (304 SS)(In Lieu Of Carbon Steel Screen)
	1	Sludge Pump Port Screen (304 SS)(In Lieu Of Carbon Steel Screen)
	1	Sludge Pump System On Rear Door 4" Hydraulic (710 Gpm@10' Head)
Water Tank		
	1	4" Air Gap Water Tank Fill
	1	Water Tank Electronic Level Indicator In Front Control Panel Display
	1	2-1/2" Y-Strainer On Fill Line
	1	Anti-Splash Valve
	1	Sight Level Tube On Passenger Side Water Tank
High Pressure Water System		
	1	Drain Valve In Water Pump Supply Line
	1	Pressure Relief Valve
	1	Strainer On Water Pump Inlet
	1	Valve On Water Pump Inlet
	1	Water Distribution Manifold (Centrally Located)
	1	No Cold Weather Recirculation
	1	Passengers Side Self-Winding Handgun Hannay Hose Reel W/ 50 Foot 1/2" Hose And Handgun (800 PSI @ 20 GPM)
	1	80 G.P.M./2500 PSI - 133 HP
Vacuum System		
	1	Cyclone Separator With Drop Box Clean Out
	1	Stainless Steel Strainer Basket In Cyclone Separator (Not Used With Inlet Filter Option)
	1	8x24 Vac Pump 4000CFM@ 18"HG (245"H2O) 200HP @ 2470 RPM With(2) Vac Relief Valves
	1	Air Operated 4" Vacuum Relief Valve Controlled At Control Panel & Handheld Pendant (If Equipped)
Boom		
	1	Front Mounted Hydraulic Boom (180 Degree Rotation)
	1	Hydraulic Extending Boom
	1	Extra Heavy Duty Steel Elbow
Hose Reel - Main		
	1	Direct Drive Hose Reel
	1	Hydraulic Hose Reel Tilt (Electric Over Hydraulic)
	1	Reel Pivot-180 Degree With Air Brake
	1	Front Reel With 800' Capacity (1" Hose)
	1	Single Roller Level Wind
	1	Digital Sewer Hose Footage Counter Displayed At Operators Station
Operator Controls		
	1	Blower Hourmeter (At Front Control Panel Lcd Display)
	1	Boom Control Joystick Recessed For Protection

	1	Color LCD Display With 32 Output Microprocessor Control (Expandable) W/J1939 Can Communication
	1	Emergency Stop
	1	Hydraulic Pressure Gauge
	1	Ip66 Sealed Exterior Electrical Controls And Wiring Harness W/Protective Cover That Exceeds Nema 4 Ratings
	1	Tachometer / Hourmeter On Color LCD Display Module
	1	Throttle Control At Hose Reel Control Panel
	1	Transfer Case Shift Controls In Cab
	1	Two Channel Camera System With 7" Swivel Color LCD Monitor
	1	Vacuum Gauge On Color LCD Display Module
	1	Water Pressure Gauge On Color LCD Display Module
	1	Water Pump Hourmeter (At Front Control Panel Lcd Display)
	1	Water Pump On/Off Switch
	1	Curbside Mounting Of Water Manifold And Hydraulic Control Valve.
2130170049	2	Aarcomm Non-Proportional Wireless Remote Control To Control All Boom Functions, Water Pump Speed Control, Vacuum Relief Open/Close, E-Stop (Returns Eng To Idle). Includes Lanyard For Transmitter (Not Available For The High Dump Option Or Fully Automated Controls).
	1	Additional Emergency Stop - (Specify Location & Qty)
	1	Blower Temp Gauge & Connection To Air Operated Relief Valve
	1	Boom, Body And Tailgate Aux. Hydraulics (Powered By Hose Reel Power Pack)
	1	Debris Tank High Level Light Hooked To Vacuum Relief (Reqs. Float Level Indicator)
	1	Dual Control Panel Mounts & Wiring. This Allows Operator To Move Panel From Drivers Side To Passengers Side
	1	Low Water Light And Horn Combination
	1	Over Ride Switch For Low Water And Or High Debris Horn
	1	Reel Shift For Transfer Case
Lighting		
	1	LED D.O.T. Lighting (Includes Stop,Tail,Turn And Back-Up)
	1	Boom Work Lights-Two
	1	Power Module Work Lights- (2)
	1	Rear Mounted Traffic Advisor-Bar Type LED Whelen Tac85
	1	Rear Work Light - Two
	1	Strobe Light - Body - Two Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard
2190190025	1	Strobe Light - Front-Two- Mirror Mounted Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard
	2	Whelen Single Marker Light Style Flat Strobe. (Specify Quantity & Location).
Toolboxes		
	1	Tube Rack Mounted On Silencer
	1	One Lockable Tool Box, Steel (18 X 18 X 36)
	1	Additional Lockable Tool Box, Steel (18 X 18 X 36)
	2	Front Bumper Toolbox Aluminum
	1	Rear Door Tube Rack / Holds (2) Tubes
	1	Toolbox Back Of Cab X-Body Aluminum 1 Door Each End 96" X 36" X 16" (Verify Chassis Selection)
	1	Traffic Cone Holder
Packaged Items		
80363250	1	Fire Extinguisher (5#) (Not For Skid Mounted Units Shipping To Mexico)
VA34240095	1	Emergency Road Kit

2130360004 & 2130360003	1	Tigertail Hose Guide (One)
43NZA30190-S16S	1	Nozzle, Blue Star, 1" Standard, 80 GPM @ 2000PSI PN 2130360004 & Nozzle, Blue Star, 1" Arrow, 80 GPM @ 2000PSI PN 2130360003
	1	Small Nozzle Skid 1" X 3-7/8" X 15" Long 24' X 8" Bandlock Type Aluminum Vacuum Tubes, (2) 4.0' VA40020002, (2) 5.0' VA40020003, (1) 3.0' VA40020001, (7) 8"
	1	Clamps VA40010071, (7) 8" Gaskets VA38010018, (1) VA40020033 8" X 3'-0" Nozzle Aluminum Alligator (Catch Basin Nozzle)
VA39100140	1	10' X 1" Leader Hose
VA40010071	10	8" Travis Irrigation Clamp
VA40020030	1	8" X 3' Band Lock Type Aluminum Fluidizing Tube
VA40020005	1	8" X 6' Band Lock Type Aluminum Tube
VA40050002	1	8" X 6" Band Lock Type Reducer
VA40020014	2	8" X 7' Band Lock Type Aluminum Tube
VA32050001	1	Fill Hose 25' X 2 1/2"
VA32050004	2	Hydrant Wrench
	600	Sewer Cleaning Hose 1" - 2500 PSI
Accessories		
2130360012	1	Nozzle, Blue Star, 1" Bigfoot (8 Jet), 80 GPM @ 2000PSI
2130360005	1	Nozzle, Blue Star, 1" General, 80 GPM @ 2000PSI
2130360006	1	Nozzle, Blue Star, 1" Power Pull, 80 GPM @ 2000PSI
Manuals		
	1	(1) Paper Copy Provided For Operator & Safety Manual

Machine & Attachment List Price:	\$441,927.00
Less Sourcewell Contract Discounts (4.00%):	(\$17,677.08)
Total Machine & Attachment Net Price:	\$424,249.92
Additional 4 Years Extended Warranty:	\$14,000.00
Vacall Supplied, New, Freightliner, 450 HP, Auto, BOC TB, Non-CARB, 211" CA H2 :	\$164,359.00
7 Yr/100,000 Mile EW4 Extended Engine Coverage:	\$5,485.00
7 Yr/Unlimited Mile Extended Transmission Coverage:	\$1,924.00
Net Option:	\$610,017.92
Freight charge drive away delivery from factory to dealer location:	\$3,500.00
Dealer performed pre delivery inspection:	\$1,800.00
Onsite operations and maintenance training:	\$6,400.00
Total Net Price:	\$621,717.92

TERMS: Payment due upon receipt of invoice.

Standard Warranty: Includes the following:

- Module: 1 Year.
- Debris Body: Galvanized Steel - Lifetime.
- Water Tank: Aluminum - Lifetime.
- Corrosion 5 Years.

Extended Warranty: Included in price above.

Note: The above quote is valid until 3/25/2025

NAME: _____

DATE SIGNED: _____



AJV 1515

Quote Date: 2/26/2025

Buyer: City of Cooper City Utilities
11791 SW 49th Street
Cooper City, FL 33330
Sourcewell Acct# 26859

Quote: 24850

PWO: TBD

Sales Order: TBD

Estimated Ship Date: TBD

Ship To: City of Cooper City Utilities
11791 SW 49th Street
Cooper City, FL 33330
USA

Distributor: Great Southern Equipment, LLC

Customer PO: TBD

Chassis Description: Vacall Supplied, New, Freightliner, 450 HP, Auto,
BOC TB, Non-CARB, 211" CA H2

Chassis Arrival Date: TBD

Chassis Make: Freightliner

Chassis Model: 114SD/SFA

Chassis Year: 2025

Chassis VIN#: TBD

GVW: 66,000

Supplied By: Vacall Supplied

Chassis Paint Code: L0006EB White Elite BC ; 14405143

Spec Code: H2 25 1 295" WB 211" CA

HP: 450 @ 1625 RPM

Vacall Part#: _____

Transmission: Allison 4000 RDS Automatic 6-Speed

Engine Model: Detroit DD13 12.8L 450 HP

The following is the quote confirmation for a AJV 1515. Please review the specification carefully and advise me if there are any discrepancies.

Model	Quantity	Description
AJV 1515	1	15 CUBIC YARD/1500 GALLON
Chassis		
_____	1	Electric Back Up Alarm
_____	1	Fenders
_____	1	Mud Flaps Behind Rear Tires
_____	1	Rear Dot Under Ride Protection (Bumper)
_____	1	Tow Hooks - Front
_____	1	Factory Mounting Tandem Axle
_____	1	Tow Hooks - Rear
Paint		
_____	1	Powder Coat Subframe, Power Frame, Hose Reel Mount And Base, And Exhaust Silencer Black
_____	1	Air/Water Separator Exterior Only Powder Coated Black
_____	1	Debris Tank Galvanized With The Supreme Finish
14405143	1	Powder Coat Unit Gradall STD White Dupont N0006 Pt# 14405143 (Excludes Cab / Chassis)
Power Module		
_____	1	Direct Drive For Vacuum Pump
_____	1	Hydraulic Temp / Level Sight Eye
_____	1	Shut-Off Valve(S) On Suction Side
_____	1	Transfer Case
_____	1	Variable Volume 2.7 Cir Hydraulic Piston Pump Direct Mounted To Omsi Tc For Hydraulic Functions
_____	1	Hydrostatic Drive For Water Pump Flows To 100gpm@2000psi (133 HP Max)
_____	1	Platform And Steps On Power Frame
_____	1	Transfer Case Remote Sight Glass And Fill
Debris Tank		
_____	1	Single Hoist Cylinder
_____	1	Stainless Steel Float Ball Shut-Off

_____	1	Tailgate Power Up / Down, Hydraulic Locks
_____	1	Single Debris Body Safety Prop
_____	1	Single Rear Door Safety Prop
_____	1	Stainless Steel Float Ball Cage
_____	1	Carbon Steel Splash Shield
_____	1	Float Level Indicator With Stainless Steel Ball (Not Used With Recycler Option)
_____	1	Internal Tank Flusher-Full Flow (Not Required with Recycler Option)
Debris Tank Decant		
_____	1	6" Decant Port On Rear Door With 6" X 20'-0" Layflat Hose & Storage Basket
_____	1	3" Decant Line (Clear Hose) To Front With Valve At Bumper
_____	1	4" Valve On Sludge Pump Inlet - Brass Slide Gate
_____	1	6" Drain Valve - Brass Slide Gate
_____	1	6" Male Camlock On Decant Valve With Camlock Cap & Lanyard Also Includes 6" Layflat Hose With Camlock
_____	1	Sludge Pump Port Screen (304 SS)(In Lieu Of Carbon Steel Screen)
_____	1	Sludge Pump Port Screen (304 SS)(In Lieu Of Carbon Steel Screen)
_____	1	Sludge Pump System On Rear Door 4" Hydraulic (710 Gpm@10' Head)
Water Tank		
_____	1	4" Air Gap Water Tank Fill
_____	1	Water Tank Electronic Level Indicator In Front Control Panel Display
_____	1	2-1/2" Y-Strainer On Fill Line
_____	1	Anti-Splash Valve
_____	1	Sight Level Tube On Passenger Side Water Tank
High Pressure Water System		
_____	1	Drain Valve In Water Pump Supply Line
_____	1	Pressure Relief Valve
_____	1	Strainer On Water Pump Inlet
_____	1	Valve On Water Pump Inlet
_____	1	Water Distribution Manifold (Centrally Located)
_____	1	No Cold Weather Recirculation
_____	1	Passengers Side Self-Winding Handgun Hannay Hose Reel W/ 50 Foot 1/2" Hose And Handgun (800 PSI @ 20 GPM)
_____	1	80 G.P.M./2500 PSI - 133 HP
Vacuum System		
_____	1	Cyclone Separator With Drop Box Clean Out
_____	1	Stainless Steel Strainer Basket In Cyclone Separator (Not Used With Inlet Filter Option)
_____	1	8x24 Vac Pump 4000CFM@ 18"HG (245"H2O) 200HP @ 2470 RPM With(2) Vac Relief Valves
_____	1	Air Operated 4" Vacuum Relief Valve Controlled At Control Panel & Handheld Pendant (If Equipped)
Boom		
_____	1	Front Mounted Hydraulic Boom (180 Degree Rotation)
_____	1	Hydraulic Extending Boom
_____	1	Extra Heavy Duty Steel Elbow
Hose Reel - Main		
_____	1	Direct Drive Hose Reel
_____	1	Hydraulic Hose Reel Tilt (Electric Over Hydraulic)
_____	1	Reel Pivot-180 Degree With Air Brake
_____	1	Front Reel With 800' Capacity (1" Hose)
_____	1	Single Roller Level Wind
_____	1	Digital Sewer Hose Footage Counter Displayed At Operators Station
Operator Controls		
_____	1	Blower Hourmeter (At Front Control Panel Lcd Display)
_____	1	Boom Control Joystick Recessed For Protection

	1	Color LCD Display With 32 Output Microprocessor Control (Expandable) W/J1939 Can Communication
	1	Emergency Stop
	1	Hydraulic Pressure Gauge
	1	Ip66 Sealed Exterior Electrical Controls And Wiring Harness W/Protective Cover That Exceeds Nema 4 Ratings
	1	Tachometer / Hourmeter On Color LCD Display Module
	1	Throttle Control At Hose Reel Control Panel
	1	Transfer Case Shift Controls In Cab
	1	Two Channel Camera System With 7" Swivel Color LCD Monitor
	1	Vacuum Gauge On Color LCD Display Module
	1	Water Pressure Gauge On Color LCD Display Module
	1	Water Pump Hourmeter (At Front Control Panel Lcd Display)
	1	Water Pump On/Off Switch
	1	Curbside Mounting Of Water Manifold And Hydraulic Control Valve.
2130170049	2	Aarcomm Non-Proportional Wireless Remote Control To Control All Boom Functions, Water Pump Speed Control, Vacuum Relief Open/Close, E-Stop (Returns Eng To Idle). Includes Lanyard For Transmitter (Not Available For The High Dump Option Or Fully Automated Controls).
	1	Additional Emergency Stop - (Specify Location & Qty)
	1	Blower Temp Gauge & Connection To Air Operated Relief Valve
	1	Boom, Body And Tailgate Aux. Hydraulics (Powered By Hose Reel Power Pack)
	1	Debris Tank High Level Light Hooked To Vacuum Relief (Reqs. Float Level Indicator)
	1	Dual Control Panel Mounts & Wiring. This Allows Operator To Move Panel From Drivers Side To Passengers Side
	1	Low Water Light And Horn Combination
	1	Over Ride Switch For Low Water And Or High Debris Horn
	1	Reel Shift For Transfer Case
Lighting		
	1	LED D.O.T. Lighting (Includes Stop,Tail,Turn And Back-Up)
	1	Boom Work Lights-Two
	1	Power Module Work Lights- (2)
	1	Rear Mounted Traffic Advisor-Bar Type LED Whelen Tac85
	1	Rear Work Light - Two
	1	Strobe Light - Body - Two Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard
2190190025	1	Strobe Light - Front-Two- Mirror Mounted Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard
	2	Whelen Single Marker Light Style Flat Strobe. (Specify Quantity & Location).
Toolboxes		
	1	Tube Rack Mounted On Silencer
	1	One Lockable Tool Box, Steel (18 X 18 X 36)
	1	Additional Lockable Tool Box, Steel (18 X 18 X 36)
	2	Front Bumper Toolbox Aluminum
	1	Rear Door Tube Rack / Holds (2) Tubes
	1	Toolbox Back Of Cab X-Body Aluminum 1 Door Each End 96" X 36" X 16" (Verify Chassis Selection)
	1	Traffic Cone Holder
Packaged Items		
80363250	1	Fire Extinguisher (5#) (Not For Skid Mounted Units Shipping To Mexico)
VA34240095	1	Emergency Road Kit

2130360004 & 2130360003	1	Tigertail Hose Guide (One)
43NZA30190-S16S	1	Nozzle, Blue Star, 1" Standard, 80 GPM @ 2000PSI PN 2130360004 & Nozzle, Blue Star, 1" Arrow, 80 GPM @ 2000PSI PN 2130360003
	1	Small Nozzle Skid 1" X 3-7/8" X 15" Long 24' X 8" Bandlock Type Aluminum Vacuum Tubes, (2) 4.0' VA40020002, (2) 5.0' VA40020003, (1) 3.0' VA40020001, (7) 8" Clamps VA40010071, (7) 8" Gaskets VA38010018, (1) VA40020033 8" X 3'-0" Nozzle Aluminum Alligator (Catch Basin Nozzle)
VA39100140	1	10' X 1" Leader Hose
VA40010071	10	8" Travis Irrigation Clamp
VA40020030	1	8" X 3' Band Lock Type Aluminum Fluidizing Tube
VA40020005	1	8" X 6' Band Lock Type Aluminum Tube
VA40050002	1	8" X 6" Band Lock Type Reducer
VA40020014	2	8" X 7' Band Lock Type Aluminum Tube
VA32050001	1	Fill Hose 25' X 2 1/2"
VA32050004	2	Hydrant Wrench
Accessories	600	Sewer Cleaning Hose 1" - 2500 PSI
2130360012	1	Nozzle, Blue Star, 1" Bigfoot (8 Jet), 80 GPM @ 2000PSI
2130360005	1	Nozzle, Blue Star, 1" General, 80 GPM @ 2000PSI
2130360006	1	Nozzle, Blue Star, 1" Power Pull, 80 GPM @ 2000PSI
Manuals	1	(1) Paper Copy Provided For Operator & Safety Manual

Machine & Attachment List Price:	\$441,927.00
Less Sourcewell Contract Discounts (4.00%):	(\$17,677.08)
Total Machine & Attachment Net Price:	\$424,249.92
Additional 4 Years Extended Warranty:	\$14,000.00
Vacall Supplied, New, Freightliner, 450 HP, Auto, BOC TB, Non-CARB, 211" CA H2 :	\$164,359.00
7 Yr/100,000 Mile EW4 Extended Engine Coverage:	\$5,485.00
7 Yr/Unlimited Mile Extended Transmission Coverage:	\$1,924.00
Net Option:	\$610,017.92
Freight charge drive away delivery from factory to dealer location:	\$3,500.00
Dealer performed pre delivery inspection:	\$1,800.00
Onsite operations and maintenance training:	\$6,400.00
Total Net Price:	\$621,717.92

TERMS: Payment due upon receipt of invoice.
Standard Warranty: Includes the following:

- Module: 1 Year.
- Debris Body: Galvanized Steel - Lifetime.
- Water Tank: Aluminum - Lifetime.
- Corrosion 5 Years.

Extended Warranty: Included in price above.

Note: The above quote is valid until 3/25/2025

NAME: _____

DATE SIGNED: _____

VACALLTM
GRADALL INDUSTRIES, INC.

March 18, 2025

To whom it may concern.

As the manufacturer of Vacall equipment, Gradall Industries certifies that.

Great Southern Equipment, LLC (GSE)
1023 S 50th St
Tampa, FL 33619

And its branches in Orlando, Pompano Beach, Ft Myers, Jacksonville, and Midway is the sole authorized distributor for the Vacall line of equipment for the following products.

ALL JET

ALL JET VAC

All SWEEP

ALL CATCH

In Florida, excluding the following counties – Santa Rosa, Escambia, Okaloosa, and Walton.

Any questions can be directed to me or Tod Ebetino at 330-339-2211.

Thank You,

JACK FERNANDES

Jack Fernandes
Regional Sales Manager
6873 Briarwood Drive
Pinson, AL 35126
205-790-4433
jfernandes@gradall.com