



**Broward Sheriff's Office
Cooper City District
10550 Stirling Rd.
Cooper City, FL 33026**

EXTERNAL MEMO

Date: 10-17-22

To: Mr. Joe Napoli
City Manager
City of Cooper City

From: District Chief Gary Harrington
Cooper City District Chief
Department of Fire Rescue and Emergency Services

Subject: Fire Chief's Report – Commission Meeting September 27, 2022

The following is the Fire Chief's report for the upcoming commission meeting. This report will follow the same flow of my prior reports, which is aimed at highlighting information pertinent to the city's main public safety concerns: Fire Rescue Incidents, Fire Prevention, Community Outreach, Fire Apparatus/Station concerns, and CERT.

I. Fire/Rescue Incident Report (September 20 – October 16)

- | | |
|---|-----|
| a. Total Fire Related Incidents | 095 |
| b. Total Medical Related Incidents | 180 |
| c. Total Incidents 9/20/2022 – 10/16/2022 | 275 |

Incidents By Day of Week by Hour

From: 09/20/2022 00:00:00 To: 10/16/2022 23:59:59

| Agency | Day of Week | HOUR OF DAY | | | | | | | | | | | | | | | | | | | | | | | | Total |
|--------------|-------------|-------------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|------------|-------|
| | | 00 to 01 | 01 to 02 | 02 to 03 | 03 to 04 | 04 to 05 | 05 to 06 | 06 to 07 | 07 to 08 | 08 to 09 | 09 to 10 | 10 to 11 | 11 to 12 | 12 to 13 | 13 to 14 | 14 to 15 | 15 to 16 | 16 to 17 | 17 to 18 | 18 to 19 | 19 to 20 | 20 to 21 | 21 to 22 | 22 to 23 | 23 to 00 | |
| CC | Sunday | 0 | 3 | 1 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 1 | 2 | 5 | 4 | 4 | 2 | 1 | 1 | 3 | 1 | 1 | 4 | 2 | 1 | 41 |
| | Monday | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 4 | 0 | 4 | 5 | 3 | 1 | 2 | 2 | 0 | 1 | 2 | 3 | 2 | 1 | 1 | 0 | 0 | 34 |
| | Tuesday | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 3 | 7 | 0 | 2 | 3 | 2 | 1 | 0 | 3 | 1 | 7 | 14 | 5 | 5 | 0 | 3 | 59 |
| | Wednesday | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 4 | 0 | 2 | 1 | 1 | 2 | 3 | 2 | 3 | 1 | 2 | 2 | 2 | 0 | 1 | 5 | 2 | 37 |
| | Thursday | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 2 | 3 | 2 | 3 | 0 | 3 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 0 | 1 | 0 | 30 |
| | Friday | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 4 | 1 | 2 | 3 | 0 | 2 | 1 | 0 | 5 | 2 | 3 | 2 | 4 | 2 | 2 | 40 |
| | Saturday | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 4 | 1 | 3 | 2 | 4 | 1 | 1 | 2 | 1 | 1 | 5 | 0 | 1 | 0 | 1 | 34 |
| Total | 6 | 4 | 3 | 4 | 2 | 1 | 3 | 14 | 14 | 25 | 11 | 16 | 16 | 18 | 14 | 8 | 10 | 13 | 19 | 29 | 10 | 16 | 10 | 9 | 275 | |

Incidents By Call Type by Hour

From: 09/20/2022 00:00:00 To: 10/16/2022 23:59:59

| INCIDENT TYPE | HOUR OF DAY | | | | | | | | | | | | | | | | | | | | | | | | Total |
|---------------------------|-------------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|------------|
| | 00 to 01 | 01 to 02 | 02 to 03 | 03 to 04 | 04 to 05 | 05 to 06 | 06 to 07 | 07 to 08 | 08 to 09 | 09 to 10 | 10 to 11 | 11 to 12 | 12 to 13 | 13 to 14 | 14 to 15 | 15 to 16 | 16 to 17 | 17 to 18 | 18 to 19 | 19 to 20 | 20 to 21 | 21 to 22 | 22 to 23 | 23 to 00 | |
| ABDOMINAL PAIN | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| ACCIDENT ROLLOVER OR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 5 |
| ACCIDENT WITH INJURIES | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 11 |
| ALLERGIC REACTION | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| ANY FIRE NOT OTHERWISE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| ASSAULT | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| BACK PAIN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| CARDIAC/RESPIRATORY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 |
| CHEST PAINS NON-TRAUMATIC | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 2 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 10 |
| CHOKING | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| DIABETIC | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 3 |
| DOMESTIC DISTURBANCE | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 |
| ELECTRICAL UTILITY FIRE | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 2 | 1 | 0 | 0 | 14 |
| ELEVATOR RESCUE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| FALL INJURY | 0 | 3 | 0 | 0 | 1 | 1 | 0 | 1 | 2 | 7 | 0 | 0 | 3 | 2 | 2 | 0 | 1 | 0 | 4 | 0 | 2 | 1 | 1 | 0 | 31 |
| FALL NO INJURY | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 9 |
| FIRE ALARM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| FIRE ALARM - COMMERCIAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 2 | 0 | 15 |
| FIRE ALARM - HIGH LIFE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| FIRE ALARM - RESIDENTIAL | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 2 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 1 | 15 |
| FIRE OR MEDICAL SERVICE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 1 | 3 | 8 | 1 | 2 | 0 | 0 | 0 | 21 |
| HEADACHE | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| HEART PROBLEMS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 |
| HEMORRHAGE OR | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| INJURY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| MEDICAL ALARM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 7 |
| MENTAL ILLNESS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| OUTSIDE FIRE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| OVERDOSE OR POISONING | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 0 | 0 | 6 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| SEIZURE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 11 |
| SICK PERSON | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 0 | 0 | 2 | 3 | 2 | 1 | 2 | 1 | 0 | 2 | 1 | 1 | 1 | 0 | 0 | 1 | 22 |
| STROKE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| SUICIDE ATTEMPT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 3 |
| SUICIDE THREAT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| SUSPICIOUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TEST INCIDENT - DO NOT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TRAFFIC ACCIDENT STANDBY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| TROUBLE BREATHING | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 0 | 1 | 20 |
| UNCONSCIOUS OR FAINTING | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 4 | 3 | 3 | 0 | 0 | 0 | 0 | 20 |
| UNKNOWN MEDICAL | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| VEHICLE FIRE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| WATER RESCUE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 6 | 4 | 3 | 4 | 2 | 1 | 3 | 14 | 14 | 25 | 11 | 16 | 16 | 18 | 14 | 8 | 10 | 13 | 19 | 29 | 10 | 16 | 10 | 9 | 275 |

II. Fire Prevention Report

| | |
|---|-------|
| a. Fire Inspections: (Year to Date) | |
| i. Total Properties | 867 |
| ii. Completed Inspections | 694 |
| iii. End of Year Percentage | 80.0% |
| b. Start of 2022/2023 Year | |
| i. Total Properties | 867 |
| ii. Completed Inspections | 041 |
| iii. Oct. 1 – Oct 14 Percentage | 04.7% |
| c. Monthly Report (September 20 – October 14) | |
| i. Fire Inspections: | 79 |
| ii. Plan Reviews: | 18 |
| iii. Re-inspections: | 25 |
| iv. Special Events: | 00 |

III. Community Outreach Report

- October 3, 2022, BSO Life Safety Educators and E28 personnel presented a Fire Prevention Public Education event for the Littlest Cowboys age 3 with 24 students
- October 4, 2022, DLE and BSO Life Safety Educators along with R28 and R228 provided city staff with Active shooter training and Stop the Bleed training in two sessions
- October 10, 2022, BSO Life Safety Educators and E28 personnel presented a Fire Prevention Public Education event at Nur UL Islam Academy.
- October 11, 2022, BSO Life Safety Educators and E28 personnel presented a Fire Prevention Public Education event at Rock Creek Academy for 100 students.
- October 13, 2022, BSO Life Safety Educators and E28 personnel presented a Fire Prevention Public Education event at Learning in Motion Preschool for 76 students
- October 13, 2022, BSO Life Safety Educators and E28 personnel presented a Fire Prevention Public Education event at Lil Cubs of First Baptist Church for 24 students.
- October 13, 2022, BSO Life Safety Educators and P28 personnel presented a Fire Prevention Public Education event at the Tree of Life Christian Academy for students ages 2-5.
- October 18, 2022, BSO Life Safety Educators and E28 personnel presented a Fire Prevention Public Education event at Cooper City Elementary for 261 students
- October 20, 2022, BSO Life Safety Educators and E28 personnel presented a Fire Prevention Public Education event at Lycee Franco-American International School for 80 students

IV. Fire Apparatus/Station Report

- a. Build meetings will be taking place between now and next month with our apparatus committee and the vendor to assure the vehicles are built according to BSO specifications. These meetings will be specifically for the Quint and the Road Rescue vehicles.
- b. ISO inspection has been completed and we are awaiting the report. The assessor states the report usually takes 3-4 months to complete. This report will give us a blueprint to see what areas can be improved upon to provide the best fire rescue services to the community.
- c. Fire Hydrant flushing continues.

| | |
|--------------------------|------|
| Total Hydrants: | 1230 |
| Flushed Hydrants: | 1134 |
| Out of Service Hydrants: | 1 |
| Pending: | 95 |

V. Community Emergency Response Team (CERT)

- a. Cooper City CERT members are obtaining level 2 clearance so they can be ready to deploy to the west coast to assist in the recovery of Hurricane Ian. Currently, no deployment request has been issued.