


## Fabric-Covered Panel

A1120.



### Product Information

#### Description

This structural panel has fabric surfaces, a painted top cap, cable management side covers, and adjustable glides. It is UL listed and has a Class A fire-retardant rating, except when upholstered with Customer's Own Material (COM).

The powered panel has a factory-installed electrical harness that distributes double-sided, 4-circuit power within a cable management raceway. Electrical components are UL listed and CSA certified. 12"- and 18"-wide panels have no receptacle or communication port locations.

#### Notes

To connect panels of equal or unequal heights, order 1 of the following products separately:

- 2-way 90° connector (A1220.), 3-way 90° connector (A1230.), or 4-way 90° connector (A1240.)
- Draw rod (AO215.) or change-of-height draw rod (AO219.)
- Spacer (A1260.)

For information, see Action Office Series 2 Planning Guide.

To finish exposed end of panel or connector, order 1 of the following products separately:

- Change-of-height finished end, panel/connector (AO259.)
- Finished end (A1271.)

To convert nonpowered panel to powered panel, order base power adapter (A1354. or A1355.) separately.

For powered panel, order 4-circuit receptacle (A1311.) separately.

For power configuration (R), 24"-wide (24) and 30"-wide (30) panels have 1 receptacle location per side; all other power configurations have 2 receptacle locations per side.

For cable capacity information, see Cable Capacity Charts in Omni.


Panel accepts Customer's Own Material (COM). Yardage is estimated for nondirectional, 54"-wide fabrics; yardage for 60"-wide panel is estimated for nondirectional, 66"-wide fabrics.

#### Height—Width—Yardage

32"—12" to 24"—1
32"—30" to 60"—2
39"—12" to 24"—1 <sup>1</sup> / <sub>4</sub>
39"—30" to 60"—2 <sup>1</sup> / <sub>3</sub>
47"—12" to 24"—1 <sup>1</sup> / <sub>2</sub>
47"—30" to 60"—2 <sup>7</sup> / <sub>8</sub>
53"—12" to 24"—1 <sup>5</sup> / <sub>8</sub>
53"—30" to 60"—3 <sup>1</sup> / <sub>4</sub>
62"—12" to 24"—1 <sup>7</sup> / <sub>8</sub>
62"—30" to 60"—3 <sup>3</sup> / <sub>4</sub>
67"—12" to 24"—2
67"—30" to 60"—4
85"—12" to 24"—2 <sup>1</sup> / <sub>2</sub>
85"—30" to 60"—5

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

### Dimensions



12\" And 18\" Widths Available  
Only In N Or G

Specification Information	
Step 1.	
<b>A1120.</b>	
Step 2. Height	
<b>32</b>	32" high
<b>39</b>	39" high
<b>47</b>	47" high
<b>53</b>	53" high
<b>62</b>	62" high
<b>67</b>	67" high
<b>85</b>	85" high
Step 3. Width	
<b>12</b>	12" wide
<b>18</b>	18" wide
<b>24</b>	24" wide
<b>30</b>	30" wide
<b>36</b>	36" wide
<b>42</b>	42" wide
<b>48</b>	48" wide
<b>60</b>	60" wide
Step 4. Power	
<i>For 12" wide (12) or 18" wide (18)</i>	
<b>N</b>	(N) nonpowered with no receptacle locations
<b>G</b>	(G) 4-circuit power with no receptacle locations
<i>For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)</i>	
<b>N</b>	(N) nonpowered with no receptacle locations
<b>R</b>	(R) nonpowered with receptacle locations (meets Chicago electrical code requirements)
<b>J</b>	(J) nonpowered with 2 receptacle and 1 communication port locations per side
<b>G</b>	(G) 4-circuit power with 2 receptacle and 1 communication port locations per side

Prices for Steps 1-4.				
	N	R	J	G
<b>A1120. 32 12</b>	\$600	—	—	865
<b>18</b>	\$635	—	—	902
<b>24</b>	\$645	645	645	907
<b>30</b>	\$701	701	701	971
<b>36</b>	\$791	791	791	1058
<b>42</b>	\$834	834	834	1101
<b>48</b>	\$874	874	874	1147
<b>60</b>	\$1086	1086	1086	1354
<b>39 12</b>	\$620	—	—	891
<b>18</b>	\$662	—	—	929
<b>24</b>	\$669	669	669	933
<b>30</b>	\$731	731	731	998
<b>36</b>	\$828	828	828	1089
<b>42</b>	\$868	868	868	1133
<b>48</b>	\$915	915	915	1179
<b>60</b>	\$1127	1127	1127	1396
<b>47 12</b>	\$661	—	—	928
<b>18</b>	\$698	—	—	959
<b>24</b>	\$705	705	705	973
<b>30</b>	\$790	790	790	1055
<b>36</b>	\$902	902	902	1170
<b>42</b>	\$999	999	999	1265
<b>48</b>	\$1033	1033	1033	1294
<b>60</b>	\$1268	1268	1268	1529
<b>53 12</b>	\$674	—	—	941
<b>18</b>	\$720	—	—	982
<b>24</b>	\$724	724	724	990
<b>30</b>	\$822	822	822	1086
<b>36</b>	\$957	957	957	1226
<b>42</b>	\$1036	1036	1036	1301
<b>48</b>	\$1101	1101	1101	1365
<b>60</b>	\$1355	1355	1355	1619
<b>62 12</b>	\$700	—	—	964
<b>18</b>	\$802	—	—	1069
<b>24</b>	\$828	828	828	1089
<b>30</b>	\$928	928	928	1191
<b>36</b>	\$1075	1075	1075	1338
<b>42</b>	\$1147	1147	1147	1410
<b>48</b>	\$1226	1226	1226	1491
<b>60</b>	\$1515	1515	1515	1780

<b>67 12</b>	\$721	—	—	983
<b>18</b>	\$819	—	—	1085
<b>24</b>	\$838	838	838	1105
<b>30</b>	\$941	941	941	1208
<b>36</b>	\$1088	1088	1088	1355
<b>42</b>	\$1161	1161	1161	1422
<b>48</b>	\$1234	1234	1234	1499
<b>60</b>	\$1523	1523	1523	1788
<b>85 12</b>	\$822	—	—	1086
<b>18</b>	\$953	—	—	1223
<b>24</b>	\$991	991	991	1256
<b>30</b>	\$1099	1099	1099	1364
<b>36</b>	\$1269	1269	1269	1533
<b>42</b>	\$1353	1353	1353	1613
<b>48</b>	\$1433	1433	1433	1703
<b>60</b>	\$1770	1770	1770	2034

Step 5. Trim/Top Cap Finish

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Step 6. Cable Management Finish

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Step 7. Surface Finish Side 1

See application chart and textiles list for fabric usage and numbers.  
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 32" high (32) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$12
Price Category 3	+\$29
Price Category 4	+\$65
Price Category 5	+\$154
Price Category C	+\$96
Price Category D	+\$122
Price Category E	+\$148
Price Category F	+\$191

For 39" high (39) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$30
Price Category 4	+\$65
Price Category 5	+\$157
Price Category C	+\$110
Price Category D	+\$144
Price Category E	+\$181
Price Category F	+\$238

For 47" high (47) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$42
Price Category 4	+\$72
Price Category 5	+\$181
Price Category C	+\$124
Price Category D	+\$161
Price Category E	+\$202
Price Category F	+\$281

## Fabric-Covered Panel *continued*

*For 53" high (53) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$19
Price Category 3	+\$47
Price Category 4	+\$77
Price Category 5	+\$222
Price Category C	+\$151
Price Category D	+\$198
Price Category E	+\$239
Price Category F	+\$310

*For 62" high (62) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$78
Price Category 5	+\$253
Price Category C	+\$170
Price Category D	+\$224
Price Category E	+\$276
Price Category F	+\$343

*For 67" high (67) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$55
Price Category 4	+\$86
Price Category 5	+\$293
Price Category C	+\$187
Price Category D	+\$244
Price Category E	+\$294
Price Category F	+\$343

*For 85" high (85) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$59
Price Category 4	+\$95
Price Category 5	+\$317
Price Category C	+\$211
Price Category D	+\$281
Price Category E	+\$352
Price Category F	+\$430

*For 32" high (32) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$12
Price Category 3	+\$29
Price Category 4	+\$65
Price Category D	+\$122

*For 39" high (39) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$30
Price Category 4	+\$65
Price Category D	+\$144
Price Category E	+\$181

*For 47" high (47) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$42
Price Category 4	+\$72
Price Category D	+\$161

*For 53" high (53) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$19
Price Category 3	+\$47
Price Category 4	+\$77
Price Category D	+\$198

*For 62" high (62) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$78
Price Category D	+\$224

*For 67" high (67) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$55
Price Category 4	+\$86
Price Category D	+\$244

## Fabric-Covered Panel *continued*

### For 85" high (85) with 60" wide (60)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$59
Price Category 4	+\$95
Price Category D	+\$281

### Step 8. Surface Finish Side 2

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

### For 32" high (32) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$12
Price Category 3	+\$29
Price Category 4	+\$65
Price Category 5	+\$154
Price Category C	+\$96
Price Category D	+\$122
Price Category E	+\$175
Price Category F	+\$191

### For 39" high (39) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$30
Price Category 4	+\$65
Price Category 5	+\$157
Price Category C	+\$110
Price Category D	+\$144
Price Category E	+\$181
Price Category F	+\$238

### For 47" high (47) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$42
Price Category 4	+\$72
Price Category 5	+\$181
Price Category C	+\$124
Price Category D	+\$161
Price Category E	+\$202
Price Category F	+\$281

### For 53" high (53) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$19
Price Category 3	+\$47
Price Category 4	+\$77
Price Category 5	+\$222
Price Category C	+\$151
Price Category D	+\$198
Price Category E	+\$239
Price Category F	+\$310

### For 62" high (62) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$78
Price Category 5	+\$253
Price Category C	+\$170
Price Category D	+\$224
Price Category E	+\$276
Price Category F	+\$343

### For 67" high (67) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$55
Price Category 4	+\$86
Price Category 5	+\$293
Price Category C	+\$187
Price Category D	+\$244
Price Category E	+\$294
Price Category F	+\$343

### For 85" high (85) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$59
Price Category 4	+\$95
Price Category 5	+\$317
Price Category C	+\$211
Price Category D	+\$281
Price Category E	+\$352
Price Category F	+\$430

## Fabric-Covered Panel *continued*

Action Office® Series 2 Walls

### *For 32" high (32) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$12
Price Category 3	+\$29
Price Category 4	+\$65
Price Category D	+\$122

### *For 39" high (39) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$30
Price Category 4	+\$65
Price Category D	+\$144
Price Category E	+\$181

### *For 47" high (47) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$42
Price Category 4	+\$72
Price Category D	+\$161

### *For 53" high (53) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$19
Price Category 3	+\$47
Price Category 4	+\$77
Price Category D	+\$198

### *For 62" high (62) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$78
Price Category D	+\$224

### *For 67" high (67) with 60" wide (60)*


Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$55
Price Category 4	+\$86
Price Category D	+\$244

### *For 85" high (85) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$59
Price Category 4	+\$95
Price Category D	+\$281

## 3-Way 90° Connector

A1230.



### Product Information

#### Description

This connector joins 3 panels of equal or unequal heights at 90° angles. It has a cable management side cover and an enameled surface.

#### Notes


When connecting panels of unequal heights, specify connector height to match height of highest panel.

When using a 67"-high connector with a 62"-high panel, order connector through Herman Miller Options. 67"-high connectors do not allow for this 5" change-of-height application due to hole pattern locations.

To finish exposed end of connector, order change-of-height finished end, panel/connector (A0259.) separately.

When specifying panels with cable/energy barrier, order cable/energy barrier connector (A1381.3) separately.

#### Dimensions



### Specification Information

#### Step 1.

**A1230.**

#### Step 2. Height

<b>32</b>	32" high
<b>39</b>	39" high
<b>47</b>	47" high
<b>53</b>	53" high
<b>62</b>	62" high
<b>67</b>	67" high
<b>85</b>	85" high

#### Step 3. Surface Material

<b>H</b>	hard surfaced
----------	---------------

#### Prices for Steps 1-3.

	<b>H</b>
<b>A1230. 32</b>	\$331
<b>39</b>	\$346
<b>47</b>	\$363
<b>53</b>	\$392
<b>62</b>	\$420
<b>67</b>	<b>\$423</b>
<b>85</b>	\$479

#### Step 4. Surface Finish


<b>8Q</b>	folkstone grey (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

#### Step 5. Cable Management Finish


<b>8Q</b>	folkstone grey (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

4-Way 90° Connector

A1240.




Product Information
Description
This connector joins 4 panels of equal or unequal heights at 90° angles and has an enameled surface. It does not require a cable management side cover.
Notes
When connecting panels of unequal heights, specify connector height to match height of highest panel.
When using a 67"-high connector with a 62"-high panel, order connector through Herman Miller Options. 67"-high connectors do not allow for this 5" change-of-height application due to hole pattern locations.
To finish exposed end of connector, order change-of-height finished end, panel/connector (A0259.) separately.
When specifying panels with cable/energy barrier, order cable/energy barrier connector (A1381.4) separately.
Dimensions



Specification Information
Step 1.
A1240.
Step 2. Height
32H 32" high
39H 39" high
47H 47" high
53H 53" high
62H 62" high
67H 67" high
85H 85" high
Prices for Steps 1-2.
A1240. 32H \$411
39H \$424
47H \$455
53H \$492
62H \$539
67H \$544
85H \$607

Step 3. Top Cap Finish
8Q folkstone grey (CP) +\$0
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
MT medium tone +\$0
SG slate grey +\$0
WL warm stone (CP) +\$0
WN warm grey neutral +\$0





### Product Information

#### Description


This cover finishes the exposed end of a panel and includes a cable management end cover.

The standard finished end is plastic with a vinyl surface; the finished end with transaction surface end support is metal with an enameled surface.

#### Notes

To support transaction surface and to finish exposed end of panel, specify finished end with transaction surface end support.

#### Dimensions



Standard

With Transaction  
Surface End Support

### Specification Information

#### Step 1.

**A1271.**

#### Step 2. Height

<b>32</b>	32" high
<b>39</b>	39" high
<b>47</b>	47" high
<b>53</b>	53" high
<b>62</b>	62" high
<b>67</b>	67" high
<b>85</b>	85" high

#### Step 3. Configuration

<b>H</b>	standard
<b>T</b>	with transaction surface end support

#### Prices for Steps 1-3.

	<b>H</b>	<b>T</b>
<b>A1271. 32</b>	\$94	164
<b>39</b>	\$99	167
<b>47</b>	\$102	177
<b>53</b>	\$107	186
<b>62</b>	\$111	192
<b>67</b>	<b>\$111</b>	192
<b>85</b>	\$118	196


#### Step 4. Surface Finish

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

#### Step 5. Cable Management Finish


<b>8Q</b>	folkstone grey (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

# Finished End, Change of Height, A0259. Panel/Connector




Product Information
<b>Description</b> This cover finishes the exposed end of a connector that joins panels of unequal heights.
<b>Notes</b> For Action Office® Series 1 and Series 2 applications, the maximum change of height is 28".
<b>Dimensions</b>

Specification Information
<b>Step 1.</b> <b>A0259.</b>
<b>Step 2. Surface Finish</b>
<b>8Q</b> folkstone grey (CP) +\$0 <b>HF</b> inner tone light +\$0 <b>LT</b> light tone +\$0 <b>LU</b> soft white +\$0 <b>MT</b> medium tone +\$0 <b>SG</b> slate grey <input type="checkbox"/> A +\$0 <b>WL</b> warm stone (CP) +\$0 <b>WN</b> warm grey neutral +\$0



Draw Rod

A0215.



Action Office® Series 2 Walls

Product Information

Description  
This draw rod connects Action Office® Series 1 or 2 panels or Co/Struc® C-series panels of equal heights in a straight line.


Notes

For Action Office Series 1 panels or Co/Struc C-series panels, specify draw rod height to match panel height.

For Action Office Series 2 panels, specify draw rod as follows:

- 32"-high panel, A0215.27
- 39"-high panel, A0215.34
- 47"-high panel, A0215.42
- 53"-high panel, A0215.48
- 62"-high panel, A0215.57
- 67" high panel, A0215.62
- 85"-high panel, A0215.80

Dimensions



Specification Information


Step 1.  
**A0215.**

Step 2. Height

<b>27</b>	27" high
<b>34</b>	34" high
<b>42</b>	42" high
<b>48</b>	48" high
<b>57</b>	57" high
<b>62</b>	62" high
<b>80</b>	80" high

Prices for Steps 1-2.

<b>A0215.27</b>	\$44
<b>34</b>	<b>\$46</b>
<b>42</b>	\$46
<b>48</b>	\$47
<b>57</b>	\$47
<b>62</b>	<b>\$47</b>
<b>80</b>	\$51



Action Office® Series 2 Walls

Product Information

Description

This assembly connects a panel to an architectural wall, column, or panel of equal height at a 90° angle.

Notes

For Action Office® Series 1 panels or Co/Struc® C-series panels, specify wall start height to match panel height.


For Action Office Series 2 panels, specify wall start as follows:

- 32"-high panel, A0210.27
- 39"-high panel, A0210.34
- 47"-high panel, A0210.42
- 53"-high panel, A0210.48
- 62"-high panel, A0210.57
- 67"-high panel, A0210.62
- 85"-high panel, A0210.80

Wall start requires draw rod of equal height; order draw rod (A0215.) separately.

To fill gap between wall start used next to wall strip, order wall filler strip (A0212.) separately.

Dimensions



Specification Information

Step 1.

A0210.

Step 2. Height

27	27" high
34	34" high
42	42" high
48	48" high
57	57" high
62	62" high
80	80" high

Prices for Steps 1-2.


A0210.27	\$118
34	\$127
42	\$127
48	\$127
57	\$133
62	\$133
80	\$145

Step 3. Surface Finish


8Q	folkstone grey (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey <span>A</span>	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Base Power Adapter, 4 Circuit


A1354.  
A1355.



Product Information
Description
This power adapter converts a nonpowered panel to a powered panel. It has an electrical harness that distributes up to 4 20-amp circuits. The power adapter with side covers includes receptacle fillers or receptacle and communication port fillers. It is UL listed and CSA certified.
6"- to 18"-wide power adapter harnesses have no receptacle locations; 24"- to 60"-wide power adapter harnesses have 2 receptacle locations per side.
6"- to 18"-wide side covers have no receptacle locations; 24"- to 60"-wide side covers have 2 receptacle locations or 2 receptacle and 1 communication port locations per side.
Notes
Order 4-circuit receptacle (A1311. or X1311.) separately.
Power adapter must be field installed.
For cable capacity information, see Cable Capacity Charts in Omni.
Dimensions



No Side Covers



Side Covers

Specification Information
Step 1.
A135
Step 2. Side Covers
5. no side covers
4. side covers
Step 3. Width
For no side covers (5.)
06 6" wide
12 12" wide
18 18" wide
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
60 60" wide
For side covers (4.)
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
60 60" wide
Step 4. Power
For no side covers (5.) with 6" wide (06)
E (E) 4-circuit power
For no side covers (5.) with 12" wide (12), 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)
E (E) 4-circuit power
For side covers (4.)
G (G) 4-circuit power with 2 receptacle and 1 communication port locations per side

Base Power Adapter, 4 Circuit


continued

Action Office® Series 2 Walls

Prices for Steps 1-4.		
	G	E
A1355. 06	—	\$292
12	—	\$292
18	—	\$292
24	—	\$292
30	—	\$292
36	—	\$292
42	—	\$292
48	—	\$292
60	—	\$292
A1354. 24	\$370	—
30	\$370	—
36	\$370	—
42	\$370	—
48	\$370	—
60	\$370	—
Step 5. Cable Management Finish		
For side covers (4.)		
8Q	folkstone grey (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Base Power Entry, Direct Connect, 4 Circuit

A1322.




Product Information
Description
This power entry connects a building’s electrical supply from a wall, floor, or column to the base of an Action Office Series 2 powered panel. It plugs directly into a receptacle location on the panel’s baseline electrical harness to distribute up to 4 20-amp circuits. The power entry is manufactured in a right-hand direction but can be field converted to a left-hand direction. The cable is available in 4 lengths and can be field cut to the appropriate length. The power entry is UL listed and CSA certified. Finish is black.
Notes
Licensed electrician must wire power entry.
Dimensions


Specification Information
Step 1.
A1322.
Step 2. Length
06E 6’ long
12E 12’ long
18E 18’ long
24E 24’ long
Prices for Steps 1-2.
A1322. 06E \$288
12E \$385
18E \$488
24E \$586



Receptacle, 4 Circuit, 15 Amp A1311.  
(package of 6)



Product Information
<b>Description</b> This receptacle locks into the baseline harness of an Action Office Series 2 panel. Package contains 6 receptacles. It is UL listed and CSA certified.
<b>Notes</b> For information on types of receptacles and their applications, see Action Office Series 2 Planning Guide.
<b>Dimensions</b>




Specification Information
<b>Step 1.</b> <b>A1311.</b>
<b>Step 2. Type</b>
<b>A</b> duplex, circuit a <b>B</b> duplex, circuit b <b>C</b> duplex, circuit c <b>DN</b> duplex, circuit d <b>BI</b> duplex, circuit b, isolated ground <b>CI</b> duplex, circuit c, isolated ground <b>D</b> duplex, circuit d, isolated ground

Prices for Steps 1-2.	
<b>A1311. A</b>	<b>\$324</b>
<b>B</b>	\$324
<b>C</b>	\$324
<b>DN</b>	<b>\$324</b>
<b>BI</b>	\$324
<b>CI</b>	\$324
<b>D</b>	\$324

Step 3. Receptacle Finish		
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0



# Squared-Edge Rectangular Work Surface A2310.



## Product Information

**Description**  
This work surface hangs from a panel or wall strips and has predrilled holes for drawers and suspended pedestals. It is available in 2 depths and 23 widths. The work surface has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, or a veneer top and edge. Attachment hardware is included.

66"- and 72"-wide surfaces include 1 additional center bracket; 78", 84", 90", and 96"-wide surfaces include 2 additional center brackets.

## Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

To use freestanding pedestal or lateral file below work surface requires following clearance:

Surface Width—Filing Width Clearance

- 24"—21"
- 30"—27"
- 36"—33"
- 42"—39"
- 48"—45"
- 54"—51"
- 60"—57"
- 66"—27"
- 72"—34 1/4"
- 78"—34 1/4"
- 84"—39 1/4"
- 90"—42"
- 96"—45"

For additional support at front corner of work surface, order work surface bracket (A2390.) separately.


To order optional storage products, see Filing and Storage.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

## Dimensions



# Squared-Edge Rectangular Work Surface *continued*

## Specification Information

### Step 1.

**A2310.**

### Step 2. Depth

**24** 24" deep

**30** 30" deep

### Step 3. Width

**24** 24" wide

**30** 30" wide

**36** 36" wide

**42** 42" wide

**48** 48" wide

**54** 54" wide

**60** 60" wide

**66** 66" wide

**72** 72" wide

**78** 78" wide

**84** 84" wide

**90** 90" wide

**96** 96" wide

### Step 4. Surface Material

*For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 60" wide (60), 66" wide (66), 72" wide (72), 84" wide (84), 90" wide (90), or 96" wide (96)*

**J** thermally-fused laminate top/thermoplastic edge with MicrobeCare™

**M** thermally-fused laminate top/thermoplastic edge

**T** thermally-fused laminate top/universal edge

**L** high-pressure laminate top/thermoplastic edge

**U** high-pressure laminate/universal edge

**W** veneer **A**

**A** high-pressure laminate top/thermoplastic edge with MicrobeCare™ **A**

*For 54" wide (54) or 78" wide (78)*

**J** thermally-fused laminate top/thermoplastic edge with MicrobeCare™

**M** thermally-fused laminate top/thermoplastic edge

**T** thermally-fused laminate top/universal edge

**L** high-pressure laminate top/thermoplastic edge

**U** high-pressure laminate/universal edge

**A** high-pressure laminate top/thermoplastic edge with MicrobeCare™ **A**

## Prices for Steps 1-4.

	<b>J</b>	<b>M</b>	<b>T</b>	<b>L</b>	<b>U</b>	<b>W</b>
<b>A2310. 24 24</b>	\$488	405	392	499	483	824
<b>30</b>	\$514	428	428	528	528	879
<b>36</b>	\$539	455	455	561	561	958
<b>42</b>	\$565	480	480	593	593	1028
<b>48</b>	\$604	507	507	624	624	1089
<b>54</b>	\$701	604	604	744	744	—
<b>60</b>	\$742	645	629	794	775	1383
<b>66</b>	\$798	701	701	863	863	1496
<b>72</b>	\$828	731	728	901	896	1558
<b>78</b>	\$910	800	800	985	985	—
<b>84</b>	\$936	826	826	1017	1017	1731
<b>90</b>	\$1024	913	888	1124	1094	1794
<b>96</b>	\$1094	981	956	1209	1178	1855
<b>30 24</b>	\$533	449	438	553	539	879
<b>30</b>	\$565	480	480	593	593	987
<b>36</b>	\$637	554	538	682	663	1089
<b>42</b>	\$684	598	583	738	718	1170
<b>48</b>	\$719	622	606	766	747	1211
<b>54</b>	\$824	728	710	896	875	—
<b>60</b>	\$891	794	772	978	952	1505
<b>66</b>	\$922	826	804	1017	990	1619
<b>72</b>	\$1008	913	888	1124	1094	1743
<b>78</b>	\$1087	978	951	1204	1170	—
<b>84</b>	\$1133	1024	998	1262	1229	1890
<b>90</b>	\$1202	1091	1065	1344	1312	1985
<b>96</b>	\$1275	1163	1136	1433	1399	2074

	<b>A</b>
<b>A2310. 24 24</b>	\$601
<b>30</b>	\$633
<b>36</b>	\$664
<b>42</b>	\$697
<b>48</b>	\$744
<b>54</b>	\$863
<b>60</b>	\$914
<b>66</b>	\$983
<b>72</b>	\$1020
<b>78</b>	\$1120
<b>84</b>	\$1152
<b>90</b>	\$1262
<b>96</b>	\$1347

## Squared-Edge Rectangular Work Surface *continued*

<b>30 24</b>	\$657
<b>30</b>	\$697
<b>36</b>	\$785
<b>42</b>	\$843
<b>48</b>	\$886
<b>54</b>	\$1015
<b>60</b>	\$1098
<b>66</b>	\$1136
<b>72</b>	\$1243
<b>78</b>	\$1339
<b>84</b>	\$1396
<b>90</b>	\$1481
<b>96</b>	\$1570

### Step 5.

#### Top Finish

*For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

#### Top Finish

*For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)*

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0

#### Top/Edge Finish: Wood Veneer

*For veneer (W)*

<b>2U</b>	light brown walnut <b>A</b>	+\$89
<b>40</b>	dark brown walnut <b>A</b>	+\$89
<b>CHD</b>	noble cherry <b>A</b>	+\$80
<b>EW</b>	medium matte walnut <b>A</b>	+\$89
<b>UL</b>	natural maple <b>A</b>	+\$89

## Squared-Edge Rectangular Work Surface *continued*

### Step 6. Edge Finish

*For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)*


<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

*For thermally-fused laminate top/universal edge (T) or high-pressure laminate/universal edge (U)*

<b>PLY</b>	plywood edge	+\$56
------------	--------------	-------

### Step 7. Support Finish

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0



Product Information

Description

This tackboard attaches to a panel or wall strips to display notes, photographs, or art. It has a fabric surface and includes attachment hardware.

Notes


Tackboard accepts Customer's Own Material (COM). Yardage is estimated for nondirectional, 54"-wide fabrics; yardage for 60"-wide tackboard is estimated for nondirectional, 66"-wide fabrics.

Height—Width—Yardage

- 12"—24" to 48"—1/2
- 12"—60"—1/2
- 16"—24" to 48"—2/3
- 16"—60"—2/3
- 20"—24" to 48"—3/4
- 20"—60"—3/4
- 30"—30"—1
- 48"—48"—1 1/2

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

A3410.

Step 2. Height

- 12 12" high
- 16 16" high
- 20 20" high
- 30 30" high
- 48 48" high

Step 3. Width

For 12" high (12), 16" high (16), or 20" high (20)

- 24 24" wide
- 30 30" wide
- 36 36" wide
- 42 42" wide
- 48 48" wide
- 60 60" wide

For 30" high (30)

- 30 30" wide

For 48" high (48)

- 48 48" wide

Prices for Steps 1-3.

	24	30	36	42	48	60
A3410. 12	\$213	219	230	245	263	331
16	\$273	286	306	318	338	436
20	\$350	366	386	414	437	533
30	—	\$419	—	—	—	—
48	—	—	—	—	\$577	—

**Step 4. Surface Finish**

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

*For 12" high (12) with 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$10
Price Category 3	+\$49
Price Category 4	+\$85
Price Category 5	+\$110
Price Category B	+\$32
Price Category C	+\$47
Price Category D	+\$61
Price Category E	+\$73
Price Category F	+\$95

*For 16" high (16) with 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$12
Price Category 3	+\$65
Price Category 4	+\$112
Price Category 5	+\$140
Price Category B	+\$42
Price Category C	+\$62
Price Category D	+\$82
Price Category E	+\$98
Price Category F	+\$127

*For 20" high (20) with 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$73
Price Category 4	+\$115
Price Category 5	+\$145
Price Category B	+\$47
Price Category C	+\$70
Price Category D	+\$91
Price Category E	+\$110
Price Category F	+\$143

*For 30" high (30) with 30" wide (30)*

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$102
Price Category 4	+\$184
Price Category 5	+\$247
Price Category B	+\$71
Price Category C	+\$96
Price Category D	+\$122
Price Category E	+\$148
Price Category F	+\$191

*For 48" high (48) with 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$125
Price Category 4	+\$215
Price Category 5	+\$280
Price Category B	+\$82
Price Category C	+\$122
Price Category D	+\$161
Price Category E	+\$200
Price Category F	+\$280

*For 12" high (12) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$10
Price Category 3	+\$49
Price Category 4	+\$85
Price Category D	+\$61

*For 16" high (16) with 60" wide (60)*


Price Category 1	+\$0
Price Category 2	+\$12
Price Category 3	+\$65
Price Category 4	+\$112
Price Category D	+\$82
Price Category E	+\$98

*For 20" high (20) with 60" wide (60)*


Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$73
Price Category 4	+\$115
Price Category D	+\$91

# Squared-Edge Corner Work Surface

## A2332.



Product Information
<b>Description</b> This 90° corner work surface hangs from panels or wall strips and has a cable access hole. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, or a veneer top and edge. Attachment hardware is included.
<b>Notes</b> For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices. The following work surfaces are predrilled for a pencil drawer: <ul style="list-style-type: none"> <li>• 24"-deep, 42"- or 48"-wide</li> <li>• 30"-deep, 48"-wide</li> </ul>
Dimensions



24" Deep X 36" Wide	24" Deep X 48" Wide
24" Deep X 42" Wide	30" Deep X 36" Wide
30" Deep X 42" Wide	30" Deep X 48" Wide

Specification Information					
Step 1.					
A2332.					
Step 2. Size					
2436	24" deep x 36" wide				
2442	24" deep x 42" wide				
2448	24" deep x 48" wide				
3036	30" deep x 36" wide				
3042	30" deep x 42" wide				
3048	30" deep x 48" wide				
Step 3. Surface Material					
For 24" deep x 36" wide (2436), 30" deep x 36" wide (3036), or 30" deep x 42" wide (3042)					
M	thermally-fused laminate top/thermoplastic edge				
T	thermally-fused laminate top/universal edge				
L	high-pressure laminate top/thermoplastic edge				
U	high-pressure laminate/universal edge				
W	veneer <span>A</span>				
For 24" deep x 42" wide (2442), 24" deep x 48" wide (2448), or 30" deep x 48" wide (3048)					
M	thermally-fused laminate top/thermoplastic edge				
L	high-pressure laminate top/thermoplastic edge				
W	veneer <span>A</span>				
Prices for Steps 1-3.					
	M	T	L	U	W
A2332. 2436	\$711	695	876	803	1569
2442	\$775	—	955	—	1656
2448	\$837	—	1032	—	1731
3036	\$843	822	1038	951	1718
3042	\$838	817	1033	944	1734
3048	\$978	—	1205	—	1916

## Squared-Edge Corner Work Surface *continued*

### Step 4.

#### Top Finish

*For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

#### Top Finish

*For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)*

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0

#### Top/Edge Finish: Wood Veneer

*For veneer (W)*

<b>2U</b>	light brown walnut <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$137
<b>40</b>	dark brown walnut <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$137
<b>CHD</b>	noble cherry <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$123
<b>EW</b>	medium matte walnut <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$137
<b>UL</b>	natural maple <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$137

### Step 5. Edge Finish

*For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

*For thermally-fused laminate top/universal edge (T) or high-pressure laminate/universal edge (U)*

<b>PLY</b>	plywood edge	+\$56
------------	--------------	-------


### Step 6. Support Finish

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0



## B-Style Flipper Door Unit

A3352.  
A3353.



### Product Information

#### Description

This storage unit hangs from a panel or wall strips and combines a flipper door and a 13" or 16"-deep shelf to enclose binders, files, and other items. The underside of the shelf accepts a task light. The flipper door unit has a painted or fabric-covered front. Attachment hardware is included. Shipped knocked down.

#### Notes

Order optional task light separately:

- Twist™ LED task light (G6160.xM)
- Under shelf LED task light (G6170.xxS). Width of light must match width of flipper door unit.

Order optional angled shelf divider (G7330.) separately.

To enclose back of unit, order B-style flipper door back panel (A3390.) separately.

For applications requiring heavy component loading on tackable acoustical-barrier panel, a component brace (A3910.) is recommended; order separately. For appropriate applications, contact local Herman Miller representative.

Fabric-covered flipper door accepts Customer's Own Material (COM). Yardage is estimated for nondirectional, 54"-wide fabrics, except as noted.

#### Width—Yardage

24"— $\frac{2}{3}$

30"— $\frac{2}{3}$

36"— $\frac{2}{3}$

42"— $\frac{2}{3}$

48"— $\frac{2}{3}$


60"—2

60"— $\frac{2}{3}$ , for 66"-wide fabrics

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

### Dimensions



## B-Style Flipper Door Unit *continued*

Action Office® Storage

Specification Information			
Step 1.			
A335			
Step 2. Door Material			
3.	painted door		
2.	fabric door		
Step 3. Depth			
For painted door (3.) or fabric door (2.)			
13	13" deep		
16	16" deep		
Step 4. Width			
24	24" wide		
30	30" wide		
36	36" wide		
42	42" wide		
48	48" wide		
60	60" wide		
Step 5. Lock			
For lock (*), skip this step.			
N	no lock		
Prices for Steps 1-5.			
		N	*
A3353.	13 24	\$669	687
	30	\$708	727
	36	\$765	786
	42	\$824	842
	48	\$872	891
	60	\$1068	1087
	16 24	\$709	730
	30	\$761	774
	36	\$876	892
	42	\$910	928
	48	\$949	968
	60	\$1166	1184

		<b>N</b>	<b>*</b>
<b>A3352. 13 24</b>		\$688	711
<b>30</b>		\$727	750
<b>36</b>		\$786	806
<b>42</b>		\$844	866
<b>48</b>		\$891	912
<b>60</b>		\$1087	1108
<b>16 24</b>		\$730	756
<b>30</b>		\$774	800
<b>36</b>		\$892	913
<b>42</b>		\$928	952
<b>48</b>		\$971	990
<b>60</b>		\$1185	1210

Step 6. Lock Option			
<i>For lock</i>			
<b>KA</b>	keyed alike		+\$0
<b>KD</b>	keyed differently		+\$0

Step 7. Case Finish			
<b>8Q</b>	folkstone grey (CP)		+\$0
<b>HF</b>	inner tone light		+\$0
<b>LT</b>	light tone		+\$0
<b>LU</b>	soft white		+\$0
<b>MT</b>	medium tone		+\$0
<b>SG</b>	slate grey		+\$0
<b>WL</b>	warm stone (CP)		+\$0
<b>WN</b>	warm grey neutral		+\$0

Step 8. Door Finish			
<i>See application chart and textiles list for fabric usage and numbers.</i>			
<i>First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.</i>			

Painted			
<i>For painted door (3.)</i>			
<b>8Q</b>	folkstone grey (CP)		+\$0
<b>HF</b>	inner tone light		+\$0
<b>LT</b>	light tone		+\$0
<b>LU</b>	soft white		+\$0
<b>MT</b>	medium tone		+\$0
<b>SG</b>	slate grey		+\$0
<b>WL</b>	warm stone (CP)		+\$0
<b>WN</b>	warm grey neutral		+\$0


## B-Style Flipper Door Unit *continued*

*For fabric door (2.) with 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42), or 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$44
Price Category 4	+\$65
Price Category 5	+\$104
Price Category B	+\$42
Price Category C	+\$62
Price Category D	+\$82
Price Category E	+\$98
Price Category F	+\$127

*For fabric door (2.) with 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$44
Price Category 4	+\$65
Price Category D	+\$82
Price Category E	+\$98



### Product Information

#### Description

This freestanding pedestal fits below a hanging or freestanding work surface. It has a smooth-steel case, full-width pulls, and 1" leveling glides. Counterweight is included.

Actual pedestal depth is 19<sup>3</sup>/<sub>8</sub>", 23<sup>1</sup>/<sub>4</sub>", or 27<sup>3</sup>/<sub>4</sub>". Standard-height pedestal is 26<sup>3</sup>/<sub>8</sub>" high; raised-height pedestal is 27<sup>1</sup>/<sub>4</sub>" high. Raised-height configuration adds <sup>7</sup>/<sub>8</sub>" to overall height to fill the space between the top of the file and the underside of a surface.

Drawers are available with full-extension or <sup>3</sup>/<sub>4</sub>-extension slides. A drawer divider, utility tray or storage organizer is optional for box drawers. File drawers hold letter-size front-to-back hanging files. File converters are optional for letter-, legal-, and A4-size side-to-side hanging files.

#### Notes

Base on 2 drawers, raised height option (1) aligns with base on Tu® storage towers.

Pedestal will not fit below the following products:

- Action Office® table
  - Ethospace® round-end peninsula with access
- 24"-deep pedestal will not fit below the following products:

- 24"-deep Ethospace work surface with cable management trough
- Action Office 60"-wide work surface

28"-deep pedestal will not fit below the following products:

- 30"-deep Ethospace work surface with cable management trough
- Action Office 60"-wide work surface


Order optional accessories separately:

- Drawer divider (LG903.)
- File compressor (LG908)
- File converter (LG907)
- File drawer organizer (LG901)
- Pedestal stationery divider (LG905)
- Utility tray (LG906)
- Storage organizer (LG910)

Storage organizer includes a hanging file holder, utility tray (pencil tray) and 2 containers. The storage organizer frame color matches the drawer interior; file holder and containers are 91 white; utility tray is black.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

### Dimensions



# W-Pull Freestanding Pedestal

continued

Tu® Metal Storage

Specification Information			
Step 1.			
<b>LW100.</b>			
Step 2. Depth			
<b>20</b>	20" deep		
<b>24</b>	24" deep		
<b>28</b>	28" deep		
Step 3. Configuration			
<b>BBF</b>	box/box/file		
<b>FF</b>	file/file		
Prices for Steps 1-3.			
		<b>BBF</b>	<b>FF</b>
<b>LW100.20</b>		\$823	754
<b>24</b>		\$841	775
<b>28</b>		\$945	872
Step 4. Slides			
<i>For 20" deep (20) with box/box/file (BBF)</i>			
<b>SR</b>	¾-extension roller slides on box drawer, full-extension ball bearing on file drawer		+\$0
<b>SB</b>	full-extension ball-bearing		+\$50
<i>For 24" deep (24) or 28" deep (28) with box/box/file (BBF)</i>			
<b>SR</b>	¾-extension roller slides on box drawer, full-extension ball bearing on file drawer		+\$0
<b>SB</b>	full-extension ball-bearing		+\$50
<i>For 20" deep (20) with file/file (FF)</i>			
<b>SB</b>	full-extension ball-bearing		+\$0
<i>For 24" deep (24) or 28" deep (28) with file/file (FF)</i>			
<b>SB</b>	full-extension ball-bearing		+\$0
Step 5. Paint/Steel Type			
<b>SS</b>	smooth paint on smooth steel		+\$0
<b>XS</b>	textured paint on smooth steel		+\$0
Step 6. Surface Finish			
<i>For smooth paint on smooth steel (SS)</i>			
<b>SNA</b>	satin aluminum		+\$60
<b>SNB</b>	satin bronze		+\$60
<b>SNC</b>	satin carbon		+\$60

<i>For smooth paint on smooth steel (SS)</i>		
<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0

Sand Texture Paint		
<i>For textured paint on smooth steel (XS)</i>		
<b>UBK</b>	ultra black (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>BK</b>	black	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Step 7. Lock		
<b>KA</b>	keyed alike	+\$0
<b>KC</b>	keyed differently, chrome	+\$0
<b>KD</b>	keyed differently, black	+\$0

Step 8. Base Height		
<b>1F</b>	standard height	+\$0
<b>2F</b>	raised height	+\$0

Step 9. Drawer Interior		
<i>For 20" deep (20) or 24" deep (24) with box/box/file (BBF)</i>		
<b>NN</b>	none	+\$0
<b>2M</b>	drawer divider in box drawers, 2 file converters in file drawer	+\$25
<b>3M</b>	drawer divider in one box drawer, pencil tray in one box drawer, 2 file converters in file drawer	+\$25
<b>C51</b>	storage organizer including hanging file holder bin, utility tray and two containers <b>A</b>	+\$120


# W-Pull Freestanding Pedestal

*continued*

<i>For 28" deep (28) with box/box/file (BBF)</i>		
<b>NN</b>	none	+\$0
<b>2M</b>	drawer divider in box drawers, 2 file converters in file drawer	+\$25
<b>3M</b>	drawer divider in one box drawer, pencil tray in one box drawer, 2 file converters in file drawer	+\$25
<i>For 20" deep (20) or 24" deep (24) with file/file (FF)</i>		
<b>NN</b>	none	+\$0
<b>1M</b>	2 file converters in each file drawer	+\$25
<b>C51</b>	storage organizer including hanging file holder bin, utility tray and two containers <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$120
<i>For 28" deep (28) with file/file (FF)</i>		
<b>NN</b>	none	+\$0
<b>1M</b>	2 file converters in each file drawer	+\$25

W-Pull Support Pedestal

LW150.



Tu® Metal Storage

Product Information

Description

This pedestal attaches to both a work surface and a panel or frame at either the end of a run or mid-run to provide support. It eliminates the need for a return panel/frame and connector or a work surface support panel. It has a smooth-steel case, full-width pulls, and 1 3/4" leveling glides. It attaches under a work surface on the left or right side. Attachment hardware and support bracket are included.

The actual pedestal depth is 19 3/8", 23 1/4", or 27 3/4". A 20"-deep pedestal supports a 24"-deep work surface. A 24"-deep pedestal supports a 30"-deep Ethospace® work surface with cable management trough. A 28"-deep pedestal supports a 30"-deep work surface.

Drawers are available with full-extension or 3/4"-extension slides. A drawer divider, utility tray or storage organizer is optional for box drawers. File drawers hold letter-size front-to-back hanging files. File converters are optional for letter-, legal-, and A4-size side-to-side hanging files.

Notes


Order optional accessories separately:

- Drawer divider (LG903.)
- File compressor (LG908)
- File converter (LG907)
- File drawer organizer (LG901)
- Pedestal stationery divider (LG905)
- Utility tray (LG906)
- Storage organizer (LG910)

Storage organizer includes a hanging file holder, utility tray (pencil tray) and 2 containers. The storage organizer frame color matches the drawer interior; file holder and containers are 91 white; utility tray is black.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



# W-Pull Support Pedestal *continued*

Specification Information		
Step 1.		
<b>LW150.</b>		
Step 2. Depth		
<b>20</b>	20" deep	
<b>24</b>	24" deep	
<b>28</b>	28" deep	
Step 3. Configuration		
<b>BBF</b>	box/box/file	
<b>FF</b>	file/file	
Prices for Steps 1-3.		
	<b>BBF</b>	<b>FF</b>
<b>LW150.20</b>	<b>\$875</b>	814
<b>24</b>	\$916	873
<b>28</b>	\$966	926
Step 4. Slides		
<i>For 20" deep (20) with box/box/file (BBF)</i>		
<b>SR</b>	¾-extension roller slides on box drawer, full-extension ball bearing on file drawer	+\$0
<b>SB</b>	full-extension ball-bearing	<b>+\$50</b>
<i>For 24" deep (24) or 28" deep (28) with box/box/file (BBF)</i>		
<b>SR</b>	¾-extension roller slides on box drawer, full-extension ball bearing on file drawer	+\$0
<b>SB</b>	full-extension ball-bearing	+\$50
<i>For 20" deep (20) with file/file (FF)</i>		
<b>SB</b>	full-extension ball-bearing	+\$0
<i>For 24" deep (24) or 28" deep (28) with file/file (FF)</i>		
<b>SB</b>	full-extension ball-bearing	+\$0
Step 5. Paint/Steel Type		
<b>SS</b>	smooth paint on smooth steel	+\$0
<b>XS</b>	textured paint on smooth steel	+\$0
Step 6. Surface Finish		
<i>For smooth paint on smooth steel (SS)</i>		
<b>SNA</b>	satin aluminum	+\$60
<b>SNB</b>	satin bronze	+\$60
<b>SNC</b>	satin carbon	+\$60

<i>For smooth paint on smooth steel (SS)</i>		
<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>EH</b>	metallic bronze	+\$0
<b>HF</b>	inner tone light	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>SG</b>	slate grey	+\$0
<b>WL</b>	warm stone (CP)	+\$0

Sand Texture Paint		
<i>For textured paint on smooth steel (XS)</i>		
<b>UBK</b>	ultra black (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>BK</b>	black	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Step 7. Attachment Bracket		
<i>For smooth paint on smooth steel (SS)</i>		
<b>1A</b>	for Action Office® Series 1 and 2 radiused-edge work surface	+\$0
<b>2A</b>	for Action Office® Series 1 and 2 squared-edge work surface	+\$0
<b>E1</b>	for Ethospace® System	+\$0
<b>F8</b>	for Canvas Office Landscape®	+\$0

<i>For textured paint on smooth steel (XS)</i>		
<b>1A</b>	for Action Office® Series 1 and 2 radiused-edge work surface	+\$0
<b>2A</b>	for Action Office® Series 1 and 2 squared-edge work surface	+\$0
<b>E1</b>	for Ethospace® System	+\$0
<b>F8</b>	for Canvas Office Landscape®	+\$0

Step 8. Lock		
<b>KA</b>	keyed alike	+\$0
<b>KC</b>	keyed differently, chrome	+\$0
<b>KD</b>	keyed differently, black	+\$0




Tu® Metal Storage

Step 9. Drawer Interior		
<i>For 20" deep (20) or 24" deep (24) with box/box/file (BBF)</i>		
<b>NN</b>	none	+\$0
<b>2M</b>	drawer divider in box drawers, 2 file converters in file drawer	+\$25
<b>3M</b>	drawer divider in one box drawer, pencil tray in one box drawer, 2 file converters in file drawer	+\$25
<b>C51</b>	storage organizer including hanging file holder bin, utility tray and two containers <b>A</b>	+\$120
<i>For 28" deep (28) with box/box/file (BBF)</i>		
<b>NN</b>	none	+\$0
<b>2M</b>	drawer divider in box drawers, 2 file converters in file drawer	+\$25
<b>3M</b>	drawer divider in one box drawer, pencil tray in one box drawer, 2 file converters in file drawer	+\$25
<i>For 20" deep (20) or 24" deep (24) with file/file (FF)</i>		
<b>NN</b>	none	+\$0
<b>1M</b>	2 file converters in each file drawer	+\$25
<b>C51</b>	storage organizer including hanging file holder bin, utility tray and two containers <b>A</b>	+\$120
<i>For 28" deep (28) with file/file (FF)</i>		
<b>NN</b>	none	+\$0
<b>1M</b>	2 file converters in each file drawer	+\$25

Twist™ LED Task Light

G6160.




Product Information

**Description**  
This light mounts under a flipper door unit, storage unit, shelf or any other surface to light the work area. It has an aluminum extruded housing, poly-carbonate lens, and 2 linear light-emitting diodes (LED). The light can be rotated 45° forward and backward by the user to direct light where desired. The LEDs consume 9.5 watts of power. The light has an 11' cord and is UL listed, UL Canada listed, and CSA certified. Attachment hardware and adhesive cord clips included.

**Notes**  
Specify magnetic attachment option (M) for attaching the light to any metal surface. Specify bracket attachment option (B) for attaching the light to a wood or wood composite surface.  
Single unit (A) is a stand-alone unit only. It is not for use as a daisy chain.  
Starter unit (B) is designed for use as a daisy chain with up to 3 add-on units (C).  
Add-on unit (C) should not be used with single unit (A).  
Multiple lights can be specified for use under 48"- and 60"-wide storage units/shelves.  
Light meets local codes for Canada, New York City, and Chicago.

Dimensions



Specification Information

Step 1.		
G6160.		
Step 2. Type		
A	single unit	
B	starter unit	
C	add-on unit	
Step 3. Attachment Method		
M	magnet attachment	
B	bracket attachment	

Prices for Steps 1-3.		
	M	B
G6160. A	\$609	609
B	\$733	733
C	\$528	528