

Jacob G. Horowitz
JHorowitz@GorenCherof.com



**GOREN CHEROF
DOODY & EZROL P.A.**
ATTORNEYS AT LAW

September 5, 2025

VIA CERTIFIED MAIL RRR #9589 0710 5270 2073 0249 11
& 9589 0710 5270 2884 6342 00

Matheny Fire & Emergency
Attn: Tim Matheny, President
Attn: Corporate Counsel
315 Ann Street
Parkersburg, WV 26150

Re: City of Cooper City, Florida (the "City") / Purchase Order No. 2022-8139

Dear Mr. Matheny and Corporate Counsel:

This law firm serves as the City Attorney's Office for the City of Cooper City. On or about July 25, 2022, the City received a Rescue Transport Proposal (the "Proposal") from Rev Technical Center ("RTC") offering to custom build and equip a Type 1 Ambulance – Medium Duty 4x2 Freightliner Chassis (the "Apparatus") for \$444,749.65, based on the Florida Sheriff's Association Cooperative Contract FSA 20-VEF14.01. A copy of the Proposal is attached as Exhibit A.

On September 13, 2022, the City Commission publicly approved and directed the purchase of the Apparatus from RTC. Purchase Order No. 2022-8139 (the "PO") was issued on September 22, 2022, thereby authorizing the purchase of the Apparatus, along with related upgrades and installation, from RTC in the amount set forth in the Proposal. A copy of the PO is attached as Exhibit B. On May 1, 2024, RTC was acquired by Matheny Fire & Emergency ("Matheny").

At the time the PO was issued, the City was advised that a vehicle chassis was on site at the manufacture facility and that delivery could be expected by the Summer 2023. The PO contemplates delivery approximately 19-22 months after the receipt of an order by the City. Both RTC and Matheny have failed to deliver within this agreed upon timeframe.

During the Apparatus custom build and acquisition process, the City has been represented by Victor Goizueta, the Fire Rescue Fleet Coordinator with the Broward Sheriff's Office ("BSO"). Mr. Goizueta has worked tirelessly since the issuance of the PO to provide RTC and Matheny with all necessary and requested information to ensure that the City would receive a timely delivery. Both RTC and Matheny have been represented by Account Manager Mark Smith, an RTC employee who presumably joined Matheny at the time of the acquisition.


Throughout this process, the City has faced communication challenges both from RTC and then Matheny. Despite countless coordination efforts by the City and its representatives, RTC and Matheny continuously failed to respond to the City's outreach or provide status updates on the Apparatus delivery. On at least three (3) occasions, the City Attorney's Office was called upon by the City's professional staff in an effort to reinitiate communication with RTC and Matheny. Copies of the prior correspondence from our office are attached as Composite Exhibit C.

On September 2, 2025, Mr. Goizueta sent another email to Mr. Smith inquiring again about the delivery status. Again, Matheny has failed to respond. Thankfully, on September 3, 2025, Mr. Goizueta, District Fire Chief Richard Brown and BSO Fire Chief Timothy Keefe made a site visit to Matheny's Oakland Park location and were able to visually confirm that the Apparatus was at that location. Though on site, the Apparatus is still not ready to be put into service.

It has now been nearly three (3) years since the issuance of the PO, and the City continues to await delivery of the Apparatus. The intent of this correspondence is to formally advise Matheny's corporate office of the challenges associated with this procurement and to make a final demand for a firm delivery date. A response to this inquiry if requested within ten (10) days of receipt. Please be advised that the City reserves the right to pursue further legal action with regards to this matter, without further notice.

Thank you for your anticipated response and attention to this important matter.

Sincerely,



JACOB G. HOROWITZ
City Attorney

CC: Mayor James Curran
Members of the City Commission
Alex Rey, City Manager
Irwin Williams, Finance Director
Chief Richard Brown, Broward Sheriff's Office
Victor Goizueta, Broward Sheriff's Office

EXHIBIT "A"



RESCUE TRANSPORT PROPOSAL

Date: July 25, 2022

**City of Cooper City
9090 SW 50th Place
Cooper City, FL 33328-4227**

We propose to furnish to you one (1) 2023 Custom Road Rescue Type 1, Rescue Transport Vehicle on a 2023 Freightliner M2 Chassis. To be custom built and equipped in accordance with the requirements of the City of Cooper City and the Florida Sheriff Association Contract FSA 20-VEF14.01 Bid # 268 Type 1 Ambulance -Medium Duty 4 x2 Freightliner Chassis

Delivery will be F.O.B. Plantation, FL approximately 19-22 months after receipt of order. Payment shall be within 30 days (net 30).

FSA20-VEF14.01 Ambulance Type 1 4x2 Medium Duty Diesel	\$	304,012.00
Safety Options and Upgrades to the Patient Module	\$	94,846.65
Equipment & Labor to Install (See Attached Worksheet)	\$	44,123.00
Performance Bond	\$	1,768.00
Total Price:	\$	444,749.65

This proposal shall expire August 30, 2022 unless extended in writing.

Mark E. Smith

Mark Smith – Account Manager
725 SW 46th AVE, Ocala, FL 34474 (352) 816-7149

7/25/2022

Date

Dee Daniels – Director of Sales
725 SW 46th AVE, Ocala, FL 34474 (352) 629-6305

Date



TECHNICAL CENTER
powered by HALL-MARK

Equipment Proposal

Customer: COOPER CITY AMBULANCE Equipment - 2022

Contact Mark Smith

Last Updated: February 22, 2022

725 SW 46th Avenue
Ocala, Florida 34474
Office: 352-629-6305
Fax: 352-629-2018

Item	Part #	Vendor	Qty.	Um	Selling Price		Extended
					Each		
POWER PRO 2 AMBULANCE COT BSO SPECS	650705550001	STRYKER	1	EA	\$ 34,469.23		\$ 34,469.25
STAIR-PRO STAIR CHAIR w/ DUAL LOCKING HANDLES BSO SPECS	6252000000	STRYKER	1	EA	\$ 4,778.99		\$ 4,778.97
FIRECOM DIGITAL INTERCOM 2- RADIO	5200D	FIRECOM	1	EA	\$ 1,408.31		\$ 1,408.31
MODULE, HEADSET HM-10	107-0407-10	FIRECOM	4	EA	\$ 70.69		\$ 282.76
HEADSET HANGER HOOK	520-0676-00	FIRECOM	4	EA	\$ 6.47		\$ 25.88
150 FT ROLL CABLE	108-0102-00	FIRECOM	1	EA	\$ 32.63		\$ 32.63
HEADSET P-T-T OVERHEAD MODEL	FH51	FIRECOM	2	EA	\$ 353.44		\$ 706.88
WIRED HEADSET OVER HEAD 1 SIDED RADIO TRANSMIT	FH51S	FIRECOM	2	EA	\$ 353.44		\$ 706.90
INTERFACE MOT. XTL5000 4' CABLE MR-52X	110-5136-30	FIRECOM	1	EA	\$ 212.06		\$ 212.06
FREIGHT							\$ 1,500.00
							\$ 44,123.64

QUOTATION

REV RTC

Cooper City; City of
Cooper City, FL

Cooper City; City of
Cooper City, FL

Quote No: 10125-0017
07/22/2022 00:21:50

Page 1

PART NO	DESCRIPTION	QTY
ORDER COORDINATOR		
00-00-0015	Order Coordinator - Factory to assign	1
INFORMATION		
00-01-0999	RR, Information - Scope, Purpose and Classification	1
00-01-3018	RR-Information - Provide Production Photo's	1
00-01-3019	Information - Sales Drawings	1
00-01-5020	RR, Requirements - Performance Bond	1
WARRANTY		
00-02-8100	RR, Warranty, Documentation	1
00-02-8200	RR, Warranty, Module Structural	1
00-02-8300	RR, Warranty, Electrical, Standard System	1
00-02-8400	RR, Warranty, Paint	1
00-02-8500	RR, Warranty, Conversion	1
00-03-1030	Warranty, Road Rescue, Electrical (7YR)	1
00-00-0247	***** OUTSIDE GRAPHICS- 24/7 *****	1
00-05-0103	RR, This unit built in accordance with KKK-A-1822-F CN 10 Cabinet Requirements	1
01- CHASSIS REQUIREMENTS		
01-00-0100	RR, Customer or Dealer Supplied Chassis, Handling Charge	1
01-00-01SR	Air Auto Eject Outlet; Chassis	1
FREIGHTLINER CHASSIS		
01-01-5007	RR, 2024 Freightliner M2, 174"WB, 20,000 GVWR, 260HP, Air Ride (Dealer Supplied)	1
CHASSIS OPTIONS		
01-03-01SR	Install Customer Supplied Radio Equipment	1
01-03-02SR	SIS System- BSO	1
ALTERNATORS		
01-03-1001	Alternator - Standard OEM	1
SUSPENSION		
01-06-00SR	Liquid Spring Control, Location	1
HIGH IDLE		
FRONT END ALIGNMENT		
01-17-7501	Front End Alignment, None- QC Check -Standard	1
CAB EXTERIOR OPTIONS		
OUTSIDE REAR VIEW MIRRORS		
01-20-0100	RR, Mirrors, OEM Standard	1
RR-CAB INTERIOR OPTIONS		
01-21-3500	RR, Insulation, Cab, Thinsulate in Cab Ceiling (STANDARD)	1
RR-SAFETY OPTIONS		
RR-TIRES / WHEELS		
WHEEL COVERS		
01-24-1400	RR, Wheel Trim, Aluminum Wheels Freightliner M2, 10-Lug	1
BASE CONVERSION		
01-45-0612	RR, Conversion, Ultramedic, Type 1MD, 170 Module, Freightliner 22-2	1
02 - MODULE REQUIREMENTS		
02-01-1010	RR, Ultramedic MD, 186"L x 96"W, MD Module	1

PART NO	DESCRIPTION	QTY
02-01-2108	RR, Interior Headroom, Increase to 74"	1
02-01-9623	RR, Aisle Space, 45", Ultramedic MD	1
MATERIALS		
02-02-0030	RR, Materials, Medium Duty	1
02-02-0070	RR, Sub floor Materials, 2" Thick	1
02-02-0140	RR, Interior Materials, Medium Duty	1
02-02-1010	RR, Materials, Medium-Duty	1
02-02-1010	RR, Materials, Medium-Duty	1
03 - MODULE EXTERIOR UNDERCOATING		
03-02-0200	RR, Undercoating Module (STANDARD)	1
EXTERIOR MODULE CONSTRUCTION		
03-03-0005	RR, Exterior Module Construction Specifications	1
03-03-1400	RR, Module Roof Radius, 3" High (STANDARD)	1
03-03-1500	RR, Extreme Bonding Tape (STANDARD)	1
03-03-1600	RR, Sub-floor Gusset Supports (STANDARD)	1
03-03-1700	RR, One Piece Side Body Panels (STANDARD)	1
03-03-1800	RR, Reinforce Rear Header (STANDARD)	1
03-03-1900	RR, Single Sheet Module Roof Sheet (STANDARD)	1
DROP SKIRTS		
03-03-2030	RR, Drop Curbside Fwd Body Skirt, 6", Add Double Step, Type 1 and Medium Duty	1
03-03-2130	RR, Drop Street side Fwd Body Skirt, 6", Type 1 & Medium Duty Chassis	1
FUEL FILLS & SPLASH PLATE		
03-04-0140	RR, Composite Floor Pan, 1" Thick	1
03-04-0160	RR, Composite Floor Material	1
03-04-1700	RR, Sub-Floor Assembly, Installation	1
03-04-1800	RR, Sub-Floor Assembly, 1/8" PVC	1
MODULE ENTRANCE		
03-05-0100	RR, Module Access, CS Door standard location	1
03-06-0100	RR, Entry Doors, Hidden Hinge, Seal on Door, W/Push Button Fail Safe Latching	1
03-06-0700	RR, Hold Open Rear Door, Polished Cast Aluminum, Pin & Slot Style	1
03-06-0800	RR, Hold Open, Curb Side Entry Door, Heavy Duty Gas Spring	1
03-06-1014	RR, Entry Door Handles, TriMark Logo Chrome/Black (includes interior handles)	1
03-06-1700	RR, Door Lubrication, Paddle Handles and Latches (STANDARD)	1
03-06-2201	RR, Magnetic Entry Door Switches (STANDARD)	1
03-06-2202	RR, Door Panel Mounting Screws (STANDARD)	1
03-06-4200	RR, Coil Cords for Electrical Circuits (STANDARD)	1
03-06-5058	RR, Door Flashers, (3) Whelen Amber LED Strip Lt, (1) Per Entry Door	1
03-06-6065	RR, Power Door Locks, Module Entry Doors, w/Hidden Switch	1
03-06-7010	RR, Stainless Corner Protection on Rear Doors, Brushed SS	1
03-06-8010	RR, Inner Door Panel - Stainless Steel, Two Piece (STANDARD)	1
03-06-8011	RR, Lock Boxes, White Diamond Grade	1
SIDE DOOR STEP		
03-08-2000	RR, Dual Side Entry Step Well, Increased Depth, Lower Grip, Upper Diamond Plate	1
03-08-3010	RR, Light, Side Entry Step well, LED, Whelen OS Mini, Clear	1
WINDOWS		
03-09-0030	RR, Module Window Requirements	1
WINDOW- Side Entry Door		
03-09-1130	RR, Window, Side Entry Door, 18X18, Slider - Limo Tint	1
WINDOW - Rear Entry Doors		
03-09-1230	RR, Window, Rear Entry Doors, (2) 18 x 24, Fixed, Limo Tint	2
MODULE TO CHASSIS MOUNTING SYSTEM		
03-10-1200	RR, Module to chassis mounting system, Medium Duty (12)	1
03-11-2000	RR, Bellows, Connecting, Type I	1
REAR BUMPER AND REAR STEP CONSTRUCTION		
03-12-2220	RR, Rear Bumper, Non-Recessed 9" Flip-Up (UM & UM-150)	1

PART NO	DESCRIPTION	QTY
03-12-3120	RR, Bumper Pods, NFPA Diamond Plate (UM & UM-150)	1
03-12-5020	RR, Rear Dock Bumpers, Black Rubber, 2.5"H x 8"W	1
	INSULATION	
03-13-2220	RR, Whisper Quiet, Sound Dampening/Thermal Insulation Package (UM)	1
	ELECTROLYSIS PREVENTION	
03-14-4000	RR, Electrolysis Prevention, Fluid Film	1
	COMBINATION RUB RAIL AND FENDER RING	
03-15-6500	RR, Rub Rail, Skirt Line, Extruded Anodized 3" C Channel ILO Rubber	1
03-15-8200	RR, Rubber Fender Flare	1
	SPLASH GUARDS AND RUNNING BOARDS	
03-16-1600	RR, Step and Fuel Tank Covers, Diamond Plate, Medium-Duty	1
03-16-1800	RR, Mud Flaps, Rear, Black w/ Road Rescue Logo	1
03-17-1000	RR, Drip Rails	1
03-18-1000	RR, Wheel well liners	1
	CAB TO MODULE ACCESS	
03-19-0700	RR, Walk Thru Opening, Medium Duty	1
03-19-1120	RR, Cab to Module, Walk Through Door	1
03-19-1121	RR, Cab to Module, Fluid Dam	1
	LICENSE PLATE HOLDER	
03-20-0510	RR, Rear License Holder Location, C/S Above Rear Kick plate	1
	EXTERIOR COMPARTMENT CONSTRUCTION	
04-01-0300	RR, Exterior Compartment Construction, Medium Duty	1
04-01-3000	RR, Door Sill Protection, Stainless Steel.	1
	EXTERIOR COMPARTMENT DOORS	
04-02-0100	RR, Compartment Door, Hidden Hinge, Seal on Door (UM)	1
04-02-0715	RR, Compartment Handles, Exterior, TriMark Logo Chrome/Black (UM)	1
04-02-0741	RR, Compartment Handle, TriMark Logo Chrome/Black, Paddle, Street side, locking	3
04-02-0741	RR, Compartment Handle, TriMark Logo Chrome/Black, Paddle, Street side, locking	1
04-02-0746	RR, Compartment Handle, TriMark Logo Chrome/Black, Paddle, Street side, Non-Lock	1
04-02-0751	RR, Compartment Handle, TriMark Logo Chrome/Black, Paddle, Curbside, locking	2
04-02-0751	RR, Compartment Handle, TriMark Logo Chrome/Black, Paddle, Curbside, locking	1
04-02-0850	RR, Compartment Door Locks, 2015 TriMark	1
04-02-0900	RR, Compartment Rotary Latches	1
04-02-1000	RR, Compartment Door Nader Pin	1
04-02-1200	RR, Compartment Door Lubrication, Door Handles and Latches	1
04-02-1300	RR, Compartment Door Reflectors	1
04-02-1500	RR, Compartment Door Switches, Magnetic	1
04-02-2010	RR, Compartment Door Panel, Inner, Diamond Plate	1
04-02-2500	RR, Compartment Door, Panel Mounting Screws	1
04-02-5999	RR, Power Door Locks, Exterior Compartments	1
04-02-6010	RR, Exterior Compartment #'s 1, 2, 4, 6 & 8, Only	1
04-02-6040	RR, Add Power Door Lock to #3 Compt.	1
04-02-6900	RR, Door Flasher(s), Whelen yellow 0S Mini LED	1
04-02-6908	RR, Exterior Compartment (8) Doors	1
04-02-7801	RR, Compartment Door, Gas Struts	1
04-03-2400	RR, All Standard Compartment Lights, LED, Flexible Strip	1
	EXTERIOR COMPARTMENT INTERIOR	
04-04-1000	RR, Exterior Compartment, Interior Finish, Polyurethane Coated	1
04-04-1002	RR, Color, Light Gray	1
04-04-2000	RR, Exterior Compartment, Floor Matting "Turtle Tile"	1
04-04-2001	RR, Color, Black	1
04-04-20SR	Scorpion Tube; SCBA slot	3
	EXTERIOR COMPARTMENT SHELVING	
04-05-0001	RR, Exterior Compartment Shelving and Unistrut	1
04-05-1000	RR, Compartment Shelving, Diamond Plate	1
	COMPARTMENT #1 - STREETSIDE FWD	

PART NO	DESCRIPTION	QTY
04-06-0001	RR, Compartment #1, EXTERIOR	1
04-06-0010	RR, Compartment #1, Electrical Storage	1
04-06-0300	RR, Compartment #1, Reduced Height	1
COMPARTMENT #2 - STREETSIDE FWD WHEELWELL		
04-07-0010	RR, Compartment #2, EXTERIOR	1
04-07-2610	RR, Compartment #2, Shelf Adjustable, First Shelf	2
04-07-3100	RR, Compartment #2, Increase Height 6.00"	1
04-08-1000	RR, Compartment #3, EXTERIOR	1
04-08-3331	RR, Compartment #3, Hinged Drop Down Door, 19"H x AWAP, No CPR Seat	1
04-08-4100	RR, Compartment #3, Slide Out Tray, 300lb Diamond Plate w/ Lock In/Out slides	1
COMPARTMENT #4 - STREETSIDE AFT		
04-09-0001	RR, Compartment #4, EXTERIOR	1
04-09-3200	RR, Compartment #4 - Full Height Roll up Door ; painted	1
04-09-4505	RR, Compartment #4, Shelf Adjustable, First Shelf	1
04-09-8000	RR, Compartment #4, Unistrut Back Wall of for SCBA Brackets	1
04-09-8004	Compartment #4; Angled SCBA Bracket	2
COMPARTMENT #6 - CURBSIDE AFT		
04-11-0084	RR, Compartment #6, EXTERIOR	1
04-11-0600	RR, Compartment #6, Standard Configuration (UM)	1
04-11-2000	RR, Compartment #6, Divider, Adjustable	1
04-11-8000	RR, Compartment #6, Exterior, Floor Matting "Turtle Tile", Black	1
04-12-1000	RR, Exterior - Compartment #6.5	1
04-12-3400	RR, Compartment #6.5, Base Configuration (UM & UM-150)	1
04-12-48SR	"D" size cylinder holder	4
RR, Compartment #8, EXTERIOR		
04-14-1400	RR, Compartment #8, Full Height Door	1
04-14-1600	RR, Compartment #8, Stair chair Storage	1
INTERIOR TRIM AND FEATURES		
INTERIOR ADJUSTABLE SHELVES		
INTERIOR TRIM		
05-05-1000	RR, Interior Trim, Standard	1
HEADLINER		
05-06-1100	RR-Ceiling Medical Device Rail (UM & UM-150)	1
05-06-1210	RR, Headliner, Vinyl Ceiling, No Seams (UM & UM-150)	1
05-06-1802	RR, Ceiling Medical Device Rail, White LED Strip Lights,(UM & UM-150)	1
05-06-1902	RR, Ceiling Medical Device Rail, Red/Amber LED Turn/Brake Strip Lights (UM & UM-150)	1
FLOORING		
05-07-1000	RR, Flooring, Aluminum Floor/Wall Cove Molding (STANDARD)	1
05-07-1400	RR, Flooring, Stainless Steel Rear Threshold, 45 Degree Chamfered (STANDARD)	1
05-07-5000	RR, Flooring, Loncoin II Flecks Choice	1
05-07-5001	RR, Color - 150 Onyx	1
05-07-9895	RR, Floor, Curbside Stainless Steel Threshold, 4"wide,Safety Walk Anti-Skid Tap	1
HEAD BUMPERS		
BACKRESTS		
Rear Entry Door Grab Handles		
05-10-1301	RR, Rear Entry Door Grab Handles, "L" Bars, 16" Anti-Microbial	1
Side Entry Door Grab Handle		
05-10-1402	RR, Side Entry Door Grab Handle, "L" Bar - 19" Anti-Microbial Yellow	1
Ceiling Grab Rail - Center		
05-10-1903	RR, Ceiling Grab Rail, Center 108" Anti-Microbial	1
IV FLUID HANGERS		
05-11-4000	RR, IV Hangers, CPI #IV2008 (STANDARD)	1
05-11-4002	RR, IV Hangers, Quantity (2)	1
LEFT STACK AND BULKHEAD AREA #1		
05-12-0020	RR, Interior Streetside #1 - Left Stack and Bulkhead	1
05-12-0200	RR, Upper Bulkhead Cabinet, Double Doors	1


PART NO	DESCRIPTION	QTY
05-12-0250	RR, Left Stack, No Storage Area # 1	1
05-12-02SR	Vest Holder; 3 slots. Aluminum	1
ACTION WALL AREA #2		
05-13-0010	RR - INTERIOR STREETSIDE #2 - ACTION AREA	1
05-13-0700	RR, Action Wall Area #2, Medical Device Rail	1
05-13-0802	RR, Cabinets, Upper Left U2 and U2.5, Std Configuration (UM), CN 10 Certified	1
05-13-2800	RR, Stainless Countertop, Forward Action Area and Rear Monitor Area	1
05-13-3000	RR, Rubber Liner on Action Area Countertop	1
05-13-5043	RR-White LED Strip Light, Top Only	1
RR-Interior Streetside #3 - CPR Seat		
05-14-1320	RR, Cabinet, Upper Left U3, Full Height, CN 10 Certified	1
05-14-3810	RR, Cabinet U3, Shelf Adjustable	1
05-14-4000	RR, CPR Seat, Delete, Extend Lower Left	1
RR, INTERIOR STREETSIDE #4 - REAR AREA		
05-15-1001	RR, Cabinet, Upper Left U4, Standard Configuration- CN 10 Certified	1
SQUAD BENCH AREA		
05-16-0010	RR, INTERIOR CABINETS - SQUAD BENCH AREA	1
05-16-0146	RR, Squad Bench, Curbside, One Piece Hinged Lid	1
05-16-0150	RR, Squad Bench, Restraint Belts	1
05-16-0151	RR, Squad Bench, Medical Device Rail	1
05-16-0153	RR, Squad Bench, Latch, Lid, Tri Mark,	1
05-16-0158	RR, Squad Bench, Seat Belts, Two 4-Point belts (Per4Max) Black, CN-8	1
05-16-0171	RR, Squad Bench, RR Backrest and Head Cushion, RR Logo, (1) Set, Ash	2
05-16-1310	RR, Slide-Out Drawer at Head of Squad Bench	1
05-16-8400	RR, Upper Squad Bench, Cabinet, 9"H, 74" Headroom ONLY	1
05-16-9915	KKK Compliancy Regarding Overhead Cabinetry	1
BIOHAZARD-		
RR, INTERIOR - BIOHAZARD		
05-17-0200	RR, Squad Bench "A" Bar 16", Anti-Microbial, Waste/Sharps, (STANDARD)	1
05-17-2000	RR, Glove Butler(s)	1
05-17-2120	RR, Glove Butler (4) Total, Over Curbside Entry, Drop Down Door	1
CURBSIDE RIGHT STACK STORAGE #8		
05-18-0010	RR, INTERIOR CURBSIDE - RIGHT STACK STORAGE #8	1
05-18-0600	RR, RF ALS, Upper Heater, A/C Unit, Standard Configuration (UM & UM-150)	1
05-18-0800	RR, RF ALS, Hidden Air Intake (STANDARD)	1
05-18-1000	RR, RF ALS, "A" Style Standard (UM & UM-150) Not CN 10 Certified.	1
05-18-5130	RR, U8, Drug Cabinet, Single Aluminum Drop, Down Door, Interior	1
05-18-5215	RR, C8, Cabinet, None	1
05-18-5326	RR, L8, Cabinet, ALS Gen III, OHO Poly carbonate Doors,(2) Adj Shelves, I/O CN10	1
ATTENDANT SEAT		
05-19-1000	RR, Attendant's Seat, EVS 1780, Comfort, Per4Max Belt-Black	1
05-19-1001	RR, Color - Ash Gray	1
05-19-6502	RR, Attendant's Seat Base, EVS Swivel 8 pos.	1
RR-INTERIOR COLORS		
05-20-2000	RR, Multi-Spec Interior Surfaces	1
05-20-2001	RR, Color, Misty Gray #6028	1
05-20-5300	RR, Upper Band Vinyl Color, Cabinets and Stitched Cushions	1
05-20-5326	RR, Color, Stratford Smoke SF-74	1
05-20-5500	RR, Lower Band Vinyl Color, Vacuum Formed Cushions	1
05-20-5502	RR, Color, Ash Gray	1
05-20-9850	RR, Poly carbonate Color Choice	1
05-20-9851	RR, Poly carbonate, Gray	1
RR-MISC. INTERIOR OPTIONS		
05-21-1300	RR, Refrigerator, Norcold Model NR751BB, 1.7 Cu. Ft., 12V/125V	1
05-21-5000	RR, Squad Bench & Lower Left, 4 Inch Brushed Stainless Kickpanels (STANDARD)	1
05-21-8500	RR, Cabinet Latch, Southco 2" Round, Stainless Locking, CN 10-Rated 10lb	18

PART NO	DESCRIPTION	QTY
06-01-0100	RR, General Wiring, General Harness	1
	CAMERAS	
06-06-1000	RR, Camera, Exterior Back-Up, Over Rear Doors for Multi-plex	1
	RR-COMMUNICATION	
06-06-1601	RR, Two Way Radio Routing Path Cab to Module (STANDARD)	1
06-06-1700	RR, Two Way Radio Prewire, 12VDC Power & Ground (STANDARD)	1
06-06-1900	RR, Antenna UHF/VHF, (2) Prewire,	1
06-06-6600	RR, Radio Power, (2) Power Post (1) Ground Post in Floor Console	1
	RADIO AND CLOCKS	
06-07-6500	RR, Clock, Digital Lacrosse Atomic, 12/24 Hour, Over Rear Doors	1
06-07-7406	RR, Speakers, 6.5" Round, Mounted in Ceiling w/Volume Control in Action Wall	1
	07 - ELECTRICAL 12 VOLT DC	
07-00-0150	RR, Electrical System 12V, Multiplex System, MD	1
07-01-0010	RR, Crct Pwr Accs., Ign/Shrline, 1-20 amp 12VDC to 2 locs, W/O, PD9130 chrg	1
07-02-1000	RR, Voltmeter - Standard	1
07-02-1100	RR, Alarm, Low Voltage, With Buzzer and Indicator, in cab console	1
07-03-2000	RR, Ammeter - for multiplex system	1
	BATTERY SYSTEM	
07-04-5305	RR, Ignition Battery Shut off Timer, 5 minute,	1
	BATTERIES	
07-05-0500	RR, Batteries, Type MD Configuration, (3) OEM Batteries	1
07-07-0500	RR, Module Disconnect, Multiplex System	1
07-08-0100	RR-Battery Ground	1
07-09-6000	RR, Battery Charger, Prewire only, 12V	1
07-10-1000	RR, Power Outlets 12V, (2) Power Point Style, On with Ignition	1
07-10-5401	RR, (1) Additional 12V Outlet, On with Ignition	1
07-10-7230	RR, Power Outlet, Kusssmaul, USB Dual Port, 5VDC, 4.8 Amp, 091-219-5	1
07-10-7260	RR, Power Outlet, Kusssmaul, USB Dual Port, 5VDC, 4.8 Amp, 091-219-5	1
	FRONT CONSOLE	
08-01-1605	RR, Console, Drivers Switch & Radio, VMUX, CN11	1
08-02-1150	RR, Driver's Control Panel, V-Mux, Touch Screen	1
08-02-1153	RR, Console Mount with bezel & USB Programing Port	1
08-02-5515	RR, Door Open Indicators (VMUX)	1
	ATTENDANT CONTROL PANEL	
08-03-1150	RR, Attendant's Control Panel V-MUX, Touch Screen, w/bezel & USB Programming Por	1
08-04-6002	RR, Power Distribution, Weldon V-MUX, Video Inputs (UM & UM-150)	1
	09 - EMERGENCY Systems- Sirens, Speakers and Air Horns	
09-03-0060	RR, Warning Audible - Siren, Speakers, Air Horns- Freightliner-C5500	1
	SIREN ELECTRONIC - CONTROL HEADS / AMPS	
09-03-1030	RR, Siren Electronic, Whelen 295SLSA1	1
	SIREN SPEAKERS	
09-03-2320	RR, Speakers, (2) CPI "Though-The-Bumper" for Freightliner	1
09-03-4037	RR, Siren Electronic, Additional, Whelen 'Howler', Freightliner	1
09-05-0210	RR, Backup Alarm, No Cutoff	1
09-06-0200	RR, Emergency Sequencer/Load Manager	1
09-40-3040	RR, Lightbar 90", Whelen 4500FL (7) LED, R/W/R/W/R/W/R	1
09-44-1831	RR, Traffic Advisor, Whelen TAL85, 47" (8) 5MM LED, No red ICC lights	1
	FRONT WARNING LIGHT CONFIGURATION	
09-50-1333	RR, Visual Warning Front Upper - (5) "Cool Bar" (2) Front Wall Configuration	1
	AUXILLARY EMERGENCY LIGHTS	
	WARNING LIGHT FLASHERS	
09-80-6000	RR, Warning Lights, Secondary Mode in Park/Neutral	1
	WARNING LIGHTS	
	LED Series - 900 SINGLE ROW (Flange Separate)	
09-95-1505	RR, Whelen M9 LED, w/Chrome Flange - RED / Clear Lens (Internal Flasher)	14
09-95-1507	RR, Whelen M9 LED, w/Chrome Flange - AMBER / Clear Lens (Internal Flasher)	2

PART NO	DESCRIPTION	QTY
LED Series - 700 (Flange Separate)		
09-95-2405	RR, Light, Whelen M7 LED, w/Chrome Flange, Red, Clear Lens (Internal Flasher)	8
09-95-2407	RR, Light, Whelen M7 LED, w/Chrome Flange, Amber, Clear Lens (Internal Flasher)	1
09-95-3405	RR, Light, Whelen M6 LED, w/Chrome Flange, Red/Clear Lens (Internal Flasher)	4
Whelen 700 Light head Flanges / Options		
09-95-9365	RR, Grille Guard Mount Plates-Whelen M6 grille lights - (pair)	1
EXTERIOR AUTOMOTIVE LIGHTING		
10-01-0002	RR, Tail Lights, Brake/Turn, Whelen M6-Series LED, Pair	1
10-01-0007	RR, Back-up Lights, Whelen M6, LED Rear, Pair	1
ICC/MARKER LIGHTS		
10-01-2010	RR, Marker/Clearance Lights, Front, Whelen OS Mini LED, Amber	1
10-01-2110	RR, Marker/Clearance Lights, Side and Rear, Whelen OS Mini LED, Red/Amber	1
10-01-2110	RR, Marker/Clearance Lights, Side and Rear, Whelen OS Mini LED, Red/Amber	1
10-01-3002	RR, Chrome Flange, (1) Whelen M6	6
10-01-5020	RR, Outboard Rear Flashers, Wired to OEM Brake Lights	1
10-01-7300	RR, Front Turn, Whelen M6-Series LED Amber Arrow w/Flange	1
FLOOD AND LOAD SYSTEMS		
10-02-1047	RR, Scene Lighting, (2) Whelen Dual Panel PFH2, Pioneer Flood Lights	1
10-02-2040	RR, Rear Load Lights, (2) Whelen M7 Series Super LED, Gradient Scene Light	1
10-02-3010	RR, Lighting Operation, Side Scene, Rear Load & Back-Up Lights	1
Cab Entry - Lighting		
11 - INTERIOR LIGHTING		
11-01-1400	RR, Dome Lights - (11) Kinequip 8" Round LED	1
11-01-8015	RR, Floor Lighting - LED Blue	1
11-01-9000	RR, Timer -15 minute- Restocking	1
SPOTLIGHTS / HANDHELD LIGHTS		
ATTENDANT LIGHT		
11-03-1010	RR, Attendant Light - 6" x 14" Diffusion Plate Light	1
SHORELINE INLET		
12-01-5400	RR, Shoreline Inlet, Blue Sea Auto-Eject, 20A	2
12-01-6300	RR, Blue Sea, Eject,Cover,15 or 20A,Red	2
12-01-8100	RR, Shoreline Indicators, (2), "ON" Green Indicator Light	1
12-01-9020	RR, GFI Box Location- Behind Driver's Seat	1
12-02-0200	RR, Outlets, Interior, 125V-15A (1) Action Wall, (1) Right Stack	1
12-02-2050	RR, Outlets, Interior, Each, Additional, 125V-15A, Action Area Wall	1
12-02-2100	RR-Outlets, Interior, Additional, 125V-15A, Custom Location, Each	1
BLOCKHEATERS		
12-02-4001	Block Heater - With OEM Plug	1
INVERTER - 125VAC		
12-03-1351	RR, Inverter Charger, Xantrex Freedom 1000W ,w/55amp batt. charger	1
13 - ENVIRONMENTAL SYSTEMS		
ENVIRONMENTAL CLIMATE CONTROL SYSTEM		
13-01-1200	RR, HVAC - Central Air Flow Discharge (UM & UM-150)	1
13-01-2000	RR, Climate Control - (UM & UM-150) VMUX	1
13-02-0100	RR, Exhaust Fan - 100 CFM Standard Location	1
HVAC BASE SYSTEM - HOSELINE		
13-02-5619	RR, HVAC Aux Front Wall Coolbar, Hoseline, Freightliner Multiplex	1
13-02-5702	RR, Cover, Cool Bar, (5) M9 Series lights	1
13-02-7752	MD, Thermostat, Hoseline with VMUX	1
13-02-9100	RR, Carbon Monoxide Monitor, Rear Wall , Curbside	1
13-03-1000	RR, Return Air System	1
13-03-2000	RR, Return Air Central Plenum	1
13-03-20SR	Hoseline APS-253 UV Light 12v AC System	1
13-03-3000	RR, Heat/AC Cabinet	1
14 - MEDICAL SYSTEMS		
COT MOUNTING PROVISIONS		

PART NO	DESCRIPTION	QTY
14-01-1010	RR, Cot Mounting, Hardware	1
14-01-1110	RR, Post & Wheel Cups, None	1
14-01-1210	RR, Safety Hook, Ship Loose	1
14-01-1220	RR, Safety Hook, Ferno with bolts, Shipped Loose.	1
14-01-1623	RR, Cot Mount, Stryker Power Load, No Wheel guide, CN 8 Compliant	1
14-01-16SR	Stryker Power Pro 2 COT BSO Specs	1
14-01-4028	Center Mount	1
OXYGEN AND AIR SYSTEMS		
14-02-0100	RR, O2 System, Multiplex	1
14-02-1000	RR, O2 Cylinder Wrench	1
14-02-2220	RR, O2 Cylinder Lift, Zico 'OTS' Electric w/QRMV Multiversal Rack, (UltraMedic)	1
14-02-3000	RR, O2 Control - Electric with Manual Bypass on Action Wall.	1
14-02-4000	RR, O2 Outlets, Ohio Style, (2) Action Wall, (1) Squad Bench	1
14-02-4211	RR, O2 Outlet, Ohio Style, Additional in Ceiling	1
SUCTION SYSTEM		
14-03-1010		1
14-03-1050	RR, Suction System, Self Contained, Removable, S-SCORT VX-2	1
MISC MEDICAL		
14-04-1000	RR, Fire Extinguisher, 5# ABC w/ Mounting Bracket	1
15 - PAINT / DECALS AND NOMENCLATURE		
PAINT AND FINISH		
15-00-0100	RR, Road Rescue Paint Process	1
15-01-2040	Module and Cab, Upper/ Lower, Two Colors Other than OEM	1
15-01-5817	Paint, Chassis, Window Sill Up, Other than Red or Metallic	1
15-01-5821	Paint, Chassis, Window Sill Down, Red or Metallic	1
15-02-2100	Paint, Multi-Color, Labor Charge	1
15-02-3001	RR, Pinstripe, None, Fine Line Paint Edge	1
15-02-3010	Pinstripe, Black, Non-Reflective, 1/4 In	1
GRAPHICS AND LETTERING		
15-02-8102	RR, Chevron Striping - Entire Rear	1
15-02-8106	RR, Material - 6" Diamond Grade - Specify Colors	1
15-03-3900	RR, Badge Logos	1
15-03-4000	RR, Logos and Model Name	1
15-03-4001	RR, Ultramedic - Black Logos	1
15-04-1000	RR, Nomenclature Plaques. DIESEL.	1
16-01-0200	RR, Owner's Manual	1
74-09-0099	Indemnification Statement	1
20-01-0068	Stair Chair, Stryker Stair-Pro Model 6252 w/ Straps Dealer Provided	1

Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149




Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

A proposal for
REV RTC

Prepared by
PREMIER TRUCK GROUP OF DALLAS
John Grosboll

Jun 13, 2022

Freightliner M2 106
Cooper City, FL
Specifications
REV179A



Components shown may not reflect all spec'd options and are not to scale


Application Version 11.7.303
Data Version PRL-24M 048
Cooper City FL - REV179A



06/13/2022 4:20 PM

Page 1 of 23

Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149




Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

SPECIFICATION PROPOSAL

Data Code	Description
Price Level	
PRL-24M	M2 PRL-24M (EFF:01/19/21)
Data Version	
DRL-048	SPECPRO21 DATA RELEASE VER 048
Interior Convenience/Driver Retention Package	
055-002	INTERIOR CONVENIENCE PACKAGE
Vehicle Configuration	
001-172	M2 106 CONVENTIONAL CHASSIS
004-223	2023 MODEL YEAR SPECIFIED
002-004	SET BACK AXLE - TRUCK
019-002	STRAIGHT TRUCK PROVISION
003-001	LH PRIMARY STEERING LOCATION
General Service	
AA1-002	TRUCK CONFIGURATION
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)
A85-006	RESCUE AND EMERGENCY SERVICE
A84-1EV	EMERGENCY VEHICLES BUSINESS SEGMENT
AA4-011	FIXED LOAD COMMODITY
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-091	MEDIUM TRUCK WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 10000.0 lbs
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 12000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 22000.0 lbs



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149




Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
Truck Service	
AA3-024	AMBULANCE BODY
A88-99D	EXPECTED TRUCK BODY LENGTH : 0.0 ft
AF3-181	ROAD RESCUE
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in
Engine	
101-22A	CUM B6.7 260EV HP @ 2400 RPM, 2600 GOV, 660 LB-FT @ 1600 RPM, R/F/E
Electronic Parameters	
79A-075	75 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
80G-002	PTO MINIMUM RPM - 700
80J-001	REGEN INHIBIT SPEED THRESHOLD - 0 MPH
Engine Equipment	
99C-021	2010 EPA/CARB/GHG21 CONFIGURATION
99D-010	NO 2008 CARB EMISSION CERTIFICATION
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER
124-120	LN 12V 320 AMP 4962PGH PAD MOUNT ALTERNATOR
292-203	(3) DTNA GENUINE, FLOODED STARTING, MIN 2250CCA, 510RC, THREADED STUD BATTERIES
290-017	BATTERY BOX FRAME MOUNTED
281-001	STANDARD BATTERY JUMPERS
282-042	LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 60 INCHES BACK OF CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
289-001	NON-POLISHED BATTERY BOX COVER
87P-001	CAB AUXILIARY POWER CABLE
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR
131-013	AIR COMPRESSOR DISCHARGE LINE
152-039	GVG, FIRE AND EMERGENCY SERVICE VEHICLES ENGINE WARNING
128-1AR	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF WITH BRAKE LAMPS
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
28F-007	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND DASH MOUNTED SINGLE REGENERATION REQUEST/INHIBIT SWITCH
239-020	10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT
233-017	STANDARD CURVE BRIGHT UPPER STACK(S)
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
	LOCATE DEF UNDER CAB
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
110-003	CUMMINS SPIN ON FUEL FILTER
118-001	FULL FLOW OIL FILTER
266-100	700 SQUARE INCH ALUMINUM RADIATOR
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
168-002	LOWER RADIATOR GUARD
134-001	ALUMINUM FLYWHEEL HOUSING
132-004	ELECTRIC GRID AIR INTAKE WARMER
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission


342-1KD	ALLISON 3000 EVS AUTOMATIC TRANSMISSION WITH PTO PROVISION
---------	--

Transmission Equipment

343-343	ALLISON VOCATIONAL PACKAGE 227 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL EVS
84B-003	ALLISON VOCATIONAL RATING FOR FIRE TRUCK/EMERGENCY VEHICLE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES
353-065	VEHICLE INTERFACE WIRING CONNECTOR WITH BLUNT CUTS, AT BACK OF CAB
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED
362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

400-1A5	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES
403-026	FIRE AND EMERGENCY SEVERE SERVICE, NON-ASBESTOS FRONT LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
427-001	FRONT BRAKE DUST SHIELDS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS
536-050	TRW THP-60 POWER STEERING
539-003	POWER STEERING PUMP
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE
Front Suspension	
620-062	10,000# TAPERLEAF FRONT SUSPENSION
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
629-004	FRONT SWAYBAR
410-001	FRONT SHOCK ABSORBERS
Rear Axle and Equipment	
420-1GH	DETROIT DA-RS-17.5-4 17,500# R-SERIES SINGLE REAR AXLE
421-478	4.78 REAR AXLE RATIO
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-079	MXL 16T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
423-028	MERITOR 15X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-025	FIRE AND EMERGENCY SEVERE SERVICE NON-ASBESTOS REAR BRAKE LINING
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS
451-023	CONMET CAST IRON REAR BRAKE DRUMS
440-006	REAR OIL SEALS
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS
41T-001	MINERAL SAE 80/90 REAR AXLE LUBE
Rear Suspension	
622-1CX	AIRLINER 12,000# REAR SUSPENSION
621-046	AIRLINER MID POSITION RIDE HEIGHT
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149




Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
910-004	DUAL AIR REAR SUSPENSION LEVELING VALVES
623-002	TRANSVERSE CONTROL RODS
439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)
Brake System	
018-002	AIR BRAKE PACKAGE
490-100	WABCO 4S/4M ABS
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
46D-001	STANDARD AIR SYSTEM PRESSURE PROTECTION AND 85 PSI PRESSURE PROTECTION FOR AIR HORN(S)
413-002	STD U.S. FRONT BRAKE VALVE
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-086	BW AD-9SI BRAKE LINE AIR DRYER WITH HEATER
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL
460-008	STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL
46A-023	(1) 1730 CUBIC INCH AIR HORN TANK, 85 PSI PRESSURE PROTECTED INLET WITH CHECK VALVE AND QUICK DISCONNECT FITTING
477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)
Trailer Connections	
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION
297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT
Wheelbase & Frame	
545-442	4425MM (174 INCH) WHEELBASE
546-094	9/32X3-7/16X10-1/16 INCH STEEL FRAME (7.14MMX255.6/0.281X10.06 INCH) 80KSI
552-042	1950MM (77 INCH) REAR FRAME OVERHANG



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
55W-007	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 108.66 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 105.66 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 289.99 in
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 180.36 in
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 57.46 in
553-001	SQUARE END OF FRAME
550-001	FRONT CLOSING CROSSMEMBER
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-001	STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment


556-1AR	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS
558-001	FRONT TOW HOOKS - FRAME MOUNTED
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS
551-017	GRADE 8 THREADED HEX HEADED FRAME FASTENERS INSTALLED WITH BOLT HEADS ON OUTSIDE OF FRAME
* 607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET BOTH RAILS OUTBOARD
	CLEAR BOTTOM OF FRAME RAIL, FORWARD OF REAR SPRING HANGER - 50" - BOTH SIDES

Fuel Tanks

204-998	NO LH FUEL TANK
230-043	40 GALLON/151 LITER RECTANGULAR STEEL FUEL TANK - BETWEEN RAILS
218-005	RECTANGULAR FUEL TANK(S)
215-009	PAINTED FUEL TANK(S), PAINTED STRAPS WITH RUBBER ISOLATORS
231-004	FUEL TANK(S) MOUNTED BETWEEN RAILS AFT OF REAR AXLE




Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149




Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
664-001	PLAIN STEP FINISH
205-060	LH SIDEFILL FUEL TANK PREP CAP
122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER
216-001	SINGLE SUCTION AND RETURN FUEL LINES
20E-001	AUXILIARY FUEL SUPPLY AND RETURN PORTS
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
* 847-002	IN TANK FUEL LEVEL SENDER(S)
Tires	
093-0BN	MICHELIN XZE 255/70R22.5 16 PLY RADIAL FRONT TIRES
094-0BN	MICHELIN XZE 255/70R22.5 16 PLY RADIAL REAR TIRES
Hubs	
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Wheels	
502-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT 5.80 INSET ALUMINUM DISC FRONT WHEELS
* 505-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS
524-001	POLISHED FRONT WHEELS; OUTSIDE ONLY
525-001	POLISHED REAR WHEELS; OUTSIDE OF OUTER WHEELS ONLY
* 52M-004	FORCEMATCH TIRE/WHEEL RUNOUT CHECK/MARK AND STATIC BALANCING - ALL TIRES/WHEELS
496-011	FRONT WHEEL MOUNTING NUTS
497-011	REAR WHEEL MOUNTING NUTS
Cab Exterior	
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
650-009	RUBBER CAB MOUNTS
678-018	LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT
646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
644-004	FIBERGLASS HOOD
690-002	TUNNEL/FIREWALL LINER
727-1B0	DUAL 25 INCH ROUND STUTTER TONE HOOD MOUNTED AIR HORNS
726-002	DUAL ELECTRIC HORNS
728-002	DUAL HORN SHIELDS
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL
302-047	LED AERODYNAMIC MARKER LIGHTS
311-019	HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS
294-046	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING WITH SEPARATE STOP/TURN WIRES TO 4 FEET BEYOND END OF FRAME
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
74A-001	RH DOWN VIEW MIRROR
729-001	STANDARD SIDE/REAR REFLECTORS
677-016	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES
764-010	COMPOSITE EXTERIOR SUN VISOR
768-998	NO REAR WINDOW
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS
654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED
Cab Interior	
707-1AK	OPAL GRAY VINYL INTERIOR
706-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149




Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
708-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS
772-006	BLACK MATS WITH SINGLE INSULATION
691-014	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING
694-010	IN DASH STORAGE BIN
742-007	(2) CUP HOLDERS LH AND RH DASH
680-006	GRAY/CHARCOAL FLAT DASH
860-004	SMART SWITCH EXPANSION MODULE
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
689-803	PREP KIT FOR CUSTOMER INSTALLED AUXILIARY HEATER, PLUMBING FROM ENGINE TO BACK OF CAB WITH SHUTOFF VALVES
170-015	STANDARD HEATER PLUMBING
724-001	AUXILIARY HEATER PLUMBING
130-043	(1) VALEO HEAVY DUTY AND (1) SANDEN COMPACT REFRIGERANT COMPRESSORS
702-002	BINARY CONTROL, R-134A
739-034	PREMIUM INSULATION
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-011	DOMED DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
78G-002	KEY QUANTITY OF 2
655-005	LH AND RH ELECTRIC DOOR LOCKS
284-023	(1) 12 VOLT POWER SUPPLY IN DASH
756-1E7	SEATS INC 911 UNIVERSAL SERIES HIGH BACK AIR SUSPENSION DRIVER SEAT WITH NFPA 1901-2009/2016 COMPLIANT SEAT SENSOR
760-1E7	SEATS INC 911 UNIVERSAL SERIES HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH NFPA 1901-2009/2016 COMPLIANT SEAT SENSOR
759-002	INBOARD DRIVER AND PASSENGER SEAT ARMRESTS



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290


Data Code	Description
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
758-036	VINYL WITH VINYL INSERT DRIVER SEAT
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT
763-105	NFPA 1901-2009 HIGH VISIBILITY ORANGE SEAT BELTS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

732-003	WOODGRAIN DRIVER INSTRUMENT PANEL
734-003	WOODGRAIN CENTER INSTRUMENT PANEL
87L-003	ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
148-070	ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE
163-004	ENGINE REMOTE INTERFACE CONNECTOR IN ENGINE COMPARTMENT
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
679-998	NO OVERHEAD INSTRUMENT PANEL
746-135	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939
747-001	DASH MOUNTED RADIO
750-002	(2) RADIO SPEAKERS IN CAB
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
78C-003	INTEROPERABLE SDAR ANTENNA
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
264-028	(2) LH AND RH FOOT SWITCHES WITH DASH SWITCH FOR HORN BUTTON TO CONTROL AIR HORN, DEFAULT TO ELECTRIC <85 PSI
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
27D-004	ALTERNATING FLASHING HEADLAMP SYSTEM WITH BODY BUILDER CONTROLLED ENGAGEMENT
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS
Design	
065-000	PAINT: ONE SOLID COLOR
Color	
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

Data Code	Description
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
976-995	SUNVISOR PAINTED SAME AS CAB COLOR A
963-003	STANDARD E COAT/UNDERCOATING

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

Secondary Factory Options

48Q-998	NO TIRE INFLATION DEVICE/SYSTEM
99B-001	SHIP TO FONTAINE (MOUNT HOLLY, NC) PRIOR TO DELIVERY

Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 105.66 in
---------	--

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

Extended Warranty


WBB-344	TC4: MD MODERATE 5 YEARS/100,000 MILES / 161,000 KM EXTENDED TRUCK COVERAGE. FEX APPLIES
WAG-010	TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES

Dealer Installed Options

		Weight Front	Weight Rear
FILL	INSTALL FUEL NECK, CAP, AND RETURN STEM ON UNIT WITH 40 GALLON BTR FUEL TANK	0	0
LSS1	FURNISH & INSTALL LIQUID SPRING HYDRAULIC REAR SUSPENSION PACKAGE. IN-CAB CONTROL PAD TO	0	0




Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149




Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

LSS2	BE LEFT LOOSE FOR CUSTOMER INSTALLATION. WIRING TO TRIGGER KNEEL FUNCTION WILL BE BUNDLED AND TIE STRAPPED	0	0
LSS3	TO CONTROL MODULE UNDER THE FRAME RAIL.	0	0
LSS4	LIQUID SPRING REAR SUSPENSION INSTALLATION AT UPFITTER. LIQUID SPRING IS NOT A FREIGHTLINER OR DEALER	0	0
LSS5	INSTALLED OPTION AND IS NOT COVERED BY FREIGHTLINER WARRANTY, ANY LIQUID SPRING SERVICE NEEDS	0	0
LSS6	TO BE PROVIDED BY LIQUID SPRING AND OR THEIR DEALERS, CUSTOMER MUST ASSUME RESPONSIBILITY FOR ANY CHARGES	0	0
LSS7	DELIVERY TO CUSTOMER FROM FONTAINE MODIFICATION CENTER.	0	0
Total Dealer Installed Options		0 lbs	0 lbs

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.




Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

DIMENSIONS




VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model.....	M2106
Wheelbase (545).....	4425MM (174 INCH) WHEELBASE
Rear Frame Overhang (552).....	1950MM (77 INCH) REAR FRAME OVERHANG
Fifth Wheel (578).....	NO FIFTH WHEEL
Mounting Location (577).....	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in).....	0
Maximum Rearward Position (in).....	0
Amount of Slide Travel (in).....	0
Slide Increment (in).....	0
Desired Slide Position (in).....	0.0
Cab Size (829).....	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682).....	NO SLEEPER BOX/SLEEPER/CAB
Exhaust System (016).....	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

TABLE SUMMARY - DIMENSIONS



Prepared for:
 Mark Smith
 REV RTC
 725 SW 46TH AVE
 OCALA, FL 34474
 Phone: 352-816-7149



Prepared by:
 John Grosboll
 PREMIER TRUCK GROUP OF
 DALLAS
 4200 PORT BOULEVARD
 DALLAS, TX 75241
 Phone: 972 213 5290

Dimensions	Inches
Bumper to Back of Cab (BBC)	106.3
Bumper to Centerline of Front Axle (BA)	40.7
Front Axle to Back of Cab (AC)	65.6
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	108.7
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	105.7
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	185.5
Cab Height (CH)	63.2
Wheelbase (WB)	174.2
Frame Overhang (OH)	76.8
Overall Frame Length	290.0
Overall Length (OAL)	291.8
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	34.7

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

GVWR


VEHICLE SPECIFICATIONS SUMMARY - GVWR

Model.....	M2106
Cab Size (829).....	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Expected Front Axle(s) Load (lbs).....	10000.0
Expected Pusher Axle(s) Load (lbs).....	0.0
Expected Rear Axle(s) Load (lbs).....	12000.0
Expected Tag Axle(s) Load (lbs).....	0.0
Expected GVW (lbs).....	22000
Expected GCW (lbs).....	0.0
Front Axle (400).....	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
Front Suspension (620).....	10,000# TAPERLEAF FRONT SUSPENSION
Front Hubs (418).....	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
Front Disc Wheels (502).....	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT 5.80 INSET ALUMINUM DISC FRONT WHEELS
Front Tires (093).....	MICHELIN XZE 255/70R22.5 16 PLY RADIAL FRONT TIRES
Front Brakes (402).....	MERITOR 15X4 Q+ CAM FRONT BRAKES
Steering Gear (536).....	TRW THP-60 POWER STEERING
Rear Axle (420).....	DETROIT DA-RS-17.5-4 17,500# R-SERIES SINGLE REAR AXLE
Rear Suspension (622).....	AIRLINER 12,000# REAR SUSPENSION
Rear Hubs (450).....	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Rear Disc Wheels (505).....	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS
Rear Tires (094).....	MICHELIN XZE 255/70R22.5 16 PLY RADIAL REAR TIRES
Rear Brakes (423).....	MERITOR 15X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
Pusher / Tag Axle (443).....	NO PUSHER OR TAG AXLE
Pusher / Tag Suspension (626).....	NO PUSHER OR TAG SUSPENSION
Pusher / Tag Hubs (449).....	NO PUSHER OR TAG HUBS
Pusher/Tag Disc Wheels (509).....	NO PUSHER/TAG DISC WHEELS
Pusher / Tag Tires (095).....	NO PUSHER/TAG TIRES
Pusher / Tag Brakes (456).....	NO PUSHER/TAG BRAKES

TABLE SUMMARY - GVWR



Prepared for:
 Mark Smith
 REV RTC
 725 SW 46TH AVE
 OCALA, FL 34474
 Phone: 352-816-7149




Prepared by:
 John Grosboll
 PREMIER TRUCK GROUP OF
 DALLAS
 4200 PORT BOULEVARD
 DALLAS, TX 75241
 Phone: 972 213 5290

	Front	Rear
Axle Component Weight Ratings		
Axles	10000	17500
Suspension	10000	12000
Hubs	14700	26000
Brakes	13300	20000
Wheels	14800	29600
Tires	11020	20280
Power Steering	13300	N/A
GAWR (per axle)	10000	12000
GAWR (per axle system)	10000	12000
Expected Load (per axle system)	10000	12000
GVWR due to Frame	33000	
GVWR due to Transmission	300000	
Vehicle GVWR Summary		
Calculated GVWR	22000	
Expected GVWR	22000	
All weights displayed in pounds		

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.




Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

UNLADEN FRAME HEIGHT

Unladen Height	Requested	Calculated
Frame (in)	N/A	34.70



10.10 in - Frame Rail
6.30 in - Suspension Height
18.40 in - Tire Radius

VEHICLE SPECIFICATIONS SUMMARY - UNLADEN FRAME HEIGHT

Model.....	M2106
Cab Size (829)	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Frame Rails (546)	9/32X3-7/16X10-1/16 INCH STEEL FRAME (7.14MMX255.6/0.281X10.06 INCH) 80KSI(546)
Web Height (in)	10.0625
Flange Thickness (in)	0.28125
Rear Suspension (622)	AIRLINER 12,000# REAR SUSPENSION
Rear Suspension Ride Height (621)	AIRLINER MID POSITION RIDE HEIGHT
Axle C/L to Bottom of Frame (in)	6.279
Rear Tires (094)	MICHELIN XZE 255/70R22.5 16 PLY RADIAL REAR TIRES
Unladen Radius (in)	18.35
Fifth Wheel (578)	NO FIFTH WHEEL
Requested Min Height (in)	0.0
Requested Max Height (in)	1
Fifth Wheel Leg Height (582)	NO FIFTH WHEEL LEG HEIGHT
Rear Tow Device (587)	NO REAR TOWING DEVICE
Requested Min Height (in)	0.0
Requested Max Height (in)	0.0

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290




Prepared for:
Mark Smith
REV RTC
725 SW 46TH AVE
OCALA, FL 34474
Phone: 352-816-7149



Prepared by:
John Grosboll
PREMIER TRUCK GROUP OF
DALLAS
4200 PORT BOULEVARD
DALLAS, TX 75241
Phone: 972 213 5290

TURNING RADIUS



Turning radius graphic and data provided strictly for comparisons between model configurations. Weather, road surfaces, and tire treads affect the results. It is strongly suggested that actual vehicles be measured before constructing any roads/driveways using this information. For specific figures regarding your configuration, please contact your CAE representative.

	Dimensions	Tolerance
Wall to Wall Diameter (ft)	48.3	+/- 3.0
Curb to Curb Diameter (ft)	46.5	+/- 3.0
Turning Radius (ft)	22.8	+/- 1.5

VEHICLE SPECIFICATIONS SUMMARY - TURNING RADIUS

Model.....	M2106
Cab Size (829).....	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Wheelbase (545).....	4425MM (174 INCH) WHEELBASE
Front Tires (093).....	MICHELIN XZE 255/70R22.5 16 PLY RADIAL FRONT TIRES
Width (in).....	10.2
Front Axle (400).....	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
Kingpin Intersection (in).....	71.5
Bumper (556).....	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS
Width (in).....	93.5
Bumper Miter to Front Axle (in).....	21.458
Primary Steering Location (003).....	LH PRIMARY STEERING LOCATION
Steering Gear (536).....	TRW THP-60 POWER STEERING
Dual Steering Gear.....	NONE
Ram.....	NONE
Rear Axle (420).....	DETROIT DA-RS-17.5-4 17,500# R-SERIES SINGLE REAR AXLE
Axle Spacing (624).....	NO AXLE SPACING

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



EXHIBIT "B"



City of Cooper City

9090 SW 50th Place
Cooper City, FL 33328
Tel: 954-434-4300
Email: Purchasing@CooperCity.gov

Tax Exempt #: 85-8012646412C-9

PURCHASE ORDER

No. 2022-8139

Original PO Date: 09/23/2022
Vendor Quote No.: 10125-0017

Contract Number: FSA 20-VEF14.01

Ordered By: MNadeau

Requisitioner: AKendrick

Required Delivery Date: 09/22/2022

V E N D O R	17016
	REV TECHNICAL CENTER
	725 SW 46TH AVE
	OCALA, FL 34474
	Attn:
	Phone: (352) 816-7149 Fax:
	Email: MARK.SMITH@REVRTC.COM;DEE.DANIELS@REVRTC.

SHIPPING INFORMATION	
F.O.B. Terms:	DESTINATION
Ship To: DEPT OF FIRE RESCUE - D28 ATTN: REYNA VARELA 10550 STIRLING ROAD COOPER CITY, FL 33328 (954) 432-8905	

NOTE(S):

Line	Qty	Unit	Description	Unit Price	Extended Amount
1	1	EA	SA20-VEF14.01 AMBULANCE TYPE 1 4X2 MEDIU	304,012.000	\$304,012.00
2	1	EA	SAFETY OPT. AND UPGRADES TO PATIENT MOD.	94,846.650	\$94,846.65
3	1	EA	EQUIPMENT & LABOR TO INSTALL	44,123.000	\$44,123.00
4	1	EA	PERFORMANCE BOND	1,768.000	\$1,768.00
				Total:	\$444,749.65

For City use only:

110-160-564520-519-VEHFI \$444,749.65

Approved By:

Irwin Williams

Date: 09/23/2022

**CITY OF COOPER CITY, FLORIDA
PURCHASE ORDER TERMS &
CONDITIONS**

The following Terms and Conditions are applicable to this purchase order entered into by and between City of Cooper City (referred to as the "City") and Vendor (referred to as the "Seller")

1. MODIFICATIONS

This purchase order form and any other document pertaining to this transaction that has been acknowledged in writing by the Purchasing Agent constitute the complete and exclusive statement of this purchase order. Accordingly, no modification or amendment shall be binding upon the City unless signed by the Purchasing Agent.

2. CITY ATTORNEY APPROVAL

The City Attorney has approved these standard terms and conditions as to form and legality. Accordingly, no modification of these terms and conditions shall be binding upon the City unless they are endorsed and approved by the City Attorney. In the event of a conflict between these terms and conditions and any other document pertaining to the transaction covered by this purchase order, these terms and conditions shall prevail.

3. ASSIGNMENT

Any assignment of this purchase order or the performance of work hereunder, in whole or in part, is prohibited.

4. EXCUSABLE DELAYS

The City may grant additional time for any delay or failure to perform hereunder if the delay will not adversely impact the best interests of the City and is due to causes beyond the control of the Seller. Such grant must be in writing and made part of the purchase order.

5. TERMINATION FOR DEFAULT

If Seller defaults in its performance and does not cure the default within 30 days after written notice of default, the City may terminate this purchase order, in whole or in part, upon written notice without penalty to the City. In such event, Seller shall be liable for damages, including the excess cost of procuring similar supplies or services: provided that if, (1) it is determined for any reason that Seller was not in default or (2) Seller's failure to perform is without his control, fault or negligence, the termination will be deemed to be a termination for convenience of the City.

6. TERMINATION FOR CONVENIENCE

The City may terminate this purchase order, in whole or in part, upon 30-days prior written notice, when it is in the best interest of the City. If the purchase order is for supplies, products, equipment or software, and is terminated for convenience by the City, Seller will be compensated in accordance with an agreed upon adjustment of cost. To the extent that the purchase order is for services and so terminated, the City shall only be liable for payment for those services rendered prior to termination.

7. PAYMENT TERMS

By accepting this purchase order, the Seller agrees that payment terms shall be Net 30, unless otherwise stated.

8. INVOICING

Original invoices shall be mailed to Accounts Payable, City of Cooper City, 9090 SW 50 Place, Cooper City, FL, 33328 or emailed to AccountsPayable@CooperCity.gov. This purchase order number and shipping location shall be referenced on each invoice. Invoices not issued to the City in a timely manner may be subject to non-appropriation.

9. TAX

The City of Cooper City is exempt from Federal and State taxes for tangible personal property. Sellers doing business with the City, which are not otherwise exempt, shall not be exempt from paying sales tax to their suppliers for materials to fulfill contractual obligations with the City, nor shall any Seller be authorized to use the City Tax Exemption Number in securing such materials.

10. RESPONSIBILITY

The City is not responsible for any goods delivered or services performed unless covered by a duly signed and authorized City of Cooper City purchase order issued by the Procurement Division.

11. ACCEPTANCE

Seller's acceptance of this purchase order will be presumed unless Seller acknowledges exception, in writing, to the City within (10) calendar days after date of the purchase order.

12. REPRESENTATIVE

All parties to this purchase order agree that the representatives named herein possess full and complete authority to bind the parties.

13. SHIPPING/F.O.B.

In those cases where F.O.B. point is not Destination, Seller is required to prepay freight

charges and list those charges separately on the invoice. Under no circumstances will collect shipments be accepted.

14. DELIVERIES

Deliveries shall be made during the hours of 8:30 AM to 3:30 PM, Monday through Friday, excluding holidays, unless otherwise stipulated. COOPER CITY FACILITIES ARE NOT EQUIPPED WITH LOADING DOCKS. Accordingly, Seller shall notify the City of deliveries that require special handling and/or assistance for off-loading. The City will not be responsible for redelivery, storage or handling charges due to Seller's failure to notify the City concerning this type of delivery.

15. INSPECTION

All commodities delivered on this purchase order are subject to inspection upon receipt by a representative of the City. All rejected commodities shall remain the property of the Seller and will be returned at the Seller's expense.

16. QUANTITIES

Quantities specified in the purchase order cannot be changed without City approval. Goods shipped in excess of quantity designated may be returned at the Seller's expense.

17. PAYMENT CHANGES

Payment will be issued only to the company and address set forth on the purchase order, except if the Seller has requested a change thereto on official company letterhead, signed by an authorized officer of the company. Unless paid using a City credit card, payment in the form of a City of Cooper City check will be mailed to the remit to address on file. Payment will not be hand delivered.

18. ANTI-DISCRIMINATION

Seller shall not discriminate against any person in its operations, activities or delivery of services. Seller shall affirmatively comply with all applicable provisions of federal, state and local equal employment laws and shall not engage in or commit any discriminatory practice against any person based on race, age, religion, color, gender, sexual orientation, national origin, marital status, physical or mental disability, political affiliation or any other factor which cannot be lawfully used as a basis for disqualification.

19. UNIFORM COMMERCIAL CODE

Florida law, including without limitation the Uniform Commercial Code (Chapter 670-680, Florida Statutes), shall apply to and

Approved By:

Arwin Williams

Date:

09/23/2022

supplement the terms and conditions of this purchase order.

20. LEGAL RESPONSIBILITY

By accepting this purchase order, Seller understands and agrees that the items covered herein, or services to be rendered, shall be manufactured, sold or performed in compliance with applicable Federal, State, County and Local laws, ordinances, rules and regulations. Lack of knowledge by the Seller shall in no way be a cause for relief from responsibility.

21. COPYRIGHT/PATENT/TRADEMARK

Seller shall save and hold harmless City, its officers, employees and agents from liability for infringement of any United States patent, trademark or copyright for or on account of the use of any product sold to City or used in the performance of this purchase order.

22. INDEMNIFICATION

Seller shall indemnify, hold harmless and defend City, its officers, employees and agents from and against any and all claims, damages, liability, judgments or causes of action, including costs, expenses and attorney fees, incurred as a result of any error, omission or negligent act by the Seller, its officers, employees, agents, subcontractors or assignees arising out of this purchase order.

23. OCCUPATIONAL SAFETY & HEALTH

Seller must comply with requirements under Chapter 442, Florida Statutes, that any toxic substance delivered as a part of this purchase order must be accompanied by a Material Safety Data Sheet (MSDS).

24. INSURANCE

Unless otherwise stated in a formal solicitation issued by the City and awarded to the Seller, the Seller of services must have secured and maintained the required minimum amount of \$1,000,000 general and \$1,000,000 automobile liability limits and must list the City as an additional insured of this coverage. The Seller must have worker's compensation coverage as required by law. Any exception to the above stated limits or other requirements must be endorsed and approved by the City's risk manager.

25. COMPLIANCE WITH LAWS

This agreement shall be governed by the laws of the State of Florida. Seller shall fully obey and comply with all laws, ordinances and administrative regulations duly made in accordance therewith, which are or shall

become applicable to this purchase order or the performance of work hereunder.

26. CONSENT TO JURISDICTION

Venue of any action to enforce this purchase order or the performance of work hereunder shall be in Broward County, Florida. If City or Seller shall be required to enforce the terms of this purchase order by court proceedings or otherwise, whether or not formal legal action is required, the prevailing party shall be entitled to recover from the other party all such costs and expenses, including but not limited to, costs and reasonable attorney's fees.

27. WARRANTY

Commodities furnished shall be new and free from defects and packaged commercially for shipment and delivery. Any implied warranty granted under the Uniform Commercial Code shall apply to all commodities purchased under this Contract. All written standard warranties for commodities shall inure to the benefit of the City, and Seller shall supply a copy of the manufacturer's written standard warranty certificates for each commodity being purchased. The warranty supplied by the manufacturer shall begin on the date of acceptance of the commodities by the City and shall remain in full force for the full period identified by the manufacturer. Any payment by the City for the commodities received does not constitute a waiver of these warranty provisions.

If Seller fails to honor the manufacturer's warranty and/or fails to correct or replace the defective items within fifteen (15) calendar days after written notice from the City of such deficiencies, the City may, at its discretion, provide additional written notice of potential debarment or of other contractual remedies if the corrections or replacements are not completed to City's satisfaction within five calendar days of receipt of the notice. If Seller fails to satisfy the manufacturer's warranty, or provide the corrections or replacements within the specified time, the Seller may be placed in default and/or the commodities may be obtained from another seller and the Seller charged the costs of procurement, either through an offset from any unpaid invoices or through invoices.

28. DISCRIMINATORY VENDOR LIST

Pursuant to Section 287.134, Florida Statutes, an entity or affiliate who has been placed on the discriminatory vendor list may not submit a bid, proposal, or reply on a contract to provide any goods or services to a public entity; may not submit a bid, proposal, or reply on a

contract with a public entity for the construction or repair of a public building or public work; may not submit bids, proposals, or replies on leases of real property to a public entity; may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity; and may not transact business with any public entity. By accepting this purchase order, Vendor represents that it has not been placed on the discriminatory vendor list as provided in Section 287.134, Florida Statutes.

29. CONVICTED VENDOR LIST

Pursuant to Section 287.133, Florida Statutes, a person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid, proposal, or reply on a contract to provide any goods or services to a public entity; may not submit a bid, proposal, or reply on a contract with a public entity for the construction or repair of a public building or public work; may not submit bids, proposals, or replies on leases of real property to a public entity; may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity; and may not transact business with any public entity in excess of the threshold amount provided in s. 287.017 for CATEGORY TWO for a period of 36 months following the date of being placed on the convicted vendor list. By accepting this purchase order, Vendor represents that it has not been placed on the convicted vendor list as provided in Section 287.133, Florida Statutes.

30. SCRUTINIZED COMPANIES LIST

Pursuant to Section 287.135, Florida Statutes, Vendor certifies that it is not on the Scrutinized Companies that Boycott Israel List created pursuant to Section 215.4725, Florida Statutes and that it is not engaged in a boycott of Israel. Pursuant to Section 287.135, in the event the Contract is for one million dollars or more, Vendor certifies that it is not on the Scrutinized Companies with Activities in Sudan List or the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List created pursuant to Section 215.473, Florida Statutes; and Vendor further certifies that it is not engaged in business operations in Cuba or Syria. Pursuant to Section 287.135, Florida Statutes, City may, at the option of the City Commission, terminate this Contract if Vendor is found to have submitted a false certification as provided under subsection 287.135(5), Florida Statutes; has been placed on the Scrutinized Companies that Boycott Israel List, or is engaged in a boycott of Israel, has been

Approved By:

Irwin Williams

Date: 09/23/2022

placed on the Scrutinized Companies with Activities in Sudan List or the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or has been engaged in business operations in Cuba or Syria.

31. E-VERIFY

Registration Requirement; Termination.

Pursuant to Section 448.095, Florida Statutes, effective January 1, 2021,

Contractors, shall register with and use the E-verify system in order to verify the work authorization status of all newly hired employees. Contractor shall register for and utilize the U.S. Department of Homeland Security's E-Verify System to verify the employment eligibility of:

(i) All persons employed by a Contractor to perform employment duties within Florida during the term of the contract; and

(ii) All persons (including sub vendors/sub consultants/subcontractors) assigned by Contractor to perform work pursuant to the contract with the City of Cooper City. The Contractor acknowledges and agrees that registration and use of the U.S. Department of Homeland Security's E-Verify System during the term of the contract is a condition of the contract with the City of Cooper City; and

(iii) The Contractor shall comply with the provisions of Section 448.095, Fla. Stat., "Employment Eligibility," as amended from time to time. This includes, but is not limited to registration and utilization of the E-Verify System to verify the work authorization status of all newly hired employees. Contractor shall also require all subcontractors to provide an affidavit attesting that the subcontractor does not employ, contract with, or subcontract with, an unauthorized alien. The Contractor shall maintain a copy of such affidavit for the duration of the contract. Failure to comply will lead to termination of this Contract, or if a subcontractor knowingly violates the statute, the subcontract must be terminated immediately. Any challenge to termination under this provision must be filed in the Circuit Court no later than twenty (20) calendar days after the date of termination. Termination of this Contract under this Section is not a breach of contract and may not be considered as such. If this contract is terminated for a violation of the statute by the Contractor, the Contractor may not be awarded a public

contract for a period of one (1) year after the date of termination.

32. PUBLIC RECORDS


Seller agrees to keep and maintain public records in Seller's possession or control in connection with Seller's performance under this purchase order. Seller additionally agrees to comply specifically with the provisions of Section 119.0701, Florida Statutes.

Section 119.0701(2)(a), Florida

Statutes: IF THE VENDOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE VENDOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS:

OFFICE OF THE CITY CLERK
CITY OF COOPER CITY
9090 SW 50TH PLACE
COOPER CITY, FL 33328
TELEPHONE: 954-434-4300
EMAIL: PRR@COOPERCITY.GOV

Approved By:



Date:

09/23/2022

EXHIBIT "C"



May 18, 2023

CERTIFIED MAIL RRR # 7021 1970 0000 4009 6741
AND E-MAIL

Mark E. Smith, Account Manager
Rev Technical Center
6700 Powerline Road
Fort Lauderdale, FL 33309

Re: City of Cooper City / Purchase Order No. 2022-8139

Dear Mr. Smith:

This law firm serves as the City Attorney's Office for the City of Cooper City, Florida (the "City"). On September 23, 2022, the City issued Purchase Order No. 202-8139 (the "PO"), thereby authorizing the purchase of a fire rescue vehicle, along with related upgrades and installation, from Rev Technical Center ("RTC") in the amount of \$444,749.65. At the time the PO was issued the City was advised that a vehicle chassis was on site at RTC's construction facility and that delivery could be expected by the Summer 2023. This timing was a critical factor in the City's decision to purchase the fire rescue vehicle from RTC.

Our office is in receipt of multiple email correspondence between RTC, the City's Fire Chief Gary Harrington and the Broward Sheriff's Office Fire Rescue Fleet Coordinator, Victor Goizueta, related to the status of the fire rescue vehicle construction. It is our understanding that the parties met on February 21, 2023, to review the vehicle specifications, and that vehicle construction was on schedule, at that time, for an expected delivery to the City over the summer.

Since the February 21 meeting, the City's representatives have sent multiple emails inquiring about the status of vehicle construction. The City has also requested a proposal for the potential purchase of a second apparatus. To date, the City has not received any substantive responses or updates as to the status of the fire rescue vehicle. The City has also not received a response to its request for a second proposal. While City recognizes that there may be some personal issues which have contributed to RTC's failure to respond in a timely manner, the lack of any substantive response is troubling.

Mark E. Smith, Account Manager

Rev Technical Center

May 18, 2023

Page 2

Please confirm that the City can expect delivery of the fire rescue vehicle purchased pursuant to the PO during the Summer 2023, as previously agreed upon. An anticipated delivery date would also be appreciated. Please also provide a copy of the second vehicle proposal, as requested. Kindly respond to this correspondence within ten (10) business days.

Thank you for your anticipated response and attention to this important matter.

Sincerely,



JACOB G. HOROWITZ

CC: Carlos Vega, Interim City Manager
Chief Gary Harrington, Broward Sheriff's Office
Victor Goizueta, Broward Sheriff's Office

Jacob G. Horowitz
JHorowitz@GorenCherof.com



GOREN CHEROF
DOODY & EZROL PA
ATTORNEYS AT LAW

January 14, 2025

VIA CERTIFIED MAIL RRR # 9589 0710 5270 0463 4335 72
AND EMAIL (MSmith@mathenyfire.com)

Mark E. Smith, Account Manager
Matheny Fire & Emergency
725 S.W. 46th Ave
Ocala, FL 34474

Re: City of Cooper City / Purchase Order No. 2022-8139

Dear Mr. Smith:

This law firm serves as the City Attorney's Office for the City of Cooper City, Florida (the "City"). On September 23, 2022, the City issued Purchase Order No. 2022-8139 (the "PO"), thereby authorizing the purchase of a fire rescue vehicle, along with related upgrades and installation, from Matheny Fire & Emergency ("Matheny;" formerly, Rev Technical Center) in the amount of \$444,749.65. At the time the PO was issued the City was advised that a vehicle chassis was on site at the manufacture facility and that delivery could be expected by the Summer 2023. Matheny failed to deliver within this timeframe.

On September 30, 2024, Victor Goizueta emailed you on behalf of the City inquiring about the production status and completion schedule and providing a "punch list" of twenty-five (25) questions related to the vehicle design. The City did not receive a response to this inquiry. In an effort to reach a resolution, the City then asked for a video conference call for response and clarification. During the November 14, 2024 call, the City was advised that the original chassis was sold to another customer. The City was also advised that there would be an increase in the cost for items and specifications that, in the City's opinion, was included in the original proposal.

In an email dated January 6, 2025, you advised the City's representatives that another chassis was painted in October 2024 and that fabrication assembly of the vehicle is currently underway. In response to this email Mr. Goizueta inquired further as to how Matheny could commence production without the final approval of the renderings by the City. Again, the City has received no response.


The lack of timely communication by Matheny is unacceptable. It has been over two (2) years since the initial issuance of the PO, and Matheny has failed to deliver the vehicle in a timely manner, respond to the City's inquiries related to the vehicle design or keep the City properly informed of the production status. Now it appears that production has begun without the City's final design approval.

The City is hereby requesting an immediate written update on the status of the fire rescue vehicle production, including a copy of all final drawings, a response to City's September 24, 2024 "punch list," a cost update and a final delivery date. The City is also prepared to participate in a meeting to review all outstanding issues related to the PO, if necessary.

Please be advised that the City reserves the right to pursue any and all legal remedies related to Matheny's failure to deliver the rescue vehicle in accordance with the terms of the PO. Such action may be pursued by the City without further notice to Matheny. A response to this correspondence within seven (7) business days is appreciated.

Thank you for your anticipated response and attention to this important matter.

Sincerely,



JACOB G. HOROWITZ
City Attorney

CC: Alex Rey, City Manager
Irwin Williams, Finance Director
Chief Richard Brown, Broward Sheriff's Office
Victor Goizueta, Broward Sheriff's Office



March 4, 2025

VIA CERTIFIED MAIL RRR # 9589 0710 5270 2073 0243 86
AND EMAIL (MSmith@mathenyfire.com)

Mark E. Smith, Account Manager
Matheny Fire & Emergency
725 S.W. 46th Ave
Ocala, FL 34474

Re: City of Cooper City / Purchase Order No. 2022-8139

Dear Mr. Smith:

This correspondence is intended to follow-up on recent emails sent to you on behalf of the City of Cooper City (the "City") by Victor Goizueta, Fire Rescue Fleet Coordinator for the Broward Sheriff's Office. Mr. Goizueta is acting as the City's agent for its acquisition of a fire rescue vehicle pursuant to the above-referenced purchase order.

On February 16, 2025, Mr. Goizueta posed the following four (4) questions to you by email:

- 1) Is the City's vehicle currently in production?
- 2) What is the estimated time for completion of the City's vehicle?
- 3) Is there any additional cost to the City beyond the price set forth in the initial purchase order?
- 4) Does Matheny have any written documentation confirming Matheny's position that a performance bond was not needed for this purchase despite being referenced on the initial purchase order?

To date, Mr. Goizueta has not received a response to his February 16 email, nor his February 26, 2025 follow-up email inquiry. As you know, the City has raised previous concerns about Matheny's lack of communication and unjustified production delays associated with this purchase. These concerns have also been raised directly by the City Attorney's Office.

Please provide a response to the questions set forth in this correspondence within seven (7) business days. Please also provide the undersigned with contact information for Matheny's legal counsel. While the City continues to be interested in amicably finalizing the purchase of this fire rescue vehicle, Matheny's actions and lack of timely communication have forced the City to incur additional legal expenses related to this matter. The City reserves the right to pursue any and all available legal and equitable remedies, without further notice to Matheny.

Thank you for your anticipated response and attention to this important matter.

Sincerely,



JACOB G. HOROWITZ
City Attorney

cc: Alex Rey, City Manager
Irwin Williams, Finance Director
Chief Richard Brown, Broward Sheriff's Office
Victor Goizueta, Broward Sheriff's Office
Matheny Motors Corporate, 315 Ann Street, Parkersburg, WV 26101