



**Broward Sheriff's Office
Cooper City District
10550 Stirling Rd.
Cooper City, FL 33026**

EXTERNAL MEMO

Date: 12-03-2025

To: Mr. Alex Rey
City Manager
City of Cooper City

From: Mr. Richard Brown
Cooper City District Chief
Department of Fire Rescue and Emergency Services

Subject: Fire Chief's Report – Commission Meeting December 9, 2025

The following is the Fire Chief's report for November 2025. The report highlights information pertinent to the city's fire safety concerns: Fire Rescue Incidents, Fire Apparatus / Station concerns, Fire Prevention, and Community Outreach.

I. FIRE / RESCUE INCIDENT REPORT

Fire / Hazardous Condition Related Incidents in Cooper City	49
Medical Related Incidents in Cooper City	166
<u>Fastest Unit Response to Other Jurisdictions</u>	<u>39</u>
Total Incidents	244

II. FASTEST UNIT RESPONSE / MUTUAL AID CALLS

Incidents where Cooper City units have responded to outside jurisdictions and incidents that outside agencies assisted Cooper City.

	Davie	Hollywood	Pembroke Pines	Totals
Cooper City units responded to outside jurisdiction	31	0	8	39
Outside agencies responded into Cooper City	4	0	0	4

III. INCIDENT RESPONSE SUMMARY

Total responses	Incident Responses < 6 min.	Priority 1 Incident Responses 6 - 9 min.	Priority 1 Responses > 9 min.	Lower Priority / Non- Emergent Responses	Fastest Unit Responses
244	116	53	4	32	39

IV. FIRE APPARATUS / STATION REPORT

APPARATUS SERVICE DAYS

Unit	Days In-Service	Days Out-of-Service
Q28	0	30
E28	30	0
R28	30	0
R228	30	0
DC28	30	0

Quint 28 is in reserve due to a leak in the hydraulic lifting pistons for the aerial / ladder. The pistons have been rebuilt and the apparatus should be back in service soon.

New Quint 28 Update: The vehicle is on the production assembly line at Pierce in Appleton Wisconsin and is moving along rapidly. The projected delivery date is mid-January. The Quint's build progress is being captured via photos that are posted online at the following link (<https://ten8fire.com/fire-in-production/cooper-city-enforcer-aerial-39676/>).

NEW Rescue 28 Update: At the last inspection there were multiple items identified as needing correction and only a few have been addressed. A letter was submitted to the manufacturer requesting a timeframe of 3 weeks for resolution (by December 19th). The City Attorney appealed in writing to the manufacturer directly, requesting assistance in resolving the delays. To my knowledge, the manufacturer (nor a representative) has yet to respond.

V. FIRE PREVENTION


Construction Plans Reviewed	19
Annual Fire Inspections	42
New Business Inspections	3
Complaint Inspections	1
Construction Permit Inspections	11
FY Annual Inspections Completed	14%

2025 Hydrant Flushing	
Total Hydrants:	1240
Hydrants Flushed:	1207
Hydrants Out-of-Service:	0
Pending:	33


VI. COMMUNITY OUTREACH REPORT

- 11/3: Aden Perry Life Ring Dedication Ceremony at the Lake by the Cooper City Pool & Tennis Center in Rock Creek
- 11/4: Cooper City Senior Safety Presentation – Cooking Safety at the Community Center – Life Safety Educators
- 11/4: Aden Perry Life Ring Dedication Ceremony at the Lake in Country Glen
- 11/5: Station Tour for the Cooper City Costume Winner
- 11/6: Cooper City High School Career Fair – Life Safety Educators
- 11/6: Eat to the Beat – Life Safety Educators
- 11/13: Broward Emergency Coordinating Council Meeting – Dst. Ch. Brown
- 11/17: Public Safety Advisory Board Meeting – Dst. Ch. Brown
- 11/19: Fire Prevention Education / Demonstration – Life Safety Educators & Quint 28
- 11/20: CERT Monthly Meeting – Life Safety Educators provided training
- 11/21: Fire Rescue Apparatus Survey for Potential Grant Funding Request
- 11/28: Station Tour for Church of God Parishioners

VII. Total Response by Incident Type



VIII. Map of Response Time Outliers



Cause for Delayed Response

- A. Time Delay in Reporting – Distance
- B. Distance
- C. Address Location Error
- D. Mechanical Delay & Distance

Response Time

09:25
09:43
09:47
11:46

Time of Day

06:23
14:13
15:55
04:41

Type of Incident

Vehicle Accident
CO Alarm
Medical
Medical