(SUBMIT FORM TO THE TOWN CLERK NO LATER THAN ONE WEEK BEFORE THE SCHEDULED MEETING)

ALL REQUESTS ARE SUBJECT TO THE APPROVAL OF THE MAYOR				
⊠ F	RESOLUTION	ORDINANCE	☐ INFORMATION	☐ OTHER
DATE	PREPARED: 3-9-2023	J	FOR MEETING ON: 3	-13-2023
DESCRIPTION/TITLE:				
SCADA Upgrade: The SCADA computer and related software requires an update/upgrade to Windows 10, SCADA is the control and data collection system that monitors the wells and stations. Currently the system runs on the Windows 7 operating system. The upgrade/update would provide a new computer with windows 10 and update all the other software that is required for the SCADA system. Funds to pay for the upgrade are available in Restricted Assets 13-4206 CHESTNUT GROVE SCADA				
REQUIRED ACTION:				
Approve the quotation from our SCADA consultants - Advanced Automation & Controls				
STAFF/COMMITTEE RECOMMENDATION:				
Approve the quotation from our SCADA consultants - Advanced Automation & Controls				
STATEMENT OF CONCERN/SUMMARY:				
AGENDA PLACEMENT:				
□ Во	DARD REVIEW OF PENDING BUSINESS	New Business	Concerns	STAFF REPORTS
	OMMITTEE OF THE WHOLE JBLIC HEARING	☐ PRESIDENT'S REPORT	☐ CONSENT AGENDA	☐ UNFINISHED BUSINESS